Table of Contents

File Operations 3
Summary 3
APT Package Management 4
Summary 4
C Compilation 5
Step 1: Writing Code 5
Summary 5
Step 2: Compile and Run 6
Summary 6
Step 3: Modify and Recompile 7
Summary 7
Step 4: Cleanup and Verification 8
Summary 8

Table of Figures

Figure 1: File Operations 3
Figure 2: Apt Package Management Commands 4
Figure 3: Using nano to write code 5
Figure 4: Compile and Run 6
Figure 5: Modifying Code 7
Figure 6: Cleaning and Verifying 8

File Operations




Figure 1: File Operations

Summary

Created and navigated to a directory using mkdir and cd. Created and edited file using nano. Viewed file content using cat. Copied and renamed file and its content using cp and mv. Used rm, rm- r, rmdir to remove files and directories. Checked permission using ls -l.

APT Package Management




Figure 2: Apt Package Management Commands

Summary

Used sudo apt update to update the packages, installed the C Compiler (GCC) with apt install build-essential and checked its version using gcc –version and searched for other python packages.

C Compilation

Step 1: Writing Code




Figure 3: Using nano to write code

Summary

Wrote C code using nano.

Step 2: Compile and Run




Figure 4: Compile and Run

Summary

Used gcc to compile the code and -o to produce output executable name. Used gcc -wall to compile with warnings and ./ to execute the code.

Step 3: Modify and Recompile




Figure 5: Modifying Code

Summary

Modified the value of both a and b and recompiled using gcc -Wall and -o and executed ./ it.

Step 4: Cleanup and Verification




Figure 6: Cleaning and Verifying

Summary

Used ls -lh to list all files in the lab directory with its details. Used cat to see the content of the file and rm -rf to remove the entire lab directory.