

BankGuru Test Report

18 Jan 2023, 18:07:05

Start : Jan 18, 6:05:43.498 pm

End : Jan 18, 6:07:03.747 pm

Duration : 1 m 20.249 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 4



FAILED - 1

SKIPPED - 0

PASSED - 16


FAILED - 1

SKIPPED - 0




| Feature | | Scenario | | | | Step | | | |
|--------------------------|----------|----------|---|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Login scenarios</u> | 44.207 s | 3 | 2 | 1 | 0 | 12 | 11 | 1 | 0 |
| <u>Product scenarios</u> | 35.990 s | 2 | 2 | 0 | 0 | 5 | 5 | 0 | 0 |

| Tag | Scenario | | | | Feature | | | |
|-------|----------|---|---|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @test | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|-------------------|---|---|---|---|----------|
| 1 | Login scenarios | 3 | 2 | 1 | 0 | 44.207 s |
| 2 | Product scenarios | 2 | 2 | 0 | 0 | 35.990 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------|--|---|---|---|---|----------|
| 1 | <u>Login scenarios</u> | <u>Login with invalid user name</u> | 4 | 3 | 1 | 0 | 22.601 s |
| 2 | <u>Login scenarios</u> | <u>Login with invalid password</u> | 4 | 4 | 0 | 0 | 9.539 s |
| 3 | <u>Login scenarios</u> | <u>Login with valid user name and password</u> | 4 | 4 | 0 | 0 | 11.898 s |
| 4 | <u>Product scenarios</u> | <u>Validate product info on Products page</u> | 2 | 2 | 0 | 0 | 16.576 s |
| 5 | <u>Product scenarios</u> | <u>Validate product info on Product Details page</u> | 3 | 3 | 0 | 0 | 19.396 s |

Login scenarios

| | | | | | |
|--------------------------------------|---------------------|---|---|---|---|
| FAILED | DURATION - 44.207 s | Scenarios |  | Steps |  |
| / 6:05:43.498 pm // 6:06:27.705 pm / | | Total - 3 Pass - 2 Fail - 1 Skip - 0 | | Total - 12 Pass - 11 Fail - 1 Skip - 0 | |
| | | | | | |


Login with invalid user name

| <div><div>FAILED</div><div>DURATION - 22.601 s</div></div> | |  <table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>5</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>1</td></tr><tr><td>4</td><td>10</td></tr></tbody></table> | Step | Count | 1 | 5 | 2 | 2 | 3 | 1 | 4 | 10 | <div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div> <div><div>4</div></div> |
|--|-------|--|------|-------|---|---|---|---|---|---|---|----|--|
| Step | Count | | | | | | | | | | | | |
| 1 | 5 | | | | | | | | | | | | |
| 2 | 2 | | | | | | | | | | | | |
| 3 | 1 | | | | | | | | | | | | |
| 4 | 10 | | | | | | | | | | | | |
| / 6:05:43.525 pm // 6:06:06.126 pm / | | | | | | | | | | | | | |
| Login scenarios | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When I enter username as "standard_user" | PASSED | 4.997 s |
| 2 | And I enter password as "secret_sauce" | PASSED | 1.738 s |
| 3 | And I login | PASSED | 0.676 s |
| 4 | Then login should fail with an error "Username and password do not match any user in this service." | FAILED | 10.843 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Located by By.chained({By.xpath: //android.view.ViewGroup[@content-desc="test-Error message"]/android.widget.TextView}) (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at org.example.pages.BasePage.waitForVisibility(BasePage.java:39) at org.example.pages.BasePage.getAttribute(BasePage.java:81) at org.example.pages.BasePage.getText(BasePage.java:94) at org.example.pages.LoginPage.getErrTxt(LoginPage.java:55) at org.example.stepdef.LoginStepDef.loginShouldFailWithError(LoginStepDef.java:29) at ?.login should fail with an error "Username and password do not match any user in this service."(file:///Users/abdieid/Desktop/AppiumProjects/appiumBdd/src/test/resources/Login.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.view.ViewGroup[@content-desc="test-Error message"]/android.widget.TextView}) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125) at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.intercept(InterceptorOfASingleElement.java:59) at org.openqa.selenium.remote.RemoteWebElement\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed(<generated>) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at org.example.pages.BasePage.waitForVisibility(BasePage.java:39) at org.example.pages.BasePage.getAttribute(BasePage.java:81) at org.example.pages.BasePage.getText(BasePage.java:94) at org.example.pages.LoginPage.getErrTxt(LoginPage.java:55) at org.example.stepdef.LoginStepDef.loginShouldFailWithError(LoginStepDef.java:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:68) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:230) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:58) </pre> <p>Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction@517704 (tried for 1 second(s) with 500 milliseconds interval)</p> <pre> at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118) ... 63 more </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.view.ViewGroup[@content-desc="test-Error message"]/android.widget.TextView}) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.15.4', java.version: '15.0.2' Driver info: driver.version: RemoteWebDriver</p> <pre> at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | AFTER - org.example.hooks.Hooks.quit(io.cucumber.java.Scenario) Login with invalid user name  | PASSED | 2.324 s |



Login with invalid password

| | | | | | | |
|--------------------------------------|--|--------------------|--|---|--|--|
| PASSED | | DURATION - 9.539 s | |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 6:06:06.237 pm // 6:06:15.776 pm / | | | | | | |
| Login scenarios | | | | | | |
| | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When I enter username as "standard_user" | PASSED | 3.975 s |
| 2 | And I enter password as "invalidPassword" | PASSED | 1.253 s |
| 3 | And I login | PASSED | 0.651 s |
| 4 | Then login should fail with an error "Username and password do not match any user in this service." | PASSED | 0.891 s |



Login with valid user name and password

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | When I enter username as "standard_user" | PASSED | 3.969 s |
| 2 | And I enter password as "secret_sauce" | PASSED | 1.746 s |
| 3 | And I login | PASSED | 0.630 s |
| 4 | Then I should see Products page with title "PRODUCTS" | PASSED | 2.511 s |

Product scenarios**Validate product info on Products page**

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I'm logged in | PASSED | 7.727 s |
| 2 | Then the product is listed with title "Sauce Labs Bolt T-Shirt" and price "\$15.99" | PASSED | 5.203 s |

Validate product info on Product Details page

| | | | | | | | |
|--------------------------------------|--|---------------------|--|--|---|---|--|
| PASSED | | DURATION - 19.396 s | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  | |
| / 6:06:44.351 pm // 6:07:03.747 pm / | | | | | | | |
| Product scenarios | | | | | | | |
| | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I'm logged in | PASSED | 5.977 s |
| 2 | When I click product title "Sauce Labs Backpack" | PASSED | 2.715 s |
| 3 | Then I should be on product details page with title "Sauce Labs Backpack", price "\$29.99" and description "carry.allTheThings() with the sleek, streamlined Sly Pack that melds uncompromising style with unequaled laptop and tablet protection." | PASSED | 7.407 s |