

# **BankGuru Test Report**




Feature			Scei	nario			Step  T P F		
Name	Duration	<b>T</b>	P	F	S	<i>T</i>	P	F	S
Login scenarios	52.584 s	3	2	1	0	12	11	1	0
Product scenarios	36.424 s	2	2	0	0	5	5	0	0

Tag		Scer	nario		T P		ature	
Name	T	P	F	S	T	P	F	S
@test	1	1	0	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Login scenarios</u>	3	2	1	0	52.584 s
2	Product scenarios	2	2	0	0	36.424 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login scenarios	Login with invalid user name	4	3	1	0	29.576 s
2	Login scenarios	Login with invalid password	4	4	0	0	10.971 s
3	Login scenarios	Login with valid user name and password	4	4	0	0	11.904 s
4	Product scenarios	Validate product info on Products page	2	2	0	0	15.521 s
5	Product scenarios	Validate product info on Product Details page	3	3	0	0	20.882 s

DETAILED SECTION -- 6 --

## **Login scenarios**

FAILED	DURATION - 52.584 s	Scenarios		Steps	
/ 12:23:46.499 pm //		Total - 3 Pass - 2	3	Total - 12 Pass - 11	12
		Fail - 1		Fail - 1	12
		Skip - 0		Skip - 0	

## Login with invalid user name



#	Step / Hook Details	Status	Duration
1	When I enter username as "standard_user"	PASSED	8.161 s
2	And I enter password as "secret_sauce"	PASSED	1.357 s
3	And I login	PASSED	1.223 s
4	Then login should fail with an error "Username and password do not match any user in this service."	FAILED	12.375 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Located by By.chained({By.xpath: //android.view. ViewGroup[@content-desc="test-Error message"]/android.widget.TextView}) (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at org.example.pages.BasePage.waitForVisibility(BasePage.java:39) at org.example.pages.BasePage.getAttribute(BasePage.java:81) at org.example.pages.BasePage.getText(BasePage.java:94) at org.example.pages.LoginPage.getErrTxt(LoginPage.java:55) at org.example.stepdef.LoginStepDef.loginShouldFailWithAnError(LoginStepDef.java:29) at ?.login should fail with an error "Username and password do not match any user in this service."(file:///Users/abdieid/Desktop/AppiumProjects/appiumBdd/src/test/resources/Login.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.chained({By.xpath: //android.view.ViewGroup[@content-desc="test-Error message"]/android.widget.TextView})		


#	Step / Hook Details	Status	Duration
	at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:125)		
	$at\ io. appium. java\_client. page factory. interceptors. Interceptor Of A Single Element. intercept (Interceptor Of A Single Element. java: 59)$		
	at org.openqa.selenium.remote.RemoteWebElement\$\$EnhancerByCGLIB\$\$d27c0df4.isDisplayed( <generated>)</generated>		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at org.example.pages.BasePage.waitForVisibility(BasePage.java:39)		
	at org.example.pages.BasePage.getAttribute(BasePage.java:81)		
	at org.example.pages.BasePage.getText(BasePage.java:94)		
	at org.example.pages.LoginPage.getErrTxt(LoginPage.java:55)		
	at org.example.stepdef.LoginStepDef.loginShouldFailWithAnError(LoginStepDef.java:29)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect. Delegating Method Accessor Impl. invoke (Delegating Method Accessor Impl. java: 43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 129)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)		
	at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)		
	at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)		
	at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)		
	at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26)		
	at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:68)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:230)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:58)		
	Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.		
	AppiumElementLocator\$WaitingFunction@23444a36 (tried for 1 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:98)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:118)		
	63 more Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate an element using By.chained({By.xpath: //android.		
	view.ViewGroup[@content-desc="test-Error message"]/android.widget.TextView}) For documentation on this error, please visit:		
	https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '444020c3b7' System info: os.name: 'Mac OS X', os.		
	arch: 'x86_64', os.version: '10.15.4', java.version: '15.0.2' Driver info: driver.version: RemoteWebDriver		
	at io.appium.java_client.pagefactory.bys.builder.ByChained.findElement(ByChained.java:77)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)		
	at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:50)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$0(AppiumElementLocator.java:119) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:171) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:164) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)  * Not displayable characters are replaced by '?'.		
	AFTER - org.example.hooks.Hooks.quit(io.cucumber.java.Scenario)	PASSED	2.688 s
	Login with invalid user name		
	ScreenShot attached		
	□ SWAGLASS 77		
	PRODUCTS   FROM THE TENT OF TH		
	Sand Labe   Sanct Labe Bile   Light   Li		

## **Login with invalid password**



#	Step / Hook Details	Status	Duration
1	When I enter username as "standard_user"	PASSED	4.729 s
2	And I enter password as "invalidPassword"	PASSED	1.404 s
3	And I login	PASSED	0.648 s
4	Then login should fail with an error "Username and password do not match any user in this service."	PASSED	1.222 s

DETAILED SECTION -- 10 --

### Login with valid user name and password


PASSED DURATION - 11.904 s	5 -			1	1 1		Steps	
/// 0// 07/ 170 mm // // 0// 00/ 000 mm /	4 -						Total - 4	
/ 12:24:27.179 pm // 12:24:39.083 pm /	3 -						Pass - 4	
Login scenarios	2 -						Fail - 0	4
Login Sochanos	1 -						Skip - 0	
@test	0 -							
		1	1 7	2	3 4			

#	Step / Hook Details	Status	Duration
1	When I enter username as "standard_user"	PASSED	4.073 s
2	And I enter password as "secret_sauce"	PASSED	1.779 s
3	And I login	PASSED	0.677 s
4	Then I should see Products page with title "PRODUCTS"	PASSED	2.360 s

#### **Product scenarios**


PASSED	DURATION - 36.424 s	Scenarios		Steps	
/ 12:24:39.153 p	om // 12:25:15.577 pm /	Pass - 2	2	Pass - 5	5
		Fail - 0 Skip - 0	V	Fail - 0 Skip - 0	

#### **Validate product info on Products page**



#	Step / Hook Details	Status	Duration
1	Given I'm logged in	PASSED	6.313 s
2	Then the product is listed with title "Sauce Labs Bolt T-Shirt" and price "\$15.99"	PASSED	5.886 s

### Validate product info on Product Details page



#	Step / Hook Details	Status	Duration
1	Given I'm logged in	PASSED	6.688 s
2	When I click product title "Sauce Labs Backpack"	PASSED	2.615 s
3	Then I should be on product details page with title "Sauce Labs Backpack", price "\$29.99" and description "carry.allTheThings()	PASSED	8.006 s
	with the sleek, streamlined Sly Pack that melds uncompromising style with unequaled laptop and tablet protection."		