

# Cucumber Report

Oct 6, 2023, 1:19:34 PM

**Start : Oct 06, 1:18:04.892 PM**

**End : Oct 06, 1:19:32.528 PM**

**Duration : 1 m 27.636 s**

Features






PASSED - 3  
FAILED - 8  
SKIPPED - 0

Scenarios

PASSED - 120  
FAILED - 40  
SKIPPED - 0

Steps

PASSED - 516  
FAILED - 40  
SKIPPED - 10



<b>Feature</b>		<b>Scenario</b>					<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	
<u>User is on Array Page</u>	33.625 s	33	24	9	0	119	110	9	0	
<u>Testing the Data Structure Page</u>	1.228 s	3	2	1	0	11	10	1	0	
<u>Testing the Graph Page</u>	2.668 s	6	4	2	0	22	20	2	0	
<u>User is on DS ALgo Home page</u>	4.732 s	15	15	0	0	45	45	0	0	
<u>User is on LinkedList page</u>	12.700 s	29	22	7	0	102	95	7	0	
<u>The user opens DS Algo portal link</u>	0.259 s	1	1	0	0	3	3	0	0	
<u>User is on Queue Page</u>	7.726 s	12	9	3	0	44	41	3	0	
<u>Title of your feature</u>	0.018 s	3	0	3	0	13	0	3	10	
<u>Validating Sign in page</u>	3.201 s	10	10	0	0	31	31	0	0	
<u>Testing the Stack Page</u>	3.651 s	9	6	3	0	33	30	3	0	
<u>Testing the Tree Page</u>	17.727 s	39	27	12	0	143	131	12	0	

#	Feature Name	Scenario Name
1	<u>User is on Array Page</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for Basic Operations in Lists page</u>
2		<u>The user is able to run code in tryEditor for Search the array link</u>
3		<u>The user is presented with error message for code with invalid syntax in tryEditor for Search the array link</u>
4		<u>The user is able to run code in tryEditor for Max Consecutive Ones</u>
5		<u>The user is presented with error message for invalid code in tryEditor for Max Consecutive Ones</u>
6		<u>The user is able to run code in tryEditor for Find Numbers with Even Number of Digits</u>
7		<u>The user is presented with error message for invalid code in tryEditor for Find Numbers with Even Number of Digits</u>
8		<u>The user is able to run code in tryEditor for Squares of a Sorted Array</u>
9		<u>The user is presented with error message for invalid code in tryEditor for Squares of a Sorted Array</u>

#	Feature Name	Scenario Name
10	<u>Testing the Data Structure Page</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for DS page</u>
11	<u>Testing the Graph Page</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for Implementation of Queue page</u>
12		<u>The user is presented with error message for code with invalid syntax in tryEditor for Implementation of Queue page</u>
13	<u>User is on LinkedList page</u>	<u>The user getting error message with invalid python code for Introduction page</u>
14		<u>The user getting error message with invalid python code for Creating a Linked List page</u>
15		<u>The user getting error message with invalid python code for Types of Linked List</u>
16		<u>The user getting error message with invalid python code for Implement Linked List in Python page</u>
17		<u>The user getting error message with invalid python code for Traversal page</u>

#	Feature Name	Scenario Name
18	<u>User is on LinkedList page</u>	<u>The user getting error message with invalid python code for Insertion page</u>
19		<u>The user getting error message with invalid python code for Deletion page</u>
20	<u>User is on Queue Page</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for Implementation using Collections page</u>
21		<u>The user is presented with error message for code with invalid syntax in tryEditor for Implementation using Array page</u>
22		<u>The user is presented with error message for code with invalid syntax in tryEditor for Queue Operations page</u>
23	<u>Title of your feature</u>	<u>Title of your scenario</u>
24		<u>Title of your scenario outline</u>
25		<u>Title of your scenario outline</u>
26	<u>Testing the Stack Page</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for Stack1 page</u>

#	Feature Name	Scenario Name
27	<u>Testing the Stack Page</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for Stack2 page</u>
28		<u>The user is presented with error message for code with invalid syntax in tryEditor for Stack3 page</u>
29	<u>Testing the Tree Page</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
30		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
31		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
32		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
33		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>

#	Feature Name	Scenario Name
34	<u>Testing the Tree Page</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
35		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
36		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
37		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
38		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
39		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>
40		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Array1		1	1	0	0	1	0	1	0
@Array		33	24	9	0	1	0	1	0
@Array2		1	1	0	0	1	0	1	0
@Array3		1	1	0	0	1	0	1	0
@Array4		1	1	0	0	1	0	1	0
@Array5		1	1	0	0	1	0	1	0
@Array6		1	1	0	0	1	0	1	0
@Array7		1	1	0	0	1	0	1	0
@Array8		1	1	0	0	1	0	1	0
@Array9		1	1	0	0	1	0	1	0
@Array10		1	1	0	0	1	0	1	0
@Array11		1	1	0	0	1	0	1	0
@Array12		1	0	1	0	1	0	1	0
@Array13		1	1	0	0	1	0	1	0
@Array14		1	1	0	0	1	0	1	0
@Array15		1	1	0	0	1	0	1	0
@Array16		1	1	0	0	1	0	1	0

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Array17		1	1	0	0	1	0	1	0
@Array18		1	1	0	0	1	0	1	0
@Array19		1	0	1	0	1	0	1	0
@Array20		1	1	0	0	1	0	1	0
@Array21		1	0	1	0	1	0	1	0
@Array22		1	1	0	0	1	0	1	0
@Array23		1	0	1	0	1	0	1	0
@Array24		1	1	0	0	1	0	1	0
@Array25		1	0	1	0	1	0	1	0
@Array26		1	1	0	0	1	0	1	0
@Array27		1	0	1	0	1	0	1	0
@Array28		1	1	0	0	1	0	1	0
@Array29		1	0	1	0	1	0	1	0
@Array30		1	1	0	0	1	0	1	0
@Array31		1	0	1	0	1	0	1	0
@Array32		1	1	0	0	1	0	1	0
@Array33		1	0	1	0	1	0	1	0

	<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
	<b>Name</b>								
	@DataStructure	3	2	1	0	1	0	1	0
	@DS01	1	1	0	0	1	0	1	0
	@DS02	1	1	0	0	1	0	1	0
	@DS03	1	0	1	0	1	0	1	0
	@Graph01	1	1	0	0	1	0	1	0
	@Graph	6	4	2	0	1	0	1	0
	@Graph02	1	1	0	0	1	0	1	0
	@Graph03	1	0	1	0	1	0	1	0
	@Graph04	1	1	0	0	1	0	1	0
	@Graph05	1	1	0	0	1	0	1	0
	@Graph06	1	0	1	0	1	0	1	0
	@Home	15	15	0	0	1	1	0	0
	@Home1	7	7	0	0	1	1	0	0
	@Home2	6	6	0	0	1	1	0	0
	@Home3	1	1	0	0	1	1	0	0
	@Home4	1	1	0	0	1	1	0	0
	@LinkedList	29	22	7	0	1	0	1	0

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@LinkedList1		1	1	0	0	1	0	1	0
@LinkedList2		1	1	0	0	1	0	1	0
@LinkedList3		1	1	0	0	1	0	1	0
@LinkedList4		1	0	1	0	1	0	1	0
@LinkedList5		1	1	0	0	1	0	1	0
@LinkedList6		1	1	0	0	1	0	1	0
@LinkedList7		1	1	0	0	1	0	1	0
@LinkedList8		1	0	1	0	1	0	1	0
@LinkedList9		1	1	0	0	1	0	1	0
@LinkedList10		1	1	0	0	1	0	1	0
@LinkedList11		1	1	0	0	1	0	1	0
@LinkedList12		1	0	1	0	1	0	1	0
@LinkedList13		1	1	0	0	1	0	1	0
@LinkedList14		1	1	0	0	1	0	1	0
@LinkedList15		1	1	0	0	1	0	1	0
@LinkedList16		1	0	1	0	1	0	1	0
@LinkedList17		1	1	0	0	1	0	1	0

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@LinkedList18		1	1	0	0	1	0	1	0
@LinkedList19		1	1	0	0	1	0	1	0
@LinkedList20		1	0	1	0	1	0	1	0
@LinkedList21		1	1	0	0	1	0	1	0
@LinkedList22		1	1	0	0	1	0	1	0
@LinkedList23		1	1	0	0	1	0	1	0
@LinkedList24		1	0	1	0	1	0	1	0
@LinkedList25		1	1	0	0	1	0	1	0
@LinkedList26		1	1	0	0	1	0	1	0
@LinkedList27		1	1	0	0	1	0	1	0
@LinkedList28		1	0	1	0	1	0	1	0
@LinkedList29		1	1	0	0	1	0	1	0
@DSAlgoPortal1		1	1	0	0	1	1	0	0
@DSAlgoPortal		1	1	0	0	1	1	0	0
@Queue01		1	1	0	0	1	0	1	0
@Queue		12	9	3	0	1	0	1	0
@Queue02		1	1	0	0	1	0	1	0


	<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
	<b>Name</b>								
	@Queue03	1	1	0	0	1	0	1	0
	@Queue04	1	1	0	0	1	0	1	0
	@Queue05	1	1	0	0	1	0	1	0
	@Queue06	1	0	1	0	1	0	1	0
	@Queue07	1	1	0	0	1	0	1	0
	@Queue08	1	1	0	0	1	0	1	0
	@Queue09	1	0	1	0	1	0	1	0
	@Queue10	1	1	0	0	1	0	1	0
	@Queue11	1	1	0	0	1	0	1	0
	@Queue12	1	0	1	0	1	0	1	0
	@tag	3	0	3	0	1	0	1	0
	@tag1	1	0	1	0	1	0	1	0
	@tag2	2	0	2	0	1	0	1	0
	@Signin	10	10	0	0	1	1	0	0
	@Signin1	1	1	0	0	1	1	0	0
	@signin2	3	3	0	0	1	1	0	0
	@signin3	4	4	0	0	1	1	0	0

	<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
	<b>Name</b>								
	@signin4	1	1	0	0	1	1	0	0
	@signin5	1	1	0	0	1	1	0	0
	@Stack01	1	1	0	0	1	0	1	0
	@Stack	9	6	3	0	1	0	1	0
	@Stack02	1	1	0	0	1	0	1	0
	@Stack03	1	0	1	0	1	0	1	0
	@Stack04	1	1	0	0	1	0	1	0
	@Stack05	1	1	0	0	1	0	1	0
	@Stack06	1	0	1	0	1	0	1	0
	@Stack07	1	1	0	0	1	0	1	0
	@Stack08	1	1	0	0	1	0	1	0
	@Stack09	1	0	1	0	1	0	1	0
	@Tree01	1	1	0	0	1	0	1	0
	@Tree	39	27	12	0	1	0	1	0
	@Tree02	1	1	0	0	1	0	1	0
	@Tree03	1	0	1	0	1	0	1	0
	@Tree04	1	1	0	0	1	0	1	0


	<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
	<b>Name</b>								
	@Tree05	1	1	0	0	1	0	1	0
	@Tree06	1	0	1	0	1	0	1	0
	@Tree07	1	1	0	0	1	0	1	0
	@Tree08	1	1	0	0	1	0	1	0
	@Tree09	1	1	0	0	1	0	1	0
	@Tree10	1	1	0	0	1	0	1	0
	@Tree11	1	1	0	0	1	0	1	0
	@Tree12	1	0	1	0	1	0	1	0
	@Tree13	1	1	0	0	1	0	1	0
	@Tree14	1	1	0	0	1	0	1	0
	@Tree15	1	0	1	0	1	0	1	0
	@Tree16	1	1	0	0	1	0	1	0
	@Tree17	1	1	0	0	1	0	1	0
	@Tree18	1	0	1	0	1	0	1	0
	@Tree19	1	1	0	0	1	0	1	0
	@Tree20	1	1	0	0	1	0	1	0
	@Tree21	1	0	1	0	1	0	1	0

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Tree22		1	1	0	0	1	0	1	0
@Tree23		1	1	0	0	1	0	1	0
@Tree24		1	0	1	0	1	0	1	0
@Tree25		1	1	0	0	1	0	1	0
@Tree26		1	1	0	0	1	0	1	0
@Tree27		1	0	1	0	1	0	1	0
@Tree28		1	1	0	0	1	0	1	0
@Tree29		1	1	0	0	1	0	1	0
@Tree30		1	0	1	0	1	0	1	0
@Tree31		1	1	0	0	1	0	1	0
@Tree32		1	1	0	0	1	0	1	0
@Tree33		1	0	1	0	1	0	1	0
@Tree34		1	1	0	0	1	0	1	0
@Tree35		1	1	0	0	1	0	1	0
@Tree36		1	0	1	0	1	0	1	0
@Tree37		1	1	0	0	1	0	1	0
@Tree38		1	1	0	0	1	0	1	0


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Tree39		1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>User is on Array Page</u>	33	24	9	0	33.625 s
2	<u>Testing the Data Structure Page</u>	3	2	1	0	1.228 s
3	<u>Testing the Graph Page</u>	6	4	2	0	2.668 s
4	<u>User is on DS ALgo Home page</u>	15	15	0	0	4.732 s
5	<u>User is on LinkedList page</u>	29	22	7	0	12.700 s
6	<u>The user opens DS Algo portal link</u>	1	1	0	0	0.259 s
7	<u>User is on Queue Page</u>	12	9	3	0	7.726 s
8	<u>Title of your feature</u>	3	0	3	0	0.018 s
9	<u>Validating Sign in page</u>	10	10	0	0	3.201 s
10	<u>Testing the Stack Page</u>	9	6	3	0	3.651 s




#	Feature Name	T	P	F	S	Duration
11	<a href="#"><u>Testing the Tree Page</u></a>	39	27	12	0	17.727 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User is on Array Page</u>	<u>The user is able to navigate to Arrays in Python page</u>	3	3	0	0	1.097 s
2		<u>The user is able to navigate to a page having an tryEditor from Arrays in Python page</u>	3	3	0	0	0.698 s
3		<u>The user is able run code in tryEditor for Arrays Using List page</u>	4	4	0	0	0.905 s
4		<u>The user is presented with error message for code with invalid syntax in tryEditor for Arrays in Python page</u>	4	4	0	0	2.365 s
5		<u>The user is able to navigate to Arrays Using List page</u>	3	3	0	0	0.233 s
6		<u>The user is able to navigate to a page having an tryEditor from Arrays Using List page</u>	3	3	0	0	0.341 s
7		<u>The user is able run code in tryEditor for Arrays Using List page</u>	4	4	0	0	0.540 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
8		<i>The user is presented with error message for code with invalid syntax in tryEditor for Arrays Using List page</i>	4	4	0	0	2.382 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>User is on Array Page</u>	<u>The user is able to navigate to Basic Operations in Lists page</u>	3	3	0	0	0.267 s
10		<u>The user is able to navigate to a page having an tryEditor from Basic Operations in Lists page</u>	3	3	0	0	0.569 s
11		<u>The user is able run code in tryEditor for Basic Operations in Lists page</u>	4	4	0	0	0.506 s
12		<u>The user is presented with error message for code with invalid syntax in tryEditor for Basic Operations in Lists page</u>	4	3	1	0	0.482 s
13		<u>The user is able to navigate to Applications of Array page</u>	3	3	0	0	0.210 s
14		<u>The user is able to navigate to a page having an tryEditor from Applications of Array page</u>	3	3	0	0	0.336 s
15		<u>The user is able run code in tryEditor for Applications of Array page</u>	4	4	0	0	0.528 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
16		<i>The user is presented with error message for code with invalid syntax in tryEditor for Applications of Array page</i>	4	4	0	0	2.330 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>User is on Array Page</u>	<u>The user is able to navigate to Practice page</u>	3	3	0	0	0.218 s
18		<u>The user is able to navigate to Question page from Search the array link</u>	3	3	0	0	0.550 s
19		<u>The user is able to run code in tryEditor for Search the array link</u>	4	3	1	0	0.632 s
20		<u>The user is able to run code in tryEditor for Search the array link</u>	4	4	0	0	1.565 s
21		<u>The user is presented with error message for code with invalid syntax in tryEditor for Search the array link</u>	4	3	1	0	2.410 s
22		<u>The user is able to navigate to Question page from Max Consecutive Ones</u>	3	3	0	0	0.296 s
23		<u>The user is able to run code in tryEditor for Max Consecutive Ones</u>	4	3	1	0	0.377 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
24		<u><i>The user is able to submit code in tryEditor for Max Consecutive Ones</i></u>	4	4	0	0	1.542 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>User is on Array Page</u>	<u>The user is presented with error message for invalid code in tryEditor for Max Consecutive Ones</u>	4	3	1	0	2.412 s
26		<u>The user is able to navigate to Question page from Find Numbers with Even Number of Digits</u>	3	3	0	0	0.314 s
27		<u>The user is able to run code in tryEditor for Find Numbers with Even Number of Digits</u>	4	3	1	0	0.427 s
28		<u>The user is able to submit code in tryEditor for Find Numbers with Even Number of Digits</u>	4	4	0	0	1.571 s
29		<u>The user is presented with error message for invalid code in tryEditor for Find Numbers with Even Number of Digits</u>	4	3	1	0	2.385 s
30		<u>The user is able to navigate to Question page from Squares of a Sorted Array</u>	3	3	0	0	0.321 s
31		<u>The user is able to run code in tryEditor for Squares of a Sorted Array</u>	4	3	1	0	0.600 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
32	<u>User is on Array Page</u>	<u>The user is able to submit code in tryEditor for Squares of a Sorted Array</u>	4	4	0	0	1.582 s
33		<u>The user is presented with error message for invalid code in tryEditor for Squares of a Sorted Array</u>	4	3	1	0	2.395 s
34	<u>Testing the Data Structure Page</u>	<u>The user is able to navigate to DS Page</u>	3	3	0	0	0.224 s
35		<u>The user is able run code in tryEditor for DS page</u>	4	4	0	0	0.509 s
36		<u>The user is presented with error message for code with invalid syntax in tryEditor for DS page</u>	4	3	1	0	0.487 s
37	<u>Testing the Graph Page</u>	<u>The user is able to navigate to Graph Page</u>	3	3	0	0	0.245 s
38		<u>The user is able run code in tryEditor for Implementation of Queue page</u>	4	4	0	0	0.489 s
39		<u>The user is presented with error message for code with invalid syntax in tryEditor for Implementation of Queue page</u>	4	3	1	0	0.491 s


#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
40		<u>The user is able to navigate to Graph Page</u>	3	3	0	0	0.438 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Testing the Graph Page</u>	<u>The user is able run code in tryEditor for Implementation of Queue page</u>	4	4	0	0	0.507 s
42		<u>The user is presented with error message for code with invalid syntax in tryEditor for Implementation of Queue page</u>	4	3	1	0	0.477 s
43	<u>User is on DS ALgo Home page</u>	<u>The user is on the Home page and click Get started link without sign in</u>	3	3	0	0	0.265 s
44		<u>The user is on the Home page and click Get started link without sign in</u>	3	3	0	0	0.254 s
45		<u>The user is on the Home page and click Get started link without sign in</u>	3	3	0	0	0.263 s
46		<u>The user is on the Home page and click Get started link without sign in</u>	3	3	0	0	0.251 s
47		<u>The user is on the Home page and click Get started link without sign in</u>	3	3	0	0	0.292 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>User is on DS ALgo Home page</u>	<u>The user is on the Home page and click Get started link without sign in</u>	3	3	0	0	0.231 s
49		<u>The user is on the Home page and click Get started link without sign in</u>	3	3	0	0	0.233 s
50		<u>The user is on the Home page and click on dropdown without sign in</u>	3	3	0	0	0.411 s
51		<u>The user is on the Home page and click on dropdown without sign in</u>	3	3	0	0	0.437 s
52		<u>The user is on the Home page and click on dropdown without sign in</u>	3	3	0	0	0.413 s
53		<u>The user is on the Home page and click on dropdown without sign in</u>	3	3	0	0	0.428 s
54		<u>The user is on the Home page and click on dropdown without sign in</u>	3	3	0	0	0.426 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
55	<u>User is on DS ALgo Home page</u>	<u>The user is on the Home page and click on dropdown without sign in</u>	3	3	0	0	0.424 s
56		<u>The user is on the Home page and click on Register without sign in</u>	3	3	0	0	0.180 s
57		<u>The user is on the Home page and click on Sign in</u>	3	3	0	0	0.174 s
58	<u>User is on LinkedList page</u>	<u>User navigated to Introduction page</u>	3	3	0	0	0.303 s
59		<u>User navigated to tryEditor page with Run button from Introduction page</u>	3	3	0	0	0.573 s
60		<u>The user run the code in tryEditor with valid input for Introduction page</u>	4	4	0	0	0.709 s
61		<u>The user getting error message with invalid python code for Introduction page</u>	4	3	1	0	0.498 s
62		<u>User navigated to creating linked list page</u>	3	3	0	0	0.274 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
63		<u>User navigated to tryEditor page with Run button from</u> <u>Creating a Linked List page</u>	3	3	0	0	0.535 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
64	<u>User is on LinkedList page</u>	<u>The user run the code in tryEditor with valid input for Creating a Linked List page</u>	4	4	0	0	0.483 s
65		<u>The user getting error message with invalid python code for Creating a Linked List page</u>	4	3	1	0	0.492 s
66		<u>User navigated to Types of linked list page</u>	3	3	0	0	0.354 s
67		<u>User navigated to tryEditor page with Run button from Types of Linked List</u>	3	3	0	0	0.333 s
68		<u>The user run the code in tryEditor with valid input for Types of Linked List</u>	4	4	0	0	0.485 s
69		<u>The user getting error message with invalid python code for Types of Linked List</u>	4	3	1	0	0.535 s
70		<u>user navigated to Implementation linked list in python page</u>	3	3	0	0	0.250 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
71		<u>User navigated to tryEditor page with Run button from</u> <u>Implement Linked List in Python page</u>	3	3	0	0	0.319 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
72	<u>User is on LinkedList page</u>	<u>The user run the code in tryEditor with valid input for Implement Linked List in Python page</u>	4	4	0	0	0.469 s
73		<u>The user getting error message with invalid python code for Implement Linked List in Python page</u>	4	3	1	0	0.471 s
74		<u>user navigated to Traversal page</u>	3	3	0	0	0.237 s
75		<u>User navigated to tryEditor page with Run button from Traversal page</u>	3	3	0	0	0.320 s
76		<u>The user run the code in tryEditor with valid input for Traversal page</u>	4	4	0	0	0.471 s
77		<u>The user getting error message with invalid python code for Traversal page</u>	4	3	1	0	0.470 s
78		<u>user navigated to Insertion page</u>	3	3	0	0	0.238 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
79		<i>User navigated to tryEditor page with Run button from <u>Insertion page</u></i>	3	3	0	0	0.406 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
80	<u>User is on LinkedList page</u>	<u>The user run the code in tryEditor with valid input for Insertion page</u>	4	4	0	0	0.472 s
81		<u>The user getting error message with invalid python code for Insertion page</u>	4	3	1	0	0.479 s
82		<u>user navigated to Deletion page</u>	3	3	0	0	0.546 s
83		<u>User navigated to tryEditor page with Run button from Deletion page</u>	3	3	0	0	0.527 s
84		<u>The user run the code in tryEditor with valid input for Deletion page</u>	4	4	0	0	0.466 s
85		<u>The user getting error message with invalid python code for Deletion page</u>	4	3	1	0	0.473 s
86		<u>The user validating Practice Questions page</u>	4	4	0	0	0.413 s
87		<u>The user opens DS Algo portal link</u>	3	3	0	0	0.259 s


#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
88	<u>User is on Queue Page</u>	<u>The user is able to navigate to Queue Page page</u>	3	3	0	0	0.202 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
89	<u>User is on Queue Page</u>	<u>The user is able run code in tryEditor for Implementation of Queue page</u>	4	4	0	0	0.518 s
90		<u>The user is presented with error message for code with invalid syntax in tryEditor for Implementation of Queue page</u>	4	4	0	0	2.329 s
91		<u>The user is able to navigate to Queue page</u>	3	3	0	0	0.202 s
92		<u>The user is able run code in tryEditor for Implementation using Collections page</u>	4	4	0	0	0.512 s
93		<u>The user is presented with error message for code with invalid syntax in tryEditor for Implementation using *</u>	4	3	1	0	0.467 s
94		<u>The user is able to navigate to Queue page</u>	3	3	0	0	0.203 s
95		<u>The user is able run code in tryEditor for Implementation using Array page</u>	4	4	0	0	0.485 s


\* The feature name and/or scenario name has been cropped to fit in the available space.

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
96		<i>The user is presented with error message for code with invalid syntax in tryEditor for Implementation using Array *</i>	4	3	1	0	0.472 s
97		<i>The user is able to navigate to Queue page</i>	3	3	0	0	0.201 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
98	<u>User is on Queue Page</u>	<u>The user is able run code in tryEditor for Queue Operations page</u>	4	4	0	0	0.472 s
99		<u>The user is presented with error message for code with invalid syntax in tryEditor for Queue Operations page</u>	4	3	1	0	0.482 s
10-0	<u>Title of your feature</u>	<u>Title of your scenario</u>	7	0	1	6	0.003 s
10-1		<u>Title of your scenario outline</u>	3	0	1	2	0.001 s
10-2		<u>Title of your scenario outline</u>	3	0	1	2	0.001 s
10-3	<u>Validating Sign in page</u>	<u>Verifying Register link</u>	3	3	0	0	0.166 s
10-4		<u>User on login page and login with the fields empty "" and ""</u>	3	3	0	0	0.335 s
10-5		<u>User on login page and login with the fields empty "user" and ""</u>	3	3	0	0	0.323 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
10-6		<u>User on login page and login with the fields empty "" and "passowrd"</u>	3	3	0	0	0.318 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>Validating Sign in page</u>	<u>User on login page and login with invalid and valid inputs from Excel "login" and 0</u>	3	3	0	0	0.382 s
10-8		<u>User on login page and login with invalid and valid inputs from Excel "login" and 1</u>	3	3	0	0	0.271 s
10-9		<u>User on login page and login with invalid and valid inputs from Excel "login" and 2</u>	3	3	0	0	0.253 s
11-0		<u>User on login page and login with invalid and valid inputs from Excel "login" and 3</u>	3	3	0	0	0.258 s
11-1		<u>Verifying signout link</u>	3	3	0	0	0.495 s
11-2		<u>Signin to Navigate through modules</u>	4	4	0	0	0.370 s
11-3	<u>Testing the Stack Page</u>	<u>The user is able to navigate to Stack Page</u>	3	3	0	0	0.273 s
11-4		<u>The user is able run code in tryEditor for Stack1 page</u>	4	4	0	0	0.559 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
11-5		<i>The user is presented with error message for code with invalid syntax in tryEditor for Stack1 page</i>	4	3	1	0	0.464 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-6	<u>Testing the Stack Page</u>	<u>The user is able to navigate to Stack Page</u>	3	3	0	0	0.167 s
11-7		<u>The user is able run code in tryEditor for Stack2 page</u>	4	4	0	0	0.479 s
11-8		<u>The user is presented with error message for code with invalid syntax in tryEditor for Stack2 page</u>	4	3	1	0	0.484 s
11-9		<u>The user is able to navigate to Stack Page</u>	3	3	0	0	0.184 s
12-0		<u>The user is able run code in tryEditor for Stack3 page</u>	4	4	0	0	0.544 s
12-1		<u>The user is presented with error message for code with invalid syntax in tryEditor for Stack3 page</u>	4	3	1	0	0.466 s
12-2	<u>Testing the Tree Page</u>	<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.277 s
12-3		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.491 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
12-4		<u><i>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</i></u>	4	3	1	0	0.461 s
12-5		<u><i>The user is able to navigate to Tree Page</i></u>	3	3	0	0	0.182 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-6	<u>Testing the Tree Page</u>	<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.478 s
12-7		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.481 s
12-8		<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.206 s
12-9		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.476 s
13-0		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	4	0	0	2.344 s
13-1		<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.266 s
13-2		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.482 s
13-3		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.481 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
13-4		<u><i>The user is able to navigate to Tree Page</i></u>	3	3	0	0	0.268 s
13-5		<u><i>The user is able run code in tryEditor for Tree page</i></u>	4	4	0	0	0.491 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-6	<u>Testing the Tree Page</u>	<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.479 s
13-7		<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.218 s
13-8		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.484 s
13-9		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.473 s
14-0		<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.294 s
14-1		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.483 s
14-2		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.461 s
14-3		<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.218 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
14-4		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.475 s
14-5		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.487 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
14-6	<u>Testing the Tree Page</u>	<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.298 s
14-7		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.482 s
14-8		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.470 s
14-9		<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.197 s
15-0		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.479 s
15-1		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.473 s
15-2		<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.188 s
15-3		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.480 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
15-4		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.463 s
15-5		<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.487 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-6	<u>Testing the Tree Page</u>	<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.495 s
15-7		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.472 s
15-8		<u>The user is able to navigate to Tree Page</u>	3	3	0	0	0.221 s
15-9		<u>The user is able run code in tryEditor for Tree page</u>	4	4	0	0	0.469 s
16-0		<u>The user is presented with error message for code with invalid syntax in tryEditor for Tree page</u>	4	3	1	0	0.464 s

## User is on Array Page




The user is able to navigate to Arrays in Python page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.591 s
2	When The user clicks Arrays in Python link	PASSED	0.483 s
3	Then The user should be redirected to Arrays in Python page	PASSED	0.008 s

The user is able to navigate to a page having an tryEditor from Arrays in Python page




#	Step / Hook Details	Status	Duration
1	Given The user is on Arrays in Python page	PASSED	0.080 s
2	When The user clicks Try Here button	PASSED	0.613 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.003 s

### The user is able run code in tryEditor for Arrays Using List page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.271 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.379 s
3	And The user clicks run button	PASSED	0.235 s
4	Then The user should be presented with Run result	PASSED	0.014 s


### The user is presented with error message for code with invalid syntax in tryEditor for Arrays in Python page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.246 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.034 s
3	And The user clicks run button	PASSED	0.054 s


#	Step / Hook Details	Status	Duration
4	Then The user should be presented with error result	PASSED	2.028 s

### The user is able to navigate to Arrays Using List page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.123 s
2	When The user clicks Arrays Using List link	PASSED	0.104 s
3	Then The user should be redirected to Arrays Using List page	PASSED	0.003 s

### The user is able to navigate to a page having an tryEditor from Arrays Using List page




#	Step / Hook Details	Status	Duration
1	Given The user is on Arrays Using List page	PASSED	0.081 s
2	When The user clicks Try Here button	PASSED	0.251 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.004 s

### The user is able run code in tryEditor for Arrays Using List page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.243 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.039 s
3	And The user clicks run button	PASSED	0.224 s
4	Then The user should be presented with Run result	PASSED	0.032 s

### The user is presented with error message for code with invalid syntax in tryEditor for Arrays Using List page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.242 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.032 s
3	And The user clicks run button	PASSED	0.076 s
4	Then The user should be presented with error result	PASSED	2.030 s

### The user is able to navigate to Basic Operations in Lists page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.146 s
2	When The user clicks Basic Operations in Lists page	PASSED	0.113 s
3	Then The user should be redirected to Basic Operations in Lists page	PASSED	0.005 s

**The user is able to navigate to a page having an tryEditor from Basic Operations in Lists page**




#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.096 s
2	When The user clicks Try Here button	PASSED	0.467 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.002 s

**The user is able run code in tryEditor for Basic Operations in Lists page**



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.237 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.041 s
3	And The user clicks run button	PASSED	0.221 s
4	Then The user should be presented with Run result	PASSED	0.006 s


### The user is presented with error message for code with invalid syntax in tryEditor for Basic Operations in Lists page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.231 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.021 s
3	And The user clicks run button	PASSED	0.217 s
4	Then The user should be presented with error result	FAILED	0.010 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

#	Step / Hook Details	Status	Duration
	<pre>300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Array.feature:112) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.002 s


### The user is able to navigate to Applications of Array page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.113 s
2	When The user clicks Applications of Array link	PASSED	0.092 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to Applications of Array page	PASSED	0.004 s

### The user is able to navigate to a page having an tryEditor from Applications of Array page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array after logged in	PASSED	0.083 s
2	When The user clicks Try Here button	PASSED	0.250 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.002 s

### The user is able run code in tryEditor for Applications of Array page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.254 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.036 s
3	And The user clicks run button	PASSED	0.228 s
4	Then The user should be presented with Run result	PASSED	0.007 s

### The user is presented with error message for code with invalid syntax in tryEditor for Applications of Array page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.242 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.028 s
3	And The user clicks run button	PASSED	0.032 s
4	Then The user should be presented with error result	PASSED	2.024 s

### The user is able to navigate to Practice page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.121 s
2	When The user clicks Practice Questions link	PASSED	0.090 s
3	Then The user should be redirected to Practice page	PASSED	0.005 s

### The user is able to navigate to Question page from Search the array link



#	Step / Hook Details	Status	Duration
1	Given The user is on the Practice page after logged in	PASSED	0.076 s
2	When The user clicks the Search the array link	PASSED	0.470 s
3	Then The user should be redirected to question page contains an tryEditor with Run and Submit buttons	PASSED	0.002 s


### The user is able to run code in tryEditor for Search the array link



#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Search the array link	PASSED	0.547 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.035 s
3	And The user clicks run button	PASSED	0.032 s
4	Then The user should be presented with Run result  org.openqa.selenium.UnhandledAlertException: Dismissed user prompt dialog: SyntaxError: bad input on line 1: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, findElement {using=xpath, value=//pre[@id='output']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy60.getText(Unknown Source) at PageObjects.ArrayPage.getOutput(ArrayPage.java:116) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_run_result(ArrayStepDefinition.java:105) at ?.The user should be presented with Run result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Array.feature:169) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.000 s


### The user is able to run code in tryEditor for Search the array link



#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Search the array link	PASSED	0.303 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.033 s


#	Step / Hook Details	Status	Duration
3	And The user clicks Submit button	PASSED	0.217 s
4	Then The user should be presented with successful submission message	PASSED	1.011 s

### The user is presented with error message for code with invalid syntax in tryEditor for Search the array link




#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Search the array link	PASSED	0.321 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.026 s
3	And The user clicks run button	PASSED	0.034 s
4	Then The user should be presented with error result  java.lang.AssertionError: Result do not match expected [NameError: name 'hello' is not defined on line 1] but found [SyntaxError: bad input on line 1] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:125) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Array.feature:191) * Not displayable characters are replaced by '?'.  AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)	FAILED	2.027 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.000 s

### The user is able to navigate to Question page from Max Consecutive Ones



#	Step / Hook Details	Status	Duration
1	Given The user is on the Practice page after logged in	PASSED	0.074 s
2	When The user clicks the Max Consecutive Ones link	PASSED	0.218 s
3	Then The user should be redirected to question page contains an tryEditor for Max Consecutive Ones link	PASSED	0.002 s


### The user is able to run code in tryEditor for Max Consecutive Ones



#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Max Consecutive Ones after logged in	PASSED	0.297 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.030 s
3	And The user clicks run button	PASSED	0.032 s
4	Then The user should be presented with Run result  org.openqa.selenium.UnhandledAlertException: Dismissed user prompt dialog: SyntaxError: bad input on line 1: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, findElement {using=xpath, value=/pre[@id='output']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy60.getText(Unknown Source) at PageObjects.ArrayPage.getOutput(ArrayPage.java:116) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_run_result(ArrayStepDefinition.java:105) at ?.The user should be presented with Run result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Array.feature:208) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.001 s


### The user is able to submit code in tryEditor for Max Consecutive Ones



#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Max Consecutive Ones after logged in	PASSED	0.291 s
2	When The user enter valid python code in tryEditor from sheet "pythononcode" and 0	PASSED	0.028 s


#	Step / Hook Details	Status	Duration
3	And The user clicks Submit button	PASSED	0.210 s
4	Then The user should be presented with successful submission message	PASSED	1.011 s

### The user is presented with error message for invalid code in tryEditor for Max Consecutive Ones




#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Max Consecutive Ones after logged in	PASSED	0.319 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.028 s
3	And The user clicks run button	PASSED	0.036 s
4	Then The user should be presented with error result  java.lang.AssertionError: Result do not match expected [NameError: name 'hello' is not defined on line 1] but found [SyntaxError: bad input on line 1] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:125) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Array.feature:230) * Not displayable characters are replaced by '?'.  AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	2.027 s

### The user is able to navigate to Question page from Find Numbers with Even Number of Digits



#	Step / Hook Details	Status	Duration
1	Given The user is on the Practice page after logged in	PASSED	0.076 s
2	When The user clicks on Find Numbers with Even Number of Digits	PASSED	0.234 s
3	Then The user should be redirected to question page contains an tryEditor for Find Numbers with Even Number of Digits	PASSED	0.003 s


### The user is able to run code in tryEditor for Find Numbers with Even Number of Digits



#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Find Numbers with Even Number of Digits after logged in	PASSED	0.349 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.032 s
3	And The user clicks run button	PASSED	0.032 s
4	Then The user should be presented with Run result  org.openqa.selenium.UnhandledAlertException: Dismissed user prompt dialog: SyntaxError: bad input on line 1: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, findElement {using=xpath, value=//pre[@id='output']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre> and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy60.getText(Unknown Source) at PageObjects.ArrayPage.getOutput(ArrayPage.java:116) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_run_result(ArrayStepDefinition.java:105) at ?.The user should be presented with Run result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Array.feature:247) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.001 s


### The user is able to submit code in tryEditor for Find Numbers with Even Number of Digits



#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Find Numbers with Even Number of Digits after logged in	PASSED	0.307 s
2	When The user enter valid python code in tryEditor from sheet "pythononcode" and 0	PASSED	0.037 s


#	Step / Hook Details	Status	Duration
3	And The user clicks Submit button	PASSED	0.214 s
4	Then The user should be presented with successful submission message	PASSED	1.011 s

### The user is presented with error message for invalid code in tryEditor for Find Numbers with Even Number of Digits




#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Find Numbers with Even Number of Digits after logged in	PASSED	0.303 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.022 s
3	And The user clicks run button	PASSED	0.032 s
4	<p>Then The user should be presented with error result</p> <pre>java.lang.AssertionError: Result do not match expected [NameError: name 'hello' is not defined on line 1] but found [SyntaxError: bad input on line 1]   at org.testng.Assert.fail(Assert.java:111)   at org.testng.Assert.failNotEquals(Assert.java:1578)   at org.testng.Assert.assertEqualsImpl(Assert.java:150)   at org.testng.Assert.assertEquals(Assert.java:132)   at org.testng.Assert.assertEquals(Assert.java:656)   at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:125)   at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Array.feature:269) * Not displayable characters are replaced by '?'.</pre>	FAILED	2.026 s
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null   at Hooks.Hooks.a(Hooks.java:65)</pre>	FAILED	0.000 s

### The user is able to navigate to Question page from Squares of a Sorted Array



#	Step / Hook Details	Status	Duration
1	Given The user is on the Practice page after logged in	PASSED	0.086 s
2	When The user clicks on Squares of a Sorted Array	PASSED	0.231 s
3	Then The user should be redirected to question page contains an tryEditor for Squares of a Sorted Array	PASSED	0.001 s


### The user is able to run code in tryEditor for Squares of a Sorted Array



#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Squares of a Sorted Array after logged in	PASSED	0.513 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.030 s
3	And The user clicks run button	PASSED	0.040 s
4	Then The user should be presented with Run result  org.openqa.selenium.UnhandledAlertException: Dismissed user prompt dialog: SyntaxError: bad input on line 1: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, findElement {using=xpath, value=//pre[@id='output']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre>and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy60.getText(Unknown Source) at PageObjects.ArrayPage.getOutput(ArrayPage.java:116) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_run_result(ArrayStepDefinition.java:105) at ?.The user should be presented with Run result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Array.feature:286) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.000 s


### The user is able to submit code in tryEditor for Squares of a Sorted Array



#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Squares of a Sorted Array after logged in	PASSED	0.320 s
2	When The user enter valid python code in tryEditor from sheet "pythononcode" and 0	PASSED	0.034 s


#	Step / Hook Details	Status	Duration
3	And The user clicks Submit button	PASSED	0.212 s
4	Then The user should be presented with successful submission message	PASSED	1.012 s

### The user is presented with error message for invalid code in tryEditor for Squares of a Sorted Array




#	Step / Hook Details	Status	Duration
1	Given The user is on Question page of Squares of a Sorted Array after logged in	PASSED	0.314 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.022 s
3	And The user clicks run button	PASSED	0.035 s
4	Then The user should be presented with error result  java.lang.AssertionError: Result do not match expected [NameError: name 'hello' is not defined on line 1] but found [SyntaxError: bad input on line 1] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:125) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Array.feature:308) * Not displayable characters are replaced by '?'.  AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)	FAILED	2.021 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.001 s

### Testing the Data Structure Page




### The user is able to navigate to DS Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS page	PASSED	0.122 s
2	When User click on Time Complexity in DS page in Python	PASSED	0.097 s
3	Then The user should be redirected to Time Complexity in DS page	PASSED	0.005 s


### The user is able run code in tryEditor for DS page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.250 s
2	When The user enter valid python code in tryEditor from sheet "pythononcode" and 0	PASSED	0.023 s

#	Step / Hook Details	Status	Duration
3	And The user clicks run button	PASSED	0.222 s
4	Then The user should be presented with Run result	PASSED	0.008 s

## The user is presented with error message for code with invalid syntax in tryEditor for DS page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.242 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.023 s
3	And The user clicks run button	PASSED	0.218 s
4	Then The user should be presented with error result  <pre>org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/DataStructure.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.000 s

## Testing the Graph Page




## The user is able to navigate to Graph Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Graph page	PASSED	0.124 s
2	When User click on Graph page in Python	PASSED	0.117 s
3	Then The user should be redirected to Graph page	PASSED	0.001 s

## The user is able run code in tryEditor for Implementation of Queue page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.242 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.022 s
3	And The user clicks run button	PASSED	0.218 s
4	Then The user should be presented with Run result	PASSED	0.004 s


### The user is presented with error message for code with invalid syntax in tryEditor for Implementation of Queue page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.243 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.022 s
3	And The user clicks run button	PASSED	0.222 s
4	Then The user should be presented with error result	FAILED	0.001 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

#	Step / Hook Details	Status	Duration
	<pre>300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Graph.feature:34) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.000 s


### The user is able to navigate to Graph Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Graph page	PASSED	0.121 s
2	When User click on Graph Representations in Python	PASSED	0.315 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to Graph Representations page	PASSED	0.001 s

### The user is able run code in tryEditor for Implementation of Queue page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.251 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.022 s
3	And The user clicks run button	PASSED	0.219 s
4	Then The user should be presented with Run result	PASSED	0.013 s

### The user is presented with error message for code with invalid syntax in tryEditor for Implementation of Queue page





#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.234 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.016 s
3	And The user clicks run button	PASSED	0.221 s
4	Then The user should be presented with error result	FAILED	0.003 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch:		

#	Step / Hook Details	Status	Duration
	<pre>'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Graph.feature:63) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.000 s

## User is on DS ALgo Home page





### The user is on the Home page and click Get started link with out sign in

PASSED	DURATION - 0.265 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:42.436 PM // 1:18:42.701 PM /				
User is on DS ALgo Home page				
@Home @Home1				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.081 s
2	When user clicks on Get Started link on Home "Datastructures" without sign in	PASSED	0.175 s
3	Then The user get alert message "You are not logged in"	PASSED	0.007 s

### The user is on the Home page and click Get started link with out sign in

PASSED	DURATION - 0.254 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:42.704 PM // 1:18:42.958 PM /				
User is on DS ALgo Home page				
@Home @Home1				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.076 s
2	When user clicks on Get Started link on Home "Arrays" without sign in	PASSED	0.172 s
3	Then The user get alert message "You are not logged in"	PASSED	0.005 s

### The user is on the Home page and click Get started link with out sign in

PASSED	DURATION - 0.263 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:42.962 PM // 1:18:43.225 PM /				
User is on DS ALgo Home page				
@Home @Home1				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.087 s
2	When user clicks on Get Started link on Home "Linkedlist" without sign in	PASSED	0.170 s
3	Then The user get alert message "You are not logged in"	PASSED	0.004 s

### The user is on the Home page and click Get started link with out sign in

PASSED	DURATION - 0.251 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:43.228 PM // 1:18:43.479 PM /				
User is on DS ALgo Home page				
@Home @Home1				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.077 s
2	When user clicks on Get Started link on Home "Stack" without sign in	PASSED	0.166 s
3	Then The user get alert message "You are not logged in"	PASSED	0.007 s

### The user is on the Home page and click Get started link with out sign in

PASSED	DURATION - 0.292 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:43.483 PM // 1:18:43.775 PM /				
User is on DS ALgo Home page				
@Home @Home1				


#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.101 s
2	When user clicks on Get Started link on Home "Queue" without sign in	PASSED	0.184 s
3	Then The user get alert message "You are not logged in"	PASSED	0.004 s

### The user is on the Home page and click Get started link with out sign in

PASSED	DURATION - 0.231 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:43.777 PM // 1:18:44.008 PM /				
User is on DS ALgo Home page				
@Home @Home1				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.073 s
2	When user clicks on Get Started link on Home "Tree" without sign in	PASSED	0.152 s
3	Then The user get alert message "You are not logged in"	PASSED	0.004 s

### The user is on the Home page and click Get started link with out sign in

PASSED	DURATION - 0.233 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:44.010 PM // 1:18:44.243 PM /				
User is on DS ALgo Home page				
@Home @Home1				


#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.074 s
2	When user clicks on Get Started link on Home "Graph" without sign in	PASSED	0.154 s
3	Then The user get alert message "You are not logged in"	PASSED	0.004 s

### The user is on the Home page and click on dropdown without sign in

PASSED	DURATION - 0.411 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:44.248 PM // 1:18:44.659 PM /				
User is on DS ALgo Home page				
@Home @Home2				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.070 s
2	When user clicks on Datastructures Dropdown "Arrays"	PASSED	0.334 s
3	Then The user get alert message "You are not logged in"	PASSED	0.004 s

### The user is on the Home page and click on dropdown without sign in

PASSED	DURATION - 0.437 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:44.664 PM // 1:18:45.101 PM /				
User is on DS ALgo Home page				
@Home @Home2				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.071 s
2	When user clicks on Datastructures Dropdown "Linkedlist"	PASSED	0.357 s
3	Then The user get alert message "You are not logged in"	PASSED	0.008 s

### The user is on the Home page and click on dropdown without sign in

PASSED	DURATION - 0.413 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:45.104 PM // 1:18:45.517 PM /				
User is on DS ALgo Home page				
@Home @Home2				



#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.070 s
2	When user clicks on Datastructures Dropdown "Stack"	PASSED	0.336 s
3	Then The user get alert message "You are not logged in"	PASSED	0.006 s

### The user is on the Home page and click on dropdown without sign in

PASSED	DURATION - 0.428 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:45.520 PM // 1:18:45.948 PM /				
User is on DS ALgo Home page				
@Home @Home2				


#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.069 s
2	When user clicks on Datastructures Dropdown "Queue"	PASSED	0.351 s
3	Then The user get alert message "You are not logged in"	PASSED	0.008 s

### The user is on the Home page and click on dropdown without sign in

PASSED	DURATION - 0.426 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:45.951 PM // 1:18:46.377 PM /				
User is on DS ALgo Home page				
@Home @Home2				


#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.071 s
2	When user clicks on Datastructures Dropdown "Tree"	PASSED	0.349 s
3	Then The user get alert message "You are not logged in"	PASSED	0.005 s

### The user is on the Home page and click on dropdown without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.073 s
2	When user clicks on Datastructures Dropdown "Graph"	PASSED	0.344 s
3	Then The user get alert message "You are not logged in"	PASSED	0.005 s

### The user is on the Home page and click on Register without sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.076 s
2	When user clicks on Register link	PASSED	0.098 s
3	Then The user gets redirected to Register Page	PASSED	0.005 s

### The user is on the Home page and click on Sign in




#	Step / Hook Details	Status	Duration
1	Given The user is on Home Page	PASSED	0.082 s
2	When user clicks on Sign in link	PASSED	0.087 s
3	Then The user gets redirected to Signin Page	PASSED	0.003 s

### User is on LinkedList page




### User navigated to Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page after logged in	PASSED	0.121 s
2	When The user clicks Introduction link	PASSED	0.179 s


#	Step / Hook Details	Status	Duration
3	Then The user should be directed to Introduction of Linked List Page	PASSED	0.002 s

### User navigated to tryEditor page with Run button from Introduction page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Introduction after logged in	PASSED	0.151 s
2	When The user clicks Try Here button in the introduction page	PASSED	0.419 s
3	Then The user redirected to the page having an tryEditor with a Run button to test	PASSED	0.002 s

### The user run the code in tryEditor with valid input for Introduction page




#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.445 s
2	When The user Enter valid python code in tryEditor from sheet "pythonCode" and 0	PASSED	0.033 s
3	And user click on Run button	PASSED	0.224 s
4	Then The user should be presented with the Run output	PASSED	0.006 s

### The user getting error message with invalid python code for Introduction page




#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.248 s
2	When The user Enter invalid python code in tryEditor from sheet "pythonCode" and 1	PASSED	0.018 s
3	And user click on Run button	PASSED	0.229 s
4	<p>Then The user get the error message</p> <pre>org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.LinkedListPage.getErrorText(LinkedListPage.java:118) at StepDefinitions.LinkedListStepDefinition.the_user_get_the_error_message(LinkedListStepDefinition.java:94) at ?.The user get the error message(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/LinkedList.feature:32)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.000 s


**User navigated to creating linked list page**

#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page after logged in	PASSED	0.131 s
2	When The user clicks creating linked list link	PASSED	0.140 s
3	Then The user should be directed to Creating Linked List of Linked List Page	PASSED	0.002 s

**User navigated to tryEditor page with Run button from Creating a Linked List page**


#	Step / Hook Details	Status	Duration
1	Given The user is on the Creating a Linked List after logged in	PASSED	0.078 s
2	When The user clicks Try Here button in the creating linked list page	PASSED	0.454 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.002 s

## The user run the code in tryEditor with valid input for Creating a Linked List page



#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.243 s
2	When The user Enter valid python code in tryEditor from sheet "pythonCode" and 0	PASSED	0.017 s
3	And user click on Run button	PASSED	0.217 s
4	Then The user should be presented with the Run output	PASSED	0.005 s


## The user getting error message with invalid python code for Creating a Linked List page



#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.250 s
2	When The user Enter invalid python code in tryEditor from sheet "pythonCode" and 1	PASSED	0.014 s
3	And user click on Run button	PASSED	0.219 s
4	Then The user get the error message  org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout:	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	<pre>60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.LinkedListPage.getErrorText(LinkedListPage.java:118) at StepDefinitions.LinkedListStepDefinition.the_user_get_the_error_message(LinkedListStepDefinition.java:94) at ?.The user get the error message(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/LinkedList.feature:66) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.001 s

## User navigated to Types of linked list page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page after logged in	PASSED	0.126 s
2	When The user clicks the Types of Linked List button	PASSED	0.224 s
3	Then The user should be directed to Types of Linked List of Linked List Page	PASSED	0.003 s

### User navigated to tryEditor page with Run button from Types of Linked List

PASSED	DURATION - 0.333 s	 <p>A bar chart with three bars. Bar 1 is at approximately 0.08s, Bar 2 is at approximately 0.25s, and Bar 3 is at 0s.</p>	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:51.436 PM // 1:18:51.769 PM /				
User is on LinkedList page				
@LinkedList @LinkedList10				


#	Step / Hook Details	Status	Duration
1	Given The user is on the Types of Linked list after logged in	PASSED	0.082 s
2	When The user clicks Try Here button in the types of linked list page	PASSED	0.249 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.001 s

### The user run the code in tryEditor with valid input for Types of Linked List

PASSED	DURATION - 0.485 s	 <p>A bar chart with four bars. Bar 1 is at approximately 0.22s, Bar 2 is at approximately 0.02s, Bar 3 is at approximately 0.22s, and Bar 4 is at approximately 0.01s.</p>	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:18:51.772 PM // 1:18:52.257 PM /				
User is on LinkedList page				
@LinkedList @LinkedList11				

#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.232 s
2	When The user Enter valid python code in tryEditor from sheet "pythonCode" and 0	PASSED	0.022 s
3	And user click on Run button	PASSED	0.222 s
4	Then The user should be presented with the Run output	PASSED	0.005 s



## The user getting error message with invalid python code for Types of Linked List



#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.292 s
2	When The user Enter invalid python code in tryEditor from sheet "pythonCode" and 1	PASSED	0.019 s
3	And user click on Run button	PASSED	0.220 s
4	Then The user get the error message  <pre>org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.LinkedListPage.getText(LinkedListPage.java:118) at StepDefinitions.LinkedListStepDefinition.the_user_get_the_error_message(LinkedListStepDefinition.java:94) at ?.The user get the error message(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/LinkedList.</pre>	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	feature:100) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.000 s

### user navigated to Implementation linked list in python page

PASSED	DURATION - 0.250 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:52.799 PM // 1:18:53.049 PM /				
User is on LinkedList page				
@LinkedList @LinkedList13				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page after logged in	PASSED	0.111 s
2	When The user clicks the Implement Linked List in Python button	PASSED	0.134 s
3	Then The user should be directed to Implement Linked List in Python of Linked List Page	PASSED	0.004 s


### User navigated to tryEditor page with Run button from Implement Linked List in Python page

PASSED	DURATION - 0.319 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:53.051 PM // 1:18:53.370 PM /				
User is on LinkedList page				
@LinkedList @LinkedList14				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Implement Linked List in Python after logged in	PASSED	0.078 s
2	When The user clicks Try Here button in the Implement linked list in python page	PASSED	0.238 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.001 s

### The user run the code in tryEditor with valid input for Implement Linked List in Python page



#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.228 s
2	When The user Enter valid python code in tryEditor from sheet "pythonCode" and 0	PASSED	0.016 s
3	And user click on Run button	PASSED	0.219 s
4	Then The user should be presented with the Run output	PASSED	0.004 s


### The user getting error message with invalid python code for Implement Linked List in Python page



#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.236 s
2	When The user Enter invalid python code in tryEditor from sheet "pythonCode" and 1	PASSED	0.012 s
3	And user click on Run button	PASSED	0.217 s
4	Then The user get the error message	FAILED	0.002 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch:		



#	Step / Hook Details	Status	Duration
	<pre>'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.LinkedListPage.getErrorText(LinkedListPage.java:118) at StepDefinitions.LinkedListStepDefinition.the_user_get_the_error_message(LinkedListStepDefinition.java:94) at ?.The user get the error message(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/LinkedList.feature:134) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.001 s

## user navigated to Traversal page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page after logged in	PASSED	0.122 s
2	When The user clicks the Traversal button	PASSED	0.113 s
3	Then The user should be directed to Traversal of Linked List Page	PASSED	0.002 s

### User navigated to tryEditor page with Run button from Traversal page

PASSED	DURATION - 0.320 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:54.564 PM // 1:18:54.884 PM /				
User is on LinkedList page				
@LinkedList18 @LinkedList				


#	Step / Hook Details	Status	Duration
1	Given The user is on the Traversal after logged in	PASSED	0.079 s
2	When The user clicks Try Here button in the traversal page	PASSED	0.237 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.002 s

### The user run the code in tryEditor with valid input for Traversal page

PASSED	DURATION - 0.471 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:18:54.887 PM // 1:18:55.358 PM /				
User is on LinkedList page				
@LinkedList19 @LinkedList				

#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.231 s
2	When The user Enter valid python code in tryEditor from sheet "pythonCode" and 0	PASSED	0.016 s
3	And user click on Run button	PASSED	0.219 s
4	Then The user should be presented with the Run output	PASSED	0.004 s



## The user getting error message with invalid python code for Traversal page



#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.234 s
2	When The user Enter invalid python code in tryEditor from sheet "pythonCode" and 1	PASSED	0.013 s
3	And user click on Run button	PASSED	0.219 s
4	Then The user get the error message  <pre>org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.LinkedListPage.getText(LinkedListPage.java:118) at StepDefinitions.LinkedListStepDefinition.the_user_get_the_error_message(LinkedListStepDefinition.java:94) at ?.The user get the error message(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/LinkedList.</pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	feature:168) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.000 s

### user navigated to Insertion page

PASSED	DURATION - 0.238 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:55.835 PM // 1:18:56.073 PM /				
User is on LinkedList page				
@LinkedList @LinkedList21				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page after logged in	PASSED	0.119 s
2	When The user clicks the Insertion button	PASSED	0.116 s
3	Then The user should be directed to Insertion of Linked List Page	PASSED	0.001 s


### User navigated to tryEditor page with Run button from Insertion page

PASSED	DURATION - 0.406 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:56.076 PM // 1:18:56.482 PM /				
User is on LinkedList page				
@LinkedList @LinkedList22				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Insertion after logged in	PASSED	0.090 s
2	When The user clicks Try Here button in the Insertion page	PASSED	0.313 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.002 s

### The user run the code in tryEditor with valid input for Insertion page




#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.226 s
2	When The user Enter valid python code in tryEditor from sheet "pythonCode" and 0	PASSED	0.018 s
3	And user click on Run button	PASSED	0.220 s
4	Then The user should be presented with the Run output	PASSED	0.005 s

### The user getting error message with invalid python code for Insertion page





#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.241 s
2	When The user Enter invalid python code in tryEditor from sheet "pythonCode" and 1	PASSED	0.015 s
3	And user click on Run button	PASSED	0.219 s
4	Then The user get the error message	FAILED	0.002 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch:		

#	Step / Hook Details	Status	Duration
	'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.LinkedListPage.getErrorText(LinkedListPage.java:118) at StepDefinitions.LinkedListStepDefinition.the_user_get_the_error_message(LinkedListStepDefinition.java:94) at ?.The user get the error message(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/LinkedList.feature:202) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.000 s

**user navigated to Deletion page**



#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page after logged in	PASSED	0.151 s
2	When The user clicks the Deletion button	PASSED	0.394 s
3	Then The user should be directed to Deletion of Linked List Page	PASSED	0.001 s

### User navigated to tryEditor page with Run button from Deletion page

PASSED	DURATION - 0.527 s	 <p>A bar chart with two bars. The x-axis has ticks at 1, 2, and 3. The y-axis ranges from 0 to 0.6. Bar 1 is at approximately 0.3, and Bar 2 is at approximately 0.25.</p>	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	/ 1:18:57.995 PM // 1:18:58.522 PM /			
	User is on LinkedList page			
	@LinkedList @LinkedList26			


#	Step / Hook Details	Status	Duration
1	Given The user is on the Deletion after logged in	PASSED	0.279 s
2	When The user clicks Try Here button in the Deletion page	PASSED	0.246 s
3	Then The user should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.001 s

### The user run the code in tryEditor with valid input for Deletion page

PASSED	DURATION - 0.466 s	 <p>A bar chart with four bars. The x-axis has ticks at 1, 2, 3, and 4. The y-axis ranges from 0 to 0.3. Bar 1 is at approximately 0.22, Bar 2 is at approximately 0.02, Bar 3 is at approximately 0.22, and Bar 4 is at approximately 0.01.</p>	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
	/ 1:18:58.525 PM // 1:18:58.991 PM /			
	User is on LinkedList page			
	@LinkedList @LinkedList27			

#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.225 s
2	When The user Enter valid python code in tryEditor from sheet "pythonCode" and 0	PASSED	0.015 s
3	And user click on Run button	PASSED	0.219 s
4	Then The user should be presented with the Run output	PASSED	0.004 s


## The user getting error message with invalid python code for Deletion page



#	Step / Hook Details	Status	Duration
1	Given The user is in a try here page having tryEditor with a Run button to test	PASSED	0.221 s
2	When The user Enter invalid python code in tryEditor from sheet "pythonCode" and 1	PASSED	0.013 s
3	And user click on Run button	PASSED	0.236 s
4	Then The user get the error message  <pre>org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.LinkedListPage.getText(LinkedListPage.java:118) at StepDefinitions.LinkedListStepDefinition.the_user_get_the_error_message(LinkedListStepDefinition.java:94) at ?.The user get the error message(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/LinkedList.</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	feature:236) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.001 s

### The user validating Practice Questions page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Linked List page after logged in	PASSED	0.122 s
2	When The user clicks Introduction link	PASSED	0.208 s
3	And The user clicks on the Practice Questions	PASSED	0.078 s
4	Then The user should be directed to Practice Questions of Linked List Page	PASSED	0.003 s

### The user opens DS Algo portal link





### The user launch DS Algo portal url


PASSED	DURATION - 0.259 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:18:59.885 PM // 1:19:00.144 PM /				
<i>The user opens DS Algo portal link</i>				
@DSAlgoPortal1 @DSAlgoPortal				

#	Step / Hook Details	Status	Duration
1	Given The user opens the DS Algo portal link	PASSED	0.168 s
2	When The user clicks on "Get Started" button	PASSED	0.087 s
3	Then The user should be redirected to homepage	PASSED	0.002 s

## User is on Queue Page

FAILED	DURATION - 7.726 s	Scenarios Total - 12 Pass - 9 Fail - 3 Skip - 0		Steps Total - 44 Pass - 41 Fail - 3 Skip - 0	
/ 1:19:00.156 PM // 1:19:07.882 PM /					


## The user is able to navigate to Queue Page page

PASSED	DURATION - 0.202 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:19:00.156 PM // 1:19:00.358 PM /				
<i>User is on Queue Page</i>				
@Queue01 @Queue				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue page	PASSED	0.121 s
2	When User click on Implementation of Queue in Python	PASSED	0.077 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to Implementation of Queue page	PASSED	0.001 s

### The user is able run code in tryEditor for Implementation of Queue page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.247 s
2	When The user enter valid python code in tryEditor from sheet "pythononcode" and 0	PASSED	0.028 s
3	And The user clicks run button	PASSED	0.236 s
4	Then The user should be presented with Run result	PASSED	0.005 s

### The user is presented with error message for code with invalid syntax in tryEditor for Implementation of Queue page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.242 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythononcode" and 1	PASSED	0.028 s
3	And The user clicks run button	PASSED	0.033 s
4	Then The user should be presented with error result	PASSED	2.025 s

### The user is able to navigate to Queue page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue page	PASSED	0.113 s
2	When User click on Implementation using Collections in Python	PASSED	0.086 s
3	Then The user should be redirected to Implementation using Collections page	PASSED	0.001 s

### The user is able run code in tryEditor for Implementation using Collections page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.239 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.043 s
3	And The user clicks run button	PASSED	0.224 s
4	Then The user should be presented with Run result	PASSED	0.006 s

### The user is presented with error message for code with invalid syntax in tryEditor for Implementation using Collections page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.229 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.014 s
3	And The user clicks run button	PASSED	0.220 s
4	Then The user should be presented with error result  org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Queue.feature:56)	FAILED	0.002 s

\* Not displayable characters are replaced by '?'.


#	Step / Hook Details	Status	Duration
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.000 s

### The user is able to navigate to Queue page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue page	PASSED	0.119 s
2	When User click on Implementation using Array in Python	PASSED	0.081 s
3	Then The user should be redirected to Implementation using Array page	PASSED	0.002 s


### The user is able run code in tryEditor for Implementation using Array page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.231 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.228 s

#	Step / Hook Details	Status	Duration
4	Then The user should be presented with Run result	PASSED	0.004 s


## The user is presented with error message for code with invalid syntax in tryEditor for Implementation using Array page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.233 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.013 s
3	And The user clicks run button	PASSED	0.219 s
4	<p>Then The user should be presented with error result</p> <pre> org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) </pre>	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Queue.feature:84) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65) </pre>	FAILED	0.001 s

### The user is able to navigate to Queue page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Queue page	PASSED	0.120 s
2	When User click on Queue Operations in Python	PASSED	0.077 s
3	Then The user should be redirected to Queue Operations page	PASSED	0.001 s

### The user is able run code in tryEditor for Queue Operations page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.230 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.218 s
4	Then The user should be presented with Run result	PASSED	0.004 s

### The user is presented with error message for code with invalid syntax in tryEditor for Queue Operations page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.236 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.224 s
4	Then The user should be presented with error result	FAILED	0.002 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

#	Step / Hook Details	Status	Duration
	<pre>300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Queue.feature:112) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.000 s


## Title of your feature



## Title of your scenario




#	Step / Hook Details	Status	Duration
1	Given I want to write a step with precondition  Step undefined	FAILED	0.001 s
2	And some other precondition	SKIPPED	0.000 s
3	When I complete action	SKIPPED	0.000 s
4	And some other action	SKIPPED	0.000 s
5	And yet another action	SKIPPED	0.000 s
6	Then I validate the outcomes	SKIPPED	0.000 s
7	And check more outcomes	SKIPPED	0.000 s

**Title of your scenario outline**


#	Step / Hook Details	Status	Duration
1	Given I want to write a step with name1  Step undefined	FAILED	0.000 s
2	When I check for the 5 in step	SKIPPED	0.000 s
3	Then I verify the success in step	SKIPPED	0.000 s

### Title of your scenario outline




#	Step / Hook Details	Status	Duration
1	Given I want to write a step with name2 Step undefined	FAILED	0.000 s
2	When I check for the 7 in step		
3	Then I verify the Fail in step	SKIPPED	0.000 s

### Validating Sign in page





### Verifying Register link





#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.080 s
2	When The user clicks on register link on signin page	PASSED	0.083 s
3	Then The user redirected to Registration page from signin page	PASSED	0.002 s

### User on login page and login with the fields empty "" and ""

PASSED	DURATION - 0.335 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:19:08.091 PM // 1:19:08.426 PM /				
Validating Sign in page				
@Signin @signin2				


#	Step / Hook Details	Status	Duration
1	Given The user is on Sign in page	PASSED	0.076 s
2	When The user enter invalid "" and ""	PASSED	0.037 s
3	Then click login button to verify	PASSED	0.220 s

### User on login page and login with the fields empty "user" and ""

PASSED	DURATION - 0.323 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:19:08.429 PM // 1:19:08.752 PM /				
Validating Sign in page				
@Signin @signin2				


#	Step / Hook Details	Status	Duration
1	Given The user is on Sign in page	PASSED	0.087 s
2	When The user enter invalid "user" and ""	PASSED	0.023 s
3	Then click login button to verify	PASSED	0.211 s

### User on login page and login with the fields empty "" and "passowrd"





#	Step / Hook Details	Status	Duration
1	Given The user is on Sign in page	PASSED	0.082 s
2	When The user enter invalid "" and "passowrd"	PASSED	0.022 s
3	Then click login button to verify	PASSED	0.212 s

### User on login page and login with invalid and valid inputs from Excel "login" and 0





#	Step / Hook Details	Status	Duration
1	Given The user is on Login page	PASSED	0.077 s
2	When The user enter sheet "login" and 0	PASSED	0.034 s
3	Then click login button	PASSED	0.269 s

### User on login page and login with invalid and valid inputs from Excel "login" and 1

PASSED	DURATION - 0.271 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:19:09.465 PM // 1:19:09.736 PM /				
Validating Sign in page				
@Signin @signin3				


#	Step / Hook Details	Status	Duration
1	Given The user is on Login page	PASSED	0.083 s
2	When The user enter sheet "login" and 1	PASSED	0.033 s
3	Then click login button	PASSED	0.154 s

### User on login page and login with invalid and valid inputs from Excel "login" and 2

PASSED	DURATION - 0.253 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:19:09.739 PM // 1:19:09.992 PM /				
Validating Sign in page				
@Signin @signin3				



#	Step / Hook Details	Status	Duration
1	Given The user is on Login page	PASSED	0.079 s
2	When The user enter sheet "login" and 2	PASSED	0.030 s
3	Then click login button	PASSED	0.144 s

### User on login page and login with invalid and valid inputs from Excel "login" and 3

PASSED	DURATION - 0.258 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:19:09.995 PM // 1:19:10.253 PM /				
Validating Sign in page				
@Signin @signin3				


#	Step / Hook Details	Status	Duration
1	Given The user is on Login page	PASSED	0.084 s
2	When The user enter sheet "login" and 3	PASSED	0.027 s
3	Then click login button	PASSED	0.146 s

### Verifying signout link

PASSED	DURATION - 0.495 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:19:10.257 PM // 1:19:10.752 PM /				
Validating Sign in page				
@Signin @signin4				


#	Step / Hook Details	Status	Duration
1	Given The user is on signin page with valid username "testuser" and password "password@1234"	PASSED	0.354 s
2	When The user click signout button	PASSED	0.132 s
3	Then The user redirected to homepage	PASSED	0.006 s

### Signin to Navigate through modules




#	Step / Hook Details	Status	Duration
1	Given The user clicks sign in button	PASSED	0.079 s
2	And enter valid username "testuser" and password "password@1234"	PASSED	0.020 s
3	When The user clicks login button	PASSED	0.261 s
4	Then The user redirected to homepage	PASSED	0.006 s

## Testing the Stack Page




## The user is able to navigate to Stack Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Stack page	PASSED	0.086 s


#	Step / Hook Details	Status	Duration
2	When User click on Operations in Stack page in Python	PASSED	0.185 s
3	Then The user should be redirected to Operations in Stack page	PASSED	0.001 s

### The user is able run code in tryEditor for Stack1 page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.318 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.217 s
4	Then The user should be presented with Run result	PASSED	0.005 s


### The user is presented with error message for code with invalid syntax in tryEditor for Stack1 page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.229 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.014 s
3	And The user clicks run button	PASSED	0.217 s
4	Then The user should be presented with error result	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Stack.feature:32) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</pre>	FAILED	0.000 s

The user is able to navigate to Stack Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Stack page	PASSED	0.082 s
2	When User click on Implementations Page in Python	PASSED	0.081 s
3	Then The user should be redirected to Implementations Page	PASSED	0.001 s

### The user is able run code in tryEditor for Stack2 page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.239 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.218 s
4	Then The user should be presented with Run result	PASSED	0.004 s

### The user is presented with error message for code with invalid syntax in tryEditor for Stack2 page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.238 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.016 s
3	And The user clicks run button	PASSED	0.223 s
4	Then The user should be presented with error result  org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Stack.feature:60)	FAILED	0.004 s

\* Not displayable characters are replaced by '?'.


#	Step / Hook Details	Status	Duration
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.001 s

### The user is able to navigate to Stack Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Stack page	PASSED	0.085 s
2	When User click on Applications Page in Python	PASSED	0.094 s
3	Then The user should be redirected to Applications Page	PASSED	0.002 s


### The user is able run code in tryEditor for Stack3 page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.232 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.070 s
3	And The user clicks run button	PASSED	0.233 s

#	Step / Hook Details	Status	Duration
4	Then The user should be presented with Run result	PASSED	0.006 s


### The user is presented with error message for code with invalid syntax in tryEditor for Stack3 page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.232 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.012 s
3	And The user clicks run button	PASSED	0.217 s
4	Then The user should be presented with error result  org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Stack.feature:88) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario) <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</pre>	FAILED	0.000 s

## Testing the Tree Page




## The user is able to navigate to Tree Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.136 s
2	When User click on Overview of Trees page	PASSED	0.137 s
3	Then The user should be redirected to Overview of Trees page	PASSED	0.002 s

## The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.238 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.020 s
3	And The user clicks run button	PASSED	0.226 s
4	Then The user should be presented with Run result	PASSED	0.003 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.224 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.014 s
3	And The user clicks run button	PASSED	0.218 s
4	Then The user should be presented with error result	FAILED	0.001 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

#	Step / Hook Details	Status	Duration
	<pre>300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:31) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.000 s


### The user is able to navigate to Tree Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.096 s
2	When User click on Terminologies page	PASSED	0.084 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to Terminologies page	PASSED	0.001 s

### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.235 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.219 s
4	Then The user should be presented with Run result	PASSED	0.004 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.243 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.013 s
3	And The user clicks run button	PASSED	0.220 s
4	Then The user should be presented with error result	FAILED	0.002 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch:		


#	Step / Hook Details	Status	Duration
	<pre>'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:59) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.001 s

### The user is able to navigate to Tree Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.110 s
2	When User click on Type of Trees page	PASSED	0.092 s
3	Then The user should be redirected to Type of Trees page	PASSED	0.001 s

### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.232 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.018 s
3	And The user clicks run button	PASSED	0.219 s
4	Then The user should be presented with Run result	PASSED	0.006 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.250 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.035 s
3	And The user clicks run button	PASSED	0.040 s


#	Step / Hook Details	Status	Duration
4	Then The user should be presented with error result	PASSED	2.017 s

### The user is able to navigate to Tree Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.139 s
2	When User click on Tree Traversals page	PASSED	0.124 s
3	Then The user should be redirected to Tree Traversals page	PASSED	0.002 s

### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.239 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.019 s
3	And The user clicks run button	PASSED	0.218 s
4	Then The user should be presented with Run result	PASSED	0.005 s

### The user is presented with error message for code with invalid syntax in tryEditor for Tree page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.244 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.012 s
3	And The user clicks run button	PASSED	0.222 s
4	Then The user should be presented with error result  org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:115)	FAILED	0.002 s

\* Not displayable characters are replaced by '?'.


#	Step / Hook Details	Status	Duration
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.001 s

### The user is able to navigate to Tree Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.143 s
2	When User click on Traversals Illustration page	PASSED	0.123 s
3	Then The user should be redirected to Traversals Illustration page	PASSED	0.001 s


### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.244 s
2	When The user enter valid python code in tryEditor from sheet "pythononcode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.225 s

#	Step / Hook Details	Status	Duration
4	Then The user should be presented with Run result	PASSED	0.004 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.241 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.013 s
3	And The user clicks run button	PASSED	0.219 s
4	Then The user should be presented with error result	FAILED	0.003 s
	<pre>org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191)</pre>		


#	Step / Hook Details	Status	Duration
	<pre>at PageObjects.ArrayPage.getText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:143) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</pre>	FAILED	0.000 s

### The user is able to navigate to Tree Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.100 s
2	When User click on Binary Trees page	PASSED	0.114 s
3	Then The user should be redirected to Binary Trees page	PASSED	0.001 s

### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.242 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.018 s
3	And The user clicks run button	PASSED	0.217 s
4	Then The user should be presented with Run result	PASSED	0.005 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.234 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.015 s
3	And The user clicks run button	PASSED	0.220 s
4	Then The user should be presented with error result  org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:171) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65) </pre>	FAILED	0.001 s

### The user is able to navigate to Tree Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.098 s
2	When User click on Type of Binary Trees page	PASSED	0.194 s
3	Then The user should be redirected to Type of Binary Trees page	PASSED	0.002 s

### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.238 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.222 s
4	Then The user should be presented with Run result	PASSED	0.004 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.226 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.013 s
3	And The user clicks run button	PASSED	0.217 s
4	Then The user should be presented with error result	FAILED	0.002 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

#	Step / Hook Details	Status	Duration
	<pre>300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:199) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.001 s


## The user is able to navigate to Tree Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.128 s
2	When User click on Implementation in Python page	PASSED	0.085 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to Implementation in Python page	PASSED	0.002 s

### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.231 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.222 s
4	Then The user should be presented with Run result	PASSED	0.004 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.237 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.227 s
4	Then The user should be presented with error result	FAILED	0.004 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch:		



#	Step / Hook Details	Status	Duration
	<pre>'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:227) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</p>	FAILED	0.000 s

### The user is able to navigate to Tree Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.099 s
2	When User click on Binary Tree Traversals page	PASSED	0.195 s
3	Then The user should be redirected to Binary Tree Traversals page	PASSED	0.001 s

### The user is able run code in tryEditor for Tree page

PASSED	DURATION - 0.482 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:19:26.653 PM // 1:19:27.135 PM /				
Testing the Tree Page				
@Tree @Tree26				

#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.238 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.219 s
4	Then The user should be presented with Run result	PASSED	0.006 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page

FAILED	DURATION - 0.470 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 1:19:27.137 PM // 1:19:27.607 PM /				
Testing the Tree Page				
@Tree @Tree27				

#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.237 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.012 s
3	And The user clicks run button	PASSED	0.218 s


#	Step / Hook Details	Status	Duration
4	<p>Then The user should be presented with error result</p> <pre>org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:255) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</pre>	FAILED	0.000 s

The user is able to navigate to Tree Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.103 s
2	When User click on Implementation of Binary Trees page	PASSED	0.092 s
3	Then The user should be redirected to Implementation of Binary Trees page	PASSED	0.001 s

### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.239 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.217 s
4	Then The user should be presented with Run result	PASSED	0.004 s

### The user is presented with error message for code with invalid syntax in tryEditor for Tree page




#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.239 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.012 s
3	And The user clicks run button	PASSED	0.218 s
4	Then The user should be presented with error result  org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:283)	FAILED	0.002 s

\* Not displayable characters are replaced by '?'.


#	Step / Hook Details	Status	Duration
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)	FAILED	0.001 s

### The user is able to navigate to Tree Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.097 s
2	When User click on Applications of Binary trees page	PASSED	0.087 s
3	Then The user should be redirected to Applications of Binary trees page	PASSED	0.002 s


### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.243 s
2	When The user enter valid python code in tryEditor from sheet "pythononcode" and 0	PASSED	0.016 s
3	And The user clicks run button	PASSED	0.216 s

#	Step / Hook Details	Status	Duration
4	Then The user should be presented with Run result	PASSED	0.004 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.229 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.013 s
3	And The user clicks run button	PASSED	0.217 s
4	Then The user should be presented with error result  org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	<pre>at PageObjects.ArrayPage.getText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:311) * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario) <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</pre>	FAILED	0.000 s

### The user is able to navigate to Tree Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.096 s
2	When User click on Binary Search Trees page	PASSED	0.390 s
3	Then The user should be redirected to Binary Search Trees page	PASSED	0.001 s

### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.242 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.023 s
3	And The user clicks run button	PASSED	0.221 s
4	Then The user should be presented with Run result	PASSED	0.005 s


### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.240 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.012 s
3	And The user clicks run button	PASSED	0.215 s
4	Then The user should be presented with error result  org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/Tree.feature:339) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65) </pre>	FAILED	0.000 s

### The user is able to navigate to Tree Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page	PASSED	0.131 s
2	When User click on Implementation Of BST page	PASSED	0.088 s
3	Then The user should be redirected to Implementation Of BST page	PASSED	0.001 s

### The user is able run code in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.227 s
2	When The user enter valid python code in tryEditor from sheet "pythoncode" and 0	PASSED	0.017 s
3	And The user clicks run button	PASSED	0.221 s
4	Then The user should be presented with Run result	PASSED	0.004 s

### The user is presented with error message for code with invalid syntax in tryEditor for Tree page



#	Step / Hook Details	Status	Duration
1	Given The user is in a page having an tryEditor with a Run button to test	PASSED	0.232 s
2	When The user enter python code with invalid syntax in tryEditor from sheet "pythoncode" and 1	PASSED	0.011 s
3	And The user clicks run button	PASSED	0.216 s
4	Then The user should be presented with error result	FAILED	0.002 s
	org.openqa.selenium.NoAlertPresentException: Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.5.2', java.version: '20.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [7f0fad7b-594d-47ad-836d-42be06639b11, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.1, moz:accessibilityChecks: false, moz:buildID: 20230927232528, moz:debuggerAddress: 127.0.0.1:42283, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 22.6.0, moz:processID: 26571, moz:profile: /var/folders/x3/28px5q393bv..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:42283/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

#	Step / Hook Details	Status	Duration
	<pre>300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 7f0fad7b-594d-47ad-836d-42be06639b11 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1191) at PageObjects.ArrayPage.getErrorText(ArrayPage.java:122) at StepDefinitions.ArrayStepDefinition.the_user_should_be_presented_with_error_result(ArrayStepDefinition.java:122) at ?.The user should be presented with error result(file:///Users/jibyraju/eclipse-workspace/Final_Test_DsAlgo/src/test/resources/Features/ Tree.feature:367) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - Hooks.Hooks.a(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "Hooks.Hooks.driver" is null at Hooks.Hooks.a(Hooks.java:65)</pre>	FAILED	0.001 s