

MYJKKN

<

Enable push notifications to receive important updates, alerts, and announcements instantly.

Enable Now

×

Search...Ctrl+K

FAVORITES1

AI Pulse

Overview

DashboardAlt+D

AI Assistant

Guide

User Management

Users

Applications

Application Hub

Applications

Organization

Organizations

Academic

Foundation Programme

Academic

Induction

My Induction Sessions

Board of Studies

Reading (RCLTP)

Session Feedback (Fac...

Lesson Spine Review

Session Escalations

All-College Feedback

Campus Living

Campus Living

Admission CRM

Admission CRM

LeadsAlt+L

Applications

GD-PI

Counselors

Consultants

Schools Network

AI Insights

Marketing

Data Quality

Settings

Employee Management

Staff

HR Management

HR

Recruitment

Admin

Help3

Loop Control Tower

Home > Admin > Loop Control Tower

AI ModelsAI RoutinesBug ReportsDashboardDashboard DrilldownsLanding PagesLearner NotesLoop Control TowerLtiNav ConfigPage MetadataReset Driver PasswordsRetention PoliciesSamlWhatsapp ByowWhatsapp LimitsNotifications · AllNotifications · SendNotifications · ComplianceNotifications · AudiencesLTI · AnalyticsLTI · Grade SyncLTI · Launch DebugAudit TrailLifecycle Analytics

Admin > Loop Control Tower

System

Platform-wide tools and individual admin utilities.

LTI Dashboard Whatsapp ByowSystem

Tower

Wiring

The Loop Tower — five loops, each riding the one inside it

Live counts. Each tier's exit feeds the tier above — the tower is only as alive as its weakest seam.

5 · ALLOCATIONThe Director's loopexit: none — open exploration

Set goals, allocate, cull. Recent culls and allocations: nudges off, model pins, the Max-lane night chain, no-limit spine minting. This page is where those calls get their evidence.

4 · METALOOPThe loop that makes loops — this pageexit: reviewed & respawned

The Control Tower below reviews every loop by its four gates and now receives real measured outcomes from tier 3.

routines enabled35/35

fired today18

3 · GOAL LOOPSPer-course / per-cohort improvement cyclesexit: goal reached — measured & confirmed

Run → judge → retry. The SCF judge fires daily; its first measured lifts landed 8 Jul (both positive). Lesson spines mint nightly into BoS review.

SCF notes14

measured3

positive lifts2

verdicts1

student confirms2

spine drafts (AI)10820

spine (faculty)5

learner notes 7d562

escalations 7d7

Session-Feedback Teaching L...
tested 10 Jul · measure-verified

Induction Session-Effective...

Induction Playbook Loop

Mess "Choose Your Menu" Loop

Feeder Momentum Loop

AI Pulse

Feedback Spine & intake ada...

Senior Peer Mentor Check-in...

PDE Quest → Demonstration L...

Director Decisions Verdict

Induction Referral → Workin...

Accountability & pace (ARPS...

IQAC Meeting Loop (Loop Rev...

Institutional Audit Loop (A...

2 · RUNSOne scheduled executionexit: run completes

Two clocks: the editable dispatcher (this table, no deploy) + static vercel crons. Max-lane runs on the night chain; the paid API wakes 8h later and no-ops when Max already did the work.

Max-lane done today10

Max-lane errors today1

1 · MODEL CALLSOne AI generationexit: stop token

Sample, append, repeat — a single note, spine, or classification. Max subscription first (₹0), paid API only as the fallback lane.

Max calls today—

API calls today—

This is the read-only health view. Schedules, models, and “Run now” live on the AI Routines page.

Open AI Routines →

THE FOUR GATES — A SELF-IMPROVING LOOP CLOSES ALL FOUR

GGenerate
make a suggestion

→

AAct
apply it for real

→

MMeasure
vs a baseline

→

FFeed forward
into the next Generate

Gates M and F are the whole game. Anything with only G and A just repeats; a system that Measures but only a human Feeds it forward is an accountability loop, not a self-improving one.

5self-improving (all 4 gates)

3cadence & rotation loops

5accountability loops

1intake (senses, not a loop)

G · A · M · F

Self-improving loops

All four gates closed: they measure their own effect against a baseline and that measurement changes the next suggestion — automatically. These are the moats.

Session-Feedback Teaching LoopSCF

Students rate how well they understood each class → AI coaches the teacher → measures whether the next class's score rose, and feeds that track record into the next tip.

daily 06:05 IST · claude-sonnet-4-6 · editable on AI Routines

last run: HTTP 200 · generated 0, measured 0, skipped 1, candidates 390

LIVE · MEASURING

G → A → M → F

MYJKKN

1

AI Pulse

Dashboard

Alt+D

AI Assistant

>

Guide

Users

>

Application Hub

>

Applications

>

Organizations

>

Foundation Programme

>

Academic

>

Induction

>

My Induction Sessions

Board of Studies

>

Reading (RCLTP)

>

Session Feedback (Fac...

Lesson Spine Review

Session Escalations

All-College Feedback

Campus Living

>

Admission CRM

>

Leads

Alt+L

>

Applications

GD-PI

Counselors

>

Consultants

>

Schools Network

>

AI Insights

Marketing

>

Data Quality

>

Settings

>

Staff

>

HR

>

Recruitment

>

Admin

>

3

14

classes coached

1↑ / 2→

helped / didn't move

60687

ratings received (7d)

LATEST WORK · WHAT IT ACTUALLY PRODUCED

BP209P · course-level WHAT WORKED

In the BP209P session held on 7 July 2026, the facilitator incorporated an in-session test or assessment activity that resonated strongly with the sma...

383846 · venkateswaran.v@jkkn.ac.in WHAT WORKED

A pure revision/recap session (no new syllabus content) produced the strongest understanding signal of the window — average 4.56 out of 5 across 68 re...

383845 · meenas@jkkn.ac.in WHAT WORKED

A revision-anchored session that explicitly reconnected today's content to prior sessions drove near-universal comprehension: 101 responses, average u...

Verify on the Session Feedback admin view →

NOW

Coaching 14 distinct classes. Of those, 3 have been re-taught and re-rated: 1 improved, 2 did not move. The examples below are the loop's actual recent output; open a coached teacher's Session Feedback to verify.

Induction Session-Effectiveness Loop

INDUCTION · PER-SESSION

LIVE · MATURING

G → A → M → F

A weak induction topic in batch A gets an AI tip for batch B → measures batch B's rating against a regression-to-the-mean baseline, so only a real lift counts.

every 4h + Max lane · claude-sonnet-4-6 · direct cron, not in the editable table

1 tips generated

0 measured (pending)

~Jul 6 re-run matures

NOW

A weak topic is tipped, then the batch-B re-run measures the real lift. Induction 2026 closes Jul 8, so this is its live window for the year.

Induction Playbook Loop

INDUCTION · ANNUAL

SCHEDULED · NO CYCLE YET

G → A → M → F

Each year's cohort gets an AI playbook for next year, grounded in last cohort's measured referral/value outcome. The slowest loop — one turn per admission year.

Mon 06:05 IST · claude-sonnet-4-6 · editable on AI Routines ↗

last run: HTTP 200 · generated 0, measured 0, skipped 0

0 playbooks (annual)

runs clean when due

NOW

Structurally complete but no cohort has matured yet — expected for a once-a-year loop.

Mess “Choose Your Menu” Loop

CAMPUS-LIVING

LIVE · RUNNING

G → A → M → F

Students vote on menu options → the loop proposes the next cycle's menu from what scored well, measured against a rolling baseline. The most configurable loop — every dial is a settings row.

Mon 08:00 IST · editable on AI Routines ↗

last run: HTTP 200

ON loop.master_enabled

4wk / k=3 baseline / min ratings

3 tiers wired

NOW

Loop live — proposing menus from measured votes.

Feeder Momentum Loop

SCHOOLS-NETWORK

LIVE · VERIFIED

G → A → M → F

Re-ranks which schools send the best-converting students by measured conversion momentum, so outreach targets the movers. No AI model — a pure measured re-rank, computed on the page.

on-demand (page load) · no LLM · weighting in code

2-cycle sim-verified moat

on-demand recomputed per view

low adoption fuel

NOW

Loop proven self-improving via a live 2-cycle simulation. The gap is fuel — outreach adoption is still thin, so the measured signal is quiet.

G · A · - · - · -

Cadence & rotation loops

They cycle and act, but never measure their own causal effect — so they repeat reliably without getting smarter. Loop-shaped, not self-improving. Each could be upgraded by adding gates M and F.

AI Pulse

TICK · ROTATION · ANOMALY · DIGEST

LIVE · RUNNING

G → A → M → F

A weekly faculty AI-capability engine: it opens each week's cycle, draws Pulse teams from a rotation queue so everyone gets a turn, scans for integrity red-flags, and digests engagement to HODs.

daily 07:00 IST · editable on AI Routines ↗

last run: HTTP 200 · skipped 0, created 1, sent 0, processed 1

0 anomaly flags pending

fairness rotation draw basis

WHY NOT SELF-IMPROVING

The rotation draws teams by fairness (front of queue), not by measured results; the anomaly scan flags issues for humans but never checks whether flagging reduced next week's gaming. Gates M & F are open. Upgrade path: measure whether an intervention moved next week's engagement, then adapt.

Feedback Spine & intake adapters

SESSION · MESS · PARENT · IG-DM · IG-COMMENTS

INTAKE · NOT A LOOP

G → A → M → F

Five adapters pull feedback from every channel into one spine and AI-classify it into themes. This is the platform's senses — it carries feedback in for the loops above to act on; it decides nothing itself.

daily 06:45 IST · claude-haiku-4-5-20251001 · editable on AI Routines ↗

last run: HTTP 200

5804 items in (14 days)

900/5804 classified

WHY NOT A LOOP

No Generate, no Measure — it's the input pipe. It feeds the SCF and Mess loops rather than being one. The classify ratio above is the spine's own backlog (session ratings arrive faster than the ~50/day classifier drains); it does NOT gate the SCF loop, which reads the session_feedback table directly.

MYJKKN

1

AI Pulse

DashboardAlt+D

AI Assistant>

Guide

Users>

Application Hub>

Applications>

Organizations>

Foundation Programme>

Academic>

Induction>

My Induction Sessions

Board of Studies>

Reading (RCLTP)>

Session Feedback (Fac...

Lesson Spine Review

Session Escalations

All-College Feedback

Campus Living>

Admission CRM>

LeadsAlt+L>

Applications

GD-PI

Counselors>

Consultants>

Schools Network>

AI Insights

Marketing>

Data Quality>

Settings>

Staff>

HR>

Recruitment>

Admin>

3

Senior Peer Mentor Check-in LoopINDUCTIONMONTHLY CADENCE

WIREDFIRST BEAT15 AUG

G → A → M → F

Twenty 3rd-year mentors each hold a fresher group for the whole first year: a scheduled monthly check-in (attendance + kiosk feedback via the mentor’s existing tools) keeps the mentorship beating after induction week ends.

monthly 15th 10:00 · sessions pre-generated to May 2027 · training + lifecycle gated · no LLM

10check-ins scheduled

20mentors enrolled

15 Augfirst beat

WHY NOT SELF-IMPROVINGIt cycles (monthly) and acts (check-in + captured feedback) but nothing yet measures whether mentored freshers fare better than unmentored — gate M is the upgrade path once a semester of check-ins exists.

PDE Quest → Demonstration LoopPDE · CAPABILITY EVIDENCE

LIVEDEMONSTRATING

G → A → M → F

A published quest invites learners to build; submissions become reviewed demonstrations that credit real capabilities. The pilot quest opened 8 Jul — demonstrations are the loop’s first evidence beat.

event-driven (submissions) · human review · no cron

1quests open

34demonstrations

WHY NOT SELF-IMPROVINGGenerate and Act are live (quest → submission → review). No measure of whether demonstrated capability changes anything downstream yet — that wire comes after the first cohort of demos exists.

G · A · M · F

Accountability loops

They do measure outcomes against a target — gate M is closed. What's different: the feed-forward is a human reading the verdict and rule-based logic, not the system auto-adjusting. Real loops, human-in-the-middle.

Director Decisions VerdictDASHBOARD · DECISIONS

LIVEMEASURING

G → A → M → F

A director logs a decision with a target metric and a due date → the system grades the actual outcome against that target and emits a verdict, so decisions get a scored track record.

daily 04:00 UTC · rule-based (no LLM) · metric resolver in code

4decisions tracked

2awaiting outcome

0graded

WHY HALF A LOOPIt closes Measure (outcome vs the decision's own target) — the strongest of this tier. Gate F is a human: someone reads the verdict and decides differently next time; the system doesn't auto-adjust.

Induction Referral → Working Desk LoopINDUCTION · L3 WELD (#1887)

LIVEDESK WORKING LEADS

G → A → M → F

A fresher refers a friend during induction → the lead is auto-routed to a configured working desk, which calls and works it toward a join. The measure is real joins from referred leads.

event-driven (referral submit) · desk = platform_policies row · no LLM

442referral leads

32routed to the desk

joins
the measure — pending desk calls

WHY HALF A LOOPWelded 8 Jul: every referral now lands on a working desk instead of evaporating. Measure is the funnel (referred → joined); feed-forward is the desk human deciding whom to call next — the system routes, people close.

Accountability & pace (ARPS / YoY grid)ARPS · YOY-COUNSELOR

LIVETRACKING

G → A → M → F

Sets cost baselines and revenue targets, then tracks actual pace against them and surfaces a counselor-level accountability grid, driving the auto-accountability meeting engine.

target-driven · rule-based · baselines/targets are config rows

target
vs actual pace

human
acts on the gap

WHY HALF A LOOPMeasures pace against targets and flags the gap — but a person owns the correction (the accountability meeting), so the feed-forward is human, not automatic.

IQAC Meeting Loop (Loop Review)ACCREDITATION · COMMITTEES

LIVEAWAITING FIRST MINUTED MEETING

G → A → M → F

The committee passes resolutions with an owner and a deadline → the NEXT meeting opens by reviewing every open item: done, carried, or dropped → the minutes are the Action-Taken Report. Twice-carried items escalate to the Director.

human cadence · convened on /accreditation/naac/committees · 7.3.e evidence via accreditation-loop-evidence 04:23 IST

1committees constituted

0meetings minuted

0open resolutions

WHY HALF A LOOPMeasure is closed — every resolution is checked against its own deadline at the next meeting — but the review and the correction are the committee itself. IQAC-as-loops Move 1 (Director decision 2026-07-10): the Cell runs the same discipline it monitors.

Institutional Audit Loop (AAA)AUDIT · CYCLES

LIVECYCLES CLOSING

G → A → M → F

An audit cycle attests parameters and logs findings with SLA owners → the cycle closes → the next cycle re-measures: findings that recur were never really fixed. Closed cycles emit 7.3.d evidence with the prior cycle as baseline.

cycle cadence · run on /audit · 7.3.d evidence via accreditation-loop-evidence 04:23 IST

3audit cycles

1closed cycles

vs prior
findings delta at close

WHY HALF A LOOPThe audit engine (cycles, attestations, findings-with-SLA) predates this wiring; what was missing was the loop: each close now measures against the prior cycle and lands in the evidence junction. Feed-forward is the auditor and the finding owners. IQAC-as-loops Move 2.

MYJKKN

1

AI Pulse

Dashboard

Alt+D

AI Assistant

>

Guide

Users

>

Application Hub

>

Applications

>

Organizations

>

Foundation Programme

>

Academic

>

Induction

>

My Induction Sessions

Board of Studies

>

Reading (RCLTP)

>

Session Feedback (Fac...

Lesson Spine Review

Session Escalations

All-College Feedback

Campus Living

>

Admission CRM

>

Leads

Alt+L

>

Applications

GD-PI

Counselors

>

Consultants

>

Schools Network

>

AI Insights

Marketing

>

Data Quality

>

Settings

>

Staff

>

HR

>

Recruitment

>

Admin

>

3