Consensus Problems in Networks of Agents with Switching Topology and Time-Delays

赵继超

分享暨个人总结

Table of Contents

Table of Contents

Table of Contents

Some Basic Notations

- 邻接矩阵
- 邻居节点
- 决策值
- χ-一致性问题
- 平均/最大/最小一致性

- $\mathcal{A} = [a_{ij}]$
- N_i
- α
- χ
- Ave(x)/Max(x)/Min(x)

Table of Contents

Model Consensus Protocols

CT Model

$\dot{x}_i = u_i(t)$

DT Model

$x_i(k+1) = x_i(k) + \epsilon u_i(k), \epsilon > 0$

A1 Zero Communication Time-Delay

$u_i = \sum_{j \in N_i} a_{ij}(x_j - x_i)$

A2 Communication Time-Delay $\tau_{ij} > 0$

$u_i(t) = \sum_{j \in N_i} a_{ij}[x_j(t - \tau_{ij}) - x_i(t - \tau_{ij})]$

Laplacians

Laplacians

$$l_{ij} = \begin{cases} \sum_{k=1, k \neq i}^{n} a_{ik}, & j = i \\ -a_{ij}, & j \neq i \end{cases}$$

A1 State Evolves

$$\dot{x}(t) = -Lx(t)$$

A1 State Evolves with Switchin Topology

$$\dot{x}(t) = -L_k x(t), \ k = s(t)$$

A1 DT

$$x(k+1) = P_\epsilon x(k), \ P_\epsilon = I - \epsilon L$$

Table of Contents

Balanced Graph

Balanced Node

$$\deg_{out}(v_i) = \deg_{in}(v_i)$$

Balanced Graph

$$\deg_{in}(v_i) = \sum_{j=1}^{n} a_{ji}, \quad \deg_{out}(v_i) = \sum_{j=1}^{n} a_{ij}$$

(a)   (b)   (c)

$$L = \mathcal{L}(G) = \Delta - \mathcal{A}$$

Δ (degree matrix) $\mathrm{diag}(\deg_{out}(v_i))$

$\mathcal{A}$ (adjacency matrix) {0,1}

w_r

w_l

SC (Strongly Connected)

Table of Contents

Counterexample

In this slide
the text will be partially visible
And finally everything will be there

Table of Contents

一致性协议

In this slide
the text will be partially visible
And finally everything will be there

Table of Contents

一致性协议

In this slide
the text will be partially visible
And finally everything will be there

Table of Contents

一致性协议

In this slide
the text will be partially visible
And finally everything will be there

Table of Contents

一致性协议

In this slide
the text will be partially visible
And finally everything will be there