SDC HACKATHON 2026

Phase 2: Final Project & Prototype Report

Hosted by Xiamen University Malaysia (XMUM) AI Club
Submission Deadline: 1 November 2026

Instructions: Complete every field below and submit as a single PDF document named "SDC2026_TeamName_Final.pdf" together with your pitch deck and a working deployment link. Answers must comply with the word limits stated for each open-ended question. Section 3 requires concrete, verifiable evidence. Unsupported claims will not be credited by judges.

1. Team & Project Overview

Team Name	Hoo Lee Sheet
Project / Product Name	Laluan
Final Live Deployment URL	**Primary:** https://hoo-lee-sheet-sdc-2026.replit.app (Replit, synced to main 2f3c4a9) **Backup:** https://laluan.vercel.app (Vercel, main 2f3c4a9)
Codebase Repository URL	https://github.com/Jie-coder/hoo-lee-sheet-sdc2026 (public)
Name (Leader)	Tan Bing Jie
Email & phone (Leader)	tanbingjie99@gmail.com, 012-8002983

2. Project Description

[Maximum 250 words]

Laluan (Malay for "pathway") is a no-login web app for Malaysian workers, especially underemployed diploma holders and clerical workers, that answers three questions: how much does AI touch my job, which role should I move towards, and what is the cheapest credible route there? The user uploads a CV (synthetic samples in the demo) and answers up to five interview questions. A language model parses the CV, checks certificate links, and, when exact and alias matches fail, picks the closest of our 40 ESCO roles. Everything else is deterministic code. Laluan shows the current job's AI exposure (ILO 2025), ranks future roles under three WEF scenarios with an explainable score breakdown and a what-if list, and names the top five missing

skills. An AI adoption-speed slider (0.5×–2×) applies to a live arXiv trend signal, and the Future Skills Radar shows rising and falling skills with a 95% uncertainty range. The chosen role becomes a week-by-week pathway built from a curated catalogue of courses and government programmes, ordered free, then subsidised, then HRD Corp-claimable, in English, Bahasa Malaysia or Chinese, with an SDG total for the pathway. Every number shows its source and date, every score is labelled an estimate, and Laluan supports career decisions; it never makes hiring decisions. On the final build, our primary KPI, pathway gap coverage, is 100% (mean and minimum), and 105/105 recommendations show a dated source. SDG 8 (8.5) is primary; SDG 4 (4.4) and SDG 10 (10.2) are secondary.

3. Upgraded Product & Technical Execution

3.1 Final System Architecture

Provide a detailed description (and, if possible, an attached technical diagram) of your fully built system. Explain how your application integrates GenAI APIs, database structures, and backend/frontend frameworks into one unified solution.

Laluan is one Next.js application with server-only API routes, deployed to Replit Autoscale (primary, https://hoo-lee-sheet-sdc-2026.replit.app) and Vercel (backup, https://laluan.vercel.app) from the same GitHub repository.

Frontend. Next.js 16 (App Router), React 19, TypeScript, Tailwind CSS 4 and shadcn/ui, with an English / Bahasa Malaysia interface. Flow: Landing (consent) → Profile (CV upload or sample CV; every parsed skill is editable) → Interview (up to 5 questions) → Results (role tickets per scenario, score breakdown, what-if, adoption slider) → Pathway (week-by-week stops, SDG total, certificate links with an AI check, Download PDF ticket with a QR code per stop, labelled sponsored cards) → /certificate (Certificate of Completion). Other pages: /radar (Future Skills Radar), /partner (Be Our Partner), /exposure, /data-sources, /privacy, /about, /status.

Backend. Next.js API routes that run only on the server, so keys never reach the browser: /api/parse-cv, /api/verify-certificate, /api/analyze, /api/roles, /api/exposure-estimate, /api/signals, /api/refresh-signals, /api/health and /api/items.

GenAI integration. Vercel AI SDK with Zod-validated structured output. getModel() (src/lib/ai.ts) uses Anthropic Claude Haiku 4.5 (claude-haiku-4-5) through Replit AI Integrations on Replit, and Google Gemini gemini-3.8-flash on Vercel and as fallback. getCvParseModel() sends CV parsing and the certificate check to the KrackedDevs-provided LiteLLM endpoint (sponsor credits; deepseek-v4.1-flash) when its key is set; CV parsing otherwise falls back to getModel(), and the certificate check returns "pending". Gemini gemini-embedding-001 (768 dimensions) maps CV skills to ESCO skills only after exact and synonym matches fail. Models are used to parse CVs, to check a certificate (/api/verify-certificate fetches the user-entered public certificate URL and sends the URL, expected course title and up to 8,000 characters of page text; it returns verified, failed or pending), and, when exact and alias matches fail, to pick one of the 40 listed occupations or "none". No model produces a score, a course or a URL. AI_MOCK=true returns fixtures with no model call.

Scoring engine (deterministic TypeScript, unit-tested with Vitest). Rank $R = 0.5 \cdot \text{rankScore} + 0.3 \cdot \text{Demand} + 0.2 \cdot (1 - \theta \cdot \text{Exposure})$, plus a +0.10 SDG bonus when a role matches the user's impact interest. $\text{rankScore} = \text{fit} \times (1 + 0.3 \cdot \tanh(\text{adoption} \times \text{roleMomentum}))$, with adoption from the slider (0.5×–2×, default 1×). R is computed under three WEF scenarios (Co-Pilot Economy, Age of Displacement, Supercharged Progress); a role in the top 3 of all three is marked robust. Displayed Fit is calibrated on one fixed scale, min(100%, raw fit ÷ 0.30). Roles under 13% raw skill match are hidden (10% fallback). The pathway builder orders catalogue items free → subsidised → HRD Corp-claimable → paid and boosts the preferred course language. On main (2f3c4a9), 758 Vitest tests pass.

Trend pipeline (AI-trend signal layer). POST /api/refresh-signals counts arXiv papers for 25 AI-skill keywords

(last 90 days vs the 90 days before; momentum m = ln((recent+1)/(previous+1))) and stores each snapshot with its fetch time in the Supabase table trend_snapshots (row-level security, service role only) or a local file. getActiveSignals() (src/lib/signals.ts) feeds every page from one loader: newest stored snapshot → last good snapshot → bundled catalogue. /radar shows a 95% count-based range m ± 1.96·SE and labels a skill "Unclear" when the range crosses 0. For the finals, the live snapshot fetched on 29 Oct 2026, 16:05:53 (UTC+8) (25/25 keywords) is frozen with TREND_REFRESH_LOCKED=1 (refresh returns HTTP 423) and bundled, so every host shows the same numbers.

Data and database. Supabase Postgres with pgvector (768-dimension HNSW indexes) and row-level security, accessed only from the server. Reference data (ESCO occupations and skills, ILO exposure, WEF scenario parameters, DOSM / JobStreet salaries, SDG links, 198 courses, and government programmes) is kept as CSV files in data/ and built into src/data/catalogue.json by npm run build-catalogue. npm run kpi recomputes the Phase 1 KPIs from this code and data, with no AI and no network.

System diagram

3.2 Implementation & Hackathon Deliverables

Describe what was successfully built, integrated, and deployed during the 48-hour physical sprint. Highlight any specific problem-solving steps your team took to pivot or improve the project from the Phase 1 preliminary design.

[Maximum 300 words]

Physical hackathon (31 Oct 2026). Everything below went through reviewed pull requests and is merged to main (2f3c4a9; 758 Vitest tests pass):

KrackedDevs CV parsing (#100): CV parsing runs on the KrackedDevs-provided LiteLLM endpoint (deepseek-v4.1-flash), with our previous model as fallback.

Certificate check (#103): learners paste a certificate link; an AI check reads that page and marks it verified, failed or pending (never a fake pass; only the labelled demo link https://demo.laluan.app/example-certificate always verifies), and a finished pathway earns a Laluan Certificate of Completion (/certificate).

PDF ticket (#104, #110): Download PDF prints a Laluan ticket with per-stop QR codes.

Mentor feedback (#101, #102): exact free-course counts replace "Mostly free", and the adoption slider updates results without a page reload.

Be Our Partner (#106), from mentor business feedback: labelled sponsored course cards and a /partner page; front end only, fictional demo partners, no effect on scoring.

Phase 2 Upgrading Round (28–30 Oct 2026), merged on 29 Oct: Live trend pipeline (#85): our hand-run Phase 1 arXiv script became an in-app refresh storing dated snapshots in Supabase, with fallback. Explainable score (#86): a breakdown, a what-if list and Fit on one fixed scale. Adoption-speed slider (#84), a 95% range per skill on /radar (#88), an SDG total per pathway (#87, #92), npm run kpi (#90), and a frozen 29 Oct snapshot (#91).

Problem-solving. Our first KPI run showed Jia Hui (reads only Chinese) at 60% gap coverage. A free Chinese Python course on Coursera (NTU) teaches two of her missing skills, so we linked it with syllabus quotes (#92). Coverage rose to 100%. A momentum change moved rankings by only about 0.001, so we added a role-level trend term (#86). Skill SDG tagging rose from 25.8% to 46.6% (#92, #97); we left 456 generic skills untagged rather than guess.

4. Environmental & SDG Impact Verification

Validate the real-world impact of your built solution. Show concrete data that validate your environmental or social value proposition, compared against the baseline and KPI defined in previous phase submission.

*The data and evidence you provide in this section will be used to assess **SDG Impact, Technical Execution and Innovation scores.** Vague claims or missing verification will weaken your score across all three categories.*

Metric Category	Your Response
Target SDG Metric Achievement *Direct comparison between your Phase 1 baseline and your Phase 2 finalized prototype numbers* *e.g., "Achieved a 24.5% reduction in computational execution overhead against the 20% initial target."*	**SDG targets (unchanged from Phase 1):** 8.5 primary; 4.4 and 10.2 secondary. **Phase 1 baseline (context):** 47.1% of diploma holders underemployed; 66.0% of graduates aged ≤24 work below their qualification; 4.2M workers (28%) highly exposed to GenAI; 56% use AI at work but 26% trained; no reviewed tool had all six Domain 1 must-haves. **Phase 1 target → Phase 2 measured:** • **Pathway gap coverage** (primary KPI; % of the chosen role's top-5 missing skills closed by free / subsidised / HRD Corp-claimable items): target ≥80% per persona, ≥90% mean → **mean 100%, min 100% — met.** Aisyah → Data scientist 5/5; Jia Hui → Data scientist 5/5; Pravin → Environmental scientist 5/5. (Before PR #92 it was mean 86.7%, min 60%: Jia Hui 3/5.) Sensitivity: ranks 2–3 are 80–100%. • **(a) Dated sources:** target 100% → **105/105 (100%) — met.** • **(b) SDG tagging:** target 100% of roles and skills → roles **40/40 (100%) — met**; skills 398/854 (46.6%) — not met (was 220/854, 25.8%). The other 456 are generic skills (teamwork, sales, clerical, management) whose group we left unlinked rather than guess. • **(c) Time to a finished pathway:** target <3 min → max 48 s — met. Aisyah sample 32.84 s; Jia Hui sample 26.58 s; Pravin sample 28 s; Henry resume upload 48 s (Tiffany, stopwatch, 31 Oct 2026, on https://hoo-lee-sheet-sdc-2026.replit.app; upload or start analyze → pathway page ready). • **(d) Hand-check agreement on role–SDG pairs:** target ≥80% overall, ≥90% direct, κ≥0.6 → Achieved: 45/45 rated (100% overall; direct 14/14 = 100%; κ = 1.00). PASS.
Verification Evidence Method *How was this data verified?* *e.g., codebase algorithmic profiling logs, hardware power-meter simulation readings, or database transaction counters.*	npm run kpi (scripts/kpi.ts, PR #90) recomputes the KPIs from the app's own code and bundled data, with no AI and no network, and writes kpi/kpi-report.md / .json with the git SHA and snapshot date; figures below match main 72c1b14. KPI1 runs each synthetic persona through the real ranking (Co-Pilot, adoption 1×) and pathway builder. Course→skill links added in #92 are backed by syllabus quotes in data/course_skill_evidence.csv. Trend data: live arXiv snapshot fetched 29 Oct 2026, 16:05:53 (UTC+8), 25/25 keywords, frozen for finals (#91). Hand-check template: kpi/sdg-handcheck-50.csv. Report: https://github.com/Jie-coder/hoo-lee-sheet-sdc2026/blob/main/kpi/kpi-report.md

Metric Category	Your Response
Socio-Economic / Civic Value *How does your deployed application translate into a scalable, real-world solution capable of being supported by civic or corporate partners?*	**For learners:** Laluan is free and needs no login. Pathways put free and government courses first (free, then subsidised, then HRD Corp-claimable), and the interface is in English and Bahasa Malaysia, lowering cost and language barriers for B40 and non-urban youth who want to reskill. The need is real: the DOSM Labour Force Survey 2025 reports skill-related underemployment of 35.6% (https://storage.dosm.gov.my/labour/lfs_annual_2025.pdf). **For society and government:** ranking is based on skill fit (50%), labour-market demand (30%) and AI-exposure resilience (20%), plus an SDG match bonus, with arXiv trend signals only nudging the fit term. This steers job seekers towards in-demand, AI-resilient roles and can help public training funds, such as HRD Corp-registered training, be used better. We have no partnership with HRD Corp. This supports SDG 8 (8.5) and SDG 4 (4.4). **Integrity:** sponsorship is never a ranking input; sponsored cards are labelled and always come with a free alternative (section 5). We have not yet run pilots or measured real-user outcomes.
Deployment & Commercial Feasibility *e.g., modeled as an API service plugin designed for easy integration into existing corporate or institutional systems.*	Laluan is live as one Next.js app with server-only API routes, deployed from the same public GitHub repository to Replit Autoscale (primary, https://hoo-lee-sheet-sdc-2026.replit.app) and Vercel (backup, https://laluan.vercel.app), both on main 2f3c4a9, on which 758 Vitest tests pass. It is designed for low running cost (not yet measured): ranking, pathway and KPI code is deterministic and reads one bundled catalogue, and model calls are limited to CV parsing, the certificate check and matching fallbacks. For the finals, the live arXiv snapshot of 29 Oct 2026 is frozen with TREND_REFRESH_LOCKED=1 and bundled, so every host shows the same numbers. **Commercial model (Be Our Partner, section 5):** Laluan stays free for learners; training providers would pay for clearly labelled visibility on relevant pathways, never for ranking. Demo tiers are RM 0.80 per click, RM 25 per enrolment and RM 1,500 per month. The front-end prototype (PR #106) is merged into main 72c1b14. Partner names, badges and prices shown are fictional, for demonstration only. Details: section 5 and our 2-page business plan: https://docs.google.com/document/d/11MN9UpsEGrSq6OzrSbLIBjtfxHKiL1pHxkFy55hHIug/edit

4.1 Mathematical Proof / Code Logic Snippet (Optional, but holds bonus marks)

Paste the specific code section, mathematical formula, simulation log output, or calculation logic that proves the impact claims made above.

This proof is graded across three categories at once: ***Impact and Feasibility*** *(does the math support your claim),* ***Technical Execution*** *(does it reflect what you actually built), as well as* ***Innovation and Creativity*** *(is the approach original).] Do not leave this section generic or copied from Phase 1.*

KPI1, pathway gap coverage: the function that produces the number (src/lib/kpi.ts on main 72c1b14, called by scripts/kpi.ts):

```
export const FUNDED_COST_TYPES = ["free", "subsidised", "hrdcorp_claimable"] as const;

export function gapCoverage(
  gapSkillIds: string[],
  steps: { closesSkillIds: string[]; costType: string }[],
): { closed: string[]; open: string[]; pct: number } {
  const fundedClosed = new Set<string>();
  for (const step of steps) {
    if (!isFundedCostType(step.costType)) continue;   // paid steps never count
    for (const skillId of step.closesSkillIds) fundedClosed.add(skillId);
  }
  const closed: string[] = [];
  const open: string[] = [];
  for (const skillId of gapSkillIds) {
    if (fundedClosed.has(skillId)) closed.push(skillId);
    else open.push(skillId);
  }
  const total = gapSkillIds.length;
  const pct = total === 0 ? 100 : (closed.length / total) * 100;
  return { closed, open, pct };
}
```

gapSkillIds is role.gap, the top-5 missing skills of the persona's #1 role under Co-Pilot; steps come from buildPathwayPlan with the persona's course languages at 6 h/week. A step's closesSkillIds lists a skill only when the course itself teaches it (same-group "related" courses close nothing). Target: each persona ≥ 80%, mean ≥ 90%. The #1 role is chosen by R = 0.5·rankScore + 0.3·Demand + 0.2·(1 − θ·E) (+0.10 SDG bonus), with rankScore = fit × (1 + 0.3·tanh(adoption × roleMomentum)) (PR #86).

Output (kpi/kpi-report.md, snapshot asOf 2026-10-29):

KPI1 Role #1 pathway gap coverage | mean 100.0% (min 100.0%) | each ≥80%, mean ≥90% | PASS
- Aisyah binti Rahman → Data scientist (o010): 100.0% closed (5 closed, 0 open)
- Lim Jia Hui → Data scientist (o010): 100.0% closed (5 closed, 0 open)
- Pravin a/l Murugan → Environmental scientist (o020): 100.0% closed (5 closed, 0 open)

KPI2 Dated sources | 105/105 (100.0%) | 100% | PASS

KPI3 SDG coverage | occupations 100.0% (40/40); skills 46.6% (398/854) | 100% occupations, 100% skills | FAIL

5. Market Viability & Future Scalability Plan

SDC aims to encourage solutions that transition from innovations into market-ready applications. If given access to corporate funding, industry grants, or partnership opportunities (e.g., through SDC's Rotary network or joint research initiatives at XMUM), how would your team scale this prototype to process real-world data at volume?

[Maximum 250 words]

Laluan's ranking, pathway and KPI code is deterministic and reads one bundled catalogue; model calls are limited to CV parsing, the certificate check, the embedding fallback for skill matching and occupation matching. Planned steps to handle real-world data at volume:

1. **More roles and fresher labour data:** expand beyond the current 40 ESCO roles, and replace the hand-checked JobStreet salaries with scheduled updates and newer DOSM releases.

2. **Scheduled trend refresh:** the live arXiv pipeline (#85) already stores dated snapshots with fallback; in production it would refresh on a schedule instead of the frozen finals snapshot.

3. **Real-user validation:** test with real users in place of the synthetic personas and complete the two-person SDG hand-check.

4. **Trust before launch:** a full PDPA review and a formal bias test of the recommendations.

Business model (Be Our Partner, #106, merged): Laluan stays free for learners; training providers pay for clearly labelled "Sponsored" course cards (RM 0.80 per click, RM 25 per enrolment or RM 1,500 per month), at most 3 per pathway, each after a free course. Sponsorship is never a ranking input. Partner names, badges, ratings and prices shown are fictional, for demonstration only. Business plan: https://docs.google.com/document/d/11MN9UpsEGrSq6OzrSbLIBjtfxHKiL1pHxkFy55hHIug/edit

Funding and partners: we have no funding or partnership agreements yet; funding would first pay for a pilot with real users. Cost per user is not yet measured, so we do not quote one.

6. Final Submission Checklist

Tick all boxes that apply before submitting.

- ☑ The application is fully compiled, live, and accessible via the deployment link provided in Section 1.
- ☑ The GitHub (or equivalent) repository contains a clean, well-documented README with installation instructions.
- ☑ The GitHub (or equivalent) repository shows the history of incremental code updates made throughout the official live hacking window.
- ☑ The final pitch deck has been exported and saved as a flattened PDF file.
- ☑ All fields in this template have been completed and word limits respected.

7. IP & Originality Declaration

7.1 Pre-Existing / Prior-Owned Work

Does this submission include any code, design, research, or other work that any team member created or owned before the start of this hackathon?

☑ Yes ☐ No ☐ No change from Phase 1 declaration

If yes, briefly describe what was pre-existing and which team member(s) owned it:

Our competition repository starts from a generic starter that Tan Bing Jie created before the hackathon (private repo Jie-coder/sdc-starter, tag starter-v0, commit 57171fe, committed 17 Oct 2026). It contains only reusable infrastructure (Next.js scaffold, UI components, an AI call wrapper with a mock mode, a Supabase connection and a status page) and no domain-specific features or content. It was declared to the organisers under Rule 8.2 before the event (Discord ticket #ticket-0007, 17 Oct 2026). Its exact file tree was imported, without its git history, as the first commit of the competition repo (80cc8dc, 19 Oct 2026), as documented in DECLARATION.md (corrected in PR #83). All later work was created during the hacking period. No change from the Phase 1 declaration.

7.2 Third-Party Code, Datasets, or Models

Does your project use any third-party code libraries, open-source frameworks, public/private datasets, or pre-trained AI models that your team did not create?

☑ Yes ☐ No ☐ No change from Phase 1 declaration

If yes, list them below (open-source use is permitted provided it is declared and properly licensed/attributed):

Name	Type (code/dataset/model)	License
Next.js 16.4.2; React / React DOM 19.3.0	Code (framework / library)	MIT
Tailwind CSS 4; shadcn/ui; Base UI (@base-ui/react); framer-motion; sonner; next-themes; tw-animate-css; qrcode (PDF ticket QR codes, PR #110)	Code (styling, UI components, UI utilities)	MIT
lucide-react	Code (icons)	ISC
class-variance-authority	Code (UI utility)	Apache-2.0
Vercel AI SDK (ai, @ai-sdk/anthropic, @ai-sdk/google, @ai-sdk/openai-compatible)	Code (library)	Apache-2.0
Zod; unpdf; Supabase JS client	Code (validation; PDF text extraction; database client)	MIT
pgvector	Code (Postgres extension)	PostgreSQL License

Vitest, Testing Library, jsdom, tsx, ESLint (dev only); TypeScript	Code (development tools)	MIT; TypeScript: Apache-2.0
Fonts via next/font/google: Anton, DM Sans, Geist Mono, Noto Sans SC; DM Mono (added in Phase 2, PR #86)	Code (fonts)	SIL Open Font License 1.1
ESCO v1.2 occupations and skills (European Commission)	Dataset	Reuse free of charge with acknowledgement (Commission Decision 2011/833/EU)
ILO GenAI exposure index, Working Paper 140 (2025)	Dataset	CC BY 4.0
Anthropic Economic Index (Hugging Face, release 2026-06-26)	Dataset	Data CC-BY (no version stated on the dataset card); code MIT
arXiv API metadata (Phase 2: called live by the app, PR #85; finals snapshot of 29 Oct 2026 frozen, PR #91)	Dataset	CC0 (metadata)
WEF "Four Futures for Jobs in the New Economy: AI and Talent in 2030" and Future of Jobs Report 2025	Dataset (published reports)	© World Economic Forum, all rights reserved (scenario names, directions and single figures cited, not copied)
OpenDOSM Salaries & Wages by Occupation; DOSM salary survey major-group averages	Dataset	CC BY 4.0; Government Open Data Terms of Use 1.0 ("Source: Department of Statistics Malaysia")
JobStreet Malaysia salary pages (figures checked by hand; no scraping, no API)	Dataset (reference figures)	JobStreet terms: personal, non-commercial use (https://my.jobstreet.com/terms)
Curated course and programme catalogue (public provider pages, e.g. Coursera, Alison, e-LATiH / HRD Corp, Microsoft Learn); Phase 2 adds syllabus quotes from the Coursera course page https://www.coursera.org/learn/pbc3 in data/course_skill_evidence.csv (PR #92)	Dataset (facts and links collected by the team; summaries in our own words)	No open licence; each provider's terms apply (titles, links, short quotes and own-words summaries only)
Three synthetic sample CVs	Dataset (created by the team with AI assistance)	Apache-2.0 (part of our repo)
Anthropic Claude Haiku 4.5 (claude-haiku-4-5), via Replit AI Integrations; DeepSeek deepseek-v4.1-flash, via the KrackedDevs-provided LiteLLM endpoint (CV parsing and certificate check, PR #100, #103)	Model (pre-trained LLM, via API)	Replit and Anthropic terms (https://www.anthropic.com/legal/commercial-terms); KrackedDevs: sponsor-provided access and credits (team key) for SDC 2026; DeepSeek and LiteLLM terms apply
Google Gemini gemini-3.8-flash; Google gemini-embedding-001 (768 dimensions)	Model (pre-trained LLM and embedding model, via API)	Google Gemini API Terms of Service (https://ai.google.dev/gemini-api/terms)

7.3 Employment-Related IP Conflicts

Is any team member currently bound by an employment, internship, or consulting agreement under which their employer could claim ownership of work they create during this hackathon?

☐ Yes ☑ No ☑ No change from Phase 1 declaration

If yes, please describe the nature of the agreement and which member it concerns:

Not applicable. All three team members are students; none is bound by such an agreement (as declared in Phase 1).

8. Declaration

By submitting this report, the team leader confirms that the deployed application and data presented above are the original work of the team, completed within the official SDC 2026 hackathon period.



[Signature]

[Date] 31 October 2026