

Cybersecurity Threat Intelligence Report

Task-1: Awareness & Research Project

Prepared by: Jigmet Deachen

Role: Cybersecurity Analyst Intern (Simulation)

Date: September 13, 2026

Scope	Modern cybersecurity threats observed in 2024-2025, including impact analysis, real-world incidents, and practical defense measures.
Threats Covered	AI-powered phishing, Ransomware-as-a-Service, cloud security misconfiguration, IoT vulnerabilities, and zero-day exploits.
Deliverable	Professional PDF report with references.

Prepared as a portfolio-ready threat intelligence report for an internship task. The content is written for awareness, analysis, and defensive learning.

Table of Contents

Introduction and Threat Landscape	3
Threat Analysis: AI-Powered Phishing and Ransomware-as-a-Service	4
Threat Analysis: Cloud Misconfiguration and IoT Vulnerabilities	5
Threat Analysis: Zero-Day Exploits and Cross-Threat Impact	7
Preventive Measures, Conclusion, and Future Scope	8
References	9

Report Objective

This report explains the current cybersecurity threat landscape and presents five major modern cyber threats with impact analysis, real incidents, and defense measures. The goal is to show how a cybersecurity analyst can convert research into practical threat intelligence for decision-makers.

The report focuses on threats that are visible in 2024-2025: the use of AI in social engineering, the industrialization of ransomware, weak cloud identity and configuration controls, insecure internet-connected devices, and fast exploitation of newly discovered vulnerabilities.

Introduction and Threat Landscape

Cybersecurity is the practice of protecting computers, networks, applications, cloud services, devices, and data from unauthorized access, misuse, disruption, theft, and destruction. It includes technical controls such as encryption and patching, operational controls such as incident response and backups, and human controls such as security awareness and verification habits.

Cybersecurity matters to individuals because personal data, banking access, identity documents, private messages, and digital reputation are now stored and used online. A single compromised account can lead to financial fraud, identity theft, extortion, or loss of privacy. For businesses, the risks are broader: service downtime, stolen customer data, regulatory penalties, intellectual property loss, lost revenue, and damage to trust.

The relevance is increasing. The FBI Internet Crime Complaint Center reported 859,532 complaints and more than USD 16 billion in reported losses for 2024, a 33 percent increase from 2023. IBM's 2024 Cost of a Data Breach Report placed the global average breach cost at USD 4.88 million and reported that 70 percent of breached organizations experienced significant or very significant disruption. These numbers show that cyber risk is no longer only an IT issue; it is a business, safety, and privacy issue.

The 2024-2025 threat landscape is shaped by three forces. First, attackers are using automation and generative AI to create convincing scams at scale. Second, cybercrime has matured into service models where specialists sell access, malware, stolen credentials, and laundering support. Third, organizations depend heavily on cloud platforms, remote access, and internet-connected devices, creating more places where weak configuration or slow patching can become a major incident.

Threat Overview Matrix

Threat	Typical Entry Point	Primary Impact	Priority Defenses
AI-powered phishing	Email, messaging apps, voice/video deepfakes	Fraud, credential theft, unauthorized payments	Phishing-resistant MFA, payment verification, training
Ransomware-as-a-Service	Compromised credentials, exposed remote access, phishing	Encryption, data theft, downtime, extortion	Backups, EDR, segmentation, incident response drills
Cloud misconfiguration	Weak identity controls, exposed storage, broad permissions	Mass data theft, compliance exposure	Least privilege, MFA, logging, posture management
IoT vulnerabilities	Default passwords, outdated firmware, exposed services	Botnets, spying, lateral movement	Asset inventory, updates, network isolation
Zero-day exploits	Unknown vulnerability in internet-facing software	Remote code execution, compromise before patching	Rapid patching, virtual patching, threat hunting

Threat Analysis: AI-Powered Phishing and RaaS

1. AI-Powered Phishing Attacks

Overview: AI-powered phishing uses generative text, cloned voices, synthetic video, and automated profiling to make social engineering feel personal and urgent. Instead of sending obvious spam, attackers can imitate executives, vendors, relatives, or support staff and adjust the message to the victim's role.

Impact: Individuals can lose money, account access, and identity documents. Organizations can suffer payment fraud, credential compromise, data theft, and damaged trust when staff approve requests that appear to come from leaders or trusted partners.

Case study: In Hong Kong, police reported an end-January 2024 case where a worker received a phishing email from someone impersonating a UK-based chief financial officer, joined a fabricated video conference, and authorized transfers to five local bank accounts. The loss was about HKD 200 million. A second May 2024 deepfake case involving a fake boss led to nearly HKD 4 million in attempted transfer instructions.

Preventive measures: Use phishing-resistant MFA for email, finance, and admin systems; require out-of-band confirmation for bank detail changes and urgent payments; train staff to verify unusual voice/video requests using challenge questions, callback procedures, and approval workflows.

2. Ransomware-as-a-Service (RaaS)

Overview: RaaS turns ransomware into a business model. Developers maintain malware, payment sites, leak portals, and support infrastructure while affiliates break into victims and share ransom proceeds. This lowers the skill barrier for criminals and increases attack volume.

Impact: Individuals may lose access to health, school, payroll, or municipal services. Organizations face encrypted systems, stolen data, business interruption, legal notification duties, response costs, and reputational harm. Critical sectors such as health care can also face patient-safety consequences.

Case study: The February 2024 Change Healthcare incident showed the scale of modern ransomware. HHS described the event as having unprecedented impact on patient care and privacy. UnitedHealth Group reported major business disruption and said it had provided more than USD 6 billion in advance funding and interest-free loans to care providers.

HHS later reported that approximately 192.7 million individuals had been impacted as of July 31, 2025.

Preventive measures: Maintain offline and immutable backups, then test restoration; enforce MFA on remote access and privileged accounts; deploy endpoint detection and response with centralized logging; segment networks so ransomware cannot spread easily; practice ransomware response with legal, communications, and IT teams.

Threat Analysis: Cloud and IoT Risks

3. Cloud Security Misconfigurations

Overview: Cloud misconfiguration occurs when cloud accounts, storage, databases, permissions, logs, or network controls are set up in a way that exposes data or allows unnecessary access. The most dangerous misconfigurations often involve identity: no MFA, long-lived keys, overprivileged accounts, missing network allow lists, and poor monitoring.

Impact: Individuals can have personal records, call metadata, or financial details exposed. Organizations can lose large volumes of customer data quickly because cloud services are built for speed and scale. They may also face regulatory action, customer notification costs, and loss of confidence in cloud governance.

Case study: In 2024, Mandiant reported that UNC5537 targeted Snowflake customer instances using stolen customer credentials. Mandiant and Snowflake notified about 165 potentially exposed organizations. In a related 2024 filing, AT&T said threat actors unlawfully accessed an AT&T workspace on a third-party cloud platform and exfiltrated files containing records of customer call and text interactions for nearly all AT&T wireless customers for specified 2022 and 2023 periods.

Preventive measures: Require MFA and conditional access for all cloud users; rotate and monitor credentials; enforce least privilege and network allow lists for sensitive data platforms; enable centralized cloud logs and alerts; use cloud security posture management to detect public exposure, risky identities, and drift from approved baselines.

4. IoT Vulnerabilities

Overview: Internet of Things devices include cameras, routers, DVRs, smart home devices, industrial sensors, and network-attached storage. They are often deployed and forgotten, run outdated firmware, use weak passwords, and lack enterprise-grade monitoring. Attackers compromise them to spy, pivot into networks, or build botnets.

Impact: Individuals may have home networks, cameras, and personal files exposed. Organizations may unknowingly allow insecure devices onto business networks, giving attackers a quiet foothold. At larger scale, infected IoT devices can hide attacker traffic, support distributed denial-of-service attacks, and assist espionage.

Case study: In September 2024, the U.S. Department of Justice announced a court-authorized disruption of a botnet linked to PRC-sponsored hackers known as Flax Typhoon. The botnet consisted of more than 200,000 consumer devices worldwide, including SOHO routers, IP cameras, DVRs, and NAS devices, and was used to conduct malicious cyber activity disguised as normal device traffic.

Preventive measures: Keep an inventory of all connected devices; replace end-of-life routers and cameras; change default credentials; update firmware; disable unused remote management; place IoT devices on segmented networks; monitor outbound traffic for unusual connections and block unmanaged devices from sensitive systems.

Threat Analysis: Zero-Day Exploits

5. Zero-Day Exploits

Overview: A zero-day exploit targets a vulnerability before a vendor has released a patch or before defenders have had time to deploy it. These exploits are especially dangerous when they affect internet-facing gateways, VPNs, firewalls, email systems, or identity infrastructure.

Impact: Individuals may be affected indirectly when organizations that hold their data are compromised. Organizations face rapid unauthorized access, malware deployment, data theft, and persistence. Because defenders may not initially know the vulnerability exists, normal patch schedules and signature-based detection can lag behind attacker activity.

Case study: Palo Alto Networks disclosed CVE-2024-3400 on April 12, 2024, a critical command injection vulnerability affecting certain PAN-OS firewalls with GlobalProtect configurations. The advisory rated it critical with a CVSS score of 10.0 and explained that an unauthenticated attacker could execute code with root privileges. CISA also warned that active exploitation had been reported and added the vulnerability to its Known Exploited Vulnerabilities catalog.

Preventive measures: Maintain a complete inventory of internet-facing assets; subscribe to vendor and CISA alerts; apply emergency patches or vendor mitigations quickly; use web application firewalls or threat prevention signatures as temporary controls; collect forensic evidence when exploitation is suspected; hunt for indicators of compromise after patching.

Cross-Threat Impact Analysis

Threat	Individual Harm	Organizational Harm
AI phishing	Financial fraud, identity theft, emotional manipulation	Business email compromise, unauthorized payments, credential compromise
RaaS	Service disruption, exposure of medical or personal data	Downtime, extortion, recovery costs, breach notification, lost trust
Cloud misconfiguration	Exposure of personal records and metadata	Mass data theft, regulatory risk, uncontrolled access to crown-jewel data
IoT vulnerabilities	Compromised home devices, privacy invasion	Botnet participation, lateral movement, hidden attacker traffic
Zero-days	Indirect privacy and service impact through breached providers	Rapid compromise of edge systems before normal patch cycles can respond

Preventive Measures, Conclusion, and Future Scope

Defense Roadmap

- Strengthen identity first.** Most modern attacks still depend on stolen credentials or tricked users. Organizations should require phishing-resistant MFA for sensitive systems, remove stale accounts, enforce least privilege, monitor impossible travel and unusual login behavior, and separate administrator accounts from daily-use accounts.
- Reduce exposed attack surface.** Maintain a current asset inventory covering laptops, servers, cloud workloads, SaaS accounts, routers, IoT devices, and externally exposed services. Disable unused services, replace unsupported devices, use secure baselines, and prioritize internet-facing vulnerabilities.
- Build resilience against ransomware.** Backups should be encrypted, offline or immutable, and regularly tested. Network segmentation, EDR, application control, and least privilege reduce the chance that one compromised endpoint becomes an enterprise-wide outage.
- Improve detection and response.** Centralized logs, cloud audit trails, endpoint telemetry, and alert tuning help defenders identify abnormal activity before data theft or encryption is complete. Incident response playbooks should include ransomware, cloud account compromise, deepfake payment fraud, and zero-day emergency patching.

5. **Train people for modern social engineering.** Awareness training must go beyond suspicious links. Staff should know how to verify urgent payment requests, executive impersonation, vendor bank changes, deepfake calls, QR-code scams, and MFA fatigue attempts.

Conclusion

Modern cybersecurity requires proactive preparation rather than reactive cleanup. The threats in this report show that attackers exploit both technology gaps and human trust. AI phishing abuses believable communication, RaaS industrializes extortion, cloud misconfiguration exposes large data stores, IoT weaknesses create hidden infrastructure for attackers, and zero-days compress the time defenders have to respond.

The strongest defense is layered: secure identities, patch quickly, monitor continuously, segment networks, test backups, and train users to verify high-risk requests. No single control stops every threat. However, disciplined basics combined with threat intelligence can reduce likelihood, limit impact, and help organizations recover faster.

Future scope should focus on continuous learning. Cyber threats will keep evolving as generative AI, cloud adoption, remote work, and connected devices expand. Cybersecurity professionals must follow trusted alerts, study real incidents, practice ethical hacking in legal environments, and convert lessons from attacks into better policies, architectures, and user habits.

References

1. FBI. FBI Releases Annual Internet Crime Report. April 23, 2025. <https://www.fbi.gov/news/press-releases/fbi-releases-annual-internet-crime-report>
2. IBM. IBM Report: Escalating Data Breach Disruption Pushes Costs to New Highs. July 30, 2024. <https://newsroom.ibm.com/2024-07-30-ibm-report-escalating-data-breach-disruption-pushes-costs-to-new-highs>
3. Hong Kong Government. LCQ9: Combating frauds involving deepfake. June 26, 2024. <https://www.info.gov.hk/gia/general/202406/26/P2024062600192p.htm>
4. U.S. Department of Justice. Justice Department Disrupts Prolific ALPHV/Blackcat Ransomware Variant. December 19, 2023; updated February 6, 2025. <https://www.justice.gov/archives/opa/pr/justice-department-disrupts-prolific-alphvblackcat-ransomware-variant>
5. HHS Office for Civil Rights. Change Healthcare Cybersecurity Incident Frequently Asked Questions. Updated March 14, 2025; content reviewed August 13, 2025. <https://www.hhs.gov/hipaa/for-professionals/special-topics/change-healthcare-cybersecurity-incident-frequently-asked-questions/index.html>
6. UnitedHealth Group. UnitedHealth Group Reports First Quarter 2024 Results. April 16, 2024. <https://www.unitedhealthgroup.com/newsroom/2024/2024-04-16-uhg-reports-first-quarter-results.html>
7. Google Cloud / Mandiant. UNC5537 Targets Snowflake Customer Instances for Data Theft and Extortion. June 10, 2024. <https://cloud.google.com/blog/topics/threat-intelligence/unc5537-snowflake-data-theft-extortion>
8. AT&T Inc. Form 8-K: Material Cybersecurity Incident. July 12, 2024. <https://www.sec.gov/Archives/edgar/data/732717/000073271724000046/t-20240506.htm>
9. U.S. Department of Justice. Court-Authorized Operation Disrupts Worldwide Botnet Used by PRC State-Sponsored Hackers. September 18, 2024; updated February 6, 2025. <https://www.justice.gov/archives/opa/pr/court-authorized-operation-disrupts-worldwide-botnet-used-peoples-republic-china-state>
10. Palo Alto Networks. CVE-2024-3400 PAN-OS: Arbitrary File Creation Leads to OS Command Injection Vulnerability in GlobalProtect. Published April 12, 2024. <https://security.paloaltonetworks.com/CVE-2024-3400>

11. CISA. Palo Alto Networks Releases Guidance for Vulnerability in PAN-OS, CVE-2024-3400. April 12, 2024. <https://content.govdelivery.com/accounts/USDHSCISA/bulletins/3960969>
12. CISA. #StopRansomware Guide. <https://www.cisa.gov/stopransomware/ransomware-guide>
13. CISA and NSA. Top Ten Cybersecurity Misconfigurations. October 5, 2023. <https://www.cisa.gov/news-events/cybersecurity-advisories/aa23-278a>

Note: All case study facts were summarized from official government, company, or vendor/security research sources. The report is intended for defensive awareness and ethical cybersecurity learning.