ML-Driven Trading on Kalshi BTC Binary Markets

Machine Learning Final Project

Todd Tan Aldrich Wang and Arush Guliani

The University of Chicago

March 2026


Problem Statement

The Exchange: Kalshi

- CFTC-regulated prediction market exchange
- Binary contracts: pays \$1 if event occurs, \$0 otherwise

BTC Up or Down — 15 Min

- New contract every 15 min: "Will BTC be $\geq$ \$X at expiry?"
- YES/NO sides trade as probabilities (cents); live bid/ask order book
- Settles at \$1 (YES) or \$0 (NO)



Data Sources

Kalshi API (REST & WebSocket)

- Top-of-book YES/NO: bid/ask price & size
- Trade stats: count, volume, VWAP (last 60s)
- Quote-change event count per minute
- Frequency: **20-second snapshots**, real-time

Coinbase API

- BTC/USD spot price, **every 20 seconds**, real-time


Collection & Storage

- Continuous collection: **Mar 6, 2026, 7:16 PM CST – present**
- MySQL on AWS RDS; 20s snapshots aggregated to 1-min bars
- EC2 workers: `forward_collector`, `coinbase_collector`, `feature_1m_collector`

Key Tables

- `forward_quotes` — 20s top-of-book
- `coinbase_ticks` — 20s BTC spot
- `model_features_1m` — 1-min ML feature table

Data Pipeline Dashboard



Feature Set

Order Book & Pricing

- `yes_bid/ask_dollars` — top-of-book prices
- `spread_dollars`, `mid_dollars`
- `orderbook_imbalance` — $(bid_sz - ask_sz)/(bid_sz + ask_sz)$

Contract Returns

- `mid_ret_1m`, `mid_ret_3m`

Trade Activity (last 60s)

- `trades_last_60s_count` — trade count
- `trades_last_60s_volume_fp` — dollar volume
- `trades_last_60s_vwap_yes` — VWAP
- `quote_change_events_60s` — book update frequency

Coinbase BTC Spot

- `cb_ret_1m`, `cb_ret_3m`, `cb_ret_5m`
- `cb_vol_5m` — 5-min realized volatility

Moneyness & Interactions


- `moneyness_abs/pct` — spot vs. strike
- `moneyness_vol_scaled` — $\div$ BTC vol
- `moneyness_x_sqrt_tte` — $\times\sqrt{TTE}$
- `moneyness_x_imbalance` — $\times$ imbalance
- `moneyness_x_qchg` — $\times$ quote changes


Model Baseline — Naive Logistic Regression

Label: $y_t = \mathbf{1}[\text{bid}_{t+1} > \text{ask}_t]$ **Features (13):** `bid, ask, spread, mid, imbalance, mid_ret_1m/3m, cb_ret_1m/3m, trades_count, quote_chg, tte, moneyness_pct`

Train (CST)	Mar 6 7:16 PM – Mar 8 6:16 AM	2,044 rows	In-sample
Test (CST)	Mar 8 6:16 AM – 2:47 PM	511 rows	In-sample holdout
OOS (CST)	Mar 8 2:47 PM – present	live	Forward test

Buy YES: $p_{\text{yes}} \geq 0.55$ & edge $> \$0.01$ **Sell YES:** $p_{\text{yes}} < 0.55$ or edge $\leq \$0.01$ (or TTE ≤ 60s)
Qty: 1–10 contracts (scaled by edge) **OOS PnL: –$56.79** / 474 trades / 49.7% win rate





Model #1 — Logistic Regression with L1 and Interactions


Label: $y_t = \mathbf{1}[\text{bid}_{t+1} > \text{ask}_t]$ **Features (22):** all baseline features + `cb_ret_5m`, `cb_vol_5m`, `moneyness_abs`, `moneyness_vol_scaled`, `moneyness_x_sqrt_tte`, `moneyness_x_imbalance`, `moneyness_x_trades_volume_fp`, `trades_vwap`


Regularization: L1 ($\lambda = 2.0$)

Train (CST)	Mar 6 7:16 PM – Mar 8 6:16 AM	2,044 rows	In-sample
Test (CST)	Mar 8 6:16 AM – 2:47 PM	511 rows	In-sample holdout
OOS (CST)	Mar 8 2:47 PM – present	live	Forward test

OOS PnL: –$89.63 ($100→$10.37) / 501 trades / 46.3% win rate

Comment: Added complexity is not justified; near-random signal (∼50/50) motivates non-linear models





Model #2 — Gradient Boosting

Model #3 — Random Forest

Conclusion

Thank You

Questions & Discussion