

NGUYỄN THANH HÒA _SE183091

TEST_1

#1:

```
---  
Nguyễn Thanh Hòa -SE183091  
Test_1  
---  
|  
### 1. Install packages and library  
```{r}  
install.packages("RODBC")
install.packages("odbc")
install.packages("readr")
install.packages("DBI")
```
```

```
```{r}  
library(RODBC)
library(odbc)
library(readr)
library(DBI)
```
```

Fold code connect data Server

#2. Connect data Server

2. Connect data Server

```
## {r}
server <- "localhost"
dbname <- "ChicagoPublicSchools_test1"
user <- "sa"
password <- "123456789"

# Correct the connection string format
connection_string <- paste0("Driver={SQL Server};",
                             "Server=", server, ";",
                             "Database=", dbname, ";",
                             "Uid=", user, ";",
                             "Pwd=", password, ";",
                             "charset=UTF-8")

# Establish the connection
con <- DBI::dbConnect(odbc::odbc(), .connection_string =
connection_string)

# Check if the connection is successful
if (is.null(con)) {
  cat("Connection failed.\n")
} else {
  cat("Connection successful.\n")
}
```

Connection successful.

3. Import data into the database

3. Import data into the database

```
## {r}
chicago_schools <-
read.csv("D:/FPT/Kihoc/fall2024/DRS301m/lab/test/ChicagoPublicS
chools.csv")
dbwriteTable(con,
             "chicago_public_schools",
             chicago_schools,
             overwrite = TRUE)

print("Quá trình nhập dữ liệu đã thành công")
```

[1] "Quá trình nhập dữ liệu đã thành công"

```
## {r}
row_count <- dbGetQuery(con,
                        "SELECT COUNT(*) AS count FROM
chicago_public_schools")
cat("Số lượng bản ghi đã được nhập:", row_count$count, "\n")
```

Số lượng bản ghi đã được nhập: 566

```
## {r}
cat("Quá trình nhập dữ liệu đã hoàn thành\n")
```

Quá trình nhập dữ liệu đã hoàn thành

4. Summarize the data

4. Summarize the data

```
```{r}
chicago_data <- dbReadTable(con,"chicago_public_schools")
summary(chicago_data)
```
```

```

      School_ID      NAME_OF_SCHOOL
Elementary..Middle..or.High.School
State
  Min.   :400018   Length:566      Length:566
Length:566      Length:566      Length:566
  1st Qu.:609873   Class :character  Class :character
Class :character  Class :character  Class :character
  Median :610053   Mode  :character  Mode  :character
Mode  :character  Mode  :character  Mode  :character
  Mean   :609682
  3rd Qu.:610213
  Max.   :610544

      ZIP_Code      Phone_Number      Link
Network_Manager    Collaborative_Name
Adequate_Yearly_Progress_Made_
  Min.   :60605   Length:566      Length:566
Length:566      Length:566      Length:566
  1st Qu.:60618   Class :character  Class :character  Class
:character  Class :character  Class :character
  Median :60625   Mode  :character  Mode  :character  Mode
:character  Mode  :character  Mode  :character
  Mean   :60630
  3rd Qu.:60639
  Max.   :60827
```

| | | |
|------------------------------|-------------------------------|------------|
| Track_Schedule | CPS_Performance_Policy_Status | |
| CPS_Performance_Policy_Level | HEALTHY_SCHOOL_CERTIFIED | |
| Safety_Icon | | |
| Length:566 | Length:566 | Length:566 |
| Length:566 | Length:566 | |
| Class :character | Class :character | Class |
| :character | Class :character | Class |
| :character | | |
| Mode :character | Mode :character | Mode |
| :character | Mode :character | Mode |
| :character | | |

| SAFETY_SCORE | Family_Involvement_Icon | Family_Involvement_Score | Environment_Icon | Environment_Score |
|--------------------------|----------------------------|--------------------------|------------------------|-------------------|
| Instruction_Icon | | | | |
| Min. : 1.0 | Length:566 | | Length:566 | |
| Length:566 | Min. : 1.00 | | Length:566 | |
| 1st Qu.:35.0 | Class :character | | Class :character | |
| Class :character | 1st Qu.:37.00 | | Class :character | |
| Median :48.0 | Mode :character | | Mode :character | |
| Mode :character | Median :47.00 | | Mode :character | |
| Mean :49.5 | | | | |
| Mean :47.77 | | | | |
| 3rd Qu.:61.0 | | | | |
| 3rd Qu.:58.00 | | | | |
| Max. :99.0 | | | | |
| Max. :99.00 | | | | |
| NA's :53 | | | | |
| NA's :53 | | | | |
| Instruction_Score | Leaders_Icon | | Leaders_Score | |
| Teachers_Icon | Teachers_Score | | Parent_Engagement_Icon | |
| Min. : 1.00 | Length:566 | | Length:566 | |
| Length:566 | Length:566 | | Length:566 | |
| 1st Qu.:37.00 | Class :character | | Class :character | Class |
| :character | Class :character | | Class :character | |
| Median :47.00 | Mode :character | | Mode :character | Mode |
| :character | Mode :character | | Mode :character | |
| Mean :48.29 | | | | |
| 3rd Qu.:59.00 | | | | |
| Max. :99.00 | | | | |
| NA's :53 | | | | |
| Parent_Engagement_Score | Parent_Environment_Icon | | | |
| Parent_Environment_Score | AVERAGE_STUDENT_ATTENDANCE | | | |
| Length:566 | Length:566 | | Length:566 | |
| Length:566 | | | | |
| Class :character | Class :character | | Class | |
| :character | Class :character | | | |
| Mode :character | Mode :character | | Mode | |
| :character | Mode :character | | | |

Rate_of_Misconducts__per_100_students_
 Average_Teacher_Attendance
 Individualized_Education_Program_Compliance_Rate
 Min. : 0.000 Length:566
 Length:566
 1st Qu.: 4.525 Class :character
 Class :character
 Median : 12.250 Mode :character
 Mode :character
 Mean : 21.086
 3rd Qu.: 26.975
 Max. :251.600

Pk_2_Literacy__ Pk_2_Math__
 Gr3_5_Grade_Level_Math__ Gr3_5_Grade_Level_Read__
 Gr3_5_Keep_Pace_Read__
 Length:566 Length:566 Length:566
 Length:566 Length:566
 Class :character Class :character Class :character
 Class :character Class :character
 Mode :character Mode :character Mode :character
 Mode :character Mode :character

Gr3_5_Keep_Pace_Math__ Gr6_8_Grade_Level_Math__
 Gr6_8_Grade_Level_Read__ Gr6_8_Keep_Pace_Math_
 Gr6_8_Keep_Pace_Read__
 Length:566 Length:566 Length:566
 Length:566 Length:566
 Class :character Class :character Class
 :character Class :character Class :character
 Mode :character Mode :character Mode
 :character Mode :character Mode :character

Gr_8_Explore_Math__ Gr_8_Explore_Read__ ISAT_Exceeding_Math__
 ISAT_Exceeding_Reading__ ISAT_Value_Add_Math
 ISAT_Value_Add_Read

| | | |
|------------------|-------------------|-------------------|
| Length:566 | Length:566 | Min. : 0.000 |
| Min. : 0.00 | Min. :-3.50000 | Min. :-5.00000 |
| Class :character | Class :character | 1st Qu.: 9.175 |
| 1st Qu.: 6.10 | 1st Qu.: -0.60000 | 1st Qu.: -0.60000 |
| Mode :character | Mode :character | Median : 16.000 |
| Median : 10.95 | Median : 0.00000 | Median : 0.00000 |
| | | Mean : 20.356 |
| Mean : 15.67 | Mean : 0.06859 | Mean : 0.02265 |
| | | 3rd Qu.: 24.900 |
| 3rd Qu.: 19.52 | 3rd Qu.: 0.70000 | 3rd Qu.: 0.62500 |
| | | Max. :100.000 |
| Max. :100.00 | Max. : 3.60000 | Max. : 4.90000 |
| | | NA's :90 |
| NA's :90 | NA's :98 | NA's :98 |

ISAT_Value_Add_Color_Math ISAT_Value_Add_Color_Read
 Students_Taking__Algebra__ Students_Passing__Algebra__
 X9th.Grade.EXPLORE..2009.

| | | |
|------------------|------------------|-------|
| Length:566 | Length:566 | |
| Length:566 | Length:566 | |
| Length:566 | | |
| Class :character | Class :character | Class |
| :character | Class :character | Class |
| :character | | |
| Mode :character | Mode :character | Mode |
| :character | Mode :character | Mode |
| :character | | |

X9th.Grade.EXPLORE..2010. X10th.Grade.PLAN..2009.
 X10th.Grade.PLAN..2010. Net_Change_EXPLORE_and_PLAN
 X11th.Grade.Average.ACT..2011.

| | | |
|------------------|------------------|------------------|
| Length:566 | Length:566 | Length:566 |
| Length:566 | Length:566 | |
| Class :character | Class :character | Class |
| :character | Class :character | Class :character |
| Mode :character | Mode :character | Mode |
| :character | Mode :character | Mode :character |

| | | |
|-------------------------|---------------------------|----------------|
| Net_Change_PLAN_and_ACT | College_Eligibility__ | |
| Graduation_Rate__ | College_Enrollment_Rate__ | |
| COLLEGE_ENROLLMENT | General_Services_Route | |
| Length:566 | Length:566 | Length:566 |
| Length:566 | Min. : 21.0 | Min. :29.00 |
| Class :character | Class :character | Class |
| :character | Class :character | 1st Qu.: 342.2 |
| 1st Qu.:34.00 | | 1st |
| Mode :character | Mode :character | Mode |
| :character | Mode :character | Median : 504.0 |
| Median :39.00 | | |
| Mean : 626.1 | Mean :39.08 | |
| 3rd Qu.: 790.5 | 3rd Qu.:45.00 | |
| Max. :4368.0 | Max. :49.00 | |

```

Freshman_on_Track_Rate__  X_COORDINATE      Y_COORDINATE
Latitude      Longitude      COMMUNITY_AREA_NUMBER
Length:566      Min.      :1118114  Min.      :1817242
Min.      :41.65  Min.      :-87.84  Min.      : 1.00
Class :character      1st Qu.:1152166  1st Qu.:1860248
1st Qu.:41.77  1st Qu.: -87.72  1st Qu.:23.00
Mode  :character      Median :1163553  Median :1886889
Median :41.85  Median : -87.68  Median :31.50
Mean   :41.84  Mean   : -87.68  Mean   :1885663
Mean   :41.84  Mean   : -87.68  Mean   :37.71
3rd Qu.:41.91  3rd Qu.: -87.64  3rd Qu.:58.00
3rd Qu.:41.91  3rd Qu.: -87.64  3rd Qu.:58.00
Max.    :42.02  Max.    : -87.53  Max.    :1950960
Max.    :42.02  Max.    : -87.53  Max.    :77.00

COMMUNITY_AREA_NAME      Ward      Police_District
Location
Length:566      Min.      : 1.00  Min.      : 1.00
Length:566
Class :character      1st Qu.:10.00  1st Qu.: 7.00  Class
:character
Mode  :character      Median :21.00  Median :10.00  Mode
:character
Mean   :22.06  Mean   :11.71
3rd Qu.:32.75  3rd Qu.:17.00
Max.    :50.00  Max.    :25.00

```

5. Retrieve table structure information

```

####{r}
columns_query <- dbGetQuery(con,
                             "SELECT School_ID
                              FROM chicago_public_schools
                              WHERE School_ID = 610281")

columns_query

```

Description: df [1 × 1]

| School_ID |
|-----------|
| 610281 |

1 row

6. Rename columns in the chicago_public_schools table

```

####{r}
dbExecute(con, "EXEC sp_rename
'chicago_public_schools.[Elementary..Middle..or.High.School]',
'School_level', 'COLUMN';")

```

[1] 0

7. Count the number of elementary schools

```

{r}
query_elementary_count <- dbGetQuery(con,
  "SELECT
COUNT(School_level) AS count
FROM
chicago_public_schools
WHERE School_level =
'ES';")
query_elementary_count

```

Description: df [1 × 1]

count
<int>

462

1 row

8. Find the highest safety score

```

{r}
query_highest_safety_score <- dbGetQuery(con,
  "SELECT
MAX(SAFETY_SCORE) AS highest_safety_score
FROM
chicago_public_schools")
query_highest_safety_score

```

Description: df [1 × 1]

highest_safety_score
<int>

99

1 row

9. Write R code to clean the columns names of a data frame called `chicago_schools`.

```

####{r}
clean_column_names <- function(names) {
  names <- gsub("+", "", names)
  names <- gsub("[. _]+$", "", names)
  names <- gsub("\\\\. ", "", names)
  return(names)
}
####

```

10. Check for missing data

```

####{r}
missing_data <- colSums(is.na(chicago_data))
missing_data
####

```

| | |
|------------------------------------|--|
| School_ID | NAME_OF_SCHOOL |
| 0 | 0 |
| Elementary..Middle..or.High.School | Street_Address |
| 0 | 0 |
| City | State |
| 0 | 0 |
| ZIP_Code | Phone_Number |
| 0 | 0 |
| Link | Network_Manager |
| 0 | 0 |
| Collaborative_Name | Adequate_Yearly_Progress_Made_ |
| 0 | 0 |
| Track_Schedule | CPS_Performance_Policy_Status |
| 0 | 0 |
| CPS_Performance_Policy_Level | HEALTHY_SCHOOL_CERTIFIED |
| 0 | 0 |
| Safety_Icon | SAFETY_SCORE |
| 0 | 53 |
| Family_Involvement_Icon | Family_Involvement_Score |
| 0 | 0 |
| Environment_Icon | Environment_Score |
| 0 | 53 |
| Instruction_Icon | Instruction_Score |
| 0 | 53 |
| Leaders_Icon | Leaders_Score |
| 0 | 0 |
| Teachers_Icon | Teachers_Score |
| 0 | 0 |
| Parent_Engagement_Icon | Parent_Engagement_Score |
| 0 | 0 |
| Parent_Environment_Icon | Parent_Environment_Score |
| 0 | 0 |
| AVERAGE_STUDENT_ATTENDANCE | Rate_of_Misconducts__per_100_students__ |
| 0 | 0 |
| Average_Teacher_Attendance | Individualized_Education_Program_Compliance_Rate |
| 0 | 0 |
| Pk_2_Literacy__ | Pk_2_Math__ |

| | | | |
|-----------------------------|----|--------------------------------|----|
| Gr3_5_Grade_Level_Math__ | 0 | Gr3_5_Grade_Level_Read__ | 0 |
| Gr3_5_Keep_Pace_Read__ | 0 | Gr3_5_Keep_Pace_Math__ | 0 |
| Gr6_8_Grade_Level_Math__ | 0 | Gr6_8_Grade_Level_Read__ | 0 |
| Gr6_8_Keep_Pace_Math__ | 0 | Gr6_8_Keep_Pace_Read__ | 0 |
| Gr_8_Explore_Math__ | 0 | Gr_8_Explore_Read__ | 0 |
| ISAT_Exceeding_Math__ | 90 | ISAT_Exceeding_Reading__ | 90 |
| ISAT_Value_Add_Math | 98 | ISAT_Value_Add_Read | 98 |
| ISAT_Value_Add_Color_Math | 0 | ISAT_Value_Add_Color_Read | 0 |
| Students_Taking__Algebra__ | 0 | Students_Passing__Algebra__ | 0 |
| X9th.Grade.EXPLORE..2009. | 0 | X9th.Grade.EXPLORE..2010. | 0 |
| X10th.Grade.PLAN..2009. | 0 | X10th.Grade.PLAN..2010. | 0 |
| Net_Change_EXPLORE_and_PLAN | 0 | X11th.Grade.Average.ACT..2011. | 0 |
| Net_Change_PLAN_and_ACT | 0 | College_Eligibility__ | 0 |
| Graduation_Rate__ | 0 | College_Enrollment_Rate__ | 0 |
| COLLEGE_ENROLLMENT | 0 | General_Services_Route | 0 |
| Freshman_on_Track_Rate__ | 0 | X_COORDINATE | 0 |
| Y_COORDINATE | 0 | Latitude | 0 |
| Longitude | 0 | COMMUNITY_AREA_NUMBER | 0 |
| COMMUNITY_AREA_NAME | 0 | Ward | 0 |
| Police_District | 0 | Location | 0 |
| COMMUNITY_AREA_NAME | 0 | Ward | 0 |
| Police_District | 0 | Location | 0 |