Unit OLED

SKU:U119















Description

Unit OLED is a 1.3-inch OLED expansion screen unit. It uses the SH1107 driver solution, supports black/white display, and has a resolution of 128 x 64. The driver chip uses the I2C communication interface, allowing users to connect it to the I2C bus of existing devices, saving IO resources. The back of the screen features a magnetic design, making it easy to attach to metal surfaces for fixation. This OLED expansion screen is suitable for embedding into various instruments or control devices that require simple content display as a display panel.

Features

- OLED display panel
- SH1107 driver solution
- Display color: Black/White
- I2C communication interface
- 128 x 64 resolution
- Viewing angle: Full viewing angle
- Magnetic back design

Includes

- 1 x Unit OLED
- 1 x HY2.0-4P Grove cable (20cm)

Applications


- Information display

Specifications

Specification	Parameter
Operating current	58mA
Communication Interface	I2C Communication @0x3C
Display size	14.7 × 29.42mm
Pixel pitch	0.17×0.17mm
Pixel size	0.15×0.15mm
Viewing angle	Full viewing angle
Operating temperature	0 ~ 60°C
Housing material	Plastic (PC)
Product Size	56.0 x 24.0 x 8.0mm
Product Weight	10.0g
Package Size	68.0 x 57.0 x 17.0mm
Gross Weight	21.3g

Schematics

- Unit OLED Schematics PDF




PinMap

Unit OLED

HY2.0-4P	Black	Red	Yellow	White
PORT.A	GND	5V	SDA	SCL

Model Size



Structure

- Unit OLED Structure Files

Datasheets

- SH1107

Softwares

- Unit OLED M5GFX Arduino Library
- Unit OLED Arduino Tutorial

UiFlow1

- Unit OLED UiFlow1 Docs

UiFlow2

- Unit OLED UiFlow2 Docs

Video

UNIT_OLED.mp4

- UiFlow2 Unit OLED