MANUAL PASO A PASO
Instalación y Configuración de Apache2

Requisitos previos:

- Ubuntu instalado (directamente o en máquina virtual)
- Conexión a internet activa
- Usuario con privilegios de sudo

PASO 1

Actualizar el sistema

```
ubuntu@ubuntu: ~
ubuntu@ubuntu:~$ sudo -V
Sudo version 1.9.15p5
Sudoers policy plugin version 1.9.15p5
Sudoers file grammar version 50
Sudoers I/O plugin version 1.9.15p5
Sudoers audit plugin version 1.9.15p5
ubuntu@ubuntu:~$ sudo apt update
Ign:1 cdrom://Ubuntu 24.04.3 LTS _Noble Numbat_ - Release amd64 (20250805.1) nob
le InRelease
Hit:2 cdrom://Ubuntu 24.04.3 LTS _Noble Numbat_ - Release amd64 (20250805.1) nob
le Release
Get:3 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Hit:4 http://archive.ubuntu.com/ubuntu noble InRelease
Get:6 http://archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
0% [6 InRelease 69.6 kB/126 kB 55%]
```

PASO 2

Instalar Apache2

```
ubuntu@ubuntu:~$ sudo apt install apache2 -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  apache2-bin apache2-data apache2-utils libapr1t64 libaprutil1-dbd-sqlite3
  libaprutil1-ldap libaprutil1t64
Suggested packages:
  apache2-doc apache2-suexec-pristine | apache2-suexec-custom
```

PASO 3

Validar que el servidor se inició de manera correcta

```
ubuntu@ubuntu:~$ sudo systemctl status apache2
```

```
ubuntu@ubuntu: ~
sr/lib/systemd/system/apache2.service.
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.
service → /usr/lib/systemd/system/apache-htcacheclean.service.
Processing triggers for ufw (0.36.2-6) ...
Processing triggers for man-db (2.12.0-4build2) ...
Processing triggers for libc-bin (2.39-0ubuntu8.5) ...
ubuntu@ubuntu:~$ sudo systemctl status apache2
● apache2.service - The Apache HTTP Server
     Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: >
     Active: active (running) since Thu 2026-02-19 16:23:08 UTC; 1min 25s ago
       Docs: https://httpd.apache.org/docs/2.4/
   Main PID: 6139 (apache2)
      Tasks: 55 (limit: 4594)
     Memory: 5.2M (peak: 6.0M)
        CPU: 137ms
     CGroup: /system.slice/apache2.service
             ├─6139 /usr/sbin/apache2 -k start
             ├─6141 /usr/sbin/apache2 -k start
             └─6142 /usr/sbin/apache2 -k start

Feb 19 16:23:08 ubuntu systemd[1]: Starting apache2.service - The Apache HTTP S>
Feb 19 16:23:08 ubuntu apachectl[6138]: AH00558: apache2: Could not reliably de>
Feb 19 16:23:08 ubuntu systemd[1]: Started apache2.service - The Apache HTTP Se>
lines 1-16/16 (END)
```

PASO 4

Vamos al navegador





PASO 5

Dirigirse al directorio de la Página Web

```
ubuntu@ubuntu: /var/www/html
ubuntu@ubuntu:~$ cd /var/www/html/
ubuntu@ubuntu:/var/www/html$ pwd
/var/www/html
ubuntu@ubuntu:/var/www/html$ ls -la
total 12
drwxr-xr-x 2 root root    60 Feb 19 16:23 .
drwxr-xr-x 3 root root    60 Feb 19 16:23 ..
-rw-r--r-- 1 root root 10671 Feb 19 16:23 index.html
ubuntu@ubuntu:/var/www/html$
```

PASO 6

Modificar el archivo Index.html

```
ubuntu@ubuntu:/var/www/html$ sudo nano index.html
```

Borramos todo lo que nos aparece a continuación

```
ubuntu@ubuntu: /var/www/html
  GNU nano 7.2                    index.html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.c>
<html xmlns="http://www.w3.org/1999/xhtml">
  <!--
    Modified from the Debian original for Ubuntu
    Last updated: 2022-03-22
    See: https://launchpad.net/bugs/1966004
  -->
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Apache2 Ubuntu Default Page: It works</title>
    <style type="text/css" media="screen">
  * {
    margin: 0px 0px 0px 0px;
    padding: 0px 0px 0px 0px;
  }

  body, html {
    padding: 3px 3px 3px 3px;

    background-color: #D8DBE2;
                          [ Read 363 lines ]
^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line
```

Modificas el archivo de manera que se vea la información nueva que quieras colocar

```
ubuntu@ubuntu: /var/www/html
  GNU nano 7.2                    index.html *
<!DOCTYPE html>
<html>
<head> <title>MI PAGINA</title>
 </head>
 <body>
 <h1>202303768</h1>
 <p>Jimmy Hurtarte</p>
 </body>
 </html>
```

PASO 7

Verifica los cambios en el navegador