

Socio-Behavioral Dynamics of Road Safety in Cambodia: Investigating the Paradox of Helmet Resistance and Transit Vulnerabilities

The rapid motorization of Cambodia has outpaced the development of protective infrastructure and safety norms, creating a severe public health crisis. Motorbikes constitute approximately 85% of all registered vehicles, serving as the primary logistical lifelines for the population.¹ However, road traffic injuries represent the leading cause of death among young people aged 15–29, claiming an average of five lives daily and costing the national economy an estimated \$466.8 million USD annually—approximately 1.7% of the nation's Gross Domestic Product.¹

At the center of this crisis lies the "Cambodian Helmet Paradox".³ Empirical research demonstrates that safety helmets reduce the risk of head injury by 69% and death by 42% in a crash.⁵ Yet, while public awareness of these benefits is near-universal, actual compliance remains low.³ This resistance is not merely a consequence of legislative gaps or forgetfulness; rather, it is driven by a complex web of cultural beliefs, physical discomforts, hygiene anxieties, and localized safety calculations. For many Cambodians, wearing a helmet on a motorbike, on top of a car or flatbed truck, or inside a tuk-tuk is perceived as causing more personal and physical harm than good.

The Paradox of Cambodian Road Safety: Cognitive Dissonance in Helmet Compliance

The discrepancy between cognitive awareness and behavioral compliance in Cambodia highlights the limitations of traditional public health campaigns.³ While safety organizations emphasize the long-term, low-frequency risk of head trauma, road users operate under immediate, high-frequency physical and social pressures. This behavioral trade-off is particularly clear in how riders evaluate risk based on distance and velocity.¹⁰

A major cognitive barrier is the localized rationalization of risk. Motorcyclists frequently assume that helmets are unnecessary when traveling short distances or at low speeds.⁵ Over 60% of surveyed riders report that their decision to wear a helmet is contingent on their specific driving route, assuming that municipal or residential streets eliminate the risk of collision.³ This geographic compartmentalization allows riders to view the helmet as a legal burden to be deployed only on major national highways to avoid police fines, rather than a continuous safety requirement.³ This logic ignores the reality that a high proportion of fatal crashes occur at low speeds on low-capacity municipal roads.³

Parameter	Daytime Observations	Nighttime Observations
Observed Driver Helmet Use	43% – 48% ³	25% – 33% ³
Observed Passenger Helmet Use	6.7% – 8.0% ⁶	Less than 5.0% ⁶
Self-Reported "Always" Wear (Driver)	60% ⁵	Significantly lower than daytime self-reports ³
Self-Reported "Always" Wear (Passenger)	14% – 24% ⁵	Minimal compliance (~15% post-2016 law) ¹⁵

Motorcycle Helmet Resistance: Cultural Beliefs, Dermatological Pathologies, and Pediatric Myths

The physical and biological arguments used by Cambodian motorcyclists to justify riding without a helmet reveal deep-seated anxieties regarding physiological harm, ranging from dermatological disease to pediatric developmental stunting.

Climatological Stress and Dermatological Concerns

Cambodia's tropical climate, characterized by extreme heat and high humidity, creates a strong physical deterrent to helmet compliance. Physical discomfort is consistently cited as a primary barrier to use, with up to 19% of irregular helmet-wearers identifying physical discomfort and inconvenience as their main reason for non-use.⁵ Helmets trap ambient heat and sweat on the scalp, which many riders believe suffocates the hair follicles and cuts off their oxygen supply.¹⁶ While hair follicles actually receive oxygen from the internal bloodstream rather than the air, the physical pressure and friction of the helmet lining can damage the hair shafts, leading to traction or friction alopecia.¹⁶

Furthermore, the hot, humid environment inside the helmet shell cultivates severe dermatological risks.¹⁸ When sweat, sebum, road dust, and dead skin cells accumulate inside unwashed helmet linings, they create a breeding ground for bacteria and fungi.¹⁸ Prolonged wear regularly leads to scalp pathologies, including folliculitis (painful inflammation of the hair follicles), seborrheic dermatitis (itchy, scaly lesions), and tinea capitis (scalp ringworm).¹⁸ For many image-conscious riders, the immediate, high-probability risk of contracting a painful scalp infection or experiencing hair thinning is perceived as a greater and more certain harm than the abstract possibility of a road accident.¹⁶

Ectoparasitic Transmissions and Shared Helmet Anxiety

The rise of ride-hailing platforms like Grab and PassApp, alongside traditional *moto dops*

(motorcycle taxis), has introduced a major hygiene concern regarding shared helmets in urban centers.²⁰ Passengers are routinely expected to wear public helmets provided by drivers, which are worn by dozens of strangers daily without sanitization.¹⁹ This practice has generated widespread anxiety over the transmission of head lice (*Pediculus humanus capitis*) and highly contagious skin infections.¹⁹

Active head lice can survive off a human host inside helmet liners for up to 48 hours, while their eggs (nits) can cling to the fabric padding for up to 10 days before hatching.²³ While clinical transmission rates are relatively low, the social stigma and intense physical discomfort of a lice infestation make this a powerful deterrent.²³ Because carrying a personal helmet is physically inconvenient for pedestrians, many passengers choose to ride unprotected.¹⁹ They actively calculate that avoiding a highly stigmatized parasitic infestation or a painful dermatological condition like folliculitis is worth the physical risk of riding without a helmet.¹⁹

The Pediatric Spinal and Cranial Myth

Perhaps the most tragic aspect of helmet resistance in Cambodia is the widespread belief that helmets physically harm infants and young children.²⁶ Many Cambodian parents refuse to put helmets on their children, operating under the misconception that a child's neck is too weak to support the weight of a helmet, or that the hard shell will deform the soft, developing plates of an infant's skull.²⁷

This belief has a minor basis in biomechanical reality: child passengers have weaker cervical spines than adults, and placing heavy, poorly fitting adult helmets on young children can cause neck strain.²⁶ However, rather than seeking specialized, ultra-lightweight pediatric helmets, parents often avoid head protection entirely.²⁶ This protective instinct is highly counterproductive; historical data reveals that an alarming 99% of children killed in road crashes in Cambodia were unhelmeted.³⁰

Myth / Belief	Purported Mechanism	Scientific Reality & Counter-Evidence
Pediatric Brain/Spinal Harm	Helmets compress soft infant skulls and damage weak neck muscles. ²⁶	Certified pediatric helmets are ultra-lightweight (<500g) and protect fragile skulls without developmental harm. ²⁶
Follicular Suffocation	Helmets block airflow to the scalp, starving hair follicles of oxygen and causing baldness. ¹⁶	Hair follicles are nourished by internal blood flow, not external air; hair loss is genetic or due to friction, not suffocation. ¹⁶

Ectoparasitic Transmission	Shared public helmets from ride-hailing services transmit head lice and nits. ¹⁹	Lice can survive off-host for 48 hours and nits for 10 days; while transmission is low (~4%), shared headgear poses a real hygienic risk. ²³
Cervical Spine Fractures	The weight of a helmet increases rotational torque in a crash, breaking the neck. ³²	Helmet use reduces neck injuries by over 50% and cervical spine fractures by more than half, absorbing kinetic energy. ³³

Riding on Top of Cars and Flatbed Trucks: Why Helmets Are Perceived as Hazardous on Cargo Beds

The practice of riding on top of vehicles, open cargo beds, and flatbed trucks is a common transit method in Cambodia, particularly for garment and footwear factory workers.³⁵ Over 280,000 workers commute daily in collective transport vehicles, more than 50% of which are modified flatbed trucks or pickups that lack seats, forcing passengers to stand tightly packed for hours.³⁵ This highly hazardous environment has generated a distinct set of beliefs regarding why wearing a helmet under these conditions is actually more dangerous than riding unprotected.

The Wind-Sail Drag and Ejection Beliefs

When standing on an open flatbed cargo truck traveling at high speeds on national highways, passengers are exposed to intense wind resistance and sudden vehicular movements.³⁸ In this environment, workers operate under the belief that wearing a helmet acts as a "wind-sail," creating aerodynamic drag against the head.³⁸

Because passengers must stand shoulder-to-shoulder without any safety handrails or harnesses, maintaining balance is exceptionally difficult, particularly when driving over deep potholes or navigating sharp curves.³⁶ Workers believe that the wind drag on a bulky helmet can easily destabilize a standing passenger, pulling them off-balance and causing them to be ejected from the moving truck.³⁸ Consequently, riding bareheaded is perceived as a critical method for maintaining physical stability and preventing a fall onto the asphalt.³⁸

The Biomechanical Neck-Break and Entanglement Myth

A deeply rooted belief among cargo-bed passengers is that wearing a strapped helmet during a high-speed rollover or collision will cause a broken neck or fatal strangulation. This fear is a regional variation of WWII-era chinstrap myths, where soldiers believed that the concussive blast of an explosion would catch the helmet shell and snap the cervical spine.⁴²

Among garment workers, this myth translates into a fear of physical entanglement.³⁵ Because workers are packed so tightly on the flatbeds, they believe that if the truck collides or rolls

over—which are frequent and deadly occurrences—the straps of a helmet can easily catch on the truck’s metal cage, cargo ties, or the limbs of adjacent passengers during ejection.³⁶ Workers calculate that a strapped helmet will trap them in the falling vehicle or snap their neck, whereas riding bareheaded allows them to be thrown clear of the rolling truck, increasing their chances of survival.³⁹

Crowded Space Limitations and Thermal Stress

The physical reality of commuting on packed flatbeds makes wearing a bulky helmet highly impractical.³⁵ With up to 90 workers crowded onto a single flatbed, passengers have virtually no room to move.³⁶

In this crowded space, workers believe that helmets cause physical harm to other passengers. The hard plastic shells of helmets can collide during sudden stops, causing facial lacerations, nosebleeds, and bruising to adjacent workers.³⁶ Additionally, standing in the direct sun for a two-hour commute with a heavy helmet worsens heat exhaustion, leading to dizziness and dehydration.³⁵ If a worker faints due to heat stress in a tightly packed truck, they risk being trampled by other passengers.³⁵ Thus, avoiding helmets is viewed as a necessary act of physical survival and mutual courtesy in a highly precarious environment.³⁵

Driving and Riding in Tuk-Tuks: Perceived Redundancy and Sensory Impairment

The Cambodian tuk-tuk (historically known as a *remorque*) consists of a passenger carriage pulled behind a standard motorcycle.²² While extremely popular for urban transit, the unique design of the tuk-tuk has fostered distinct socio-behavioral reasons for rejecting helmet use among both drivers and passengers.²¹

Sensory Deprivation and Bag Snatching Vulnerabilities

While motorcycle drivers pulling a *remorque* are legally required to wear a helmet, many drivers believe that doing so actually increases their risk of a collision or theft.⁴³ Navigating chaotic Cambodian urban traffic requires constant, rapid auditory and visual scanning.²² Tuk-tuk drivers must weave through dense traffic, reverse into narrow alleyways without rearview mirrors, and monitor their passenger carriage.²²

Drivers believe that helmets cause severe sensory deprivation by restricting peripheral vision and muffling ambient sound.¹⁶ If a driver’s hearing is restricted, they may fail to hear the horn of an approaching vehicle or the verbal warnings of their passengers.²²

Furthermore, passengers in the back of a tuk-tuk are highly vulnerable to drive-by bag snatching by thieves on passing motorcycles.²² Tuk-tuk drivers believe that a helmet prevents them from hearing a passenger’s sudden scream or detecting the high-pitched exhaust of an approaching thief’s motorcycle.²² By impairing their ability to react quickly to traffic hazards and prevent thefts, wearing a helmet is perceived by drivers as causing more immediate harm than good.²²

The Carriage-as-Shell Illusion and Low-Speed Rationalization

For passengers inside the tuk-tuk carriage, helmet use is virtually non-existent.⁴⁵ This is driven by the "carriage-as-shell" illusion, where passengers perceive the open-sided wooden cabin of the remorque as a protective barrier similar to the metal body of a car.¹ Because tuk-tuks travel at relatively low speeds, typically averaging 30 to 50 kilometers per hour, passengers assume that head injuries are physically impossible in a crash.⁴³

Wearing a helmet inside a passenger carriage is culturally viewed as socially deviant, physically awkward, and highly claustrophobic.⁴⁵ Passengers calculate that the low-clearance roof of the carriage makes wearing a helmet uncomfortable, as it frequently bumps against the wooden frame of the vehicle during sudden stops.⁴³

However, this calculation ignores several critical risks. Tuk-tuks lack seatbelts, side-impact panels, or airbags.²² In a high-speed collision with an SUV or a truck—where "the biggest vehicle always wins"—the carriage can easily shatter or overturn, ejecting unbelted passengers directly onto the asphalt where they face severe head trauma.²²

Mode of Transit	Key Structural Risks	Predominant Helmet Myths & Beliefs	Observed Compliance Rate
Motorcycle (Driver)	Direct exposure to high-speed impacts and multi-vehicle collisions. ²²	Helmets are believed to cause scalp diseases, hair loss, and physical discomfort in extreme heat. ⁵	Moderate to High (~43%–77%) daytime compliance, driven by police fines; drops to ~25% at night. ³
Motorcycle (Passenger)	High risk of rear-impact ejection and head trauma. ³	Widespread fear of contracting head lice, folliculitis, or ringworm from shared public helmets. ¹⁹	Very Low (~8%–14%) historical compliance, rising to ~30% in target campaign areas. ⁹
Flatbed Cargo Truck	Extreme crowding, standing passengers, lack of seats or safety restraints. ³⁵	Helmets are believed to act as wind-sails that pull passengers off-balance, or trap them during	0% compliance; safety campaigns focus on vehicle transition rather than individual helmets. ³⁵

		rollovers. ³⁸	
Tuk-Tuk (Remorque)	Lack of seatbelts, open-sided cabin, high risk of passenger ejection and bag snatching. ²²	Drivers believe helmets muffle hearing and restrict vision, increasing crash and theft risks. ¹⁶	Near 0% passenger compliance; passengers view the carriage as a protective shell, rendering helmets redundant. ⁴⁵

Legislative Framework and Systemic Transitions

The evolution of Cambodia's road safety legislation reveals a persistent struggle to align regulatory frameworks with the socio-behavioral realities of the population. On January 1, 2009, Cambodia implemented its first mandatory motorcycle helmet law.⁶ While this law succeeded in raising driver helmet compliance in Phnom Penh from under 10% to over 50% within a single month, it contained a critical flaw: it mandated helmets only for motorcycle drivers, completely exempting passengers.⁶ This legislative gap reinforced the public belief that passengers were not at risk, resulting in a stark compliance gap where driver helmet use reached 84% while passenger use remained at a dismal 8%.⁶

To address this gap, a new Road Traffic Law was officially promulgated on January 9, 2015, which extended the helmet mandate to all motorcycle passengers, including children.² Supported by three sub-decrees passed in July 2015, the law established traffic fines that were five times higher than previous rates to deter offenders, with nationwide enforcement commencing on January 1, 2016.²

The introduction of this law had an immediate, positive impact. In target areas monitored by the AIP Foundation, passenger helmet use reached a record level of 29.9%.¹⁵ Even more remarkably, child passenger helmet use—despite being temporarily excluded from active police fining during the initial rollout—jumped from 0.06% to 28.7%.¹⁵

However, several persistent enforcement gaps continue to hinder progress:

- **The Nighttime Enforcement Gap:** While daytime helmet compliance is relatively high, usage drops significantly at night, hovering around 15% to 25% for all riders.³ This drop is directly linked to the withdrawal of traffic police from major intersections after dark, which eliminates the threat of fines and allows riders to prioritize personal comfort over safety.³
- **Pediatric Enforcement Gaps:** Despite the law explicitly requiring child passengers to wear helmets, traffic police remain hesitant to fine parents carrying unhelmeted children.¹⁵ This leniency is driven by persistent cultural myths regarding pediatric neck safety and a general lack of access to affordable, standardized child-sized helmets in the domestic market.¹¹
- **Inconsistent Rural Enforcement:** Police presence and enforcement are concentrated almost exclusively in major urban centers.⁷ In rural provinces, where road conditions are

poorer and speeds are higher, helmet compliance remains low, and traffic laws are largely ignored.⁷

Strategic Recommendations

The persistent resistance to helmet use in Cambodia is not a simple failure of public education, but a rationalized response to immediate physical, hygienic, and developmental concerns within a tropical, resource-constrained environment. To overcome these barriers and transition toward a robust culture of road safety, several targeted interventions are required.

First, the Ministry of Public Works and Transport, in partnership with industrial manufacturers, must establish and enforce strict national standards for pediatric helmets.²⁶ Public safety campaigns should actively educate parents that unstandardized adult helmets do indeed pose structural risks to a child's neck, but that certified, ultra-lightweight pediatric helmets are biochemically safe and essential for protecting children's soft skulls.²⁶

Second, to address widespread concerns over scalp diseases and lice transmission in shared transport, the domestic manufacturing sector should prioritize helmets with removable, antimicrobial, and washable inner linings.¹⁸ Furthermore, public health campaigns should encourage ride-hailing users to carry personal, lightweight, and foldable helmet liners, such as disposable paper or satin caps.²⁰ This simple, low-cost barrier prevents direct skin contact with shared public helmets, neutralizing the fear of ectoparasitic infestation and skin infections.²⁰

Third, because the fear of police fines is a primary driver of helmet compliance, the Ministry of Interior must expand police patrols into the late evening hours, on weekends, and along secondary municipal roads where fatal crashes frequently occur.³ Ensuring a consistent, visible police presence after dark is critical to breaking the habit of riding helmetless at night.¹⁵

Finally, the Ministry of Labor and the National Social Security Fund must maintain their commitment to phasing out flatbed cargo trucks by the 2027 deadline.³⁶ This transition should be supported by offering low-interest vehicle loans and tax incentives to transport operators, enabling them to replace hazardous cargo trucks with safe, seated passenger buses.³⁵

Protecting the lives of industrial workers requires addressing systemic transit infrastructure rather than relying on individual behavioral change.³⁵

Works cited

1. The Urgent Need for Child Road Safety | UNICEF Cambodia, accessed June 28, 2026, <https://www.unicef.org/cambodia/urgent-need-child-road-safety>
2. Fourth Policy Brief_R7 - AIP Foundation, accessed June 28, 2026, https://www.aip-foundation.org/wp-content/uploads/2019/06/Fourth-Policy-Brief_R7.pdf
3. Helmet Use Among Motorcyclists in Cambodia: A Survey of Use, Knowledge, Attitudes, and Practices | Request PDF - ResearchGate, accessed June 28, 2026, https://www.researchgate.net/publication/221720853_Helmet_Use_Among_Motorcyclists_in_Cambodia_A_Survey_of_Use_Knowledge_Attitudes_and_Practices
4. Helmet use among motorcyclists in Cambodia: a survey of use, knowledge,

- attitudes, and practices - PubMed, accessed June 28, 2026,
<https://pubmed.ncbi.nlm.nih.gov/22414126/>
5. Trends in prevalence, knowledge, attitudes, and practices of helmet ..., accessed June 28, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC4733871/>
 6. Cambodia Helmet Vaccine Initiative - AIP Foundation, accessed June 28, 2026, <https://www.aip-foundation.org/wp-content/uploads/2012/09/The-Passenger-Helmet-Story-2011-2012.pdf>
 7. Improving Helmet Use By Cambodian Moto Passengers, accessed June 28, 2026, <https://sbfphc.wordpress.com/2013/03/09/improving-helmet-use-by-cambodian-moto-passengers/>
 8. Motorcycle helmet attitudes, behaviours and beliefs among ..., accessed June 28, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC6487199/>
 9. Motorcycle helmet attitudes, behaviours and beliefs among Cambodians - ResearchGate, accessed June 28, 2026, https://www.researchgate.net/publication/234156693_Motorcycle_helmet_attitudes_behaviours_and_beliefs_among_Cambodians
 10. evaluation of a school-based helmet intervention in Cambodia - AIP Foundation, accessed June 28, 2026, https://www.aip-foundation.org/wp-content/uploads/2015/08/2016-Ederer-et-al_HFK-evaluation-Camb-Inj-Prev.pdf
 11. Publications - AIP Foundation, accessed June 28, 2026, <https://www.aip-foundation.org/resources/publications/>
 12. From Zero to Ninety Percent: Evaluation of the Helmets for Kids School-based Initiative in Cambodia - AIP Foundation, accessed June 28, 2026, <https://www.aip-foundation.org/research/helmet-safety-5/>
 13. Trends in prevalence, knowledge, attitudes, and practices of helmet use in Cambodia: results from a two year study - PubMed, accessed June 28, 2026, <https://pubmed.ncbi.nlm.nih.gov/24377776/>
 14. A Comprehensive Approach to Motorcycle-Related Head Injury Prevention: Experiences from the Field in Vietnam, Cambodia, and Uganda - PMC, accessed June 28, 2026, <https://pmc.ncbi.nlm.nih.gov/articles/PMC5750904/>
 15. In Cambodia, stricter helmet law enforcement would result in many lives saved, accessed June 28, 2026, <https://www.aip-foundation.org/cambodia-stricter-helmet-law-enforcement-result-many-lives-saved/>
 16. Does Wearing a Helmet Cause Hair Fall? : Myths vs Facts - Clinikally, accessed June 28, 2026, <https://www.clinikally.com/blogs/news/does-wearing-a-helmet-cause-hair-fall-myths-vs-facts>
 17. Does Helmet Cause Hair Loss? Here's What Science and Experts Say - Musk Clinic, accessed June 28, 2026, <https://muskclinic.com/does-helmet-cause-hair-loss/>
 18. Hair Thinning Due to Helmet Use: Causes, Myths, and Scalp Recovery - Traya Health, accessed June 28, 2026, <https://traya.health/blogs/hair-health/helmet-headgear-related-hair-thinning>

19. WEAR A HELMET PROPERLY TO PREVENT SCALP DISEASE, accessed June 28, 2026,
<https://www.bosshelmet.com.vn/doi-non-bao-hiem-dung-cach-de-phong-ngua-benh-da-dau-w821/>
20. Head lice from motorbike taxi helmets? : r/Bangkok - Reddit, accessed June 28, 2026,
https://www.reddit.com/r/Bangkok/comments/1pn0ugf/head_lice_from_motorbike_taxi_helmets/
21. Tuk-Tuks in Phnom Penh: What to Know Before You Ride - Ibis, accessed June 28, 2026,
<https://ibis.accor.com/en/ibis-magazine/hassle-free-stays/tuk-tuk-phnom-penh-cambodia.html>
22. Road Safety Review: Cambodia - AWS, accessed June 28, 2026,
<https://asirt-member-rsrs.s3.amazonaws.com/ASIRT-Cambodia-RSR.pdf>
23. Lice & Sports Helmets - SPHERes | School Physical Activity Health & Education Resource for Safety, accessed June 28, 2026,
<https://myspheres.ca/en/supplemental-reading/medical/lice-sports-helmets/>
24. Bicycle Helmets and Head Lice – BHSI, accessed June 28, 2026,
<https://helmets.org/bicycle-helmets-and-head-lice/>
25. 5 Best Ways to Clean Hats, Helmets, and Headphones After Lice, accessed June 28, 2026, <https://myliceadvice.com/lice-hats-helmets-headphones/>
26. Investigation of the Effect of Child Helmet Design Parameters on Head and Brain Injuries Using Reduced-Order Modelling - MDPI, accessed June 28, 2026,
<https://www.mdpi.com/2076-3417/12/16/8016>
27. A Comprehensive Approach to Motorcycle-Related Head Injury Prevention: Experiences from the Field in Vietnam, Cambodia, and Uganda - Semantic Scholar, accessed June 28, 2026,
<https://www.semanticscholar.org/paper/A-Comprehensive-Approach-to-Motorcycle-Related-Head-Craft-Bui/e5dc67c0f1f52181c50404992d90bdab4b5de9ff>
28. Helmet Therapy | Shriners Children's, accessed June 28, 2026,
<https://www.shrinerschildrens.org/en/pediatric-care/helmet-therapy>
29. Plagiocephaly helmet: When Babies Need Helmet Therapy and What Parents Should Know, accessed June 28, 2026,
<https://www.skullycare.com/guides/plagiocephaly-helmet>
30. Where We Work - AIP Foundation, accessed June 28, 2026,
<https://www.aip-foundation.org/what-we-do/where-we-work/>
31. Head Safe. Helmet On.: Two Years of Progress, 2014-2016 - AIP Foundation, accessed June 28, 2026,
https://www.aip-foundation.org/wp-content/uploads/2019/06/HSO_USAID-Final-Report-Infographic_Sep-2016.pdf
32. Motorcycle helmet use and the risk of head, neck, and fatal injury: Revisiting the Hurt Study, accessed June 28, 2026,
<https://safetrec.berkeley.edu/publications/motorcycle-helmet-use-and-risk-head-neck-and-fatal-injury-revisiting-hurt-study>
33. Study shows helmets do not increase the risk of neck injuries - RevZilla, accessed

June 28, 2026,

<https://www.revzilla.com/common-tread/study-shows-helmets-do-not-increase-the-risk-of-neck-injuries>

34. Study destroys myth that motorcycle helmets break necks, accessed June 28, 2026,
<https://www.med.wisc.edu/news/study-destroys-myth-motorcycle-helmets-break-necks/>
35. Factory and Garment workers' safety in focus: Cambodia hosts second national workshop to address and seek solutions for safer commutes to work - AIP Foundation, accessed June 28, 2026,
<https://www.aip-foundation.org/factory-and-garment-workers-safety-in-focus-cambodia-hosts-second-national-workshop-to-address-and-seek-solutions-for-safer-commutes-to-work/>
36. EXPLAINED: Why are commutes so deadly for Cambodian factory workers?, accessed June 28, 2026,
<https://www.rfa.org/english/news/cambodia/cambodia-garment-worker-crash-08292024141923.html>
37. "Most workers rely on unsafe, illegally converted vehicles as their only affordable way to commute" - Posts - Common Objective, accessed June 28, 2026,
<https://www.commonobjective.co/posts/most-workers-rely-on-unsafe-illegally-converted-vehicles-as-their-only-affordable-way-to-commute>
38. Is it safe and reasonable for a tourist to travel through Cambodia by a scooter? - Reddit, accessed June 28, 2026,
https://www.reddit.com/r/cambodia/comments/zoehow/is_it_safe_and_reasonable_for_a_tourist_to_travel/
39. Changes urged for commuters' trucks in Cambodia to reduce risk of accidents, accessed June 28, 2026,
<https://asianews.network/changes-urged-for-commuters-trucks-in-cambodia-to-reduce-risk-of-accidents/>
40. Two traffic accidents in Cambodia kill 14 garment factory workers and injure 79 others, accessed June 28, 2026,
<https://apnews.com/article/cambodia-garment-workers-women-traffic-safety-deaths-d7a172b0a687d1b437140a4ab0dea32a>
41. Cambodia to Eliminate Hazardous Travel Modes Used by Garment Workers | texfash.com, accessed June 28, 2026,
<https://texfash.com/update/cambodia-to-eliminate-hazardous-travel-modes-used-by-garment-workers>
42. Helmets and broken necks : r/WarCollege - Reddit, accessed June 28, 2026,
https://www.reddit.com/r/WarCollege/comments/sbgon7/helmets_and_broken_necks/
43. A comprehensive guide to taking tuk tuks in Cambodia, accessed June 28, 2026,
<https://movetocambodia.com/living-in-cambodia/transportation/getting-around-by-tuk-tuk/>
44. Getting Around Siem Reap, Cambodia - Traveloka, accessed June 28, 2026,
<https://www.traveloka.com/en-en/explore/destination/pl-cg-getting-around-siem>

[-reap/208690](#)

45. Tuk-Tuk Safety Tips for Families in Cambodia - Taobao.com, accessed June 28, 2026,
<https://world.taobao.com/lang/en-us/shopping-guide/1926010693752979456.htm>
46. Traffic safety in Cambodia: enforcement of drink-driving, helmet wearing and speeding, accessed June 28, 2026,
https://www.roadsafetyforall.org/RSFA2/Lib/consult%20enforcement_final%201_pdf.pdf
47. Transportation Safety in Cambodia: What Travelers Should Know, accessed June 28, 2026,
<https://www.asiakingtravel.com/blog/transportation-safety-in-cambodia.html>
48. A Comprehensive Guide to Tuk Tuk in Cambodia for Travellers - Agate Travel, accessed June 28, 2026, <https://www.agatetravel.com/tuk-tuk-cambodia.html>
49. DRIVING IN CAMBODIA - banyan blog, accessed June 28, 2026,
<http://www.banyanblog.org/home/driving-in-cambodia>
50. Traffic and Safe Commuting in Cambodia - Professionals doing good, accessed June 28, 2026,
<https://www.professionalsdoinggood.com/discover-cambodia/traffic-and-safe-commuting-in-cambodia/>
51. HELMETS PROGRAMME, CAMBODIA - gTKP, accessed June 28, 2026,
<https://www.gtkp.com/document/helmets-programme-cambodia/>
52. Our Issue Areas - AIP Foundation, accessed June 28, 2026,
<https://www.aip-foundation.org/what-we-do/our-issue-areas/>
53. Vehicle Policy Brief_CISU - AIP Foundation, accessed June 28, 2026,
https://www.aip-foundation.org/wp-content/uploads/2025/08/Vehicle-Policy-Brief_CISU.pdf