
James Everett Tourtellotte IV 11/12/2023 IT 214 - DL4 S4 Implementation Assignment

Full ERD



Task 2 - Create Database

Input:

```
-- Task 2 Create database by [James Tourtellotte]

CREATE DATABASE SOCCER_LEAGUE_JT;

USE SOCCER_LEAGUE_JT;

SHOW DATABASES;
8
```

Output:

	#		Time	Action	Message
•		1	14:35:13	CREATE DATABASE SOCCER_LEAGUE_JT	1 row(s) affected
0		2	14:35:13	USE SOCCER_LEAGUE_JT	0 row(s) affected
0		3	14:35:13	SHOW DATABASES	14 row(s) returned
0		4	14:35:13	SHOW TABLES	0 row(s) returned

Task 3 - Create Tables

Input 1/3:

```
14 • 

CREATE TABLE SEASON JT (
           SEASON ID JT INT AUTO INCREMENT PRIMARY KEY,
15
           SEASON NAME JT VARCHAR(255) NOT NULL,
16
17
           REG_START_DATE_JT DATE NOT NULL,
           REG_END_DATE_JT DATE NOT NULL,
18
19
           SEASON_START_DATE_JT DATE NOT NULL,
           SEASON END DATE JT DATE NOT NULL
20
21
      · );
22
23 • ⊖ CREATE TABLE DIVISION JT (
           DIVISION_ID_JT INT AUTO_INCREMENT PRIMARY KEY,
24
           AGE_JT INT NOT NULL,
25
           PLAYER_SEX_JT ENUM('boys', 'girls') NOT NULL,
26
           RANK_JT INT NOT NULL,
27
           CONTACT_EMAIL_JT VARCHAR(30),
28
           CONTACT_PHONE_JT CHAR(14)
29
       );
30
31
```

Input 2/3:

```
32 • ⊖ CREATE TABLE CLUB JT (
           CLUB ID JT INT AUTO INCREMENT PRIMARY KEY,
33
           NAME_JT VARCHAR(22) NOT NULL,
34
           CONTACT_EMAIL_JT VARCHAR(30),
35
           CONTACT PHONE JT CHAR(14),
36
           ABBREVIATION_JT VARCHAR(5)
37
     ز( ا
38
39
40 • ⊖ CREATE TABLE TEAM_JT (
           TEAM ID JT INT AUTO INCREMENT PRIMARY KEY,
41
           CLUB_ID_JT INT,
42
           NAME_JT VARCHAR(20) NOT NULL,
43
           BIRTH YEAR JT INT NOT NULL,
44
           PLAYER_SEX_JT ENUM('boys', 'girls') NOT NULL,
45
           CONTACT_EMAIL_JT VARCHAR(30),
46
           CONTACT PHONE JT CHAR(14),
           UNIQUE (CLUB_ID_JT, NAME_JT),
48
           FOREIGN KEY (CLUB_ID_JT) REFERENCES CLUB_JT(CLUB_ID_JT)
49
50
       );
51
```

Task 3 - Create Tables Continued:

Input 3/3

```
52 • ○ CREATE TABLE REGISTRATION_JT (
53
           REGISTRATION_ID_JT_INT_AUTO_INCREMENT_PRIMARY_KEY,
54
           TEAM ID JT INT,
           DIVISION ID JT INT,
55
           SEASON ID JT INT,
56
           FOREIGN KEY (TEAM_ID_JT) REFERENCES TEAM_JT(TEAM_ID_JT),
57
           FOREIGN KEY (DIVISION ID JT) REFERENCES DIVISION JT(DIVISION ID JT),
58
           FOREIGN KEY (SEASON ID JT) REFERENCES SEASON JT(SEASON ID JT)
59
      );
60
61
62 •
       SHOW TABLES;
63 •
      DESCRIBE SEASON JT;
      DESCRIBE DIVISION JT;
64 •
65 •
      DESCRIBE CLUB JT;
66 •
     DESCRIBE TEAM JT;
67 •
      DESCRIBE REGISTRATION JT;
68
```

Input 4/5

```
-- PLAYER_JT
64
         PLAYER_ID_JT INT AUTO_INCREMENT PRIMARY KEY,
          TEAM_ID_JT INT,
65
         SEASON_ID_JT INT,
         FIRST_NAME_JT VARCHAR(17),
67
         MIDDLE_NAME_JT VARCHAR(17),
68
          LAST_NAME_JT VARCHAR(17),
69
70
         DATE_OF_BIRTH_JT DATE,
71
         JERSEY_NUMBER_JT INT,
         PARENT CONTACT JT CHAR(14),
72
73
          FOREIGN KEY (TEAM_ID_JT) REFERENCES TEAM_JT(TEAM_ID_JT),
74
          FOREIGN KEY (SEASON_ID_JT) REFERENCES SEASON_JT(SEASON_ID_JT)
     ٠);
75
76
       -- COACH JT
77
78 • ⊖ CREATE TABLE COACH_JT (
79
          COACH_ID_JT INT AUTO_INCREMENT PRIMARY KEY,
          FIRST_NAME_JT VARCHAR(17),
80
81
         LAST_NAME_JT VARCHAR(17),
         DATE_OF_BIRTH_JT_DATE,
83
          YEAR_STARTING_COACHING_JT INT,
84
          EMAIL_JT VARCHAR(50)
     ٠);
```

Input 5/5

```
87
       -- COACH_TEAM_JT
88 • ○ CREATE TABLE COACH_TEAM_JT (
           COACH_ID_JT INT,
90
           TEAM_ID_JT INT,
           SEASON_ID_JT INT,
91
           FOREIGN KEY (COACH_ID_JT) REFERENCES COACH_JT(COACH_ID_JT),
92
           FOREIGN KEY (TEAM_ID_JT) REFERENCES TEAM_JT(TEAM_ID_JT),
93
94
           FOREIGN KEY (SEASON_ID_JT) REFERENCES SEASON_JT(SEASON_ID_JT)
95
       );
```

Output:

.

35 14:33:29 CREATE TABLE SEASON_JT (SEASON_ID_JT INT AUTO_INCREMENT PRIMARY KEY, SEASON_NAME_JT VARCHAR(255) NOT NUL... 0 row(s) affected
 36 14:33:29 CREATE TABLE DIVISION_JT (DIVISION_ID_JT INT AUTO_INCREMENT PRIMARY KEY, AGE_JT INT NOT NULL, PLAYER_SEX_JT ... 0 row(s) affected
 37 14:33:29 CREATE TABLE CLUB_JT (CLUB_ID_JT INT AUTO_INCREMENT PRIMARY KEY, NAME_JT VARCHAR(22) NOT NULL, CONTACT_E... 0 row(s) affected
 38 14:33:30 CREATE TABLE TEAM_JT (TEAM_ID_JT INT AUTO_INCREMENT PRIMARY KEY, CLUB_ID_JT INT, NAME_JT VARCHAR(20) NOT N... 0 row(s) affected
 39 14:33:30 CREATE TABLE REGISTRATION_JT (REGISTRATION_ID_JT INT AUTO_INCREMENT PRIMARY KEY, TEAM_ID_JT INT, DIVISION_I... 0 row(s) affected
 40 14:33:30 CREATE TABLE PLAYER_JT (PLAYER_ID_JT INT AUTO_INCREMENT PRIMARY KEY, TEAM_ID_JT INT, SEASON_ID_JT INT, FI... 0 row(s) affected
 41 14:33:30 CREATE TABLE COACH_JT (COACH_ID_JT INT AUTO_INCREMENT PRIMARY KEY, FIRST_NAME_JT VARCHAR(17), LAST_NAME... 0 row(s) affected
 42 14:33:30 CREATE TABLE COACH_TEAM_JT (COACH_ID_JT INT, TEAM_ID_JT INT, SEASON_ID_JT INT, FOREIGN KEY (COACH_ID_JT) R... 0 row(s) affected

Task 4 - Add Data

Input 1/5:

```
-- task 4 by James Tourtellotte
-- Insert Seasons
INSERT INTO SEASON_JT (SEASON_NAME_JT, REG_START_DATE_JT, REG_END_DATE_JT, SEASON_START_DATE_JT, SEASON_END_DATE_JT) VALUES
('SUMMER 2021', '2021-05-11', '2021-05-14', '2021-06-15', '2021-09-15'),
('SPRING 2019', '2019-02-21', '2019-02-22', '2019-03-15', '2019-06-15'),
('WINTER 2022', '2022-11-05', '2022-11-29', '2022-12-15', '2023-03-15'); -- No division will be defined for this season yet.
-- Insert Divisions
INSERT INTO DIVISION_JT (AGE_JT, PLAYER_SEX_JT, RANK_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES
(12, 'boys', 1, 'u12boys_div1@example.com', '(123) 456-7890'),
(14, 'boys', 1, 'u14boys_div1@example.com', '(234) 567-8901'),
(10, 'girls', 2, 'u10girls_div2@example.com', '(345) 678-9012'),
(15, 'girls', 2, 'u15girls_div2@example.com', '(456) 789-0123');
-- Insert Clubs
INSERT INTO CLUB_JT (NAME_JT, ABBREVIATION_JT) VALUES
('Hawks', 'HWK'),
('Eagles', 'EGL'),
('Falcons', 'FLC');
                                                           Input 2/5:
-- Insert Teams with contact email and phone for Club 'Eagles'
INSERT INTO TEAM_JT (CLUB_ID_JT, NAME_JT, BIRTH_YEAR_JT, PLAYER_SEX_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Eagles'), 'Red', 2010, 'boys', 'red.team@example.com', '(567) 890-1234'),
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Eagles'), 'Blue', 2008, 'boys', 'blue.team@example.com', '(678) 901-2345');
-- Insert Teams with contact email and phone for another club 'Hawks'
INSERT INTO TEAM_JT (CLUB_ID_JT, NAME_JT, BIRTH_YEAR_JT, PLAYER_SEX_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Hawks'), 'Green', 2009, 'girls', 'green.team@example.com', '(789) 012-3456'),
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Hawks'), 'Yellow', 2007, 'girls', 'yellow.team@example.com', '(890) 123-4567');
-- Insert a team with contact email and phone for the third club, but don't register it to any division
INSERT INTO TEAM JT (CLUB ID JT, NAME JT, BIRTH YEAR JT, PLAYER SEX JT, CONTACT EMAIL JT, CONTACT PHONE JT) VALUES
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Falcons'), 'White', 2011, 'boys', 'white.team@example.com', '(901) 234-5678');
-- Register Teams to Divisions
-- Register 'Red' and 'Blue' to the first and second divisions for 'SPRING 2019'
INSERT INTO REGISTRATION_JT (TEAM_ID_JT, DIVISION_ID_JT, SEASON_ID_JT) VALUES
((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Red'), 1, 2),
((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Red'), 2, 2),
((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Blue'), 1, 2),
((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Blue'), 2, 2);
```

Task 4 - Continued Input 3/5:

```
-- Register 'Green' and 'Yellow' to the third and fourth divisions for 'SUMMER 2021'
INSERT INTO REGISTRATION_JT (TEAM_ID_JT, DIVISION_ID_JT, SEASON_ID_JT) VALUES

((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Green'), 3, 1),

((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Green'), 4, 1),

((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Yellow'), 3, 1),

((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Yellow'), 4, 1);
```

Input 4/6

Input 5/6

```
158
        -- Insert coaches
159 • INSERT INTO COACH_JT (FIRST_NAME_JT, LAST_NAME_JT, DATE_OF_BIRTH_JT, YEAR_STARTING_COACHING_JT, EMAIL_JT) VALUES
        -- Two coaches who started in 2000
       ('Alice', 'Johnson', '1970-03-25', 2000, 'alice.johnson@example.com'),
161
162
       ('Bob', 'Williams', '1968-07-30', 2000, 'bob.williams@example.com');
        -- Additional Coaches
164 • INSERT INTO COACH_JT (FIRST_NAME_JT, LAST_NAME_JT, DATE_OF_BIRTH_JT, YEAR_STARTING_COACHING_JT, EMAIL_JT) VALUES
166
       ('Chris', 'Miller', '1980-02-17', 2005, 'chris.miller@example.com'),
167
       -- Coach 4
168
        ('Patricia', 'Lee', '1975-04-20', 2008, 'patricia.lee@example.com'),
        ('David', 'Harris', '1982-09-22', 2010, 'david.harris@example.com');
171
```

Input 6/6

Output:

.

49 14:33:30 INSERT INTO SEASON_JT (SEASON_NAME_JT, REG_START_DATE_JT, REG_END_DATE_JT, SEASON_START_DATE_JT, SEASON_END_D...
 50 14:33:30 INSERT INTO DIVISION_JT (AGE_JT, PLAYER_SEX_JT, RANK_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES (12, boys', 1, 'u12boy...
 51 14:33:30 INSERT INTO CLUB_JT (NAME_JT, ABBREVIATION_JT) VALUES (Hawks', 'HWK), ('Eagles', 'EGL'), ('Falcons', 'FLC')
 52 14:33:30 INSERT INTO TEAM_JT (CLUB_ID_JT, NAME_JT, BIRTH_YEAR_JT, PLAYER_SEX_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES ((...
 53 14:33:30 INSERT INTO TEAM_JT (CLUB_ID_JT, NAME_JT, BIRTH_YEAR_JT, PLAYER_SEX_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES ((...
 54 14:33:30 INSERT INTO TEAM_JT (CLUB_ID_JT, NAME_JT, BIRTH_YEAR_JT, PLAYER_SEX_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES ((...
 55 14:33:30 INSERT INTO PLAYER_JT (TEAM_ID_JT, SEASON_ID_JT, FIRST_NAME_JT, MIDDLE_NAME_JT, LAST_NAME_JT, DATE_OF_BIRTH_JT, JERS...
 56 14:33:30 INSERT INTO COACH_JT (FIRST_NAME_JT, LAST_NAME_JT, DATE_OF_BIRTH_JT, YEAR_STARTING_COACHING_JT, EMAIL_JT) VALUES (...
 57 14:33:30 INSERT INTO COACH_JT (FIRST_NAME_JT, LAST_NAME_JT, DATE_OF_BIRTH_JT, YEAR_STARTING_COACHING_JT, EMAIL_JT) VALUES (...
 59 14:33:30 INSERT INTO COACH_JT (FIRST_NAME_JT, LAST_NAME_JT, DATE_OF_BIRTH_JT, YEAR_STARTING_COACHING_JT, EMAIL_JT) VALUES (...
 59 14:33:30 INSERT INTO COACH_TEAM_JT (COACH_ID_JT, TEAM_ID_JT, SEASON_ID_JT) VALUES (...
 60 14:33:30 INSERT INTO COACH_TEAM_JT (COACH_ID_JT, TEAM_ID_JT, SEASON_ID_JT) VALUES (...
 61 14:33:30 INSERT INTO COACH_TEAM_JT (COACH_ID_JT, TEAM_ID_JT, SEASON_ID_JT) VALUES (...
 61 14:33:30 INSERT INTO COACH_TEAM_JT (COACH_ID_JT, TEAM_ID_JT, SEASON_ID_JT) VALUES (...
 61 14:33:30 INSERT INTO COACH_TEAM_JT (COACH_ID_JT, TEAM_ID_JT, SEASON_ID_JT) VALUES (...
 61 14:33:30 INSERT INTO COACH_TEAM_JT (COACH_ID_JT, TEAM_ID_JT, SEASON_ID_JT) VALUES

62 14:33:30 INSERT INTO REGISTRATION JT (TEAM ID JT, DIVISION ID JT, SEASON ID JT) VALUES ((SELECT TEAM ID JT FROM TEAM JT WHERE ...

Task 5 - Query the Data by James Tourtellotte

Input 1/5:

```
-- Task number 5 by James Tourtellotte --
125
126
        -- emails for spring teams --
127
128
129 •
        SELECT
            T.NAME_JT AS name,
130
            T.CONTACT EMAIL JT AS email
131
132
        FROM
133
            TEAM JT T
134
        JOIN
            REGISTRATION_JT R ON T.TEAM_ID_JT = R.TEAM_ID_JT
135
        JOIN
136
            SEASON_JT S ON R.SEASON_ID_JT = S.SEASON_ID_JT
137
138
        WHERE
            S.SEASON_NAME_JT = 'Spring 2019'
139
        ORDER BY
140
            T.NAME_JT ASC;
141
142
```

Input 2/5:

```
-- list divisions task --
SELECT
   D.AGE_JT AS age,
   D.PLAYER_SEX_JT AS gender,
   D.RANK_JT AS divrank,
   D.CONTACT_PHONE_JT AS phone,
   S.SEASON_NAME_JT AS season
   DIVISION_JT D
JOIN
   REGISTRATION_JT R ON D.DIVISION_ID_JT = R.DIVISION_ID_JT
JOIN
   SEASON_JT S ON R.SEASON_ID_JT = S.SEASON_ID_JT
WHERE
   EXISTS (
       SELECT 1
       FROM TEAM_JT T
       WHERE T.NAME_JT = 'Red'
       AND R.TEAM_ID_JT = T.TEAM_ID_JT
   )
ORDER BY
   D.RANK_JT;
```

Task 5 - continued Input 3/5

-- list eagles teams and divisions 2019 spring --SELECT T.NAME_JT AS team_name, D.AGE_JT AS age, D.PLAYER_SEX_JT AS gender, D.RANK_JT AS divrank FROM TEAM_JT T JOIN CLUB_JT C ON T.CLUB_ID_JT = C.CLUB_ID_JT JOIN REGISTRATION_JT R ON T.TEAM_ID_JT = R.TEAM_ID_JT JOIN DIVISION_JT D ON R.DIVISION_ID_JT = D.DIVISION_ID_JT JOIN SEASON JT S ON R.SEASON ID JT = S.SEASON ID JT WHERE C.NAME_JT = 'Eagles' AND S.SEASON_NAME_JT = 'Spring 2019'; Input 4/5 -- spring 12 and under SELECT T.NAME_JT AS team_name, C.NAME_JT AS club_name, T.BIRTH_YEAR_JT AS year_of_birth FROM TEAM_JT T JOIN CLUB_JT C ON T.CLUB_ID_JT = C.CLUB_ID_JT JOIN REGISTRATION_JT R ON T.TEAM_ID_JT = R.TEAM_ID_JT JOIN DIVISION_JT D ON R.DIVISION_ID_JT = D.DIVISION_ID_JT JOIN SEASON_JT S ON R.SEASON_ID_JT = S.SEASON_ID_JT

WHERE

D.AGE_JT <= 12

S.SEASON_NAME_JT = 'Spring 2019';

Task 5 - Continued

Input 5/5

```
SELECT COUNT(*)
298
299
        FROM PLAYER JT P
        JOIN SEASON_JT S ON P.SEASON_ID_JT = S.SEASON_ID_JT
300
301
        WHERE S.SEASON NAME JT = 'Spring 2021';
302
303 • SELECT COUNT(DISTINCT C.COACH_ID_JT)
        FROM COACH_JT C
304
        JOIN COACH_TEAM_JT CT ON C.COACH_ID_JT = CT.COACH_ID_JT
305
306
        JOIN SEASON JT S ON CT.SEASON ID JT = S.SEASON ID JT
        WHERE S.SEASON NAME JT = 'Spring 2019';
307
308
       SELECT CONCAT(FIRST_NAME_JT, ' ', LAST_NAME_JT) AS player
309 •
        FROM PLAYER JT
310
311
        WHERE JERSEY_NUMBER_JT = (SELECT MAX(JERSEY_NUMBER_JT) FROM PLAYER_JT);
312
313
       SELECT CONCAT(FIRST_NAME_JT, ' ', LAST_NAME_JT) AS coach
315
        FROM COACH_JT
        WHERE YEAR_STARTING_COACHING_JT = (SELECT MIN(YEAR_STARTING_COACHING_JT) FROM COACH_JT);
316
317
```

Output:

```
    63 14:33:30 SELECT T.NAME_JT AS name, T.CONTACT_EMAIL_JT AS email FROM TEAM_JT T JOIN REGISTRATION_JT R ON T.TEAM_ID_JT ...
    64 14:33:30 SELECT D.AGE_JT AS age, D.PLAYER_SEX_JT AS gender, D.RANK_JT AS divrank, D.CONTACT_PHONE_JT AS phone, S.SEASO...
    65 14:33:30 SELECT T.NAME_JT AS team_name, D.AGE_JT AS age, D.PLAYER_SEX_JT AS gender, D.RANK_JT AS divrank FROM TEAM_JT ...
    66 14:33:30 SELECT T.NAME_JT AS team_name, C.NAME_JT AS club_name, T.BIRTH_YEAR_JT AS year_of_birth FROM TEAM_JT T JOIN CL...
    67 14:33:30 SELECT COUNT(') FROM PLAYER_JT P JOIN SEASON_JT S ON P.SEASON_ID_JT = S.SEASON_ID_JT WHERE S.SEASON_NAME_JT = 'Spring...
    68 14:33:30 SELECT COUNT(DISTINCT C.COACH_ID_JT) FROM COACH_JT C JOIN COACH_TEAM_JT CT ON C.COACH_ID_JT = CT.COACH_ID_JT JOIN SE...
    69 14:33:30 SELECT CONCAT(FIRST_NAME_JT, '', LAST_NAME_JT) AS player FROM PLAYER_JT WHERE JERSEY_NUMBER_JT = (SELECT MAX(JERSEY_...
    70 14:33:30 SELECT CONCAT(FIRST_NAME_JT, '', LAST_NAME_JT) AS coach FROM COACH_JT WHERE YEAR_STARTING_COACHING_JT = (SELECT MI...
```