
James Everett Tourtellotte 3/24/2024 IT 214 DL4 S2_A1_TOURTELLOTTE_JAMES

Full ERD -



Task 2 - CREATE THE DATABASE

INPUT

```
-- Task 2 Create Database by James Tourtellotte

DROP DATABASE IF EXISTS FITNESS_JT;

CREATE DATABASE FITNESS_JT;

USE FITNESS_JT;

SHOW DATABASES;
```

OUTPUT

```
        #
        Time
        Action
        Message

        ● 1 12:07:24
        DROP DATABASE IF EXISTS FITNESS_JT
        2 row(s) affected

        ● 2 12:07:24
        CREATE DATABASE FITNESS_JT
        1 row(s) affected

        ● 3 12:07:24
        USE FITNESS_JT
        0 row(s) affected


        ● 4 12:07:24
        SHOW DATABASES
        22 row(s) returned
```

TASK 3 - CREATE TABLE

```
INPUT
```

```
8
       -- Task 3 - Create Tables by James Tourtellotte
       SHOW TABLES;
10 • ⊖ CREATE TABLE TRAINER JT (
           TRAINER_ID_JT INT(1),
11
           FIRST_NAME_JT VARCHAR(21) NOT NULL,
12
          LAST NAME JT VARCHAR(21) NOT NULL,
13
           PHONE_JT VARCHAR(12),
14
           YEAR_HIRED_JT INT(4),
15
16
           PRIMARY KEY (TRAINER ID JT)
17
     ز( ک
19 • GREATE TABLE CUSTOMER JT (
           CUSTOMER_NAME_JT VARCHAR(42),
20
           FIRST_NAME_JT VARCHAR(21) NOT NULL,
21
22
           LAST NAME JT VARCHAR(21) NOT NULL,
           PHONE_JT VARCHAR(12),
23
24
           BIRTH_YEAR_JT INT(4),
           GOAL JT VARCHAR(50),
25
           TRAINER_ID_JT INT,
26
           PRIMARY KEY (CUSTOMER_NAME_JT),
27
           FOREIGN KEY (TRAINER_ID_JT) REFERENCES TRAINER_JT(TRAINER_ID_JT)
28
29
      );
       SHOW TABLES;
30 •
       DESCRIBE TRAINER_JT;
31 •
32 •
      DESCRIBE CUSTOMER JT;
```

OUTPUT. TABLE




TASK 4 ADD DATA

INPUT

```
-- Task 4 - Add data by James Tourtellotte
       SELECT * FROM TRAINER_JT;
       SELECT * FROM CUSTOMER_JT;
37 •
38
       INSERT INTO TRAINER JT (TRAINER ID JT, FIRST NAME JT, LAST NAME JT, PHONE JT, YEAR HIRED JT) VALUES
39 •
           ('1', 'William', 'Jones', '275-221-1988', 2016),
40
41
           ('2', 'Kensey', 'Smith', '145-443-2611', 2016),
           ('3', 'Mark', 'Davidson', '375-354-6766', 2011),
43
           ('4', 'Edna', 'Wilson', '335-998-4445', 2012),
44
           ('5', 'Michael', 'Anderson', '221-241-6233', 2022);
45
      INSERT INTO CUSTOMER_JT (CUSTOMER_NAME_JT, FIRST_NAME_JT, LAST_NAME_JT, PHONE_JT, BIRTH_YEAR_JT, GOAL_JT, TRAINER_ID_JT) VALUES
46 •
           ('Robert Garcia', 'Robert', 'Garcia', '675-751-8822', 1988, 'building endurance', '1'),
47
           ('Sue Martinez', 'Sue', 'Martinez', '995-112-4433', 1995, 'weight loss', '2'),
48
           ('David Robinson', 'David', 'Robinson', '275-881-2233', 1978, 'muscle gain', '3'),
49
           ('Jessica Lee', 'Jessica', 'Lee', '155-245-2488', 2001, 'overall fitness', '4'),
50
           ('Sue Taylor', 'Sue', 'Taylor', '166-696-3455', 1985, 'strength training', '3');
51
52
       SELECT * FROM TRAINER JT;
53 •
       SELECT * FROM CUSTOMER JT;
```

OUTPUT. TABLE



TASK 5 QUERY THE DATA

INPUT

```
-- Task 5 - Query the data by James Tourtellotte
56
       -- First Query by James Tourtellotte
57
       SELECT
58 •
59
           t.FIRST_NAME_JT_AS_Trainer_First,
           t.LAST NAME JT AS Trainer Last,
60
           c.FIRST NAME JT AS Customer First,
61
           c.LAST_NAME_JT AS Customer_Last
62
63
       FROM TRAINER JT t
       JOIN CUSTOMER_JT c ON t.TRAINER_ID_JT = c.TRAINER_ID_JT;
64
       -- Second Query by James Tourtellotte
66
           CONCAT(c.FIRST_NAME_JT, ' ', c.LAST_NAME_JT) AS Customer
67
       FROM CUSTOMER JT c
68
       WHERE c.TRAINER ID JT = 3;
69
70
       -- Third Query by James Tourtellotte
71 •
       SELECT
           CONCAT(t.FIRST NAME JT, ' ', t.LAST NAME JT) AS Trainer,
72
           CONCAT(c.FIRST NAME JT, ' ', c.LAST NAME JT) AS Customer
73
74
       FROM TRAINER JT t
75
       JOIN CUSTOMER_JT c ON t.TRAINER_ID_JT = c.TRAINER_ID_JT
       WHERE c.FIRST_NAME_JT = 'Sue';
76
       -- Fourth Query by James Tourtellotte
77
78 •
       SELECT
           CONCAT(t.LAST_NAME_JT, ', ', t.FIRST_NAME_JT) AS Trainer,
79
           CONCAT(c.FIRST_NAME_JT, ' ', c.LAST_NAME_JT) AS Customer
80
       FROM TRAINER JT t
81
       JOIN CUSTOMER_JT c ON t.TRAINER_ID_JT = c.TRAINER_ID_JT
82
83
       WHERE t.YEAR_HIRED_JT > 2015;
```

OUTPUT

Query 1

	Trainer_First	Trainer_Last	Customer_First	Customer_Last
•	William	Jones	Robert	Garcia
	Kensey	Smith	Sue	Martinez
	Mark	Davidson	David	Robinson
	Mark	Davidson	Sue	Taylor
	Edna	Wilson	Jessica	Lee

Query 2

	Customer	
•	David Robinson	
	Sue Taylor	

Query 3

	Trainer	Customer	
•	Kensey Smith	Sue Martinez	
	Mark Davidson	Sue Taylor	

Query 4

	Trainer	Customer	
•	Jones, William	Robert Garcia	
	Smith, Kensey	Sue Martinez	