
James Everett Tourtellotte IV 11/5/2023 IT 214 - DL4 S3 Implementation Assignment

Full ERD



Task 2 - Create Database

Input:

```
-- Task 2 Create database by [James Tourtellotte]

CREATE DATABASE SOCCER_LEAGUE_JT;

USE SOCCER_LEAGUE_JT;

SHOW DATABASES;
```

	#		Time	Action	Message
9		1	14:35:13	CREATE DATABASE SOCCER_LEAGUE_JT	1 row(s) affected
0		2	14:35:13	USE SOCCER_LEAGUE_JT	0 row(s) affected
•		3	14:35:13	SHOW DATABASES	14 row(s) returned
0		4	14:35:13	SHOW TABLES	0 row(s) returned

Task 3 - Create Tables

Input 1/3:

```
14 • 

CREATE TABLE SEASON JT (
           SEASON ID JT INT AUTO INCREMENT PRIMARY KEY,
15
           SEASON NAME JT VARCHAR(255) NOT NULL,
16
17
           REG_START_DATE_JT DATE NOT NULL,
           REG_END_DATE_JT DATE NOT NULL,
18
19
           SEASON_START_DATE_JT DATE NOT NULL,
           SEASON END DATE JT DATE NOT NULL
20
21
      · );
22
23 • ⊖ CREATE TABLE DIVISION JT (
           DIVISION_ID_JT INT AUTO_INCREMENT PRIMARY KEY,
24
           AGE_JT INT NOT NULL,
25
           PLAYER_SEX_JT ENUM('boys', 'girls') NOT NULL,
26
           RANK_JT INT NOT NULL,
27
           CONTACT_EMAIL_JT VARCHAR(30),
28
           CONTACT_PHONE_JT CHAR(14)
29
       );
30
31
```

Input 2/3:

```
32 • ⊖ CREATE TABLE CLUB JT (
           CLUB ID JT INT AUTO INCREMENT PRIMARY KEY,
33
           NAME_JT VARCHAR(22) NOT NULL,
34
           CONTACT_EMAIL_JT VARCHAR(30),
35
           CONTACT PHONE JT CHAR(14),
36
           ABBREVIATION_JT VARCHAR(5)
37
     ز( ا
38
39
40 • ⊖ CREATE TABLE TEAM_JT (
           TEAM ID JT INT AUTO INCREMENT PRIMARY KEY,
41
           CLUB_ID_JT INT,
42
           NAME_JT VARCHAR(20) NOT NULL,
43
           BIRTH YEAR JT INT NOT NULL,
44
           PLAYER_SEX_JT ENUM('boys', 'girls') NOT NULL,
45
           CONTACT_EMAIL_JT VARCHAR(30),
46
           CONTACT PHONE JT CHAR(14),
           UNIQUE (CLUB_ID_JT, NAME_JT),
48
           FOREIGN KEY (CLUB_ID_JT) REFERENCES CLUB_JT(CLUB_ID_JT)
49
50
       );
51
```

Task 3 - Create Tables Continued:

Input 3/3

```
REGISTRATION_ID_JT INT AUTO_INCREMENT PRIMARY KEY,
          TEAM_ID_JT INT,
54
          DIVISION_ID_JT INT,
55
          SEASON ID JT INT,
56
          FOREIGN KEY (TEAM_ID_JT) REFERENCES TEAM_JT(TEAM_ID_JT),
57
          FOREIGN KEY (DIVISION_ID_JT) REFERENCES DIVISION_JT(DIVISION_ID_JT),
58
          FOREIGN KEY (SEASON ID JT) REFERENCES SEASON JT(SEASON ID JT)
59
     );
60
61
      SHOW TABLES;
62 •
63 •
     DESCRIBE SEASON_JT;
     DESCRIBE DIVISION_JT;
64 •
65 •
     DESCRIBE CLUB JT;
66 • DESCRIBE TEAM JT;
67 •
     DESCRIBE REGISTRATION_JT;
68
```

0	4	14:35:13	SHOW TABLES	0 row(s) returned
0	5	14:35:13	${\tt CREATE\ TABLE\ SEASON_IT\ (SEASON_ID_JT\ INT\ AUTO_INCREMENT\ PRIMARY\ KEY, SEASON_NAME_JT\ VARCHAR(255)\ NOT\ NUL}$	0 row(s) affected
0	6	14:35:13	${\tt CREATE\ TABLE\ DIVISION_JT\ (DIVISION_JD_JT\ INT\ AUTO_INCREMENT\ PRIMARY\ KEY, AGE_JT\ INT\ NOT\ NULL, PLAYER_SEX_JT\}$	0 row(s) affected
0	7	14:35:13	${\tt CREATE\ TABLE\ CLUB_JT\ (CLUB_ID_JT\ INT\ AUTO_INCREMENT\ PRIMARY\ KEY, NAME_JT\ VARCHAR(22)\ NOT\ NULL, CONTACT_E}$	0 row(s) affected
0	8	14:35:13	CREATE TABLE TEAM_JT (TEAM_ID_JT INT AUTO_INCREMENT PRIMARY KEY, CLUB_ID_JT INT, NAME_JT VARCHAR(20) NOT N	0 row(s) affected
0	9	14:35:13	${\tt CREATE\ TABLE\ REGISTRATION_JT\ (REGISTRATION_ID_JT\ INT\ AUTO_INCREMENT\ PRIMARY\ KEY, TEAM_ID_JT\ INT, DIVISION_I}$	0 row(s) affected
0	10	14:35:13	SHOW TABLES	5 row(s) returned
0	11	14:35:13	DESCRIBE SEASON_JT	6 row(s) returned
0	12	14:35:13	DESCRIBE DIVISION_JT	6 row(s) returned
0	13	14:35:13	DESCRIBE CLUB_JT	5 row(s) returned
0	14	14:35:13	DESCRIBE TEAM_JT	7 row(s) returned
0	15	14:35:13	DESCRIBE REGISTRATION_JT	4 row(s) returned

Task 4 - Add Data

Input 1/3:

```
-- task 4 by James Tourtellotte
-- Insert Seasons
INSERT INTO SEASON_JT (SEASON_NAME_JT, REG_START_DATE_JT, REG_END_DATE_JT, SEASON_START_DATE_JT, SEASON_END_DATE_JT) VALUES
('SUMMER 2021', '2021-05-11', '2021-05-14', '2021-06-15', '2021-09-15'),
('SPRING 2019', '2019-02-21', '2019-02-22', '2019-03-15', '2019-06-15'),
('WINTER 2022', '2022-11-05', '2022-11-29', '2022-12-15', '2023-03-15'); -- No division will be defined for this season yet.
-- Insert Divisions
INSERT INTO DIVISION_JT (AGE_JT, PLAYER_SEX_JT, RANK_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES
(12, 'boys', 1, 'u12boys_div1@example.com', '(123) 456-7890'),
(14, 'boys', 1, 'u14boys_div1@example.com', '(234) 567-8901'),
(10, 'girls', 2, 'u10girls_div2@example.com', '(345) 678-9012'),
(15, 'girls', 2, 'u15girls_div2@example.com', '(456) 789-0123');
-- Insert Clubs
INSERT INTO CLUB_JT (NAME_JT, ABBREVIATION_JT) VALUES
('Hawks', 'HWK'),
('Eagles', 'EGL'),
('Falcons', 'FLC');
                                                           Input 2/3:
-- Insert Teams with contact email and phone for Club 'Eagles'
INSERT INTO TEAM_JT (CLUB_ID_JT, NAME_JT, BIRTH_YEAR_JT, PLAYER_SEX_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Eagles'), 'Red', 2010, 'boys', 'red.team@example.com', '(567) 890-1234'),
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Eagles'), 'Blue', 2008, 'boys', 'blue.team@example.com', '(678) 901-2345');
-- Insert Teams with contact email and phone for another club 'Hawks'
INSERT INTO TEAM_JT (CLUB_ID_JT, NAME_JT, BIRTH_YEAR_JT, PLAYER_SEX_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALUES
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Hawks'), 'Green', 2009, 'girls', 'green.team@example.com', '(789) 012-3456'),
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Hawks'), 'Yellow', 2007, 'girls', 'yellow.team@example.com', '(890) 123-4567');
-- Insert a team with contact email and phone for the third club, but don't register it to any division
INSERT INTO TEAM JT (CLUB ID JT, NAME JT, BIRTH YEAR JT, PLAYER SEX JT, CONTACT EMAIL JT, CONTACT PHONE JT) VALUES
((SELECT CLUB_ID_JT FROM CLUB_JT WHERE NAME_JT = 'Falcons'), 'White', 2011, 'boys', 'white.team@example.com', '(901) 234-5678');
-- Register Teams to Divisions
-- Register 'Red' and 'Blue' to the first and second divisions for 'SPRING 2019'
INSERT INTO REGISTRATION_JT (TEAM_ID_JT, DIVISION_ID_JT, SEASON_ID_JT) VALUES
((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Red'), 1, 2),
((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Red'), 2, 2),
((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Blue'), 1, 2),
((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Blue'), 2, 2);
```

Task 4 - Continued Input 3/3:

```
-- Register 'Green' and 'Yellow' to the third and fourth divisions for 'SUMMER 2021'
INSERT INTO REGISTRATION_JT (TEAM_ID_JT, DIVISION_ID_JT, SEASON_ID_JT) VALUES

((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Green'), 3, 1),

((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Green'), 4, 1),

((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Yellow'), 3, 1),

((SELECT TEAM_ID_JT FROM TEAM_JT WHERE NAME_JT = 'Yellow'), 4, 1);
```

- 16 14:35:13 INSERT INTO SEASON_JT (SEASON_NAME_JT, REG_START_DATE_JT, REG_END_DATE_JT, SEASON_START_DATE_JT, SEASON_EN... 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
- 17 14:35:13 INSERT INTO DIVISION JT (AGE JT, PLAYER SEX JT, RANK JT, CONTACT EMAIL JT, CONTACT PHONE JT) VALUES (12, boys', 1, 'u1... 4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
- 18 14:35:13 INSERT INTO CLUB_JT (NAME_JT, ABBREVIATION_JT) VALUES (Hawks', 'HWK'), (Eagles', EGL'), (Falcons', 'FLC') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
- 19 14:35:13 INSERT INTO TEAM_JT (CLUB_ID_JT, NAME_JT, BIRTH_YEAR_JT, PLAYER_SEX_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALU... 2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
- 20 14:35:13 INSERT INTO TEAM_JT (CLUB_ID_JT, NAME_JT, BIRTH_YEAR_JT, PLAYER_SEX_JT, CONTACT_EMAIL_JT, CONTACT_PHONE_JT) VALU... 2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0
- 21 14:35:13 INSERT INTO TEAM JT (CLUB ID JT, NAME JT, BIRTH YEAR JT, PLAYER SEX JT, CONTACT EMAIL JT, CONTACT PHONE JT) VALU... 1 row(s) affected
- 22 14:35:13 INSERT INTO REGISTRATION_UT (TEAM_ID_JT, DIVISION_ID_JT, SEASON_ID_JT) VALUES ((SELECT TEAM_ID_JT FROM TEAM_JT WHE... 4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0
- 23 14:35:13 INSERT INTO REGISTRATION JT (TEAM ID JT, DIVISION ID JT, SEASON ID JT) VALUES (ISELECT TEAM ID JT FROM TEAM JT WHE... 4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0

Task 5 - Query the Data by James Tourtellotte

Input 1/4:

```
-- Task number 5 by James Tourtellotte --
125
126
        -- emails for spring teams --
127
128
129 •
        SELECT
130
            T.NAME JT AS name,
            T.CONTACT EMAIL JT AS email
131
132
        FROM
133
            TEAM JT T
134
        JOIN
            REGISTRATION_JT R ON T.TEAM_ID_JT = R.TEAM_ID_JT
135
        JOIN
136
            SEASON_JT S ON R.SEASON_ID_JT = S.SEASON_ID_JT
137
138
        WHERE
            S.SEASON_NAME_JT = 'Spring 2019'
139
        ORDER BY
140
            T.NAME_JT ASC;
141
142
```

Input 2/4:

-- list divisions task --

```
SELECT
   D.AGE_JT AS age,
   D.PLAYER_SEX_JT AS gender,
   D.RANK_JT AS divrank,
   D.CONTACT_PHONE_JT AS phone,
   S.SEASON_NAME_JT AS season
   DIVISION_JT D
JOIN
   REGISTRATION_JT R ON D.DIVISION_ID_JT = R.DIVISION_ID_JT
JOIN
   SEASON_JT S ON R.SEASON_ID_JT = S.SEASON_ID_JT
WHERE
   EXISTS (
       SELECT 1
       FROM TEAM_JT T
       WHERE T.NAME_JT = 'Red'
       AND R.TEAM_ID_JT = T.TEAM_ID_JT
   )
ORDER BY
   D.RANK_JT;
```

Task 5 - continued Input 3/4

-- list eagles teams and divisions 2019 spring --

```
SELECT
     T.NAME_JT AS team_name,
     D.AGE_JT AS age,
     D.PLAYER_SEX_JT AS gender,
     D.RANK_JT AS divrank
 FROM
     TEAM_JT T
 JOIN
     CLUB_JT C ON T.CLUB_ID_JT = C.CLUB_ID_JT
 JOIN
     REGISTRATION_JT R ON T.TEAM_ID_JT = R.TEAM_ID_JT
 JOIN
     DIVISION_JT D ON R.DIVISION_ID_JT = D.DIVISION_ID_JT
 JOIN
     SEASON JT S ON R.SEASON ID JT = S.SEASON ID JT
 WHERE
     C.NAME_JT = 'Eagles'
 AND
     S.SEASON_NAME_JT = 'Spring 2019';
                            Input 4/4
     -- spring 12 and under
    SELECT
         T.NAME_JT AS team_name,
         C.NAME_JT AS club_name,
         T.BIRTH_YEAR_JT AS year_of_birth
     FROM
         TEAM_JT T
     JOIN
         CLUB_JT C ON T.CLUB_ID_JT = C.CLUB_ID_JT
     JOIN
         REGISTRATION_JT R ON T.TEAM_ID_JT = R.TEAM_ID_JT
     JOIN
         DIVISION_JT D ON R.DIVISION_ID_JT = D.DIVISION_ID_JT
     JOIN
         SEASON_JT S ON R.SEASON_ID_JT = S.SEASON_ID_JT
     WHERE
         D.AGE_JT <= 12
         S.SEASON_NAME_JT = 'Spring 2019';
```

Task 5 - Continued

0	24 14:35:13 SELECT	T.NAME_JT AS name, T.CC	NTACT_EMAIL_JT AS email FI	ROM TEAM_JTT JOIN	REGISTRATION_JT R ON T.TEAR	M_ID 4 row(s) returned
0	25 14:35:13 SELECT	D.AGE_JT AS age, D.PLAY	ER_SEX_JT AS gender, D.R	ANK_JT AS divrank, D.CC	ONTACT_PHONE_JT AS phone,	S.SEA 2 row(s) returned
0	26 14:35:13 SELECT	T.NAME_JT AS team_name,	D.AGE_JT AS age, D.PLAY	'ER_SEX_JT AS gender, I	D.RANK_JT AS divrank FROM T	EAM_J 4 row(s) returned
0	27 14:35:13 SELECT	T.NAME JT AS team name.	C.NAME JT AS club name.	T.BIRTH YEAR JT AS yea	ar of birth FROM TEAM JTT JC	IN 2 row(s) returned