

Instituto Superior Tecnológico Privado Valle Grande
Carrera Profesional de Análisis de Sistemas Empresariales



VALLE GRANDE
INSTITUTO DE EDUCACIÓN SUPERIOR TECNOLÓGICO PRIVADO

Despliegue de WordPress en AWS EC2

Yojana Jimena Elsa ABURTO RODRIGUEZ

Profesor

Ebert Bernardo Ocares Luna

Curso

Implementación de Servidores Web

San Vicente – Cañete

09 de Abril del 2026

Introducción:	3
Objetivo del proyecto:	3
Implementación paso a paso:	3
1. Creación de instancia de AWS EC2	3
Acceder a la página de AWS	3
Accedemos con nuestra cuenta de AWS	4
Entramos a nuestro módulo	4
Una vez activado, nos vamos a EC2	4
Nos vamos donde esta el botón color amarillo donde dice "Lanzar instancia"	5
Colocamos un nombre a nuestra instancia y usamos bueno en mi casa utilice lo que es UBUNTU	5
Cambiamos el tipo de instancia yo utilicé lo que es el t2.micro	6
Creamos nuestro par de claves, y configuramos el grupo de seguridad y le damos al botón color amarillo "Lanzar instancia"	6
Configuramos los puertos	7
2. Conexión SSH	7
Permite conectarse remotamente al servidor usando mi clave privada.	7
3. Creación de Usuario Linux	8
Se crea un usuario personalizado con permisos de administrador temporal.	8
4. Instalación del Servidor Web (Apache)	8
Apache permite servir páginas web desde el servidor.	8
5. Instalación de MySQL	9
MySQL se utiliza para almacenar la información de WordPress.	10
6. Configuración de base de datos	10
Se crea la base de datos y usuario para WordPress.	10
7. Instalación de PHP	10
PHP permite ejecutar WordPress.	11
8. Instalación de WordPress	11
Se descarga e instala WordPress en el servidor web.	11
9. Configuración de WordPress	11
Se conecta WordPress con la base de datos.	12
10. Configuración de firewall (UFW)	12
Se habilitan los puertos necesarios para seguridad.	12
11. Desarrollo del Sitio Web	12

DESPLIEGUE DE WORDPRESS EN AWS EC2

Introducción:

En este proyecto realicé la implementación de un servidor web en la nube utilizando AWS EC2, donde instalé y configuré WordPress como gestor de contenidos. Además, se aplicaron configuraciones de seguridad y se desplegó un sitio web accesible desde mi IP pública.

Objetivo del proyecto:

Implementar un servidor web en AWS EC2, instalar WordPress, configurar una base de datos y publicar un sitio web funcional, aplicando buenas prácticas de seguridad.


Implementación paso a paso:

1. Creación de instancia de AWS EC2


Acceder a la página de AWS




Accedemos con nuestra cuenta de AWS




Entramos a nuestro módulo




Una vez activado, nos vamos a EC2




Nos vamos donde esta el botón color amarillo donde dice “Lanzar instancia”




Colocamos un nombre a nuestra instancia y usamos bueno en mi casa utilice lo que es UBUNTU




Cambiamos el tipo de instancia yo utilicé lo que es el t2.micro



Creamos nuestro par de claves, y configuramos el grupo de seguridad y le damos al botón color amarillo “Lanzar instancia”



Configuramos los puertos



2. Conexión SSH

```
ubuntu@ip-172-31-25-11: /tmp$ ssh -i "C:\Users\Jimena\Downloads\AWS26\practica.pem" ubuntu@ec2-98-93-219-226.compute-1.amazonaws.com
Microsoft Windows [Versión 10.0.26200.8037]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\Jimena>ssh -i "C:\Users\Jimena\Downloads\AWS26\practica.pem" ubuntu@ec2-98-93-219-226.compute-1.amazonaws.com
The authenticity of host 'ec2-98-93-219-226.compute-1.amazonaws.com (98.93.219.226)' can't be established.
ED25519 key fingerprint is SHA256:LP5EXhZ7XbTXpAIAJ9ciq6/exp2NVgM5U+/dKt8e1o.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-98-93-219-226.compute-1.amazonaws.com' (ED25519) to the list of known hosts.
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.17.0-1007-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Thu Apr  9 13:04:37 UTC 2026

System load:  0.0          Processes:    108
Usage of /:   26.3% of 6.71GB Users logged in: 0
Memory usage: 21%          IPv4 address for enx0: 172.31.25.11
Swap usage:   0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.
```

Permite conectarse remotamente al servidor usando mi clave privada.

3. Creación de Usuario Linux


```
ubuntu@ip-172-31-25-11: /tmp$ sudo useradd -s /bin/bash -m -c "jimena" -G users jimena
Changing the user information for jimena
Enter the new value, or press ENTER for the default
    Full Name []:
    Room Number []:
    Work Phone []:
    Home Phone []:
    Other []:
Is the information correct? [Y/n] Y
info: Adding new user 'jimena' to supplemental / extra groups 'users' ...
info: Adding user 'jimena' to group 'users' ...
ubuntu@ip-172-31-25-11:~$ sudo usermod -aG sudo jimena
ubuntu@ip-172-31-25-11:~$ sudo apt update && sudo apt upgrade -y
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:4 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]
Get:6 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe Translation-en [5082 kB]
```

Se crea un usuario personalizado con permisos de administrador temporal.

4. Instalación del Servidor Web (Apache)

```
ubuntu@ip-172-31-25-11: /tmp$ sudo apt install apache2 -y
No VM guests are running outdated hypervisor (qemu) binaries on this host.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  apache2-bin apache2-data apache2-utils libapr1t64
  libaprutil1-dbd-sqlite3 libaprutil1-ldap libaprutil1t64
  liblua5.4-0 ssl-cert
Suggested packages:
  apache2-doc apache2-suexec-pristine | apache2-suexec-custom
  www-browser
The following NEW packages will be installed:
  apache2 apache2-bin apache2-data apache2-utils libapr1t64
  libaprutil1-dbd-sqlite3 libaprutil1-ldap libaprutil1t64
  liblua5.4-0 ssl-cert
0 upgraded, 10 newly installed, 0 to remove and 0 not upgraded.
Need to get 2091 kB of archives.
After this operation, 8113 kB of additional disk space will be used.
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libapr1t64 amd64 1.7.2-3.1ubuntu0.1 [108 kB]
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libaprutil1t64 amd64 1.6.3-1.1ubuntu7 [91.9 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libaprutil1-dbd-sqlite3 amd64 1.6.3-1.1ubuntu7 [11.2 kB]
Get:4 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libaprutil1-ldap amd64 1.6.3-1.1ubuntu7 [9116 B]
Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 liblua5.4-0
```

Apache permite servir páginas web desde el servidor.



5. Instalación de MySQL

```
ubuntu@ip-172-31-25-11: /tm|  X  +  v

No VM guests are running outdated hypervisor (qemu) binaries on this
host.
ubuntu@ip-172-31-25-11:~$ sudo apt install mysql-server -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libbcgi-fast-perl libbcgi-pm-perl libclone-perl
  libencode-locale-perl libevent-pthreads-2.1-7t64 libfcgi-bin
  libfcgi-perl libfcgi0t64 libhtml-parser-perl libhtml-tagset-perl
  libhtml-template-perl libhttp-date-perl libhttp-message-perl
  libio-html-perl liblwp-mediatypes-perl libmecab2
  libprotobuf-lite32t64 libtimedate-perl liburi-perl mecab-ipadic
  mecab-ipadic-utf8 mecab-utils mysql-client-8.0
  mysql-client-core-8.0 mysql-common mysql-server-8.0
  mysql-server-core-8.0
Suggested packages:
  libdata-dump-perl libipc-sharedcache-perl
  libio-compress-brotli-perl libbusiness-isbn-perl
  libregexp-ipv6-perl libwww-perl mailx tinyc
The following NEW packages will be installed:
  libbcgi-fast-perl libbcgi-pm-perl libclone-perl
  libencode-locale-perl libevent-pthreads-2.1-7t64 libfcgi-bin
  libfcgi-perl libfcgi0t64 libhtml-parser-perl libhtml-tagset-perl
  libhtml-template-perl libhttp-date-perl libhttp-message-perl
  libio-html-perl liblwp-mediatypes-perl libmecab2
  libprotobuf-lite32t64 libtimedate-perl liburi-perl mecab-ipadic
```

MySQL se utiliza para almacenar la información de WordPress.

6. Configuración de base de datos

```
ubuntu@ip-172-31-25-11:~$ sudo mysql
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.45-0ubuntu0.24.04.1 (Ubuntu)

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE wordpress_db;
Query OK, 1 row affected (0.01 sec)

mysql> CREATE USER 'jimena'@'localhost' IDENTIFIED BY 'jimena241025';
Query OK, 0 rows affected (0.03 sec)

mysql> GRANT ALL PRIVILEGES ON wordpress_db.* TO 'jimena'@'localhost';
Query OK, 0 rows affected (0.01 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.00 sec)

mysql> EXIT;
Bye
```

Se crea la base de datos y usuario para WordPress.

7. Instalación de PHP

```
ubuntu@ip-172-31-25-11:~$ sudo apt install php php-mysql libapache2-mod-php -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libapache2-mod-php8.3 php-common php8.3 php8.3-cli php8.3-common
  php8.3-mysql php8.3-opcache php8.3-readline
Suggested packages:
  php-pear
The following NEW packages will be installed:
  libapache2-mod-php libapache2-mod-php8.3 php php-common php-mysql
  php8.3 php8.3-cli php8.3-common php8.3-mysql php8.3-opcache
  php8.3-readline
0 upgraded, 11 newly installed, 0 to remove and 0 not upgraded.
Need to get 5051 kB of archives.
After this operation, 22.9 MB of additional disk space will be used.
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 php-common
all 2:93ubuntu2 [13.9 kB]
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 php
8.3-common amd64 8.3.6-0ubuntu0.24.04.8 [740 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 php
```

PHP permite ejecutar WordPress.

8. Instalación de WordPress

```
ubuntu@ip-172-31-25-11:~$ cd /tmp
ubuntu@ip-172-31-25-11:/tmp$ wget https://wordpress.org/latest.tar.gz
--2026-04-09 13:18:22-- https://wordpress.org/latest.tar.gz
Resolving wordpress.org (wordpress.org)... 198.143.164.252, 2607:f978:5:8002::c
f:a4fc
Connecting to wordpress.org (wordpress.org)|198.143.164.252|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 27064862 (26M) [application/octet-stream]
Saving to: 'latest.tar.gz'

latest.tar.gz      100%[=====] 25.81M  49.7MB/s   in 0.5s

2026-04-09 13:18:23 (49.7 MB/s) - 'latest.tar.gz' saved [27064862/27064862]

ubuntu@ip-172-31-25-11:/tmp$ tar -xvzf latest.tar.gz
wordpress/
wordpress/index.php
wordpress/license.txt
wordpress/readme.html
wordpress/wp-activate.php
wordpress/wp-admin/
wordpress/wp-admin/about.php
wordpress/wp-admin/admin-ajax.php
wordpress/wp-admin/admin-footer.php
wordpress/wp-admin/admin-functions.php
wordpress/wp-admin/admin-header.php
wordpress/wp-admin/admin-post.php
wordpress/wp-admin/admin.php
wordpress/wp-admin/async-upload.php
wordpress/wp-admin/authorize-application.php
wordpress/wp-admin/comment.php
wordpress/wp-admin/contribute.php
wordpress/wp-admin/credits.php
```

Se descarga e instala WordPress en el servidor web.

9. Configuración de WordPress

```
Bye
ubuntu@ip-172-31-25-11:/var/www/html$ sudo nano /var/www/html/wp-config.php
```

Se conecta WordPress con la base de datos.


10. Configuración de firewall (UFW)

```
ubuntu@ip-172-31-25-11:/tmp$ sudo apt install ufw -y
sudo ufw allow OpenSSH
sudo ufw allow 80
sudo ufw allow 443
sudo ufw enable
sudo ufw status
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
ufw is already the newest version (0.36.2-6).
ufw set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
Rules updated
Rules updated (v6)
Rules updated
Rules updated (v6)
Rules updated
Rules updated (v6)
Command may disrupt existing ssh connections. Proceed with operation (y|n)? Y
Firewall is active and enabled on system startup
Status: active
```

To	Action	From
OpenSSH	ALLOW	Anywhere
80	ALLOW	Anywhere
443	ALLOW	Anywhere
OpenSSH (v6)	ALLOW	Anywhere (v6)
80 (v6)	ALLOW	Anywhere (v6)
443 (v6)	ALLOW	Anywhere (v6)

Se habilitan los puertos necesarios para seguridad.

11. Desarrollo del Sitio Web



<http://98.93.219.226>