

**TREATMENT EPISODE DATA SET
ADMISSIONS (TEDS-A)
2019**

CODEBOOK

Center for Behavioral Health Statistics and Quality
Substance Abuse and Mental Health Services Administration

Acknowledgments

This data file was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS).

Terms of Use

These data are distributed under the following terms of use; by continuing past this page, you signify agreement to comply with the requirements below.

Privacy of Study Respondents

Any intentional identification of an individual or organization, or unauthorized disclosure of identifiable information, violates the promise of confidentiality given to the providers of the information. Disclosure of identifiable information may also be punishable under federal law. Therefore, users of data agree to:

Use these data sets solely for research or statistical purposes, and not for investigation or re-identification of specific individuals or organizations.

Make no use of the identity of any individual discovered inadvertently, and report any such discovery to SAMHSA (BHSIS_HelpDesk@eagletechva.com).

Public Domain Notice

All material appearing in this document is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. This publication may not be reproduced or distributed for a fee without specific, written authorization of the Office of Communications, SAMHSA, U.S. Department of Health and Human Services.

Recommended Citation

Substance Abuse and Mental Health Services Administration, *Treatment Episode Data Set (TEDS): 2019*. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2021.

Authors who use these data are encouraged to send citations of their publications to SAMHSA for inclusion in a database of related work (BHSIS_HelpDesk@eagletechva.com).

Disclaimers

Data users acknowledge that SAMHSA and Eagle Technologies, Inc., bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. *SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.*

Violations

If SAMHSA determines this terms of use agreement has been violated, possible sanctions include:

- report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution;
- report of the violation to the Federal Office for Human Research Protections, if the confidentiality of human subjects has been violated;
- report of the violation of federal law to the United States Attorney General for possible prosecution; and
- court-awarded payments of damages to any individual(s) or organization(s) harmed by the breach of confidential data.

TREATMENT EPISODE DATA SET — ADMISSIONS (TEDS-A), 2019

Introduction to TEDS

The Treatment Episode Data Set (TEDS) system serves as a repository of treatment data routinely collected by states for the purposes of monitoring their substance use treatment systems. It is comprised of selected data items from states' administrative records that are converted to a standardized format which is consistent across all states. These standardized data constitute TEDS.

The TEDS system is comprised of two major components: the admissions data set (TEDS-A) and the discharges data set (TEDS-D). Data for the TEDS-Admissions (TEDS-A) file were first reported in 1992, while data for the TEDS-D were first reported in 2000.

Admissions

TEDS-A provides demographic, clinical, and substance use characteristics of admissions to alcohol or drug treatment in facilities that report to state administrative data systems. The unit of analysis is treatment admissions to state-licensed or certified substance use treatment centers that receive federal public funding.

TEDS-A has two parts: a minimum data set and a supplemental data set. The former is collected by all states; the latter is collected by some.

The minimum data set consists of 19 items that include:

- demographic information;
- primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- source of referral to treatment;
- number of prior treatment episodes; and
- service type, including planned use of medication-assisted (i.e., methadone, buprenorphine, or naltrexone) opioid therapy.

TEDS-A's supplemental data set includes 15 psychiatric, social, and economic items.

Discharges

The second major component of the TEDS system, TEDS-D (consisting of discharge records), includes the same variables as the admissions (TEDS-A) component, with the addition of:

- type of service at discharge,
- length of stay, and
- reason for discharge or discontinuation of service.

Management of TEDS

Since 1992, the Center for Behavioral Health Statistics and Quality, or CBHSQ (known until 2010 as the Office of Applied Studies, or OAS), of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS), has funded and been responsible for TEDS. CBHSQ coordinates and manages the collection of TEDS data from U.S. states, territories, and Compact of Free Association (COFA) partners.

CBHSQ also develops descriptive and analytical [reports](#) from TEDS to provide national and state-level data on the number and types of clients treated, as well as the characteristics of facilities providing services.

Purpose

This codebook provides background for the TEDS files, as well as descriptive information for the variables, frequencies of their values, and limitations of the data. For detailed documentation regarding data collected in each state as they correspond to the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices, refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Contents of This Codebook and Data Set

This codebook corresponds to “Treatment Episode Data Set — Admissions (TEDS-A), 2019.” This data set contains records of TEDS admissions to substance use treatment that occurred in 2019.

Note that this codebook corresponds to a public use file for TEDS-A, which consists of data characterizing treatment episodes that were recorded at the time of admission. As such, neither this codebook nor the corresponding data file contains any of the elements unique to the TEDS-D, which consists of data characterizing treatment episodes that was recorded at the time of discharge.

A full list of the variables that appear in this data set may be found in Appendix A of this codebook. Please note that none of the variables in this data set are weighted, nor are the frequencies for their values as listed in the Variable Descriptions and Frequencies section.

Universe

The universe for this public use file is TEDS admissions in calendar year 2019 that were received and processed through November 3, 2020.

Data Collection

For a complete, detailed description of how states are instructed to process and submit TEDS data, consult the [Combined Substance Abuse and Mental Health Treatment Episode Data Set \(TEDS\) State Instruction Manual](#) and the [Data Submission System \(DSS\) State User Manual](#) available from the SAMHSA website.

Confidentiality Protection

Several measures are taken to protect the confidentiality of the TEDS records. Variables that potentially identify an individual in their raw form undergo routine top- or bottom-coding in order to prevent high and low values from distinguishing a respondent's record. For example, *age* as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. For this reason, *age* is recoded into 11 categories for the public use file to reduce disclosure risk. The youngest category for age combines the ages of 12–14 years. Similarly, ages of 65 years and older were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Records identified are classified as subject to disclosure risk using a combination of between seven and eight socio-demographic variables.

In order to satisfy stringent confidentiality standards, data swapping is applied to the TEDS using an algorithm that matches, in the following order, for:

- records in a different state, but within the same Census region and division; or, if a match is not found;
- records outside the Census division; or, if still no match is found,
- records from outside the Census region.

If a parallel record is still not found, the combination of socio-demographic characteristics against which to match another record is reduced to between six and seven variables, and the process is repeated until a match is found and swap achieved.

Data swapping is implemented to de-identify records in TEDS. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

The statistical disclosure control (SDC) method employed for TEDS manages disclosure risk below a tolerable risk threshold while ensuring high-utility, high-quality statistical data.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests that states submit data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number and characteristics of clients in these facilities whose treatment is not publicly funded is unknown.

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance use treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds.

For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance use treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including federal block grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance users. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors, including the availability of public funds. In states with higher funding levels, a larger percentage of the substance-using population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of use reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of user subpopulations.
- Public funding constraints may direct states to selectively target special populations—pregnant women or adolescents, for example.
- Many states submit records that include multiple admissions for the same client. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state—and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level; several more are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between transfer admissions and initial admissions. Transfers are admissions of clients transferred for distinct services within an episode of treatment. Only initial admissions are included in the public use files.
- Some states have no opioid treatment programs (OTPs) that provide medication-assisted therapy using methadone, buprenorphine, or naltrexone. Consult the [TEDS state crosswalks](#) for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether a given drug was recorded as an admission's primary, secondary, or tertiary drug of use. These are called flag variables. Their names and labels reflect the drug in question: *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

Some variables in the TEDS reports are created by combining or recoding original variables submitted by states. A Technical Note is provided in Appendix C detailing how these variables are derived.

Formats Available for This Public Use File

The TEDS public use files are provided in SAS, SPSS, Stata, R, and ASCII comma-delimited formats.

State Exclusions

The following states did not report sufficient data and are excluded from the given years.

Year	States
2019	Oregon, Washington

VARIABLE DESCRIPTIONS AND FREQUENCIES

CASEID: Case identification number

Program generated case (record) identifier.

A frequency distribution of this variable is not shown; each case has a unique value generated for identification purposes.

Width: 11; Decimal: 0

Variable Type: numeric

ADMYR: Year of admission

Year of client's admission to substance use treatment.

Value	Label	Frequency	%
2019	2019	1,864,367	100%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 4; Decimal: 0

Variable Type: numeric

AGE: Age at admission

Calculated from date of birth and date of admission and categorized.

Value	Label	Frequency	%
1	12–14 years	11,631	0.6%
2	15–17 years	45,419	2.4%
3	18–20 years	52,332	2.8%
4	21–24 years	140,585	7.5%
5	25–29 years	305,083	16.4%
6	30–34 years	319,724	17.1%
7	35–39 years	268,047	14.4%
8	40–44 years	189,110	10.1%
9	45–49 years	160,683	8.6%
10	50–54 years	154,447	8.3%
11	55–64 years	187,405	10.1%
12	65 years and older	29,901	1.6%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

GENDER: Gender

This field identifies the client's biological sex.

Value	Label	Frequency	%
1	Male	1,207,046	64.7%
2	Female	655,513	35.2%
-9	Missing/unknown/not collected/invalid	1,808	0.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

RACE: Race

This field identifies the client's race:

- **Alaska Native (Aleut, Eskimo):** A person having origins in any of the original people of Alaska. This category may be reported if available.
- **American Indian or Alaska Native:** A person having origins in any of the original people of North America and South America (including Central America and the original peoples of Alaska) and who maintains tribal affiliation or community attachment. States collecting Alaska Native should use this category for all other American Indians.
- **Asian or Pacific Islander:** A person having origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands. This category may be used only if a state does not collect Asian and Native Hawaiian or Other Pacific Islander separately.
- **Black or African American:** A person having origins in any of the black racial groups of Africa.
- **White:** A person having origins in any of the original people of Europe, the Middle East, or North Africa.
- **Asian:** A person having origins in any of the original people of the Far East, Southeast Asia, or the Indian subcontinent, including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.
- **Other single race:** Use this category for instances in which the client is not identified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories.
- **Two or more races:** Use this code when the state data system allows multiple race selection and more than one race is indicated.
- **Native Hawaiian or Other Pacific Islander:** A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the state does not distinguish between American Indian and Alaska Native, code both as 2, American Indian. States that can separate 'Asian' and 'Native Hawaiian or Other Pacific Islander' should use codes 6 and 9 for those categories. States that cannot make the separation should use the combined code 3 until the separation becomes possible. Once a state begins using codes 6 and 9, code 3 should no longer be used by that state. States are asked to convert to the new categories when possible.

Value	Label	Frequency	%
1	Alaska Native (Aleut, Eskimo, Indian)	3,441	0.2%
2	American Indian (other than Alaska Native)	48,947	2.6%
3	Asian or Pacific Islander	292	0.0%
4	Black or African American	357,433	19.2%
5	White	1,183,769	63.5%
6	Asian	11,028	0.6%
7	Other single race	137,619	7.4%
8	Two or more races	35,807	1.9%
9	Native Hawaiian or Other Pacific Islander	6,684	0.4%
-9	Missing/unknown/not collected/invalid	79,347	4.3%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

ETHNIC: Ethnicity

This field identifies client's specific Hispanic or Latino origin, if applicable.

- Puerto Rican: Of Puerto Rican origin regardless of race.
- Mexican: Of Mexican origin regardless of race.
- Cuban: Of Cuban origin regardless of race.
- Other specific Hispanic or Latino: Of known Central or South American or any other Spanish culture or origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- Not of Hispanic or Latino origin
- Hispanic, specific origin not specified: Of Hispanic or Latino origin, but origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, this field is coded as 5 - Hispanic or Latino, specific origin not specified.

Value	Label	Frequency	%
1	Puerto Rican	65,228	3.5%
2	Mexican	74,657	4.0%
3	Cuban or other specific Hispanic	59,502	3.2%
4	Not of Hispanic or Latino origin	1,524,804	81.8%
5	Hispanic or Latino, specific origin not specified	58,924	3.2%
-9	Missing/unknown/not collected/invalid	81,252	4.4%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

MARSTAT: Marital status

This field describes the client's marital status. The following categories are compatible with categories used in the U.S. Census.

- Never married: Includes clients who are single or whose only marriage was annulled.
- Now married: Includes married couples, those living together as married, living with partners, or cohabiting.
- Separated: Includes those legally separated or otherwise absent from spouse because of marital discord.
- Divorced, widowed

Value	Label	Frequency	%
1	Never married	976,568	52.4%
2	Now married	181,617	9.7%
3	Separated	81,348	4.4%
4	Divorced, widowed	207,988	11.2%
-9	Missing/unknown/not collected/invalid	416,846	22.4%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

EDUC: Education

This field specifies a) the highest school grade completed for adults or children not attending school or b) current school grade for school-age children (3-17 years old) attending school.

Guidelines: States that use specific categories for designating education level should map their categories to a logical number of years of school completed. The mapping should be recorded in the state crosswalk. For example, a state category of 'associate's degree' would be mapped to 4; 'bachelor's degree' would be mapped to 5, etc.

Value	Label	Frequency	%
1	Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	99,530	5.3%
2	Grades 9 to 11	348,328	18.7%
3	Grade 12 (or GED)	801,029	43.0%
4	1-3 years of college, university, or vocational school	304,637	16.3%
5	4 years of college, university, BA/BS, some postgraduate study, or more	110,766	5.9%
-9	Missing/unknown/not collected/invalid	200,077	10.7%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

EMPLOY: Employment status

This field identifies the client's employment status.

- Full-time: Working 35 hours or more each week, including active duty members of the uniformed services.
- Part-time: Working fewer than 35 hours each week.
- Unemployed: Looking for work during the past 30 days or on layoff from a job.
- Not in labor force: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in Detailed Not in Labor Force.

Guidelines: Seasonal workers are coded in this category based on their employment status at the time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in the labor force at the time of admission, they are coded 04.

Value	Label	Frequency	%
1	Full-time	317,806	17.0%
2	Part-time	121,069	6.5%
3	Unemployed	625,285	33.5%
4	Not in labor force	629,930	33.8%
-9	Missing/unknown/not collected/invalid	170,277	9.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

DETNFLF: Detailed not in labor force

Provides more detailed information about those clients who are coded as '04 Not in labor force' in Employment Status.

Resident of institution: Persons receiving services from institutional facilities such as hospitals, jails, prisons, long-term residential care, etc.

Value	Label	Frequency	%
1	Homemaker	11,851	0.6%
2	Student	46,447	2.5%
3	Retired, disabled	125,701	6.7%
4	Resident of institution	30,738	1.6%
5	Other	334,562	17.9%
-9	Missing/unknown/not collected/invalid	1,315,068	70.5%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

PREG: Pregnant at admission

This field indicates whether a female client was pregnant at the time of admission.

Guidelines: All male clients were recoded to missing for this variable due to the item being not applicable.

Value	Label	Frequency	%
1	Yes	19,908	1.1%
2	No	597,729	32.1%
-9	Missing/unknown/not collected/invalid	1,246,730	66.9%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

VET: Veteran status

This field indicates whether the client has served in the uniformed services (Army, Navy, Air Force, Marine Corps, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc.).

Guidelines: A veteran is a person 16 years or older who has served (even for a short time), but is not currently serving, on active duty in the U.S. Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the U.S. Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4–6 months for initial training or yearly summer camps.

Value	Label	Frequency	%
1	Yes	56,604	3.0%
2	No	1,596,126	85.6%
-9	Missing/unknown/not collected/invalid	211,637	11.4%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

LIVARAG: Living arrangements

Identifies whether the client is homeless, a dependent (living with parents or in a supervised setting) or living independently on his or her own.

- Homeless: Clients with no fixed address; includes homeless shelters.
- Dependent living: Clients living in a supervised setting such as a residential institution, halfway house, or group home, and children (under age 18) living with parents, relatives, or guardians or (substance use clients only) in foster care.
- Independent living: Clients living alone or with others in a private residence and capable of self-care. Includes adult children (age 18 and over) living with parents and adolescents living independently. Also, includes clients who live independently with case management or supported housing support.

Value	Label	Frequency	%
1	Homeless	288,068	15.5%
2	Dependent living	314,628	16.9%
3	Independent living	1,054,524	56.6%
-9	Missing/unknown/not collected/invalid	207,147	11.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

PRIMINC: Source of income/support

This field identifies the client's principal source of financial support. For children younger than 18 years old, report the primary parental source of income/support.

Value	Label	Frequency	%
1	Wages/salary	365,304	19.6%
2	Public assistance	99,541	5.3%
3	Retirement/pension, disability	91,529	4.9%
4	Other	199,288	10.7%
5	None	428,122	23.0%
-9	Missing/unknown/not collected/invalid	680,583	36.5%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

ARRESTS: Arrests in past 30 days

Indicates the number of arrests in the 30 days prior to the reference date (i.e., date of admission or date of discharge). This field is intended to capture the number of times the client was arrested (not the number of charges) for any cause during the reference period. Any formal arrest should be counted, regardless of whether incarceration or conviction resulted.

Guidelines: This field is intended to capture the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of proceedings incident to the arrest at the time of admission.

Value	Label	Frequency	%
0	None	1,513,350	81.2%
1	Once	119,848	6.4%
2	Two or more times	22,336	1.2%
-9	Missing/unknown/not collected/invalid	208,833	11.2%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

STFIPS: Census state FIPS code

State FIPS codes consistent with those used by the U.S. Census Bureau.

Value	Label	Frequency	%
1	Alabama	17,549	0.9%
2	Alaska	6,606	0.4%
4	Arizona	136,542	7.3%
5	Arkansas	13,719	0.7%
6	California	146,499	7.9%
8	Colorado	80,875	4.3%
9	Connecticut	64,828	3.5%
10	Delaware	15,981	0.9%
11	District of Columbia	5,343	0.3%
12	Florida	60,292	3.2%
13	Georgia	36,833	2.0%
15	Hawaii	2,484	0.1%
16	Idaho	690	0.0%
17	Illinois	48,705	2.6%
18	Indiana	28,882	1.5%
19	Iowa	28,085	1.5%
20	Kansas	10,043	0.5%
21	Kentucky	21,997	1.2%
22	Louisiana	12,152	0.7%
23	Maine	8,247	0.4%
24	Maryland	118,748	6.4%
25	Massachusetts	81,837	4.4%
26	Michigan	77,710	4.2%
27	Minnesota	62,650	3.4%
28	Mississippi	6,489	0.3%
29	Missouri	34,597	1.9%
30	Montana	1,267	0.1%
31	Nebraska	12,180	0.7%
32	Nevada	11,965	0.6%
33	New Hampshire	2,271	0.1%
34	New Jersey	97,870	5.2%

STFIPS: Census state FIPS code

Value	Label	Frequency	%
35	New Mexico	11,392	0.6%
36	New York	270,312	14.5%
37	North Carolina	54,830	2.9%
38	North Dakota	2,053	0.1%
39	Ohio	25,483	1.4%
40	Oklahoma	14,485	0.8%
42	Pennsylvania	29,788	1.6%
44	Rhode Island	12,453	0.7%
45	South Carolina	29,293	1.6%
46	South Dakota	16,346	0.9%
47	Tennessee	20,044	1.1%
48	Texas	38,085	2.0%
49	Utah	16,100	0.9%
50	Vermont	8,570	0.5%
51	Virginia	25,833	1.4%
54	West Virginia	2,145	0.1%
55	Wisconsin	24,861	1.3%
56	Wyoming	5,265	0.3%
72	Puerto Rico	3,093	0.2%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

CBSA2010: CBSA 2010 code

The term 'Core Based Statistical Area' (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by federal statistical agencies in collecting, tabulating, and publishing federal statistics. A metro area contains a core urban area with a population of at least 50,000, and a micro area contains an urban core with a population of at least 10,000 but less than 50,000. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

Frequencies for this variable are not displayed in the codebook. To view the response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, STATA, R, ASCII).

Width: 5; Decimal: 0

Variable Type: numeric

REGION: Census region

Geographic regions used are based on divisions used by the U.S. Census Bureau, with the addition of U.S. territories, which are not included in any Census region:

- U.S. territories: Puerto Rico
- Northeast: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- Midwest: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- South: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia), East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- West: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Frequency	%
0	U.S. territories	3,093	0.2%
1	Northeast	576,176	30.9%
2	Midwest	371,595	19.9%
3	South	493,818	26.5%
4	West	419,685	22.5%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

DIVISION: Census division

Census divisions are groupings of states that are subdivisions of the four Census regions. There are nine divisions, which the U.S. Census Bureau adopted in 1910 for the presentation of data. U.S. territories are not included in any Census region or division. The divisions and the states included in them are:

- U.S. territories: Puerto Rico
- New England: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- Middle Atlantic: New Jersey, New York, and Pennsylvania.
- East North Central: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- West North Central: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- South Atlantic: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- East South Central: Alabama, Kentucky, Mississippi, and Tennessee.
- West South Central: Arkansas, Louisiana, Oklahoma, and Texas.
- Mountain: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- Pacific: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Frequency	%
0	U.S. territories	3,093	0.2%
1	New England	178,206	9.6%
2	Middle Atlantic	397,970	21.3%
3	East North Central	205,641	11.0%
4	West North Central	165,954	8.9%
5	South Atlantic	349,298	18.7%
6	East South Central	66,079	3.5%
7	West South Central	78,441	4.2%
8	Mountain	264,096	14.2%
9	Pacific	155,589	8.3%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

SERVICES: Type of treatment service/setting

This field describes the type of treatment service or treatment setting in which the client is placed at the time of admission or transfer.

- Detoxification, 24-hour service, hospital inpatient:

24 hours per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- Detoxification, 24-hour service, free-standing residential:

24 hours per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- Rehabilitation/Residential – hospital (other than detoxification):

24 hours per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug use and dependency.

- Rehabilitation/Residential – short term (30 days or fewer):

Typically, 30 days or fewer of non-acute care in a setting with treatment services for alcohol and other drug use and dependency.

- Rehabilitation/Residential – long term (more than 30 days):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug use and dependency; may include transitional living arrangements such as halfway houses.

- Ambulatory - intensive outpatient:

At a minimum, treatment lasting two or more hours per day for 3 or more days per week.

- Ambulatory - non-intensive outpatient:

Ambulatory treatment services including individual, family and/or group services; may include pharmacological therapies.

- Ambulatory - detoxification:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

Value	Label	Frequency	%
1	Detox, 24-hour, hospital inpatient	45,986	2.5%
2	Detox, 24-hour, free-standing residential	278,755	15.0%
3	Rehab/residential, hospital (non-detox)	4,038	0.2%
4	Rehab/residential, short term (30 days or fewer)	196,335	10.5%
5	Rehab/residential, long term (more than 30 days)	131,938	7.1%
6	Ambulatory, intensive outpatient	228,122	12.2%
7	Ambulatory, non-intensive outpatient	964,550	51.7%
8	Ambulatory, detoxification	14,643	0.8%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

METHUSE: Medication-assisted opioid therapy

This field identifies whether the use of opioid medications such as methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

Value	Label	Frequency	%
1	Yes	255,288	13.7%
2	No	1,377,276	73.9%
-9	Missing/unknown/not collected/invalid	231,803	12.4%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

DAYWAIT: Days waiting to enter substance use treatment

Indicates the number of days from the first contact or request for a substance use treatment service until the client was admitted and the first clinical substance use treatment service was provided.

Guidelines: This field is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Value	Label	Frequency	%
0	0	705,788	37.9%
1	1–7	208,127	11.2%
2	8–14	40,413	2.2%
3	15–30	31,029	1.7%
4	31 or more	20,502	1.1%
-9	Missing/unknown/not collected/invalid	858,508	46.0%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

PSOURCE: Referral source

This field describes the person or agency referring the client to treatment:

- Individual (includes self-referral): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories; includes self-referral due to pending DWI/DUI.
- Alcohol/drug use care provider: Any program, clinic, or other health care provider whose principal objective is treating clients with substance use diagnosis, or a program whose activities are related to alcohol or other drug use prevention, education, or treatment.
- Other health care provider: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- School (educational): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- Employer/EAP: A supervisor or an employee counselor.
- Other community referral: Community or religious organization or any federal, state, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. This category also includes defense attorneys and self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA).
- Court/criminal justice referral/DUI/DWI: Any police official, judge, prosecutor, probation officer or other person affiliated with a federal, state, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pre-trial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Clients in this category are further defined in Detailed Criminal Justice Referral.

Value	Label	Frequency	%
1	Individual (includes self-referral)	760,951	40.8%
2	Alcohol/drug use care provider	171,394	9.2%
3	Other health care provider	116,847	6.3%
4	School (educational)	7,584	0.4%
5	Employer/EAP	9,531	0.5%
6	Other community referral	199,357	10.7%
7	Court/criminal justice referral/DUI/DWI	459,022	24.6%
-9	Missing/unknown/not collected/invalid	139,681	7.5%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

DETCRIM: Detailed criminal justice referral

This field provides more detailed information about those clients who are coded as '07 Criminal justice referral' in Referral Source.

- State/federal court
- Other court – Court other than state or federal court
- Probation/parole
- Other recognized legal entity: For example, local law enforcement agency, corrections agency, youth services, review board/agency.
- Diversionary program – For example, TASC
- Prison
- DUI/DWI
- Other

Guidelines: This field is to be used only if principal source of referral in the Minimum Data Set field is coded 07, 'criminal justice referral.' For all other principal source of referral codes (01 to 06 and missing), this field should be coded as missing.

Value	Label	Frequency	%
1	State/federal court	55,274	3.0%
2	Formal adjudication process	25,565	1.4%
3	Probation/parole	147,346	7.9%
4	Other recognized legal entity	24,308	1.3%
5	Diversionary program	14,821	0.8%
6	Prison	9,583	0.5%
7	DUI/DWI	33,297	1.8%
8	Other	43,760	2.3%
-9	Missing/unknown/not collected/invalid	1,510,413	81.0%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

NOPRIOR: Previous substance use treatment episodes

Indicates the number of previous treatment episodes the client has received in any substance use treatment program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: This field measures the substance use treatment history of the client only. This does not include or pertain to the client's mental health treatment history. It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data field may be derived from the state data system, if the system has that capability, and episodes can be counted for at least several years.

Value	Label	Frequency	%
0	No prior treatment episodes	701,293	37.6%
1	One prior treatment episode	302,860	16.2%
2	Two prior treatment episodes	201,667	10.8%
3	Three prior treatment episodes	128,296	6.9%
4	Four prior treatment episodes	81,583	4.4%
5	Five or more prior treatment episodes	276,492	14.8%
-9	Missing/unknown/not collected/invalid	172,176	9.2%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

SUB1: Substance use (primary)

This field identifies the client's primary substance use.

- (1) None
- (2) Alcohol
- (3) Cocaine/crack
- (4) Marijuana/hashish: Includes THC and any other cannabis sativa preparations.
- (5) Heroin
- (6) Non-prescription methadone
- (7) Other opiates and synthetics: Includes buprenorphine, butorphanol, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and other narcotic analgesics, opiates, or synthetics.
- (8) PCP: Phencyclidine
- (9) Hallucinogens: Includes LSD, DMT, mescaline, peyote, psilocybin, STP, and other hallucinogens.
- (10) Methamphetamine/speed
- (11) Other amphetamines: Includes amphetamines, MDMA, 'bath salts', phenmetrazine, and other amines and related drugs.
- (12) Other stimulants: Includes methylphenidate and any other stimulants.
- (13) Benzodiazepines: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) Other tranquilizers: Includes meprobamate, and other non-benzodiazepine tranquilizers.
- (15) Barbiturates: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) Other sedatives or hypnotics: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, and other non-barbiturate sedatives and hypnotics.
- (17) Inhalants: Includes aerosols; chloroform, ether, nitrous oxide and other anesthetics; gasoline; glue; nitrites; paint thinner and other solvents; and other inappropriately inhaled products.
- (18) Over-the-counter medications: Includes aspirin, dextromethorphan and other cough syrups, diphenhydramine and other anti-histamines, ephedrine, sleep aids, and any other legally obtained, non-prescription medication.
- (19) Other drugs: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, synthetic cannabinoid 'Spice', carisoprodol (Soma), and other drugs.

See next page for frequency table.

SUB1: Substance use (primary)

Value	Label	Frequency	%
1	None	32,317	1.7%
2	Alcohol	574,148	30.8%
3	Cocaine/crack	107,363	5.8%
4	Marijuana/hashish	208,843	11.2%
5	Heroin	438,288	23.5%
6	Non-prescription methadone	2,631	0.1%
7	Other opiates and synthetics	124,691	6.7%
8	PCP	5,049	0.3%
9	Hallucinogens	2,227	0.1%
10	Methamphetamine/speed	209,014	11.2%
11	Other amphetamines	10,810	0.6%
12	Other stimulants	2,651	0.1%
13	Benzodiazepines	17,597	0.9%
14	Other tranquilizers	132	0.0%
15	Barbiturates	930	0.0%
16	Other sedatives or hypnotics	1,883	0.1%
17	Inhalants	734	0.0%
18	Over-the-counter medications	716	0.0%
19	Other drugs	14,517	0.8%
-9	Missing/unknown/not collected/invalid	109,826	5.9%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

ROUTE1: Route of administration (primary)

This field identifies the usual route of administration of the corresponding substance identified in Substance Use (SUB1).

Value	Label	Frequency	%
1	Oral	688,092	36.9%
2	Smoking	426,546	22.9%
3	Inhalation	226,540	12.2%
4	Injection (intravenous, intramuscular, intradermal, or subcutaneous)	340,963	18.3%
5	Other	24,937	1.3%
-9	Missing/unknown/not collected/invalid	157,289	8.4%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

FREQ1: Frequency of use (primary)

Specifies the frequency of use of the corresponding substance identified in Substance Use (SUB1).

Value	Label	Frequency	%
1	No use in the past month	458,473	24.6%
2	Some use	489,366	26.2%
3	Daily use	746,578	40.0%
-9	Missing/unknown/not collected/invalid	169,950	9.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

FRSTUSE1: Age at first use (primary)

For alcohol use, this is the age of first intoxication. For substances other than alcohol, this field identifies the age at which the client first used the corresponding substance identified in Substance Use (SUB1).

Value	Label	Frequency	%
1	11 years and under	103,158	5.5%
2	12–14 years	305,996	16.4%
3	15–17 years	411,518	22.1%
4	18–20 years	307,076	16.5%
5	21–24 years	201,160	10.8%
6	25–29 years	150,268	8.1%
7	30 years and older	197,741	10.6%
-9	Missing/unknown/not collected/invalid	187,450	10.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

SUB2: Substance use (secondary)

This field identifies the client's secondary substance use.

- (1) None
- (2) Alcohol
- (3) Cocaine/crack
- (4) Marijuana/hashish: Includes THC and any other cannabis sativa preparations.
- (5) Heroin
- (6) Non-prescription methadone
- (7) Other opiates and synthetics: Includes buprenorphine, butorphanol, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and other narcotic analgesics, opiates, or synthetics.
- (8) PCP: Phencyclidine
- (9) Hallucinogens: Includes LSD, DMT, mescaline, peyote, psilocybin, STP, and other hallucinogens.
- (10) Methamphetamine/speed
- (11) Other amphetamines: Includes amphetamines, MDMA, 'bath salts', phenmetrazine, and other amines and related drugs.
- (12) Other stimulants: Includes methylphenidate and any other stimulants.
- (13) Benzodiazepines: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) Other tranquilizers: Includes meprobamate, and other non-benzodiazepine tranquilizers.
- (15) Barbiturates: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) Other sedatives or hypnotics: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, and other non-barbiturate sedatives and hypnotics.
- (17) Inhalants: Includes aerosols; chloroform, ether, nitrous oxide and other anesthetics; gasoline; glue; nitrites; paint thinner and other solvents; and other inappropriately inhaled products.
- (18) Over-the-counter medications: Includes aspirin, dextromethorphan and other cough syrups, diphenhydramine and other anti-histamines, ephedrine, sleep aids, and any other legally obtained, non-prescription medication.
- (19) Other drugs: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, synthetic cannabinoid 'Spice', carisoprodol (Soma), and other drugs.

See next page for frequency table.

SUB2: Substance use (secondary)

Value	Label	Frequency	%
1	None	816,117	43.8%
2	Alcohol	153,751	8.2%
3	Cocaine/crack	200,066	10.7%
4	Marijuana/hashish	237,086	12.7%
5	Heroin	67,777	3.6%
6	Non-prescription methadone	2,355	0.1%
7	Other opiates and synthetics	57,776	3.1%
8	PCP	3,264	0.2%
9	Hallucinogens	3,466	0.2%
10	Methamphetamine/speed	108,704	5.8%
11	Other amphetamines	8,955	0.5%
12	Other stimulants	5,115	0.3%
13	Benzodiazepines	46,628	2.5%
14	Other tranquilizers	298	0.0%
15	Barbiturates	535	0.0%
16	Other sedatives or hypnotics	3,324	0.2%
17	Inhalants	705	0.0%
18	Over-the-counter medications	1,071	0.1%
19	Other drugs	24,012	1.3%
-9	Missing/unknown/not collected/invalid	123,362	6.6%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

ROUTE2: Route of administration (secondary)

This field identifies the usual route of administration of the corresponding substance identified in Substance Use (SUB2).

Value	Label	Frequency	%
1	Oral	259,541	13.9%
2	Smoking	417,785	22.4%
3	Inhalation	121,829	6.5%
4	Injection (intravenous, intramuscular, intradermal, or subcutaneous)	112,370	6.0%
5	Other	6,854	0.4%
-9	Missing/unknown/not collected/invalid	945,988	50.7%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

FREQ2: Frequency of use (secondary)

Specifies the frequency of use of the corresponding substance identified in Substance Use (SUB2).

Value	Label	Frequency	%
1	No use in the past month	300,505	16.1%
2	Some use	311,069	16.7%
3	Daily use	307,748	16.5%
-9	Missing/unknown/not collected/invalid	945,045	50.7%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

FRSTUSE2: Age at first use (secondary)

For alcohol use, this is the age of first intoxication. For substances other than alcohol, this field identifies the age at which the client first used the corresponding substance identified in Substance Use (SUB2).

Value	Label	Frequency	%
1	11 years and under	54,933	2.9%
2	12–14 years	174,016	9.3%
3	15–17 years	224,097	12.0%
4	18–20 years	155,080	8.3%
5	21–24 years	96,129	5.2%
6	25–29 years	78,850	4.2%
7	30 years and older	104,220	5.6%
-9	Missing/unknown/not collected/invalid	977,042	52.4%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

SUB3: Substance use (tertiary)

This field identifies the client's tertiary substance use.

- (1) None
- (2) Alcohol
- (3) Cocaine/crack
- (4) Marijuana/hashish: Includes THC and any other cannabis sativa preparations.
- (5) Heroin
- (6) Non-prescription methadone
- (7) Other opiates and synthetics: Includes buprenorphine, butorphanol, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and other narcotic analgesics, opiates, or synthetics.
- (8) PCP: Phencyclidine
- (9) Hallucinogens: Includes LSD, DMT, mescaline, peyote, psilocybin, STP, and other hallucinogens.
- (10) Methamphetamine/speed
- (11) Other amphetamines: Includes amphetamines, MDMA, 'bath salts', phenmetrazine, and other amines and related drugs.
- (12) Other stimulants: Includes methylphenidate and any other stimulants.
- (13) Benzodiazepines: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) Other tranquilizers: Includes meprobamate, and other non-benzodiazepine tranquilizers.
- (15) Barbiturates: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) Other sedatives or hypnotics: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, and other non-barbiturate sedatives and hypnotics.
- (17) Inhalants: Includes aerosols; chloroform, ether, nitrous oxide and other anesthetics; gasoline; glue; nitrites; paint thinner and other solvents; and other inappropriately inhaled products.
- (18) Over-the-counter medications: Includes aspirin, dextromethorphan and other cough syrups, diphenhydramine and other anti-histamines, ephedrine, sleep aids, and any other legally obtained, non-prescription medication.
- (19) Other drugs: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, synthetic cannabinoid 'Spice', carisoprodol (Soma), and other drugs.

See next page for frequency table.

SUB3: Substance use (tertiary)

Value	Label	Frequency	%
1	None	1,291,643	69.3%
2	Alcohol	60,568	3.2%
3	Cocaine/crack	57,653	3.1%
4	Marijuana/hashish	97,637	5.2%
5	Heroin	18,011	1.0%
6	Non-prescription methadone	1,277	0.1%
7	Other opiates and synthetics	22,881	1.2%
8	PCP	1,805	0.1%
9	Hallucinogens	3,772	0.2%
10	Methamphetamine/speed	24,058	1.3%
11	Other amphetamines	5,722	0.3%
12	Other stimulants	3,888	0.2%
13	Benzodiazepines	27,461	1.5%
14	Other tranquilizers	137	0.0%
15	Barbiturates	325	0.0%
16	Other sedatives or hypnotics	1,985	0.1%
17	Inhalants	439	0.0%
18	Over-the-counter medications	735	0.0%
19	Other drugs	18,804	1.0%
-9	Missing/unknown/not collected/invalid	225,566	12.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

ROUTE3: Route of administration (tertiary)

This field identifies the usual route of administration of the corresponding substance identified in Substance Use (SUB3).

Value	Label	Frequency	%
1	Oral	118,381	6.3%
2	Smoking	153,288	8.2%
3	Inhalation	46,887	2.5%
4	Injection (intravenous, intramuscular, intradermal, or subcutaneous)	29,299	1.6%
5	Other	2,963	0.2%
-9	Missing/unknown/not collected/invalid	1,513,549	81.2%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

FREQ3: Frequency of use (tertiary)

Specifies the frequency of use of the corresponding substance identified in Substance Use (SUB3).

Value	Label	Frequency	%
1	No use in the past month	134,012	7.2%
2	Some use	113,112	6.1%
3	Daily use	106,958	5.7%
-9	Missing/unknown/not collected/invalid	1,510,285	81.0%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

FRSTUSE3: Age at first use (tertiary)

For alcohol use, this is the age of first intoxication. For substances other than alcohol, this field identifies the age at which the client first used the corresponding substance identified in Substance Use (SUB3).

Value	Label	Frequency	%
1	11 years and under	25,672	1.4%
2	12–14 years	78,412	4.2%
3	15–17 years	89,675	4.8%
4	18–20 years	55,526	3.0%
5	21–24 years	31,317	1.7%
6	25–29 years	25,739	1.4%
7	30 years and older	35,901	1.9%
-9	Missing/unknown/not collected/invalid	1,522,125	81.6%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

IDU: Current IV drug use reported at admission

Flag records if at least one valid primary, secondary, or tertiary substance was reported and if injection was reported among the corresponding primary, secondary, or tertiary substances' route of administration.

Value	Label	Frequency	%
0	IDU not reported	1,332,559	71.5%
1	IDU reported	389,685	20.9%
-9	No substances reported	142,123	7.6%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

ALCFLG: Alcohol reported at admission

Flag records if alcohol was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,075,900	57.7%
1	Substance reported	788,467	42.3%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

COKEFLG: Cocaine/crack reported at admission

Flag records if cocaine or crack was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,499,285	80.4%
1	Substance reported	365,082	19.6%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

MARFLG: Marijuana/hashish reported at admission

Flag records if marijuana or hashish were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,320,801	70.8%
1	Substance reported	543,566	29.2%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

HERFLG: Heroin reported at admission

Flag records if heroin was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,340,291	71.9%
1	Substance reported	524,076	28.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

METHFLG: Non-rx methadone reported at admission

Flag records if non-prescription methadone was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,858,104	99.7%
1	Substance reported	6,263	0.3%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

OPSYNFLAG: Other opiates/synthetics reported at admission

Flag records if other opiates or synthetics were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,659,019	89.0%
1	Substance reported	205,348	11.0%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

PCPFLG: PCP reported at admission

Flag records if PCP was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,854,249	99.5%
1	Substance reported	10,118	0.5%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

HALLFLG: Hallucinogens reported at admission

Flag records if hallucinogens were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,854,902	99.5%
1	Substance reported	9,465	0.5%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

MTHAMFLG: Methamphetamine/speed reported at admission

Flag records if methamphetamine/speed was reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,522,591	81.7%
1	Substance reported	341,776	18.3%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

AMPHFLG: Other amphetamines reported at admission

Flag records if other amphetamines were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,838,880	98.6%
1	Substance reported	25,487	1.4%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

STIMFLG: Other stimulants reported at admission

Flag records if other stimulants were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,852,713	99.4%
1	Substance reported	11,654	0.6%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

BENZFLG: Benzodiazepines reported at admission

Flag records if benzodiazepines were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,772,681	95.1%
1	Substance reported	91,686	4.9%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

TRNQFLG: Other tranquilizers reported at admission

Flag records if other tranquilizers were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,863,800	100%
1	Substance reported	567	0.0%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

BARBFLG: Barbiturates reported at admission

Flag records if barbiturates were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,862,577	99.9%
1	Substance reported	1,790	0.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

SEDHPFLG: Other sedatives/hypnotics reported at admission

Flag records if other sedatives or hypnotics were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,857,175	99.6%
1	Substance reported	7,192	0.4%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

INHFLG: Inhalants reported at admission

Flag records if inhalants were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,862,489	99.9%
1	Substance reported	1,878	0.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

OTCFLG: Over-the-counter medication reported at admission

Flag records if over-the-counter medications were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,861,845	99.9%
1	Substance reported	2,522	0.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

OTHERFLG: Other drug reported at admission

Flag records if other substances were reported as the primary, secondary, or tertiary substance at the time of admission.

Value	Label	Frequency	%
0	Substance not reported	1,807,034	96.9%
1	Substance reported	57,333	3.1%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

ALCDRUG: Substance use type

Classifies client's substance use type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances reported at the time of admission to treatment.

Value	Label	Frequency	%
0	None	142,143	7.6%
1	Alcohol only	321,789	17.3%
2	Other drugs only	933,763	50.1%
3	Alcohol and other drugs	466,672	25.0%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 1; Decimal: 0

Variable Type: numeric

DSMCRIT: DSM diagnosis (SuDS 4 or SuDS 19)

Client's diagnosis is used to identify the substance use problem that provides the reason for client encounter or treatment. This can be reported by using either the Diagnostic and Statistical Manual of Mental Disorders (DSM) from the American Psychiatric Association or the International Classification of Diseases (ICD), from the World Health Organization.

The discrete diagnosis codes have been recoded into categories related to use of and dependence on specific substances, mental health conditions, and other conditions. Diagnoses reported by states using either standard classification of mental disorders have been combined.

Value	Label	Frequency	%
1	Alcohol-induced disorder	11,764	0.6%
2	Substance-induced disorder	41,852	2.2%
3	Alcohol intoxication	38,198	2.0%
4	Alcohol dependence	300,592	16.1%
5	Opioid dependence	403,264	21.6%
6	Cocaine dependence	58,275	3.1%
7	Cannabis dependence	91,223	4.9%
8	Other substance dependence	132,088	7.1%
9	Alcohol abuse	60,985	3.3%
10	Cannabis abuse	47,321	2.5%
11	Other substance abuse	25,317	1.4%
12	Opioid abuse	20,590	1.1%
13	Cocaine abuse	9,214	0.5%
14	Anxiety disorders	1,908	0.1%
15	Depressive disorders	4,193	0.2%
16	Schizophrenia/other psychotic disorders	1,374	0.1%
17	Bipolar disorders	2,152	0.1%
18	Attention deficit/disruptive behavior disorders	309	0.0%
19	Other mental health condition	133,483	7.2%
-9	Missing/unknown/not collected/invalid/no or deferred diagnosis	480,265	25.8%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

PSYPROB: Co-occurring mental and substance use disorders

Indicates whether the client has co-occurring mental and substance use disorders.

Value	Label	Frequency	%
1	Yes	646,439	34.7%
2	No	931,741	50.0%
-9	Missing/unknown/not collected/invalid	286,187	15.4%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

HLTHINS: Health insurance

This field specifies the client's health insurance at admission. The insurance may or may not cover behavioral health treatment. Reporting of this field is optional for both substance use and mental health clients. States are encouraged to report data for all categories in the list of valid entries, but reporting a subset of the categories is acceptable. Health insurance should be reported, if collected, whether or not it covers behavioral health treatment.

Value	Label	Frequency	%
1	Private insurance, Blue Cross/Blue Shield, HMO	76,289	4.1%
2	Medicaid	547,609	29.4%
3	Medicare, other (e.g. TRICARE, CHAMPUS)	81,733	4.4%
4	None	291,299	15.6%
-9	Missing/unknown/not collected/invalid	867,437	46.5%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

PRIMPAY: Payment source, primary (expected or actual)

This field identifies the primary source of payment for this treatment episode anticipated at the time of admission.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the state can select either source. Reporting of this field is optional for both substance use and mental health treatment clients. States are encouraged to report data for all categories in the list of valid entries, but reporting a subset of the categories is acceptable.

Value	Label	Frequency	%
1	Self-pay	55,919	3.0%
2	Private insurance (Blue Cross/Blue Shield, other health insurance, workers compensation)	47,144	2.5%
3	Medicare	21,516	1.2%
4	Medicaid	473,365	25.4%
5	Other government payments	198,670	10.7%
6	No charge (free, charity, special research, teaching)	20,286	1.1%
7	Other	48,802	2.6%
-9	Missing/unknown/not collected/invalid	998,665	53.6%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

FREQ_ATND_SELF_HELP: Attendance at substance use self-help groups in past 30 days

This field indicates the frequency of attendance at a substance use self-help group in the 30 days prior to the reference date (the date of admission or date of discharge). It includes attendance at Alcoholics Anonymous (AA), Narcotics Anonymous (NA), and other self-help/mutual support groups focused on recovery from substance use and dependence.

Guidelines: For admission records, the reference period is the 30 days prior to admission. The category '5: Some attendance' only applies if it is known that the client attended a self-help program during the reference period, but there is insufficient information to assign a specific frequency.

Value	Label	Frequency	%
1	No attendance	1,108,588	59.5%
2	1–3 times in the past month	115,177	6.2%
3	4–7 times in the past month	68,748	3.7%
4	8–30 times in the past month	138,166	7.4%
5	Some attendance, frequency is unknown	85,329	4.6%
-9	Missing/unknown/not collected/invalid	348,359	18.7%
	<i>Total</i>	<i>1,864,367</i>	<i>100%</i>

Width: 2; Decimal: 0

Variable Type: numeric

APPENDICES

Appendix A.
TEDS-A Variable Information (Alphabetical Order)

<i>Variable</i>	<i>Source</i>	<i>Type</i>	<i>Length</i>	<i>Label</i>
ADMYR	Computed variable	Numeric	8	Year of admission
AGE	Minimum data set	Numeric	8	Age at admission
ALCDRUG	Computed variable	Numeric	8	Substance use type
ALCFLG	Computed variable	Numeric	8	Alcohol reported at admission
AMPHFLG	Computed variable	Numeric	8	Other amphetamines reported at admission
ARRESTS	Supplemental data set	Numeric	8	Arrests in past 30 days
BARBFLG	Computed variable	Numeric	8	Barbiturates reported at admission
BENZFLG	Computed variable	Numeric	8	Benzodiazepines reported at admission
CASEID	Computed variable	Numeric	8	Case identification number
CBSA2010	Computed variable	Numeric	8	CBSA 2010 code
COKEFLG	Computed variable	Numeric	8	Cocaine/crack reported at admission
DAYWAIT	Supplemental data set	Numeric	8	Days waiting to enter substance use treatment
DETCRIM	Supplemental data set	Numeric	8	Detailed criminal justice referral
DETNLF	Supplemental data set	Numeric	8	Detailed not in labor force
DIVISION	Computed variable	Numeric	8	Census division
DSMCRIT	Supplemental data set	Numeric	8	DSM diagnosis (SuDS 4 or SuDS 19)
EDUC	Minimum data set	Numeric	8	Education
EMPLOY	Minimum data set	Numeric	8	Employment status
ETHNIC	Minimum data set	Numeric	8	Ethnicity
FREQ1	Minimum data set	Numeric	8	Frequency of use (primary)
FREQ2	Minimum data set	Numeric	8	Frequency of use (secondary)
FREQ3	Minimum data set	Numeric	8	Frequency of use (tertiary)
FREQ_ATND_ SELF_HELP	Supplemental data set	Numeric	8	Attendance at substance use self-help groups in past 30 days
FRSTUSE1	Minimum data set	Numeric	8	Age at first use (primary)
FRSTUSE2	Minimum data set	Numeric	8	Age at first use (secondary)
FRSTUSE3	Minimum data set	Numeric	8	Age at first use (tertiary)
GENDER	Minimum data set	Numeric	8	Gender
HALLFLG	Computed variable	Numeric	8	Hallucinogens reported at admission
HERFLG	Computed variable	Numeric	8	Heroin reported at admission
HLTHINS	Supplemental data set	Numeric	8	Health insurance
IDU	Computed variable	Numeric	8	Current IV drug use reported at admission
INHFLG	Computed variable	Numeric	8	Inhalants reported at admission
LIVARAG	Supplemental data set	Numeric	8	Living arrangements
MARFLG	Computed variable	Numeric	8	Marijuana/hashish reported at admission
MARSTAT	Supplemental data set	Numeric	8	Marital status
METHFLG	Computed variable	Numeric	8	Non-rx methadone reported at admission
METHUSE	Minimum data set	Numeric	8	Medication-assisted opioid therapy
MTHAMFLG	Computed variable	Numeric	8	Methamphetamine reported at admission
NOPRIOR	Minimum data set	Numeric	8	Previous substance use treatment episodes
OPSYNFLG	Computed variable	Numeric	8	Other opiates/synthetics reported at admission
OTCFLG	Computed variable	Numeric	8	Over-the-counter medication reported at admission

Continued on next page

Appendix A.
TEDS-A Variable Information (continued)

<i>Variable</i>	<i>Source</i>	<i>Type</i>	<i>Length</i>	<i>Label</i>
OTHERFLG	Computed variable	Numeric	8	Other drug reported at admission
PCPFLG	Computed variable	Numeric	8	PCP reported at admission
PREG	Supplemental data set	Numeric	8	Pregnant at admission
PRIMINC	Supplemental data set	Numeric	8	Source of income/support
PRIMPAY	Supplemental data set	Numeric	8	Payment source, primary (expected or actual)
PSOURCE	Minimum data set	Numeric	8	Referral source
PSYPROB	Supplemental data set	Numeric	8	Co-occurring mental and substance use disorders
RACE	Minimum data set	Numeric	8	Race
REGION	Computed variable	Numeric	8	Census region
ROUTE1	Minimum data set	Numeric	8	Route of administration (primary)
ROUTE2	Minimum data set	Numeric	8	Route of administration (secondary)
ROUTE3	Minimum data set	Numeric	8	Route of administration (tertiary)
SEDHPFLG	Computed variable	Numeric	8	Other sedatives/hypnotics reported at admission
SERVICES	Minimum data set	Numeric	8	Type of treatment service/setting
STFIPS	Computed variable	Numeric	8	Census state FIPS code
STIMFLG	Computed variable	Numeric	8	Other stimulants reported at admission
SUB1	Minimum data set	Numeric	8	Substance use (primary)
SUB2	Minimum data set	Numeric	8	Substance use (secondary)
SUB3	Minimum data set	Numeric	8	Substance use (tertiary)
TRNQFLG	Computed variable	Numeric	8	Other tranquilizers reported at admission
VET	Supplemental data set	Numeric	8	Veteran status

Appendix B. Variable Recode Table

<i>Variable</i>	<i>Original codes</i>	<i>Recodes</i>
AGE Age at admission	Continuous (0–95)	1 12–14 years 2 15–17 years 3 18–20 years 4 21–24 years 5 25–29 years 6 30–34 years 7 35–39 years 8 40–44 years 9 45–49 years 10 50–54 years 11 55–64 years 12 65–95 years
ARRESTS Number of arrests in the 30 days prior to admission	Continuous (0–96)	0 None 1 Once 2 Two or more times
ETHNIC Hispanic or Latino origin (ethnicity)	1 Puerto Rico 2 Mexican 3 Cuban 4 Other specific Hispanic 5 Not of Hispanic origin 6 Hispanic, specific origin not specified	1 Puerto Rico 2 Mexican 3 Cuban, other specific Hispanic 4 Not of Hispanic origin 5 Hispanic, specific origin not specified
MARSTAT Marital status	1 Never married 2 Now married 3 Separated 4 Divorced 5 Widowed	1 Never married 2 Now married 3 Separated 4 Divorced, widowed
EDUC Education	Continuous (0–25) 70 Graduate or professional school 71 Vocational school 72 Nursery school, pre-school 73 Kindergarten	1 Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8 2 Grades 9 to 11 3 Grade 12 (or GED) 4 1-3 years of college, university, or vocational school 5 4 years of college, university, BA/BS, some postgraduate study, or more
DETNLF Detailed 'not in labor' force category at admission	1 Homemaker 2 Student 3 Retired 4 Disabled 5 Resident of institution 6 Other	1 Homemaker 2 Student 3 Retired, disabled 4 Resident of institution 5 Other
PRIMINC Source of income/support	1 Wages/salary 2 Public assistance 3 Retirement/pension 4 Disability 20 Other 21 None	1 Wages/salary 2 Public assistance 3 Retirement/pension, disability 4 Other 5 None
CBSA2010 Metropolitan or micropolitan statistical area	Census CBSA geographic codes	Codes for "undesignated area" and "missing data" combined into a single value. When either PMSA or CBSA describes a population of less than 100,000, or when one of the codes falls into the combined missing category, records are recoded as: "Undesignated area/missing/unknown/not collected/invalid"

Continued on next page

Appendix B. Variable Recode Table (continued)

<i>Variable</i>	<i>Original codes</i>	<i>Recodes</i>
DAYWAIT Number of days waiting to enter treatment	Continuous (0–996)	0 None 1 1–7 days 2 8–14 days 3 15–30 days 4 31 days and more
HLTHINS Health insurance at admission	1 Private insurance (other than BC/BS or HMO) 2 Blue Cross/Blue Shield (BC/BS) 3 Medicare 4 Medicaid 6 Health maintenance organization (HMO) 20 Other (e.g. TRICARE, CHAMPUS) 21 None	1 Private insurance, Blue Cross/Blue Shield, HMO 2 Medicaid 3 Medicare/other (e.g. TRICARE, CHAMPUS) 4 None
PRIMPAY Primary source of payment for treatment	1 Self-pay 2 Blue Cross/Blue Shield 3 Medicare 4 Medicaid 5 Other government payments 6 Worker's compensation 7 Other health insurance companies 8 No charge (free, charity, special research, or teaching) 9 Other	1 Self-pay 2 Blue Cross/Blue Shield, other health insurance companies, worker's compensation 3 Medicare 4 Medicaid 5 Other government payments 6 No charge (free, charity, special research, or teaching) 7 Other
FREQ_ATND_SELF_HELP Frequency of attendance at substance use self-help groups in the 30 days prior to admission	1 No attendance 2 Less than once a week 3 About once a week 4 2 to 3 times a week 5 At least 4 times a week 6 Some attendance	1 No attendance 2 1–3 times in the past month 3 4–7 times in the past month 4 8–30 times in the past month 5 Some attendance, frequency is unknown
FREQ1 Frequency of use at admission (primary substance)	1 No use in the past month 2 1–3 days in the past month 3 1–2 days in the past month 4 3–6 days in the past month 5 Daily	1 No use 2 Some use 3 Daily use
FREQ2 Frequency of use at admission (secondary substance)		
FREQ3 Frequency of use at admission (tertiary substance)		
FRSTUSE1 Age at first use (primary substance)	Continuous (0–95)	1 11 years and under 2 12–14 years 3 15–17 years 4 18–20 years 5 21–24 years 6 25–29 years 7 30–95 years
FRSTUSE2 Age at first use (secondary substance)		
FRSTUSE3 Age at first use (tertiary substance)		

Continued on next page

Appendix B. Variable Recode Table (continued)

<i>Variable</i>	<i>Original codes</i>	<i>Recodes</i>
DSMCRIT DSM diagnosis (SuDS 4 or SuDS 19)	291.00 – 291.99; F10.14 – F10.99	1 Alcohol-induced disorder
	292.00 – 292.99; F11.14 – F11.99, F12.15 – F12.99, F13.14 – F13.99, F14.14 – F14.99, F15.14 – F15.99, F16.14 – F16.99, F17.208 – F17.299, F18.14 – F18.99, F19.14 – F19.99	2 Substance-induced disorder
	303.00 – 303.89; F10.12 – F10.129, F10.22 – F10.229, F10.92 – F10.929	3 Alcohol intoxication
	303.90 – 303.99; F10.2 – F10.23	4 Alcohol dependence
	304.00 – 304.09; F11.2 – F11.23	5 Opioid dependence
	304.20 – 304.29; F14.2 – F14.23	6 Cocaine dependence
	304.30 – 304.39; F12.2 – F12.22	7 Cannabis dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19; F13.2 – F13.23, F15.2 – F15.23, F16.2 – F16.22, F17.2 – F17.293, F18.2 – F18.22, F19.2 – F19.23	8 Other substance dependence
	305.00 – 305.09; F10.1 – F10.11	9 Alcohol abuse
	305.20 – 305.29; F12.1 – F12.12, F12.9 – F12.92	10 Cannabis abuse
	305.30 – 305.49, 305.70 – 305.99; F13.1 – F13.12, F13.9 – F13.93, F15.1 – F15.12, F15.9 – F15.92, F16.1 – F16.12, F16.9 – F16.92, F18.1 – F18.12, F18.9 – F18.92, F19.1 – F19.12, F19.9 – F19.92	11 Other substance abuse
	305.50 – 305.59; F11.1 – F11.12, F11.9 – F11.93	12 Opioid abuse
	305.60 – 305.69; F14.1 – F14.12, F14.9 – F14.92	13 Cocaine abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81; F06.4, F40 – F43, F48.8, F48.9, R45.2 – R45.84	14 Anxiety disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09; F32 – F32.9, F33 – F33.9	15 Depressive disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99; F20 – F25, F28 – F29, F06.0, F06.2	16 Schizophrenic/other psychotic disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13; F31	17 Bipolar disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99; F90, R46	18 Attention deficit/disruptive behavior disorders
	All other codes	19 Other mental health condition

Continued on next page

Appendix B. Variable Recode Table (continued)

<i>Variable</i>	<i>Original codes</i>	<i>Recodes</i>
DSMCRIT	.01 – 289.99, 320 – 997.99, V-codes, E-codes	-9 Missing
DSM diagnosis	999.97 – 999.99, 0.00;	
(SuDS 4 or SuDS 19)	B-codes, D-codes, G-codes, I-codes, N-codes, O-codes, P-codes, 999.9997 – 999.9999, F99, R69, R99, Z03.89	

Appendix C.

Technical Notes

The TEDS report tables contain several variables created by combining or recoding original variables submitted by states. The following notes describe how these variables are created or recoded.

Co-occurring use of drugs and alcohol:

- If primary substance use is 2 *alcohol* and secondary or tertiary substance use are valid drugs, then change primary substance use to 4 *alcohol with secondary drug*; otherwise, change primary substance use to 3 *alcohol only*;
- if primary substance use is valid drug and secondary or tertiary substance use is 2 *alcohol*, then change primary substance use to 2 *drug with secondary alcohol*;
- if primary substance use is 1 *none* or -9 *missing/unknown/not collected/invalid*, then change primary substance use to 5 *no primary substance reported*;
- otherwise, change primary substance use to 1 *drug only*.

Recoding for primary substance use:

- If primary substance use is 2 *alcohol* and secondary or tertiary substance use are valid drugs, then change primary substance use to alcohol with secondary drug; otherwise, change primary substance use to alcohol only;
- if primary substance use is 6 *non-prescription methadone* or 7 *other opiates and synthetics*, then change primary substance use to other opiates;
- if primary substance use is 3 *cocaine* and primary route of administration is 2 *smoking*, then change primary substance use to crack;
- if primary substance use is 10 *methamphetamines/speed* or 11 *other amphetamines*, change primary substance use to methamphetamine/amphetamines;
- if primary substance use is 13 *benzodiazepines* or 14 *other tranquilizers*, change primary substance use to tranquilizers;
- if primary substance use is 15 *barbiturates* or 16 *other sedatives or hypnotics*, change primary substance use to sedatives;
- if primary substance use is 1 *none*, 12 *other stimulants*, 18 *over-the-counter medications*, or 19 *other drugs*, and -9 *missing/unknown/not collected/invalid*, then change primary substance use to other/none specified.

The rest of the substances retain their original labels. Secondary and tertiary substance use follow the same recoding logic as above, except that secondary and tertiary substance use do not have an alcohol-only category.

Marijuana involvement and referral source:

- If primary substance use is 2 *alcohol* and secondary drug and secondary or tertiary substance use is 4 *marijuana/hashish*, then change new variable to 1 *both alcohol and marijuana*;
- if primary substance use is 4 *marijuana/hashish* and secondary or tertiary substance use is 2 *alcohol*, then change new variable to 1 *both alcohol and marijuana*;
- otherwise, if primary substance use is 2 *alcohol*, change new variable to 2 *primary alcohol, no marijuana*;
- otherwise, if primary substance use is 4 *marijuana/hashish*, then change new variable to 3 *primary marijuana, no alcohol*;
- otherwise, if secondary or tertiary substance use is 4 *marijuana/hashish*, then change new variable to 4 *marijuana not primary, no alcohol*;
- otherwise, if primary, secondary and tertiary substance use are all not specified, then change new variable to 5 *no substance reported*;
- otherwise, change new variable to 6 *other drugs and drug combinations*.

Create new format for variable referral source:

- Categories 1–6 are *other referral source*;
- category 7 is *criminal justice referral*.

Flag variables represent any substance use among primary, secondary and tertiary substance use:

- If primary or secondary or tertiary substance use is 2 *alcohol*, then alcohol flag is 1;
- if primary or secondary or tertiary substance use is 5 *heroin*, then heroin flag is 1;
- if primary or secondary or tertiary substance use is 4 *marijuana*, then marijuana flag is 1;
- if primary or secondary or tertiary substance use is 3 *cocaine*, then cocaine flag is 1;
- if primary or secondary or tertiary substance use is crack *new category*, then crack flag is 1;
- if primary or secondary or tertiary substance use is 6 *non-prescription methadone* or 7 *other opiates and synthetics*, then opiate flag is 1;
- if primary or secondary or tertiary substance use is 8 *PCP*, then PCP flag is 1;
- if primary or secondary or tertiary substance use is 9 *other hallucinogens*, then hallucinogens flag is 1;
- if primary or secondary or tertiary substance use is 10 *methamphetamines/speed* or 11 *other amphetamines*, then amphetamine flag is 1;
- if primary or secondary or tertiary substance use is 13 *benzodiazepines* or 14 *other tranquilizers*, then tranquilizer flag is 1;
- if primary or secondary or tertiary substance use is 15 *barbiturates* or 16 *other sedatives or hypnotics*, then sedatives flag is 1;

- if primary or secondary or tertiary substance use is 17 *inhalants*, then inhalant flag is 1;
- if primary or secondary or tertiary substance use is 12 *other stimulants*, 18 *over-the-counter medications*, or 19 *other drugs*, then other flag is 1.

Recoding service type:

- If service type is 6 *ambulatory, intensive outpatient* or 7 *ambulatory, non-intensive outpatient* and medication-assisted therapy is 1 *yes*, then new service type is medication-assisted opioid therapy outpatient;
- if service type is 1 *24-hour hospital inpatient detoxification*, 2 *24-hour free-standing residential detoxification*, or 8 *ambulatory detoxification* and medication-assisted therapy is 1 *yes*, then new service type is medication-assisted opioid therapy detoxification;
- if service type is in 3 *hospital residential rehabilitation*, 4 *short-term residential rehabilitation*, or 5 *long-term residential rehabilitation* and medication-assisted therapy is 1 *yes*, then new service type is medication-assisted opioid therapy residential.

Coding number of substances:

Create a new variable that calculates the number of substances (maximum of three) reported at admission for each client by summing the values within each observation for primary, secondary, and tertiary substances reported at admission.