GENERAL (36) ELECTRIC

P3K-AL-0392-A01

CONT ON SHEET

TITLÉ TEST INSTRUCTIONS

P3K-AL-0392-A01

FOR MECHANICAL/ELECTRICAL TRIP TEST CIRCUIT BOARD 1TM2-BOO1 ASS'Y DRAWING 118D1575 FIRST MADE FOR EHC MARK II

CONT ON SHEET 2

CIRCUIT DESCRIPTION

CIRCUIT BOARD REV. #0

REVISIONS

瓣

This circuit board contains the logic circuits associated with the mechanical trip test, the oil trip test and the electrical trip test. Each of these tests is initiated by a corresponding pushbutton input. Each test involves a number of steps taken sequentially; this is accomplished automatically, and if the system responds as it is supposed to do the tests are completed and the circuit is reset without further human intervention. A fourth pushbutton provides the option to interrupt the tests before their completion.

The control outputs of the board are 115 VAC to the mechanical and electrical lockout valves and the oil trip and oil reset solenoid walves, 125 VDC to the mechanical trip system and 24 VDC to the electrical trip system.

Additional outputs provide 24V to lamps and indicate the status of the system and any existing malfunction.

A number of limit and pressure switches in the front standard provide inputs to the board that depend upon the state of the mechanical and hydraulic components of the emergency trip system.

CIRCUIT SPECIFICATIONS II.

Permanent Continuity:

Each terminal of the following sets of terminals is permanently connected to all other terminals of the same set.

- 45-47-50-60-70-75
- b. 91-92-99-100-101
- c. 90-96
- d. 3-4 🗸
 - 5-6 V
- f. 7-8 V
- 5/19/97
- g. 10-11-51-52 ~ h.
- 56-57 V i.
- 1. 72-73 ~
- 26-27 2 k.
- 1. 28-29 4
- 30-31 ? m. n. **79-80** ~
- 82-83 V 0.
- 32-33 p.
- 38-39

273 - 2

273-12°

273-71⁷

273-138

273-221

273-227

PRINTS TO

J. Polacek Sept. 19, 1977 APPROVALS Steam Turbine DIV OR

FF-803-WA (II-70)-PRINTED IN U.S.A.

Schenectady, N.Y.

P3K-AL-0392-A01 LOCATION CONT ON SHEET

GENERAL & ELECTRIC

P3K-AL-0392-A01

YOUT ON CUPET

DOM 17 000

CONT ON SHEET

REV NO.

TITLE TEST INSTRUCTIONS

CONT ON SHEET

SH NO.

REVISIONS

P3K-AL-0392-A01

. .

FOR MECHANICAL/ELECTRICAL TRIP TEST

CIRCUIT BOARD 1TM2-BOO1 ASS'Y DRAWING 118D1575

FIRST MADE FOR EHC MARK II

II. CIRCUIT SPECIFICATIONS (continued)

2. Diode Rundancy

Each diode on the bircuit board should be checked to insure redundancy is effective.

3. Lamp Test Circuits

With 24 VDC at terminal 41 and 24 VDC common at terminal 2 a 24V voltage should appear at the following terminals:

10, 13, 14, 15, 16, 17, 34, 35, 36, 37.

4. Logic

Power supply connections:

24 VDC: Terminal 1
24 VDC common: Terminal 2
125 VDC: Terminal 45
125 VDC common: Terminal 46
115 VAC: Terminal 90
115 VAC common: Terminal 91

The circuits on the board should comply with logic tables 1, 2, 3, 4, and 5. In general each step in these tables does not have any functional significance; all steps in the tables taken together form a set of sufficient conditions that insure that every contact on the board opens and closes as it should and that all test points are properly connected. The division of these conditions into five tables instead of one large table has been done for practical reasons.

PRINTS TO

უ.ინეშენი Sept. 19, 1977

SEP 20 1977

APPROVALS

Steam Turbine

Schenectady, N.Y.

DIV OR

P3K-AL-0392-A01

LOCATION CONT ON SHEET 3. SH

GENERAL (%) ELECTRIC P3K-AL-0392-A01 CONT ON SHEET TITLE TEST INSTRUCTIONS 3 FOR MECHANICAL/ELECTRICAL TRIP TEST P3K-AL-0392-A01 CIRCUIT BOARD 1TM2-BOO1 ASS'Y DRAWING 118D1575 CONT ON SHEET FIRST MADE FOR EHC MARK II REVISIONS 4044 000 00 0400 T 4 000 00 0 0 20 000 00 ~ O O 🗩 ~ 000 00 Ξ - 0 000 0 ----54 0002>HHH 러디 00 00000000000 ₹ 22 00 0000000000 TP 24 000000000 23 00 63 00 OUTPUTS 00 1P NB 2 13 000 0 0 5 2 000 00 00 00-20 00 TP 48 000 00 TP 0 7 0 000 11 6 000 00 g w 000 80 000 0 0 000 00 0000000000 00 000 OB 00 3 sec. 13 000 0 8 00 日日 000 00 N 0 印品 0 0 20 42 G 000 *000 00 12 21 000 20 印記 000 00 00 1.P 000 20 **иииииииииии** 53 000 0000000000 00 74 000 00 0000000000 00 64 000 00 20 23 000 00 20 00 00000000000 00 24 22 34 11 5 11 5 11 5 69 000 0 8 3446 000 00 000000000 겂 000 00000000000 00 8 000 0 N 77 00 2 2 440000000 PRINTS TO Mag. Polacek Sept. 19, 1977 APPROVALS DIV OR Steam Turbine SEP 2.0 1977 P3K-AL-0392-A01 _ DEPT. ISSUED Schenectady, N.Y. LOCATION CONT ON SHEET SH NO. 3 FF-803-WA (1-70) PRINTED IN U.S.A. CODE IDENT NO.

+

+

	GENERAL 🍪 ELECTRIC	P3K-AL-0392-A01	
REV U	TITLE TEST INSTRUCTIONS FOR MECHANICAL/ELECTRICAL TRIP TEST	CONT ON SHEET 6 SH NO.	5
	CIRCUIT BOARD 1TM2-BOO1 ASS'Y DRAWING	118D1575	
CONT ON GREET		F	REVISIONS
AT 61 71 TP	CIRCUIT BOARD 1TM2-B001 ASS Y DRAWING FIRST MADE FOR EHC MARK II CIRCUIT BOARD 1TM2-B001 ASS Y DRAWING FIRST MADE FOR EHC MARK II CIRCUIT BOARD 1TM2-B001 ASS Y DRAWING FIRST MADE FOR EHC MARK II CIRCUIT BOARD 1TM2-B001 ASS Y DRAWING FIRST MADE FOR EHC MARK II CIRCUIT BOARD 1TM2-B001 ASS Y DRAWING FIRST MADE FOR EHC MARK II CIRCUIT BOARD 1TM2-B001 ASS Y DRAWING FIRST MADE FOR EHC MARK II CIRCUIT BOARD 1TM2-B001 ASS Y DRAWING FIRST MADE FOR EHC MARK II CIRCUIT BOARD 1TM2-B001 ASS Y DRAWING FIRST MADE FOR EHC MARK II CIRCUIT BOARD 1TM2-B001 ASS Y DRAWING FIRST MARK II CIRCUIT BOARD 1TM2-B001 ASS Y DRAW	3: 115 VDC Headings: Terminal numbers or test point numbers 1: 24 VDC Headings: Terminal numbers or test point numbers	REVISIONS
	0 00 0 0	TABLE	
1NPUTS 48 51 0 0	0 00 0		
10 O H	н оо о о		
MADE BYPOlacek Sept. 19, 1977	APPROVALS Steam Turbine DIV OR DEPT.	P3K-AL-0392-A01	PRINTS TO
The state of the s	Schenectady, N.Y. LOCATION		DE IDENT HO.
FF-803-WA (1-70) PRINTED IN U.B.A.	Ţ]	

P3K-AL-0392-A01

CONT ON SHEET 7 SH NO. 6 TITLE TEST INSTRUCTIONS FOR MECHANICAL /ELECTRICAL TRIP TEST

CIRCUIT BOARD 1TM2-BOO1 ASS'Y DRAWING 118D1575 FIRST MADE FOR EHC MARK II

REVISIONS

I	NPUTS	AT				COF	RECT		PUTS AT			NOTES			
51	53	54	7		27	29	31	TP 17	TP 18	TP 20	TP 21				
										-					
0	0	0	0	•	0	0	. 0	0	0	0	0				
125	0	0	Ö	•	24	0 .	0	125	Pulse	24	24				
0	0	0	0		24	0	0	0	0	24	24	·			
0	125	0	0		24	0	0	125	0	24	24			1	
0	0	0	0		24	0	0	0	0	24	24				
0	0	125	0		24	0	. 0	125	0	24	24	· ·			
0	0	0	0 .		24	.0	0	0	0	24	24				
0	0	0	24		0	0	0	. 0	0	0	0	Resistance	- ₹ -		
	·		:			:	•					between TP20 above 1M Ohr), 21: a		
1.25	0	0	24		0	0	0	0	0	0	0				• •
0	0	0	24		0	0	0	0	0	0	0				
	441		Y		0	0	0	0	0	0	0			-	
0	0	0	0						Pulse	24	24				
0	125	0	0		0	24	0		1.00						
0	0	0	0		0	24	0	0	0	24	24				
0	0	0	24		0	0	0	0	0	0	0				
0	0	0	0		0	0	0	0	0	0	0				
0	0	125	0		0	0	24	125	Pulse	24	24			; ·	
0	0	0	0		0	0	24	0	0	24	24				
0	0	0	24		0	0	0	0	0	0	0				
0	0	. 0	0		0	0	0	0	0	0	0		•		

TABLE 4

Headings: Terminal numbers or test point numbers

Entries: Volts DC

P3K-AL-0392-A01

CONT ON SHEET

sh NO. 6

PRINTS TO

J.Polacek Sept. 19, 1977 APPROVALS DIV OR Steam Turbine P3K-AL-0392-A01 DEPT. ISSUED SEP 20 1977 LOCATION CONT ON SHEET 7 Schenectady, N.Y. sh NO. 6

FF-803-WA (1-70) PRINTED IN U.S.A. CODE IDENT NO.

	G	ENERAL 🚱 ELEC	CTRIC	P3K-AL-0392-A	01
P3K-AL-0392-A01 cont on sheet sh no.	FOR MEC	EST INSTRUCTIONS CHANICAL/ELECTRIC F BOARD 1TM2-B001 E FOR EHC MARK	ASS'Y DRAWIN	CONT ON SHEET	SH NO. 8
					REVISI
1994					
			•		
	untri Ec	Momou		10/26/197	78
PREPARED BY D. Eco			DATE .	10/20/11/	_
	ESIGN ENGINEERI	NG			
in Allender (1995) Salan Salan Sa					
		eta. Line de Partir de la composition de la			
APPROVED BY	1 ale		ъ∆тг	9-6-77	
P.C. C	allan - MANAGE	and the second s	DAIL	1-10-11	-
EHC DE	SIGN ENGINEERI	NG			
		ing talong and in some the sales and in some in the sales of the sales	en e	r je se programa se programa. Postani	A Track
TEST PROCEDURE	6-41				
REVIEWED BY	relicitation		DATE _	4/6/77	
R. Deb EHC TE	ertolis ST ENGINEER				
		· · · · · · · · · · · · · · · · · · ·	entre de la companya de la companya La companya de la co		
and the second s		e de la companya de l			
and the second of the second o		· ·			
			•	•	<u> </u>
		•			
J.Polacek Sept. 19,	1977 APPROVALS				PRINTS
SEP 20 1977	1.577	Steam Turbine	DIV OR DEPT.	P3K-AL-0392-7	AO1
		Schenectady, N.	Y. LOCATION C		SH NO. Q
F-803-WA (11-70) RINTED IN U.S.A.					