

GE Power Generation Engineering

PROCESS SPECIFICATION

Materials and Processes Engineering Schenectady, NY 12345 P3K-AL-0358-A01

TEST INSTRUCTIONS FOR LOAD CONTROL UNIT MSV/IV AMPLIFIERS ANALOG LOGIC CIRCUIT BOARD 1L3-E001

DOCUI	MENT REVISIO	N STATUS: DETERMINED	BY THE LAST ENTRY IN THE "REV" A	ND "DATE" COLUMN	
REV.	AN NO.	DESCRI	PTION	SIGNATURE	REV. DATE
A	YA00096	SPECIFICATION LISTED IN INDEX AS "INACTIVE" HAS "INACTIVE FOR NEW D	N STEAM TURBINE/GENERATOR S BEEN FORMALLY REVISED ESIGN". (PR BUDKA)	C.R. Truppi	DFC 4 2 1990
		AS OF	E FOR NEW DESIGN 12/02/91		
PR PR CO	COPPLETARY INT COPPLETARY IND OMPANY AND A	GENERAL ELECTRIC COMPA- ORMATION - THIS DOCUMENT CONTAL FORMATION OF GENERAL ELECTR AY NOT BE USED OR DISCLOSED WITH THE WRITTEN PERMISSION IC COMPANY,	NS RIC TO		
PREPARE	DBY: P.R	. BUDKA			
ORIG. ISS					

P3K-AL-0358 -A01 CONT ON SHEET SH NO.

TITLE

TEST INSTRUCTIONS FOR LOAD CONTROL UNIT MSV/IV AMPLIFIER ANALOG/LOGIC CIRCUIT BOARD 1L3-E001 FIRST MADE FOR (Ass'y Drawing 117D7743 G-1)

REVISIONS

CIRCUIT DESCRIPTIONS

This circuit board is used to consolidate all of the Analog to Logic Relays that provide switching signals to the Main Stop Valve Amplifier and Intercept Valve Amplifier Analog Circuits.

The board contains six (6) 24V mercury wetted relays.

II. CIRCUIT SPECIFICATIONS

- 1. Connect +24 VDC to pin 38 and ground to Pin 40. A +24V should appear between TP1 and TP2. Connect 24V 20MA lamps to pins 5, 6, 7, 8, 9, 10, 11, 12, and 13.
- The logic and path continuity should be checked according to the following table:

COPYRIGHT 1983 GENERAL REPORTE COL

APPROVALS MADE BY Oct. 28, 1974 D.Mone

2 8 1974

Steam Turbine Schenectady, N.Y.

LOCATION CONT ON SHEET

P3K-AL-03<u>5</u>8 -A01

273-7

PRINTS TO

CODE IDENT NO.

ISSUED

+

TITLE

P3K-AL-0358 -A01

CONT ON SHEET

SH NO. 2

P3K-AL-0358-A01 CONT ON SHEET SH NO.

TEST INSTRUCTIONS FOR LOAD CONTROL UNIT MSV/IV AMPLIFIER ANALOG/LOGIC CIRCUIT BOARD 1L3-E001

FIRST MADE FOR (Ass'y Drawing 117D7743 G-1)

REVISIO																•			
		PINS	S AT	TPU T	ou	ECT	ORR	C							S	PIN	S AT	NPUT	I
	13	12	11	10	9	8	7	6	5	27	21	18	26	25	24	23	22	20	19
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	1
	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	0	0	1	1
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0
	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	o	0	0	0	0	0
	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	1	0	1	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0
	0	1	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OV or lamp off

24V or lamp on

PRINTS TO

D.Mone Oct. 28, 1974 DCT 2 8 1974 ISSUED

APPROVALS

DIV OR Steam Turbine _ DEPT.

Schenectady, N.Y.

LOCATION CONT ON SHEET

P3K-AL-0358-A01

SH NO.

CODE IDENT NO.

FF-803-WA (11-72) PRINTED IN U.S.A.

+

PRINTED IN U.S.A.

CODE IDENT NO.

2		A	P3K-A			PI	TITLE	TEST ANALO	INST	RUCTI GIC C	ONS I	OR L	OAD C	ONTR	OF OW	IT M	358	SH NO. 55 IPLIFIER
T ()N :	SHEET		SH NO	<u>.</u>	<u>5</u>	FIRST (ADE F	OR				····		· 			REVI
[†T				×	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		100						(A)				
h	1,31				×							5 20 G						
	112										- 12-1 9-1						233.23	
	77								13		を表						12.0	
	717						¥ .		1			្រុំក្រុំ ក្រុំក្នុំ			1			
Š	77		×	43.00 10.00						12-15 1-15-15 1-15-15		्रेड्ड इंटर्ड्ड						
0.	3																	
ţ) [を対象				13-15 13,5.2						11	,				
7.	3		×	*		**************************************										Arta Constant Constant		
1	CT		×	X		×				7.72								
4	±	×	` \		×	×												
	3	×			* : *		\$											-
•	4				×							0.00						
	1				×	×						10 m						
							,											
										i								-
01.5	2000	0	٦	5	3	.⇒				:						1		
5	でいてもいりので	SSW to pos.					st						,					
		SW to					of Test											
		Set S					End											
	1	7	ત્ય	m	#	7.	9											
_		· ·		·	···													PRINT
Mc o	ne		. 28 [ኤኒ				APPROV	ALS		m Tu nect	rbine			OIV OR DEPT.	РЗК	-AL-C	358	

P3K-AL-0358- 401

CONT ON SHEET 7 SH ND. 6

P3K-AL-0358 - A0 |

TEST INSTRUCTIONS FOR LOAD CONTROL UNIT MSV/IV AMPLIFIER ANALOG/LOGIC CIRCUIT BOARD 1L3-EOOL

TITLE

4	SH NO.	FIRST MADE FOR							
T	•						 	REVIS	3101
		Table A							
	P4 ~ 27	COL	ъ.	_	,	7			
	Pin 27 21	SSW "	PO)5. !		2			ļ
	18	11	**	t		2 3			
	11	-	L1						
	13	•	L2	!					Į
	10	-	L3 L4 L5 L6	i				1	
	9	-	Į4						
	1	-	しょう					ŀ	
	12	. <u>-</u>	L9) 1				ļ	
	8	-	Ll	3					
	10 9 7 6 12 8 5	-	Ll	Ļ					
	38 26 25 24	+24	٧D	C					
	26								l
	25	11 11							l
	24	ir							l
	23 22	11							
	20	11							
	19	91							
	40	24	V	СО	M				
									ĺ
									4

D.Mone Oct. 28, 1974 OCT 28 1974 ISSUED

APPROVALS

Steam Turbine

Schenectady

DIV OR

LOCATION CONT ON SHEET

P3K-AL-0358-A0/

PRINTS TO

A	GENE	RAL (%) ELECTRIC	P3K-AL-03	
P3K-AL-0358-A0	_ ANALOG/LOG	CUCTIONS FOR LOAD CONSIC CIRCUIT BOARD 11.3- OR (Ass'y Drawing 117D)	-EO01	7
PREPARED BY	conomou DESIGN ENGINEERING	mon	DATE 9-15.	REVISION TO SERVISION TO SERVIS
	PCCIO Callan - MANAGER ESIGN ENGINEERING		DATE 10-25	-94
TEST PROCEDURE PREPARED BY C. Bu EHC T	00		DATE &/5/25	<u></u>
m.J.	III J Sunda Sindoni DESIGN ENGINE E RING		DATE 10/24/	74
				PRIN'