



Panel Description Report

1111 Newton Street Gretna, Louisiana 70053 Ph: 800.433.3823 Fax: 504.361.1530
450 Southlake Boulevard Richmond, VA 23236 Ph: 800.433.3823 Fax: 804.379.5919
www.AlereToxicology.com

Facility Number: E1087140

January 05, 2024

Account Name: KARMACHECK INC. / Facility Name: KARMACHECK INC.

Panel Description of Alere Test Code 922

The panel description that prints on the report will indicate negative for a drug class.

Positive results list the individual metabolite that Alere's instrumentation identified above the confirmation cut-off.

Drug Code	Drug Class	Metabolite	Screening Cut-Off	Confirm Cut-Off
DSGNSTI ML	DESIGNER STIMULANTS	Including: - DESIGNER STIMULANTS - 4-METHYLETHCATHINONE - BUPHEDRONE - BUTYLONE - BENZYLPIPERAZINE - ETHYLONE - EUTYLONE - FLEPHEDRONE - MBDB - MCP - MDAI - MDPBP - MDPV - MEPHEDRONE - METHEDRONE - METHYLONE - MITRAGYNINE (KRATOM) - NAPHYRONE - PENTEDRONE - PENTYLONE - ALPHA-PVP - PYROVALERONE - CATHINONE - METHCATHINONE - TFMPP	NG/ML	. NG/ML

If you have any questions or require additional assistance, please contact Customer Service at 800-433-3823.