← Back to the previous page

# Rolling Stock

Train fleets — builders, technical specifications, formations and where each type runs.

## Rolling Stock

7 entries


### VAL256

The French fleet that opened the network in 1996 — and spent eighteen months in a depot having its brain replaced while the line it built ran without it.



BR

### Innovia APM 256 (C370)

Not a VAL, and not descended from one — a Canadian people mover built to fit a French railway, because the alternative was two incompatible halves of one line.



BR

### C321

Siemens trains for the Bannan corridor — a fleet whose body-shell story says something about how specifications get enforced.

BL

### C301

The fleet that opened the high-capacity network — Kawasaki-built trains for the Tamsui corridor, since re-equipped with new traction.



R

### C341

The fleet the city did not buy — a small Siemens batch procured by a civil contractor, and a procurement story nobody has told in English.

BL

### C371

The workhorse of the network's middle generation — and, by the account to be verified here, the first metro EMU manufactured in Taiwan.



G

### C381

The newest Kawasaki generation — built for the Songshan and Xinyi extensions, with a family resemblance to the C371 it grew from.



R

## Side by side

| | VAL256 BR | Innovia APM 256 (C370) BR |
|---|---|---|
| Car width | **2.56** m | **2.54** m |
| Car length | **13.78** m | **13.78** m |
| Car height | **3.53** m | **3.53** m |
| Cars per train | **4** | **4** |
| Empty weight | **TBC** t | **TBC** t |
| Design maximum speed | **80** km/h | **90** km/h |
| Operating speed | **70** km/h | **70** km/h |
| Seated capacity | **20** per car (AW2) | **24** per car |
| Standing capacity | **94** per car (AW2) | **73** per car |
| Train capacity | **440** | **456** |
| Doors per car | **4** 2 per side | **4** 2 per side |
| Power supply | **750** V DC | **750** V DC |
| Traction | **GEC Alsthom chopper** DC | — |
| Motors per car | **2** | — |
| Braking | **Regenerative and disc** | — |
| Guidance | **Side guide bars** | — |
| Signalling | **CITYFLO 650** since 2010 | **CITYFLO 650** |
| Automation | **GoA4 (UTO)** | **GoA4 (UTO)** |
| Fleet size | **102** cars | **202** cars |
| Pairs | **51** | **101** |

| | VAL256 BR | Innovia APM 256 (C370) BR |
|---|---|---|
| Tyre replacement interval | TBC | TBC |
| Traction motor | — | Bombardier 1512A 118 kW each |
| Control | — | MITRAC TC540 AU IGBT–VVVF |



Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, and TYMC. Government open data. Retrieved 2026-08-10; source last updated 2020-01-31. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.