← Back to the previous page

Rolling Stock

Train fleets — builders, technical specifications, formations and where each type runs.

7 entries

VAL256

The French fleet that opened the network in 1996 — and spent eighteen months in a depot having its brain replaced while the line it built ran without it.

BR

Innovia APM 256 (C370)

Not a VAL, and not descended from one — a Canadian people mover built to fit a French railway, because the alternative was two incompatible halves of one line.

BR

C301

The fleet that opened the high-capacity network — Kawasaki-built trains for the Tamsui corridor, since re-equipped with new traction.

R

C321

Siemens trains for the Bannan corridor — a fleet whose body-shell story says something about how specifications get enforced.

BL

C341

The fleet the city did not buy — a small Siemens batch procured by a civil contractor, and a procurement story nobody has told in English.

BL

C371

The workhorse of the network's middle generation — and, by the account to be verified here, the first metro EMU manufactured in Taiwan.

G

C381

The newest Kawasaki generation — built for the Songshan and Xinyi extensions, with a family resemblance to the C371 it grew from.

R

Side by side

	VAL256 BR	Innovia APM 256 (C370) BR
Car width	**2.56** m	**2.54** m
Car length	**13.78** m	**13.78** m
Car height	**3.53** m	**3.53** m
Cars per train	**4**	**4**
Empty weight	**TBC** t	**TBC** t
Design maximum speed	**80** km/h	**90** km/h
Operating speed	**70** km/h	**70** km/h
Seated capacity	**20** per car (AW2)	**24** per car
Standing capacity	**94** per car (AW2)	**73** per car
Train capacity	**440**	**456**
Doors per car	**4** 2 per side	**4** 2 per side
Power supply	**750** V DC	**750** V DC
Traction	**GEC Alsthom chopper** DC	—
Motors per car	**2**	—
Braking	**Regenerative and disc**	—
Guidance	**Side guide bars**	—
Signalling	**CITYFLO 650** since 2010	**CITYFLO 650**
Automation	**GoA4 (UTO)**	**GoA4 (UTO)**
Fleet size	**102** cars	**202** cars
Pairs	**51**	**101**

	VAL256 BR	Innovia APM 256 (C370) BR
Tyre replacement interval	TBC	TBC
Traction motor	—	Bombardier 1512A 118 kW each
Control	—	MITRAC TC540 AU IGBT–VVVF

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, and TYMC. Government open data. Retrieved 2026-08-10; source last updated 2020-01-31. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.