

Changelog

164 run-log entries, generated at build time from docs/run-log.md.

How this is generated

This page is a static reading of the repository run log. At build time the parser reads each top-level “Run” heading, keeps its number and date, and takes the first substantive paragraph as the short summary. It does not query an API, render a server endpoint or guess at Git history. The log remains the detailed record: it contains the full source lists, conflicts, checked failures, page counts and verification evidence that a short changelog cannot carry.

Entries are ordered newest first here so a reader can see what changed since the last visit. The run number is not a release version and a run can be split into several headings when one unattended session completes more than one unit of work. Dates and titles are therefore displayed exactly as the log supplies them; an absent date remains “Date TBC” rather than being replaced with the build date.

Recent runs

RUN 173

DATE TBC

Kaohsiung Cijin ferries (26 August 2026)

Added the 300+ word route page at content/ferry/routes/cijin.md, the primary-led research record at docs/research/ferry/cijin.md, and the route index link at content/ferry/routes/index.md. The page keeps the main Gushan–Cijin public crossing separate from the Fronten–Zhongzhou connection and the shorter-window...

RUN 168

DATE TBC

Hsinchu regional bus layer (25 August 2026)

Added the regional-bus type index at content/bus/regional/index.md, the 769-word Hsinchu page at content/bus/regional/hsinchu.md, the primary-led research record at docs/research/bus/hsinchu.md, and the deterministic portal snapshotter scripts/fetch-hsinchu-bus.mjs. The generator fetched the full Hsinchu City...

RUN 167

DATE TBC

National intercity bus layer (25 August 2026)

Added content/bus/intercity/index.md (968 body words), the primary-led research record at docs/research/bus/intercity.md, and the deterministic generator scripts/fetch-intercity-bus.mjs. The generator fetches the full Highway Bureau timetable export at <https://www.taiwanbus.tw/TimeTableExport/timetable.csv>, retrieved...

RUN 169

DATE TBC

Taichung regional bus layer (25 August 2026)

Added content/bus/regional/taichung.md (858 body words), the Taichung regional entry in content/bus/regional/index.md, the primary-led research record at docs/research/bus/taichung.md, and the deterministic snapshotter scripts/fetch-taichung-bus.mjs. The fetcher reads the full Taichung City Government route-map CSV at...

RUN 170

DATE TBC

Tainan regional bus layer (25 August 2026)

Added content/bus/regional/tainan.md, docs/research/bus/tainan.md, the TDX/ridership snapshotter scripts/fetch-tainan-bus.mjs, and committed data at data/tainan-bus/routes.json plus public/data/tainan-bus-routes.json. The generator fetched the full live TDX Route, StopOfRoute and Operator responses for Tainan and all...

RUN 171

DATE TBC

Kaohsiung regional bus layer (25 August 2026)

Added the Kaohsiung regional-bus page at content/bus/regional/kaohsiung.md, the primary-led research record at docs/research/bus/kaohsiung.md, and the deterministic TDX snapshotter scripts/fetch-kaohsiung-bus.mjs. Full primary pages read include the Kaohsiung route index...

RUN 172

DATE TBC

YouBike Taichung and Kaohsiung static layer (25 August 2026)

Extended the build-time TDX Bike/Station/City data layer and generated browse indexes for Taichung and Kaohsiung without creating individual station stubs. The 25 August pull contains Taipei 1,794 rows / 50,876 docks, New Taipei 1,593 / 48,355, Taoyuan 699 / 24,214, Taichung 1,817 / 38,746 and Kaohsiung 1,500 /...

RUN 166

DATE TBC

Kaohsiung Orange Line (25 August 2026)

Expanded content/rail/krtc/lines/orange-line.md to 1,276 body words and added the primary-led record at docs/research/rail/lines/orange-line.md. The page establishes the joint Red/Orange private-participation origin, the ROC80 approval and ROC97 completion boundary, KRTC's exact Orange opening on 14 September 2008,...

RUN 165

DATE TBC

Kaohsiung Red Line (25 August 2026)

Added the 1,437-word Red Line page at `content/rail/krtc/lines/red-line.md` and the primary-led research record at `docs/research/rail/lines/red-line.md`. The page keeps the current TDX boundary of 25 ordered stations and 29.72 km beside the government project summary of 28.3 km and 24 stations. It establishes the joint...

RUN 164

DATE TBC

Kaohsiung Circular Light Rail (25 August 2026)

Added the 880-word Circular Light Rail line page at `content/rail/krtc/lines/circular-light-rail.md` and its primary-source research record at `docs/research/rail/lines/circular-light-rail.md`. The page establishes the current 22.1 km, 38-station surface route, its 1,435 mm standard gauge and low-floor B-type built form,...

RUN 163

DATE TBC

Minsheng–Xizhi Line (25 August 2026)

Added `content/rail/projects/minsheng-xizhi-line.md` and its full research record at `docs/research/rail/projects/minsheng-xizhi-line.md`. The 564-word project page keeps Minsheng–Xizhi at project level: Taipei DORTS currently gives 11.02 km, nine stations, eight underground and one elevated, with LRRT system type; New...

RUN 162

DATE TBC

Alishan Forest Railway (25 August 2026)

Added a normalized Alishan Forest Railway data layer under `data/forest/alishan/`: 20 named current operator points, comprising the 16-stop main-line timetable plus Shenmu, Zhaoping, Duigaoyue and Zhushan; Duigaoyue is explicitly passenger-stop-tbc, while the three other branches are scheduled. Mianyue is a separate...

Earlier runs

RUN 161

DATE TBC

"Sanmin Line" name check (25 August 2026)

This unit records the requested New Taipei "Sanmin Line" as a checked-and-failed subject rather than silently assigning the name to another project. The full Taipei DORTS network page lists 民生汐止線 and 社子線 as planning routes and lists the active construction routes, but no 三民線:...

RUN 160

DATE TBC

Taipei Metro Wanda–Zhonghe–Shulin Line (25 August 2026)

Added an 816-word project page and a mirrored research report. The New Taipei DORTS route record establishes Phase 1 as 9.5 km with nine underground stations and a depot branch, including a 5.7 km LG05–LG08A New Taipei segment; its current revision record carries the 2008 EIA, 2010 comprehensive plan, NT\$74.178bn 2018...

RUN 159

DATE TBC

Taichung Metro Chongde–Fengyuan Line (25 August 2026)

Part 12's seventh unit adds the Chongde–Fengyuan Line as a single feasibility-project page. The full current TCRT project page establishes the corridor origin, the Fengyuan Station extension, NT\$20m feasibility-study budget, MOTC/local funding split and chronology through the 24 July 2026 final-report submission:...

RUN 158

DATE TBC

Taichung Orange Line Sea Line extension (25 August 2026)

Part 12's sixth unit adds the Orange Line's Sea Line extension as a separate feasibility-project page. The full current TCRT page establishes the planning boundary, purpose, NT\$20m study budget, MOTC/local funding split and chronology through the 6 July 2026 revised interim report:...

RUN 157

DATE TBC

Taichung Airport MRT Orange Line feasibility project (25 August 2026)

Part 12's fifth unit adds the Orange Line as a project page. The full current Taichung Rapid Transit Systems Bureau page establishes the airport-to-Wufeng corridor, its planning purpose, approximately 29.23 km route, 26 planned stations, 15 elevated sections and 11 underground sections, and the complete ROC 109–115...

RUN 156

DATE TBC

Taichung Metro Purple Line feasibility project (25 August 2026)

Part 12's fourth unit adds the Purple Line as a project page because the primary record is still a feasibility study rather than an operating line. The full Taichung Rapid Transit Systems Bureau project page establishes the preliminary approximately 16.31 km, 16-station elevated route, its Dali–...

RUN 155

DATE TBC

Taichung Metro Blue Line main project (25 August 2026)

Part 12's third unit adds one evidence-led Taichung project page rather than 20 station stubs. The full Taichung Rapid Transit Systems Bureau Blue Line page establishes 24.78 km, 20 planned stations, eight elevated and 12 underground, one depot, the feasibility/comprehensive-plan/basic-design chronology and the...

RUN 154

DATE TBC

Taoyuan Metro Green Line project registry (25 August 2026)

Part 12's second unit adds the Taoyuan Metro Green Line as a separate TYMC project namespace: one system page, one line page, two type indexes and 21 station pages. The live TDX TYMC probe returned the Airport MRT A record but no G record in the Line, Station, StationOfRoute, Route, Shape, LineTransfer or...

RUN 153

DATE TBC

Kaohsiung KRTC metro and Circular Light Rail (24 August 2026)

Part 12 begins with the Kaohsiung Rapid Transit Corporation operator namespace: TDX Station, StationOfRoute, Line, Route, Shape, LineTransfer and FirstLastTimetable were fetched live, yielding 39 metro stations, four metro route directions, two lines, two shapes, two transfer records and 304 station-direction...

RUN 152

DATE TBC

TRA current-route coverage and post-Part verification (24 August 2026)

Part 11 current-route coverage is complete for all 12 TDX line IDs: WL, EL, CZ, JJ, LJ, NW, PX, SA, SH, SL, SU and WL-C. The committed TDX snapshot holds 245 stations; the operator report remains the conflicting 241-station end-of-2023 value. The primary sources remain the TDX Station, StationOfLine and Shape...

RUN 151

DATE TBC

TRA South Link line (24 August 2026)

The twenty-second TRA content unit adds the complete 24-station South Link Line (SL), including its line page and station pages. The first build found 枋 and 瀧 across the TRA index and Fangliao-area pages; regenerating the content subset resolved the postbuild check. TDX StationOfLine remains the primary source for...

RUN 150

DATE TBC

TRA Coast Line (24 August 2026)

The twenty-first TRA content unit adds the complete 18-station Coast Line (WL-C), including its line page and station pages. The first postbuild pass found 讚 in the changelog, 霄 across the TRA index and coastal station pages, and 孟 at Rinan; regenerating the derived subsets resolved all seven reports. TDX...

RUN 149

DATE TBC

TRA Neiwan branch (24 August 2026)

The twentieth TRA content unit adds the complete twelve-station Neiwan Branch (NW), including its line page and station pages. The first postbuild pass found 讚 in the TRA index, station index and Jiuzantou page; regenerating the content subset resolved the

check. TDX StationOfLine remains the primary source for...

RUN 148

DATE TBC

TRA Pingxi branch (24 August 2026)

The nineteenth TRA content unit adds the complete seven-station Pingxi Branch (PX), including its line page and station pages. The build first found 濁 in the generated changelog base subset; regenerating the derived fonts resolved the postbuild check. TDX StationOfLine remains the primary source for membership and...

RUN 147

DATE TBC

TRA Jiji branch (24 August 2026)

The eighteenth TRA content unit adds the complete seven-station Jiji Branch (JJ), including its line page and station pages. The first postbuild pass found the new character 濁 in the TRA index, station index and Zhuoshui page; regenerating the content subset resolved the check. TDX StationOfLine remains the primary...

RUN 146

DATE TBC

TRA Su'aoxin–Su'ao branch (24 August 2026)

The seventeenth TRA content unit adds the two-station Su'aoxin–Su'ao Branch (SU), its line page and both station pages. The first build found 隘 and 肚 in the generated changelog base subset; regenerating the derived fonts resolved the postbuild check. TDX StationOfLine remains the primary source for membership and...

RUN 145

DATE TBC

TRA Chengzhui and Liujia branches (24 August 2026)

The sixteenth TRA content unit adds the two-station Chengzhui Branch (CZ) and the two-station Liujia Branch (LJ), including both line pages and four station pages. The first build found the new station characters 隘 and 肚 in the content subset; regenerating it resolved the postbuild check. TDX StationOfLine remains the...

RUN 144

DATE TBC

TRA Shalun branch (24 August 2026)

The fifteenth TRA content unit adds the complete three-station Shalun Branch (SH), including its line page and station pages. The branch uses the existing TDX StationOfLine ordering and the same primary TRA history, timetable and statistical report sources; no secondary source was promoted. The pages make no...

RUN 143

DATE TBC

TRA Shenao branch (24 August 2026)

The fourteenth TRA content unit adds the complete three-station Shenao Branch (SA), including its line page and station pages. The build first found the new character 卑 in the generated changelog; regenerating the base subset resolved the postbuild check. The TDX StationOfLine response remains the primary source for...

RUN 142

DATE TBC

TRA Eastern station batch (24 August 2026)

The thirteenth TRA content unit completes all 64 Eastern Main Line station pages with the final four positions. The first postbuild pass found two content-derived glyph gaps (壠 in the changelog and 卑 at Shanli); regenerating the subsets resolved both while leaving the checker intact. Sources, conflicts and TBC...

RUN 141

DATE TBC

TRA Eastern station batch (24 August 2026)

The twelfth TRA content unit adds Eastern Main Line station positions 46–60, bringing the Eastern station set to 60 pages. The first build identified one new content-subset glyph (壠 at Guanshan); regenerating the subset fixed the postbuild check without weakening it. Sources, conflicts and TBC boundaries remain as...

RUN 140

DATE TBC

TRA Eastern station batch (24 August 2026)

The eleventh TRA content unit adds Eastern Main Line station positions 31–45, bringing the Eastern station set to 45 pages. The first build exposed the three new Han characters in the generated changelog; regenerating the shared font subsets resolved that postbuild check without changing the checker. Sources,...

RUN 139

DATE TBC

TRA Eastern station batch (24 August 2026)

The tenth TRA content unit adds Eastern Main Line station positions 16–30, bringing the Eastern station set to 30 pages. The build first caught three missing content-subset glyphs (岳, 纘 and 睦); npm run fonts regenerated the subset and the final export contains all required Han glyphs. Sources, conflicts and TBC...

RUN 138

DATE TBC

TRA Eastern station batch (24 August 2026)

The ninth TRA content unit adds Eastern Main Line station positions 1–15. The line page and the Western station set remain unchanged. The batch uses the same TDX StationOfLine ordering and does not infer train stopping patterns, station facilities, ridership or historical aliases from coordinates or line membership....

RUN 137

DATE TBC

TRA Western completion and font subset (24 August 2026)

The eighth TRA content unit adds the final Western Main Line station positions 106–112. The current Western page set now covers every one of the 112 TDX members. One new Han glyph appeared in Fongshan; the content subset was regenerated and the final export has no missing glyphs. The full TDX Station, StationOfLine...

RUN 136

DATE TBC

TRA Western station batch and font subset (24 August 2026)

The seventh TRA content unit adds Western Main Line station positions 91–105. The build found four glyphs absent from the existing content subset; the font pipeline was regenerated and the final export covers 2,224 pages with no Han subset gaps. The Western sequence is now within its final seven members. Sources,...

RUN 135

DATE TBC

TRA Western station batch (24 August 2026)

The sixth TRA content unit adds Western Main Line station positions 76–90. The Western current-page set now covers 90 of the 112 TDX Western members; the Eastern line landing page and the source-backed system indexes remain in place. No new source family was introduced and no operational figure was filled from an...

RUN 134

DATE TBC

TRA Western station batch and font subset (24 August 2026)

The fifth TRA content unit adds Western Main Line station positions 61–75. Three new Han glyphs were found only after the export completed, so the content subset was regenerated and the clean rebuild now covers 2,164 pages. Sources, conflicts and TBC boundaries are unchanged: full TDX Station, StationOfLine and Shape...

RUN 133

DATE TBC

TRA Western station batch (24 August 2026)

The fourth TRA content unit adds Western Main Line station positions 46–60. The current Western page set now reaches 60 station pages, while the Eastern line page remains available as the next trunk-family landing page. No new source family was introduced; the same fetched TDX and TRA primary pages are carried with...

RUN 132

DATE TBC

TRA Western station batch and font subset (24 August 2026)

The third TRA content unit adds Western Main Line station positions 31–45. The first build caught four missing Han glyphs introduced by those pages; the font-subset pipeline was rerun from the completed export and the regenerated font assets now cover the new

content. This is recorded as a build dependency, not hidden...

RUN 131

DATE TBC

TRA Western continuation and Eastern line (24 August 2026)

The second TRA content unit adds the Eastern Main Line page and the next 15 Western Main Line station pages, bringing the current station-page set to 30 Western stations. The generator now accepts an explicit station offset so a batch cannot overwrite an earlier station range. All line and station pages retain the TDX...

RUN 130

DATE TBC

TRA first content batch (24 August 2026)

The filesystem rail renderer is now wired to the TRA system data layer. The first content batch adds the Taiwan Railways system, line and station indexes, the Western Main Line page, and 15 Western Main Line station pages. Every published line and station page exceeds the 300-word body requirement; the pages...

RUN 129

DATE TBC

TRA TDX current snapshot and line inventory (24 August 2026)

The authenticated TDX pull was run with paced requests and committed under data/tdx/TRA/. It returned 245 Station records, 12 StationOfLine records and 12 Shape records. The 12 line IDs are CZ, EL, JJ, LJ, NW, PX, SA, SH, SL, SU, WL and WL-C; the raw localized line names and all station coordinates, addresses, update...

RUN 128

DATE TBC

TRA temporal architecture primitives (24 August 2026)

Before importing TRA records, the rail model now has explicit temporal primitives in lib/rail-architecture.ts: namespaced stable station identities, current and former names, route memberships with trunk/branch/spur/closed roles, route versions, dated historical geometries, and gauge-bearing segments. Gauge is...

RUN 125

DATE TBC

glossary and generated conflicts index (24 August 2026)

The audit added content/ticketing/guides/glossary.md, a 994-word sourced glossary, and content/ticketing/guides/conflicts-index.md, a 13,477-word generated index containing 41 conflict records. The glossary covers 段次, 分段緩衝區, 幹線公車, 先導公車, 通勤專車, 市民小巴, 區/副/繞/延/預, 區間車, 區間快, 幹線, 悠遊卡, 一卡通, TPASS, 轉乘優惠, 固定閉塞, 移動閉塞, 第三軌 and...

RUN 124

DATE TBC

TOD and joint development index (24 August 2026)

The audit added content/rail/projects/tod-joint-development.md, a 1,254-word sourced index, and the matching research report. It treats TOD as a reader label while retaining the primary sources' land-development and joint-development categories. The page is cross-linked to the committed station pages for Daan Park...

RUN 126

DATE TBC

static network map, station joins and data explorer (24 August 2026)

The audit added a progressive-enhancement network map: the existing linked SVG is the no-JavaScript baseline; after hydration it gains pointer/touch pan, bounded wheel zoom, reset controls, keyboard-operable controls, and a station panel while retaining real station links and line labels. Namespace-qualified station...

RUN 123

DATE TBC

rail projects status index (24 August 2026)

The audit added content/rail/projects/project-status.md, a 705-word sourced project index, plus the research report at docs/research/rail/projects/project-status.md. It keeps DORTS's current construction categories separate from planned routes and preserves the North/South Ring status wording conflict, the ROC 115...

RUN 122

DATE TBC

fare history and station accessibility (24 August 2026)

The audit found official evidence for the 1996 opening fares, 1996 transfer vouchers, 1999 stored-value/free-transfer rule, 2003 transfer-fare stages, 2005 transfer-window change, 2020 Circular Phase 1, 2023 TPASS, 2025 TPASS 2.0 rebates, current Taipei bus fares, and current NTMC/TYMC fare tables. The new...

RUN 121

DATE TBC

systems and operations (24 August 2026)

The audit found that the first/last-train requirement already had a committed implementation: station pages read the TDX FirstLastTimetable snapshots and show the published direction rows, with retrieval metadata in data/tdx/meta.json. This unit therefore added the engineering evidence and coverage boundary around...

RUN 120

DATE TBC

fleet roster evidence and page design (24 August 2026)

The live primary-source review establishes a family/lot roster, not a truthful individual-set register. DORTS supplies C301/C321/C341/C371/C381 procurement lots, counts and delivery milestones; Taiwan Rolling Stock supplies the partial C371 and C381 car-number ranges; TRTC supplies selected overhaul and renewal work....

RUN 119

DATE TBC

build the ridership data layer and page panels (24 August 2026)

The committed data layer now contains 13 months of TRTC per-station entry and exit ODS reductions (July 2025–July 2026), 13 months of TYMC per-station PDF entry/exit reductions (July 2025–July 2026), and ten months of NTMC ODS station rows and operator line subtotals (September 2025–June 2026). The importers are...

RUN 118

DATE TBC

verify ridership publication boundaries (24 August 2026)

The live primary-source audit is recorded in docs/research/rail/metro/ridership.md. TRTC's full ridership index exposes monthly per-station ODS files beginning in 2015 on the checked page, a daily / hourly station dataset through its API catalogue, and a separate monthly cross-system series reaching back to 1996....

RUN 117

DATE TBC

document TRA and THSR expansion groundwork (24 August 2026)

docs/taiwan-expansion.md now records live TDX Basic/Public Transport/ Historical coverage for TRA and THSR, the official PTX API and Government Data Standards schemas, primary source families (TRA, Railway Bureau, National Railway Museum, THSRC, MOTC and archival/academic history), the architecture breaks at...

RUN 116

DATE TBC

close mobile specs overflow and extend browser matrix (24 August 2026)

Fresh browser verification found one real defect: the Xindian Depot specs table was 4 px wider than the 320 px content column because the citation-bearing unit cell imposed an intrinsic minimum. app/globals.css now uses a fixed mobile table layout with proportional label/value/unit columns and a zero minimum on the...

RUN 115

DATE TBC

close remaining shallow content (23 August 2026)

Twenty shallow rail pages, 22 YouBike pages and four short operator pages were expanded from their existing sourced data and research. Cable-rail pages now separate the Maokong line, Zhinan Temple, Zoo South and Zoo contexts; dynamic TMRT station pages use the namespaced TDX sequence, chainage, district, structure,...

RUN 114

DATE TBC

deepen short bus routes (23 August 2026)

The route-depth pass changed 989 short route pages, not the earlier estimate of 412. Each now has a route-specific committed stop sequence from the checked TDX records, an operator/variant/shape evidence section, and an explicit TBC boundary for facts the

schedule data does not publish. Stop labels were sanitised so...

RUN 113

DATE TBC

deepen short bus models and depot records (23 August 2026)

The three bus-model pages now exceed 300 Markdown-stripped body words: King Long 125→327, Model T electric 186→329, and Taiwan Yutong 6128HG 144→307. The additions distinguish Dàyou's highway and city year-group labels, keep the Model T subsidy arithmetic tied to New Taipei's route-857 release, and keep the Yutong...

RUN 110

DATE TBC

rebuild Danhai LRT line depth (23 August 2026)

Reworked the page from 1,874 to 1,954 Markdown-stripped body words and added an overview, route/alignment, planning, construction, lines/stations, rolling stock, operations, history/public art, depot, fares and sources structure. Full DORTS reads at <https://www.dorts.ntpc.gov.tw/about/route/kq4VmGpM2BoY,...>

RUN 112

DATE TBC

rebuild Wenhua and Circular line depth (23 August 2026)

Rechecked and structurally rebuilt the Wenhua page from 2,106 to 2,193 Markdown-stripped body words. Its canonical sections now cover history, route and alignment, stations and passenger facilities, operations, length records, rolling stock, depots, sources and corrections. Full primary-page reads at...

RUN 109

DATE TBC

rebuild Airport MRT line depth (23 August 2026)

Reworked the line page from 1,837 to 1,920 Markdown-stripped body words and put it into a canonical 13-section structure: overview, route/alignment, planning, construction, engineering/contract disputes, operations, depots, rolling stock, stations/passenger facilities, extensions, ridership/finances, fares and...

RUN 108

DATE TBC

rebuild Songshan–Xindian Line depth (23 August 2026)

Rebuilt the page from 1,859 to 2,381 Markdown-stripped body words (+522). It now follows the canonical line structure with 12 h2 sections and a related-reading subsection. The page carries 21 citations (18 primary, three secondary) and adds planning, approval, contract, construction, engineering, branch/depot,...

RUN 107

DATE TBC

rebuild Ankeng LRT depth (23 August 2026)

Rebuilt the line page from 1,598 to 1,986 Markdown-stripped body words and put it into the canonical line order: overview, route/alignment, planning, construction, engineering, stations, length records, rolling stock, depot, operations, fares, incidents/ridership and naming. The public page now cites 29 sources, 26...

RUN 51

19 AUGUST 2026

Part 5, search

Built from the same registries the pages are built from — `getAllPages()`, `STATIONS`, the bus route records and the folder tree — and written to `public/data/search-index.json` by `npm run search`. 1,387 entries, 164 KB, 1,275 of them carrying a Chinese name. Four kinds of key, because a reader arrives with whichever one...

RUN 51

19 AUGUST 2026

Parts 3 and 4, page layout and collapsibles

Committed together because the same three components carry both: the type index, the bus group page and the article body each had an ordering problem and a collapsible problem in the same block of JSX, and splitting them would have meant two commits editing the same lines. The canonical order is now written down in...

RUN 51

19 AUGUST 2026

Part 2, section naming for future scope

`/rail/` meant the metro network and nothing else. Its types — Lines, Rolling Stock, Depots, Stations — were the metro's. TRA and high speed rail are also rail, and adding them to that shape breaks in three separate places: 1. A flat index stops being a browse. `/rail/lines/` listing the Wenhui Line beside 縱貫線 and the HSR...

RUN 51

19 AUGUST 2026

Part 1, six reported bugs

Audited before editing. No route content was added. The audit found zero broken URLs: a script over all 1,628 exported pages collected 195 distinct local asset references (`src`, `srcset`, `<source>`, `CSS url()`, `/images/` in `href/content`) and every one resolved on disk. The defect is not a dangling link — it is a dangling...

RUN 48

19 AUGUST 2026

Bus route groups, Part 3c start: colour-green, 18–

Audited before editing. `content/bus/routes/` held colour-brown (20 routes, complete per Run 30) and colour-red (40 routes, complete per Run 30), but `app/bus/routes/{page,[group]}/page,[group]/[slug]/page}.tsx` were all still hardcoded `GROUP = 'colour-brown'` from before red was built — `dynamicParams` is false and...

Part 1 **R27** and Sanying **LB01**—**LB05**

Audited before editing. This exact six-page batch widened **R27** with full DORTS ground-station, former-railway-corridor, station-design and public-realm pages, the New Taipei Hongshulin Nature Reserve page, and the official Danhai light- rail announcement. **LB01**—**LB05** used full New Taipei DORTS route, public-art,...

Part 1 Sanying **LB12**

Audited before editing. This final partial batch widened **LB12** with the full DORTS route, public-art index, 2026 public-art announcement, engineering documentary and individual **LB12** public-art record. No research appendix was used. | Station | Body-prose words | Sources cited | | --- | ---: | --- | | **LB12** | 353 | DORTS...

Part 5 fresh browser and visual verification

Audited before editing. Part 1 and Part 4 were already complete, and the remaining 991 bus routes were deliberately left untouched. The in-app browser connector was unavailable in this environment (no browser was listed), so the repository's own static-export Playwright harness was used against a fresh build. The...

Part 1 Sanying **LB06**—**LB11**

Audited before editing. This exact six-page batch widened **LB06**—**LB11** using the full New Taipei DORTS route and public-art index, line engineering documentary, 2025/2026 public-art announcements, and the individual **LB06**, **LB08**, **LB09** and **LB11** art/design records. The individual **LB07** page was fetched and returned a cache...

Part 4 bus operators, models and depots

Audited before editing. Part 1 is complete: all 192 station pages now have 200+ words of sourced body prose, so the requested under-target sweep found no second-pass pages. The full distribution is min 223, P25 304, median 340.5, P75 375 and max 584 words. Per-line distributions (n, min / P25 / median / P75 / max)...

Part 1 Zhonghe-Xinlu **051**—**054** and Tamsui-Xinyi **R25**—**R26**

Audited before editing. This exact six-page batch widened **051**—**054** with the full DORTS Luzhou station architecture pages and general station-architecture principles. **R25**—**R26** were widened with the full DORTS route, ground-station, former-railway-corridor, station-

design and northern-public-realm records, with the...

RUN 41

18 AUGUST 2026

Part 1 Zhonghe-Xinlu 017 – 021 / 050

Audited before editing. The six pages were widened with full DORTS station architecture records, the Xinzhuang route record, the DORTS geotechnical-book page, the DORTS Losheng FAQ, the full Control Yuan correction and investigation records, and the full New Taipei historical-building gazette record. No appendix was...

RUN 40

18 AUGUST 2026

Part 1 Zhonghe-Xinlu 011 – 016

Audited before editing. The six pages were widened with full DORTS station architecture records, the general architecture principles, the Zhonghe-Xinlu public-art table and introduction, the Xinzhuang station-design technical chapter, and current TRTC station pages. No appendix was used and no frontmatter fact/spec...

RUN 39

18 AUGUST 2026

Part 1 Zhonghe-Xinlu 005 – 010

Audited before editing. The six pages were widened with full DORTS technical ebooks and journals, the Zhonghe and Xinzhuang route records, the general station-architecture page, the Zhonghe public-art introduction and table, the Songjiang Nanjing joint-development case and current TRTC pages. No appendix was used and...

RUN 38

18 AUGUST 2026

Part 1 Songshan-Xindian and Zhonghe-Xinlu G18, G19, 001 – 004

Audited before editing. This batch widened the source-family search to the full Songshan architecture introduction and principles, the G18 architecture page, the G19 public-art page, the full Zhonghe architecture page, Zhonghe structural-engineering and land-development technical ebooks, the Nanshijiao...

RUN 37

18 AUGUST 2026

Part 1 Songshan-Xindian G02, G03, G06, G11, G13 and G17

Audited before editing. This batch widened the prior source-family search to full DORTS land-development, joint-development administration, structural- engineering, architecture, technical-journal and public-art procurement pages. All six pages now exceed the 200-word target: G02 347, G03 360, G06 321, G11 337, G13 ...

RUN 36

18 AUGUST 2026

Part 1 Tamsui–Xinyi **R25**–**R27** completion audit

Audited before editing. **R25** Guandu, **R26** Zhuwei and **R27** Hongshulin remain at zero body-prose words. No station page was padded with shared corridor facts or frontmatter repeats, and no content file required a change. The exhausted full-source record was rechecked from the existing primary audit: TRTC station pages...

RUN 35

18 AUGUST 2026

Part 2 Ankeng LRT **K07**–**K09** and Danhai completion audit

Audited before editing. **K07** had zero prose, **K08** had 32 words and **K09** had 47. The previous **K07**–**K09** search had fetched the full NTMC station pages/table, DORTS route and station-position pages, **K08** and **K09** public-art records and the An-Xin Bridge record, but had not searched the DORTS **K08** floating-trackbed or **K09**/An-Xin...

RUN 34

18 AUGUST 2026

Part 2 Ankeng LRT **K01**–**K06**

Audited before editing. **K01**, **K03**, **K04**, **K05** and **K06** had zero body-prose words; **K02** had one 31-word public-art sentence. The prior search had fetched the six NTMC station pages, NTMC station table/FAQ/accessibility/transfer material, DORTS route and station-position pages, the Shuang'an Tunnel record, and the **K02**...

RUN 33

18 AUGUST 2026

Part 2 Danhai LRT **V27**–**V28**

Audited before editing. **V27** and **V28** were both zero-word station pages. The prior search record covered their NTMC station pages, DORTS Blue Sea route and station tables, the NTMC route-stamp page and the NTMC public-art page. It had not covered the DORTS Blue Sea track-closure, bridge, cultural-landscape,...

RUN 32

18 AUGUST 2026

Part 2 Danhai LRT **V07**–**V11** and **V26**

Audited before editing. **V07**, **V08**, **V09**, **V10**, **V11** and **V26** were all zero-word station pages. The prior search record covered six NTMC station pages, the DORTS Green Mountain and Blue Sea route/station tables, the NTMC route-stamp page and the NTMC public-art page; it had not covered DORTS construction progress,...

RUN 31

18 AUGUST 2026

Part 2 Danhai LRT **V01**–**V06**

Audited before editing. **V01**–**V06** were all zero-word station pages. The prior search record covered the six NTMC station pages, the Green Mountain route and station tables, the NTMC **V03** safety article, the DORTS shelter-design article and the NTMC Jimmy Liao public-art page. It had not searched the New Taipei award and...

Part 1 Circular Y19 – Y20

Deepened the final two Circular Line station pages after the pre-action audit found both empty. Final body-prose counts: Y19 238 and Y20 218; batch total 456 words. No facts/specs were restated as prose, and this short final batch closes the Circular Line station deepening. Sourced: CF660B/CF661B and 遠揚營造; the p43...

Part 1 Airport MRT A19 – A22

Deepened the final four Airport MRT station pages after the pre-action audit found body prose of A19 58, A20 58, A21 59 and A22 94 words. Final body-prose counts are A19 285, A20 270, A21 280 and A22 433; batch total 1,268 words. This short final Airport batch completes Part 1 Airport MRT station prose. Sourced: CE03B...

Part 1 Airport MRT A13 – A18

Deepened six Airport MRT station pages after the pre-action audit found body prose of A13 92, A14a 68, A15 22, A16 25, A17 24 and A18 103 words. Final body-prose counts are A13 296, A14a 290, A15 260, A16 256, A17 239 and A18 291; batch total 1,632 words. No facts/specs were restated as prose. Sourced: CU02 station...

Part 1 Airport MRT A7 – A12

Deepened six Airport MRT station pages after the pre-action audit found all six below 100 words. Final body-prose counts: A7 218, A8 233, A9 238, A10 207, A11 235 and A12 336; batch total 1,467 words. No facts/specs were restated as prose. A7 now records CU01, its 940 m cut-and-cover and 170 m excavation sections,...

Part 1 Airport MRT A1 – A6

Deepened six Airport MRT station pages after the pre-action audit found all six below 200 words. Final body-prose counts: A1 283, A2 200, A3 217, A4 216, A5 207 and A6 218; batch total 1,341 words. No facts/specs were restated as prose. A1 now records the Taipei-section DA115 design package and six named construction...

Part 1 Bannan BL07 – BL12

Deepened six Bannan station pages from full DORTS and contractor primary pages. Body-prose counts: BL07 384, BL08 417, BL09 365, BL10 436, BL11 405 and BL12 445; batch total 2,452 words. The batch used the same source families as BL01 – BL06: DORTS

route and project records, contract/procurement records, station...

RUN 31

18 AUGUST 2026

Part 1 Bannan BL19—BL23

Completed the final five Bannan station pages. The audit began with BL19 and BL20 at zero words and BL21—BL23 at 34, 25 and 58 words from their public-art records. The widened full-page pass produced BL19 304, BL20 304, BL21 332, BL22 326 and BL23 348 words, for 1,614 words total. Every station-prose sentence carries...

RUN 31

18 AUGUST 2026

Part 1 Bannan BL13—BL18

Deepened six Bannan station pages using the same source families as BL01—BL12: full DORTS route/project pages, contract and procurement records, station architecture, technical books and journals, and public-art planning/current records. Body-prose counts are BL13 385, BL14 322, BL15 336, BL16 323, BL17 323 and BL18 ...

RUN 31

18 AUGUST 2026

Part 1 Circular Y07—Y12

Deepened six Circular Line station pages after the pre-action audit found Y07 with 32 existing body words and Y08—Y12 empty. Final body-prose counts: Y07 287, Y08 323, Y09 273, Y10 232, Y11 219 and Y12 234; batch total 1,568 words. No facts/specs were restated as prose. Sourced: the DORTS first-phase delivery...

RUN 31

18 AUGUST 2026

Part 1 Circular Y13—Y18

Deepened six Circular Line station pages after the pre-action audit found Y13, Y14, Y15, Y17 and Y18 empty and Y16 at 31 body words. Final body-prose counts: Y13 249, Y14 227, Y15 239, Y16 241, Y17 224 and Y18 227; batch total 1,407 words. No facts/specs were restated as prose. Sourced: CF650/CF651B and 中華工程;...

RUN 31

18 AUGUST 2026

Part 1 Bannan BL01—BL06

Deepened six Bannan station pages from full DORTS primary pages. Body-prose counts: BL01 365, BL02 397, BL03 345, BL04 351, BL05 330 and BL06 369; batch total 2,157 words. BL01 added Dingpu's CD552 package, CD271A diaphragm- wall contract, 421-metre station-and-cross-passage dimensions, gravel geology, entrance...

RUN 31

18 AUGUST 2026

Part 1 Green completion, G04, G05, G08, G12

The residual Green audit found full DORTS primary material for all four pages. G04 Dapinglin gained 252 sourced words on the station joint-development building commissioned by the Ministry of the Interior, its address, completion and building form. G05 Jingmei gained 262 words on the simplified 亭仔腳 entrance and two...

RUN 31

18 AUGUST 2026

Part 1 Green correction, G01, G07, G16

The full DORTS public-art overview and technical pages corrected the prior zero-word result for G01 Xindian and G07 Gongguan. G01 gained 313 sourced words on the open-selection sculpture 天、地、人, the rushed process, missed future joint-development car park and relocation of the first-prize work. G07 gained 273 sourced...

RUN 31

18 AUGUST 2026

Part 1 Green station prose, G08, G09, G10, G12, G14, G15

Six Green station pages were audited and four received new sourced body prose. G09 Guting: 293 words; G10 Chiang Kai-Shek Memorial Hall: 275; G14 Zhongshan: 272; G15 Songjiang Nanjing: 300. Batch total: 1,140 words. G08 Taipower Building and G12 Ximen remain at zero after the full TRTC pages, DORTS New Store/Songshan...

RUN 31

18 AUGUST 2026

Part 1 Green station prose, G01, G03A, G04 – G07

This batch audited G01 Xindian, G03A Xiaobitan, G04 Dapinglin, G05 Jingmei, G06 Wanlong and G07 Gongguan. G03A gained 313 sourced words on the public-art procurement, completed programme, distributed station/plaza scope, interactive installation and 2007 awards. G01 and G04 – G07 remain at zero words after the full...

RUN 31

18 AUGUST 2026

Part 1 Red station prose, R25 – R28

This final Red batch audited R25 Guandu, R26 Zhuwei, R27 Hongshulin and R28 Tamsui. R25 – R27 remain at zero body-prose words after the full source-family search. R28 gained 360 words of sourced prose on its terminal programme, former-TRA site, transport-hub role, colonial/Red Castle architectural references and...

RUN 31

18 AUGUST 2026

Part 1 Red station prose, R20 – R24 plus R22A

This batch deepened R20 Qilian, R21 Qiyan, R22 Beitou, R22A Xinbeitou, R23 Fuxinggang and R24 Zhongyi. Body-prose counts are R20 333, R21 335, R22 354, R22A 321, R23 327 and R24 315, for 1,985 words total. Every sentence carries an overlay source. Full primary URLs: -...

Part 1 Red station prose, R14 – R19

This batch deepened R14 Yuanshan, R15 Jiantan, R16 Shilin, R17 Zhishan, R18 Mingde and R19 Shipai. Body-prose counts are R14 346, R15 329, R16 336, R17 314, R18 306 and R19 300, for 1,931 words total. Every sentence carries an overlay source. Full primary URLs: -...

Part 1 Red station prose, R08 – R13

This batch deepened R08 Chiang Kai-Shek Memorial Hall, R09 NTU Hospital, R10 Taipei Main, R11 Zhongshan, R12 Shuanglian and R13 Minquan W. Rd. Body prose counts are R08 345, R09 389, R10 334, R11 420, R12 391 and R13 351, for 2,230 words total. Every sentence carries an overlay source. Full primary URLs: -...

Part 1 Red station prose, R02 – R07

This batch deepened the first six registered Red-line station pages: R02 Xiangshan, R03 Taipei 101/World Trade Center, R04 Xinyi-Anhe, R05 Daan, R06 Daan Park and R07 Dongmen. Body-prose counts are R02 360 words, R03 318, R04 302, R05 316, R06 383 and R07 430, for 2,109 words total. Every station prose sentence...

Part 1 Wenhua station prose, BR19 – BR24

This batch completed the Wenhua Line's final six station pages. The resulting body-prose counts are BR19 304 words, BR20 309, BR21 251, BR22 299, BR23 262, and BR24 362, for 1,787 words total. Every station-prose sentence carries a primary source in the overlay. The full primary pages fetched and used were: - DORTS...

Part 1 Wenhua station prose, BR13 – BR18

This batch deepened six Nei-hu-section station pages. The resulting body-prose counts are BR13 509 words, BR14 424, BR15 408, BR16 428, BR17 345, and BR18 323, for 2,437 words total. Every sentence is cited to a primary source. The full primary pages fetched and used were: - DORTS Wenhua project and current station...

Part 1 Wenhua station prose, BR07 – BR12

This batch deepened six Wenhua Line station pages. The resulting body-prose counts are BR07 364 words, BR08 329, BR09 332, BR10 383, BR11 335, and BR12 405, for 2,148 words total. Every sentence is cited. The new evidence is from full primary pages and

records: DORTS land-development pages and technical bulletins, TRTC...

RUN 31

18 AUGUST 2026

Part 1 Wenhui station prose, BR01 – BR06

The first Part 1 batch widened the Wenhui station search beyond the prior project, architecture and public-art pages. BR01 – BR06 now have independently cited station prose, with the research record in docs/research/rail/stations/wenhui-line-stations.md and source definitions in lib/station-overlay.ts. | Station | Words |...

RUN 30

18 AUGUST 2026

Part 3, bus route groups, 17–

Part 3a completed the 20-page colour-brown pilot. Its 16 history-TBC routes were checked in four four-route batches, adding 485, 497, 464 and 441 whitespace-delimited body tokens respectively (1,887 across those pages). Current service and the following primary history adjustments survived full page fetching; missing...

RUN 30

17 AUGUST 2026

Part 2, cross-cutting history

Part 2 is complete. The public-art page now contains the commissioned works that the fetched DORTS, NTMC and TYMC primary pages actually document, including station, title, artist, year, medium, selection route and cost where published. The research report records the Xiaobitan cost conflict (NT\$1m in the general...

RUN 30

17 AUGUST 2026

Part 1, station prose

Part 1 audited all 168 non-Wenhui station pages, in line order, using full operator pages and the DORTS, Railway Bureau, MOTC and TYMC/NTMC primary pages listed in each line research file. The final registry count is 192 pages, 91 with sourced prose, 101 correctly empty, and 4,002 body-prose words. Existing Wenhui prose...

RUN 30

17 AUGUST 2026

Part 0, long-run audit and plan

The station-page audit counted free-running body prose from the generated registry, including Sanying provenance paragraphs and Wenhui's cited prose sentences. Current totals are: BR 24 pages / 10 non-empty / 538 words; R 28 / 0 / 0; G 20 / 0 / 0; O 26 / 0 / 0; BL 23 / 0 / 0; Y 14 / 0 / 0; A 22 / 0 / 0; V 14 / 0 / 0; K...

RUN 29

17 AUGUST 2026

incoming deep-research lead audit

The eight files in docs/research/incoming/ were read in full. None contained a literal HTTP(S) citation URL, so the incoming URL audit was 0 verified / 0 failed for every file. Numeric references [14], [25] and [50] were placeholders without a bibliography and were recorded as failed, not treated as URLs. The only...

RUN 28

17 AUGUST 2026

Wenhu station body prose

The station renderer now has a separate prose field: structured station facts remain in the registry, while each prose sentence carries its own source id. The full DORTS Wenhu project record, Wenhu station-architecture record, official Wenhu public-art table, and Nangang Exhibition Center architecture record were read...

RUN 27

17 AUGUST 2026

Organization audit, Part 6

Built fresh before inspection: Next generated 512 routes; postbuild produced 513 HTML pages, including 231 legacy /train/ redirect stubs. The browser harness was initially blocked by the machine's missing Chromium executable; Chromium was installed, then the exact harness was rerun with the required permissions. It...

RUN 27

17 AUGUST 2026

Organization audit, Part 5

Built a read-only link graph from all 513 fresh HTML pages and breadth-first walked it from /. All 281 user-facing pages are reachable within three clicks; no real content page is orphaned or requires URL typing. Incoming-link audit by page type: Home: site wordmark, breadcrumbs, and fallback/error links. Section...

RUN 27

17 AUGUST 2026

Organization audit, Part 4

Audited all grouped indexes and content headings. There were no existing disclosures. The implemented native <details>/<summary> controls cover the 10 station-line groups, rolling-stock and depot indexes, both brown-feeder route lists, and the 19 long content pages with at least three major sections; short two-section...

RUN 27

17 AUGUST 2026

Organization audit, Part 3

Audited the BackLink component and all station-page incoming links. Station pages used a fixed line-page destination even when the visitor had just come from the station index; a static server render cannot inspect that source. Added a client-side, session-scoped in-tab route trail recorded by the global navigation....

Organization audit, Part 2

Audited every source and freshly built HTML reference to /rail/stations/. The actual navigational entry points were the global Rail dropdown and the Rail section index; the homepage itself had no station-index card. The other exact matches were repeated global navigation, the index's own navigation, redirect stubs,...

Organization audit, Part o

Measured body prose in all 192 station pages from the station-page template, excluding the facts panel, route map and caption, train table, labels, navigation, references and other structured display text. The result is n=192, average 1.7, min 0, p25 0, median 0, p75 0 and max 27 words. The histogram is 0–99: 192; no...

External research-lead migration

Processed the ten untracked docs/research/deep-research-report.md lead files after confirming that docs/research/incoming/ was absent. Identified subjects: Tamsui–Xinyi, Songshan–Xindian, Zhonghe–Xinlu, Bannan, Blue Highway, MRT depots, MRT rolling stock, the joint bus network, Circular Line, and Maokong Gondola....

Part 2, brown feeder pilot

Built only colour-brown: one route-group index and 20 route pages at the canonical TDX slugs. The official full Taipei/New Taipei bus catalogue was read and lists the same 20 labels under 捷運棕線接駁公車: 棕1, 棕2, 棕3, 棕5, 棕6, 棕7, 棕7建業路, 棕7綠野香坡, 棕10, 棕11, 棕11副, 棕12, 棕13, 棕15, 棕18, 棕19, 棕20, 棕21 and 棕22. The structured pages...

Part 1, unplaced bus routes

Confirmed the merged bus TDX layer at b51fc6c before auditing its 74 unplaced records: 19 series-other and 55 unclassified. The complete route list is: Former series-other (19) — 108 (108); 108區 (108Shuttle); 109 (109); 111 (111); 128 (128); 129 (129); 902 (902); 902區 (902Shuttle); 903 (903); 905 (905); 905副 (905Sub);...

Part 3, bus architecture proposal

Audited the current bus tree and generic routing before designing anything. There is one live bus article (network/joint-operation.md), five bus folder indexes, no route or operator pages, no bus datasets under data/tdx/, and no bus-specific model in lib/; lib/routes.ts is

rail-only. The existing reader and page route...

RUN 23

15 AUGUST 2026

Part 2, live-page scope wording

Audited the four caveats recorded in the previous run: content/rail/index.md, content/bus/network/index.md, content/bike/history/youbike.md, and content/rail/lines/wenhu-line.md. The first two were section-level apologies; the latter two mixed scope wording into real evidence gaps and conflicts. Removed the rail and...

RUN 23

15 AUGUST 2026

Part 1, per-line CJK font subsets

Audited the existing three-way subset pipeline, the station route, npm run weigh, and the previous measured decision in this log. The shared station pair was 242.5 KB (119.9 KB regular plus 122.6 KB bold); the representative **BR13** first visit was 547.4 KB. The existing font-display: optional setting for Latin faces was...

RUN 23

15 AUGUST 2026

Part 0, browser verification reflow and axe

Audited the fresh 491-page build, the checked-in browser report, and the public Actions run before editing. The checked-in report was stale and clean; the fresh local harness reproduced the 18 listed reflow failures. All were caused by long station interchange notes inside .interchange-codes, an unshrinkable flex...

RUN 22

14 AUGUST 2026

Part 4, shared citation-definition pattern

Audited lib/sources.ts and scripts/citations.mjs: both validated the same GFM footnote-definition expression, but the Node script hand-rolled a second copy without the TypeScript export's m flag. TypeScript uses bundler resolution with allowJs, so a shared lib/citation-definition.mjs is resolvable from both...

RUN 22

14 AUGUST 2026

Part 5, link audit

Audited the complete post-K set of 370 unlinked mentions; the brief's 179 was stale after the nine station-line deepening passes. The composition is 197 citation/reference-context mentions (36 in /data/sources/ and 161 in rendered reference blocks), which should not be linked because they are source titles, publishers...

RUN 22

14 AUGUST 2026

Part 6, integrity and rendering verification

Pass 1 audited the fresh post-Part-5 tree before reporting it as complete. npm run verify and npm test both rebuilt 491 pages and passed every listed gate; npm run cite resolved all 265 markers, npm run links reported 368 intentional unlinked mentions, and the full suite remains 185/185. The build reported no missing...

RUN 22

14 AUGUST 2026

Part 7, font-weight decision report

No implementation was made. The current npm run weigh measurement is a 547.4 KB first visit for a station page: 342.7 KB fonts, 188.0 KB other assets and 16.7 KB HTML. The 200 KB target is therefore missed by 347.4 KB; the brief's 394 KB figure is stale. The shared Han pair is 242.5 KB: 119.9 KB regular and 122.6 KB...

RUN 24

15 AUGUST 2026

Bus architecture amendments

Audited the approved architecture before changing it. Added explicit classification precedence: an official colour prefix is the canonical group even when the route is also numbered; the number is an index facet. Directional, descriptive or trunk-name colour words remain in the route's actual class. Made /bus/depots/...

RUN 24

15 AUGUST 2026

Bus amendments and TDX data layer

Audited the approved architecture and the existing rail-only TDX fetcher before working. The amendments now give official colour prefixes precedence over a number facet, keep directional/descriptive colour words in their real class, and make /bus/depots/ the only proposed depot URL; /bus/garages/ is not an alias....

RUN 22

14 AUGUST 2026

Part 3, Ankeng LRT station depth

Audited before editing. The line has nine generated station pages (**K01** **K09**). All had TDX district and coordinates. **K09** had a TDX address; **K01** **K08** had no TDX address. The Part 1 NTMC position overlay already covered all nine with operator station-position descriptions. TDX had no current interchange code; NTMC's full...

RUN 22

14 AUGUST 2026

Part 3, Danhai LRT station depth

Audited before editing. The line has 14 generated station pages (**V01** **V11** and **V26** **V28**). All had TDX district and coordinates. **V01** and **V26** had TDX address strings; **V02** **V11** and **V27** **V28** had no TDX address. The Part 1 NTMC position overlay already covered those 12 gaps with operator station-position descriptions. TDX...

Part 3, Airport MRT station depth

Audited before editing. The line has 22 generated station pages (**A1**–**A13**, **A14a**, **A15**–**A22**); all already had TDX postal address, English and Chinese district, and coordinates. TDX had no current interchange code on any A record. That was not the whole station-data picture: all 22 full TYMC pages publish station exits and...

Part 3, Circular Line station depth

Audited before editing. The line has 14 generated station pages (**Y07**–**Y20**); all already had TDX postal address, English and Chinese district, and coordinates. None had a hand-researched station record. TDX listed current interchanges at **Y07** (G), **Y11** (O), **Y16** (BL), **Y17** (BL) and **Y18** (O); no address was inferred from...

Part 3, Bannan Line station depth

Audited before editing. The line has 23 generated station pages (**BL01**–**BL23**); all already had TDX postal address, English and Chinese district, and coordinates. None had a hand-researched station record. TDX listed the seven interchanges **BL07**/**BL08** (Y), **BL11** (G), **BL12** (R), **BL14** (O), **BL15** (BR) and **BL23** (BR); no self-code...

Part 3, Zhonghe–Xinlu Line station depth

Audited before editing. The line has 26 generated station pages (**001**–**021** and **050**–**054**); all already had TDX postal address, district and coordinates. None had a hand-researched station record for structure, exits or facilities. TDX listed interchanges at **002**, **005**, **006**, **007**, **008**, **011** and **017**. **012**'s O value was the...

Part 3, Songshan–Xindian Line station depth

Audited before editing. The line has 20 generated station pages (**G01**–**G19** and **G03A**); all already had TDX postal address, district and coordinates. None had a station research record, structure, exit detail or facility overlay. TDX listed interchange codes at **G03**, **G04**, **G09**, **G10**, **G12**, **G14**, **G15** and **G16**; **G03**'s G was the...

Part 3, Tamsui–Xinyi Line station depth

Audited before editing. The line has 28 generated station pages (**R02**–**R28** and **R22A**); all already had TDX address, district and coordinates, but none had a station research record, structure, exit details or facilities narrative. TDX had six usable interchange codes and one

self-code at **R22**. The self-code was not a real...

RUN 22

14 AUGUST 2026

Part 2, image quality pass

Audited before editing. The inventory contained 70 in-use image records across the site; I inspected the largest local derivative for every record, checking resolution, sharpness, crop, and whether the visible subject matched its page. The 23 station-card records were included: **BR06** and **BR08** have 800px originals, but...

RUN 22

14 AUGUST 2026

Part 1, TDX station completeness

Audited before editing. The brief's "other 8 lines show only coordinates" premise was not accurate: the eight lines contain 162 station pages; all 162 have TDX district and coordinate fields, and six lines have a TDX address on every page. The actual gap is 20 postal addresses: **V02** **V11** and **V27** **V28** on Danhai LRT (12),...

RUN 21

13 AUGUST 2026

the CI redness was never test:unit

The brief said "GitHub Actions' Tests step failed with exit code 1 on an earlier run" without the assertion text, and asked to run npm run test:unit locally and fix only if it fails. It didn't fail — 184/184, clean — so per the brief's own instruction there was nothing to fix there. But the brief also said the failure...

RUN 20

13 AUGUST 2026

/rail stops being a wall of links

The brief's own premise — "build a rolling-stock index page, WITH PHOTOGRAPHS" — assumed none existed. Built the site and read app/[section]/page.tsx and app/[section]/[type]/page.tsx before writing anything, per the instruction to work from that audit rather than the brief's assumption, since the last two runs both...

RUN 19

13 AUGUST 2026

second Commons pass: gondola, YouBike, ticketing, and the depots that came up empty

The brief for this run assumed three things: ten-odd Wenhui stations still lacked photos, depot and fleet pages needed pictures, and the joint bus network was one of the gaps to fill. Built the site and walked every rendered page for /images/ references before touching anything, per the brief's own instruction to work...

RUN 18

13 AUGUST 2026

housekeeping, and images for the five run-16 pages

.agents/ and .codex/ — untracked agent tool-state directories at the repo root, not part of the project — added to .gitignore without committing their contents. Documented the "Pass N" / "Run N" commit-message inconsistency in docs/framework.md: two sequences exist in history and were never the same one (2a7fe2c "Pass...

RUN 17

13 AUGUST 2026

the ratchet fix

Two corrections to this log's own §92, found while investigating why "npm run verify passed" and the claims ratchet moving 32 → 59 coexisted without either commit message mentioning a conflict. §92.1 named the wrong script, and missed the right one. "npm run check, npm run links, npm run a11y and npm run unused all...

RUN 15

12 AUGUST 2026

YouBike and ticketing

Run 14's §88 status check said nine of the twelve named subjects already had both a real research file and a real content page. File existence checked out — all nine research files and all nine content files are present. Word counts do not: tamsui-xinyi-line.md (2603 words), bannan-line.md (3099), circular-line.md...

RUN 14

12 AUGUST 2026

calibration run, one subject

Of the twelve subjects named for this run, nine already had both a real research file and a real content page: Tamsui-Xinyi, Songshan-Xindian, Zhonghe-Xinlu, Bannan, Circular, Danhai LRT, Ankeng LRT, Airport MRT, and the joint bus network. Circular Line in particular turned out to already be done — 547-line research...

RUN 13

12 AUGUST 2026

three small fixes

Three independent tasks by instruction, npm run verify and a separate commit after each. No research, no image fetching, no screenshot sweep — those are explicitly out of scope for this run. app/rail/stations/[code]/page.tsx:207 printed the district in Chinese only. New lib/districts.ts maps Chinese → English for all...

RUN 12

12 AUGUST 2026

the queued re-fetches

Scoped narrowly by instruction: re-run the seven Commons fetches run 11 left blocked by rate-limiting, fetch the alternate Latin-credited C341 photo instead of touching lib/text-tokens.ts, look at every image before wiring it in, and stop rather than hammer Commons if it 429s again. Nothing else. Commons had cooled...

scope statements and photographs

Scoped to Parts 2 and 6 only, by instruction. Priority was Part 6. Headline: a real bug in the image pipeline, caught before it shipped. scripts/fetch-commons.mjs sanitised a Commons filename for its local cache key by stripping every non-ASCII character. Two different Han-only filenames — 南港機廠.jpg (Nangang Depot) and...

layout, navigation, linking, and the light rail that was never asked for

Two sessions, split by a usage limit that killed twelve research subagents mid-flight. This entry covers what landed. The brief's later parts (colour, diagrams, station-page depth, the photographed /rail index, performance, the five-viewport sweep) were not started and are listed at the end. All three reproduced at...

the corpus, and the flatness

Two jobs: absorb a 21-file research corpus without publishing any of it on its own authority, and stop every page reading at the same texture. Plan and its self-critique in docs/plans/run7-plan.md; the corpus index is docs/research/INDEX.md. Headline: the site was contradicting itself about how its trains take power....

photographs

The diagnosis in the brief: the site was bland because it had no photographs, and every layout pass since run 1 has been rearranging that absence. Plan and critique in docs/plans/run6-plan.md; the critique moved image processing out of the build (committed WebP, CI only verifies), made attribution a visible line...

the wrap, the skeleton, the entity graph, the linker

Four-part brief, executed in order. Plan and its critique in docs/plans/run5-plan.md; screenshots prefixed wrap- and r5- in docs/screenshots/. Run 3 claimed prose re-flow below a float "can't be expressed in CSS for block boxes." Wrong, and now on the record as wrong: that limitation is real only for a centred column,...

the content run

One instruction: publish the Matra article, finish the line page. Six decisions from for-jamie.md executed. 6 August 2026. docs/drafts/matra-dispute.md → /train/history/matra-dispute/, a new history type under Train. The two-conflated-disputes finding leads the

page. The draft's rules were followed: no hardware-dongle...

RUN 3

6 AUGUST 2026

corrections and citation

Third pass. The brief put false claims above everything, research above infrastructure, and infrastructure above polish. That order was right and it is the order this ran in. Headline: the site was publishing four false statements, not three. The three in §17 are corrected. The fourth was found while checking the...

RUN 2

5 AUGUST 2026

verification and adversarial

Second pass. The brief was to prove things rather than build them, and to investigate anything suspicious in preference to finishing a part. That trade was taken twice, and both times it paid. Headline: the site had a real WCAG contrast failure in its own neutral greys, on every page, and never noticed — because the...

RUN 1

5 AUGUST 2026

build and audit

Read this before the site. The headline is §2.1. The site was publishing a route length 1.25 km too long, and asserting on three separate pages that TDX does not publish the real one. It does, and the data was already committed to this repository. The same file also settles the 25.1-vs-25.7 question the run-1 research...

The detailed source record is **the guide's research and audit corpus** [/about/] in the repository; this page is regenerated whenever the run log changes.

An independent, non-commercial reference site. Not affiliated with Taipei Rapid Transit Corporation, Taipei City Government, or any bus operator. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. **About this site.**

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-22; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.