

[← Back to the previous page](#)

Tucheng Depot

The Bannan Line's level-four main depot — a 26.8-hectare maintenance complex built on former Dahan River flood-control land.

BL BANNAN LINE [/RAIL/METRO/LINES/BANNAN-LINE/] 板南線			
CHINESE NAME 土城機廠 ^[1]	OPERATOR Taipei Rapid Transit Corporation [/rail/operators/trtc/] ^[7]	LINE Bannan [/rail/metro/lines/bannan-line/] ^[1]	DISTRICT Tucheng [/rail/metro/stations/bl03/] ^[5]
ROLE Main depot ^[1]	TUCHENG LINE OPENED 31 May 2006 ^[5]	CURRENT FLEET ALLOCATION TBC	

Overview

Tucheng Depot, 土城機廠, is the Bannan Line [\[/rail/metro/lines/bannan-line/\]](/rail/metro/lines/bannan-line/)'s main depot, on the east side of Huanhe West Road and Baijiebao Road in Tucheng [\[/rail/metro/stations/bl03/\]](/rail/metro/stations/bl03/) District. ^[1] DORTS's detailed route account places it on former Dahan River flood-control land, with Xinxing Bridge to the north, the newer Tucheng levee to the west and the industrial district and river authority to the east. ^[5]

The site works with Nangang Depot [\[/rail/metro/depots/nangang-depot/\]](/rail/metro/depots/nangang-depot/) to provide the maintenance needed for the whole Bannan Line. ^[5] TRTC [\[/rail/operators/trtc/\]](/rail/operators/trtc/) currently groups both workshops under Vehicle Plant Two, the unit responsible for Bannan rolling-stock maintenance. ^[7] Neither source publishes a current model-by-model stabling roster, so depot fleet allocation remains TBC.

Planning and construction

DORTS says planning began in 1990. ^[5] Taipei [\[/rail/thsr/stations/taipei/\]](/rail/thsr/stations/taipei/)'s metro construction supervision meeting approved the scheme on 14 December 1990, a provincial–city coordination meeting followed on 9 January 1991, and the proposal went through the Ministry of Transportation and Communications on 25 March 1991. ^[5] The Executive Yuan approved the construction plan on 18 October 1993. ^[5]

The project used two section contracts. DORTS defines CD550 as covering civil and building-services work from `BL2` to Tucheng Depot and line-wide track and electromechanical systems—including the depot—as well as rolling stock.^[6] CD551 covered a different station section.^[6] The route page says CD551 was the first main works contract signed, on 29 April 1999, but does not identify that as the depot's start.^[5] Exact CD550 award, depot start, handover and commissioning dates remain TBC.

The Tucheng Line from Xinpu `[/rail/metro/stations/bl08/]` to Yongning `[/rail/metro/stations/bl02/]` opened on 31 May 2006 after preliminary inspection beginning 21 April and final inspection beginning 20 May.^[5] Those are line milestones and are not relabelled as depot acceptance dates.

Site and functions

DORTS consistently gives an area of approximately 26.8 hectares.^[5] ^[2] ^[4] The route description identifies Tucheng as one of the principal sites for stabling, washing and maintaining trains used across the Banqiao, Tucheng and Nangang sections.^[5] The planning inventory classifies it as a level-four steel-wheel depot.^[2]

Capacity and equipment

Capacity differs by table heading. The network-planning inventory publishes storage space for 34 trainsets, while the equipment table gives 36 stabling-road positions.^[2] ^[4] No opened source converts between those measures or explains the two-position difference, so both remain labelled rather than collapsed into one capacity.

The equipment table records no test track.^[4] DORTS's procurement list identifies CD319A as a package of twelve categories of main maintenance equipment.^[3] That establishes original equipment scope, not a current inventory; the active machinery and division of heavy work between Tucheng and Nangang remain TBC.

Specifications

Site area	approximately 26.8 ha ^[5]
Depot grade	Level 4 ^[2]
Storage space	34 trainsets ^[2]
Stabling-road positions	36 ^[4]
Test track	No ^[4]
Main maintenance equipment	12 categories ^[3]

References

7 of 7 sources on this page are primary — published by the operator, the builder or government.

- 1** Taipei Metro network planning practice — depot roles and locations [<https://ebook.dorts.gov.taipei/ebook/no1/files/basic-html/page200.html>]
捷運路網規劃實務

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)
accessed 2026-08-23

DORTS identifies Tucheng as the Bannan Line's main depot and locates it east of Huanhe West and Baijebao roads.

- 2** Taipei Metro network planning practice — depot inventory [<https://ebook.dorts.gov.taipei/ebook/no1/files/basic-html/page202.html>]
捷運路網規劃實務

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)
accessed 2026-08-23

The inventory gives level four, approximately 26.8 ha and storage space for 34 trainsets.

- 3** Taipei Metro depot equipment practice — maintenance-equipment contracts [<https://ebook.dorts.gov.taipei/ebook/no27/files/basic-html/page106.html>]
捷運機廠設備實務

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)
accessed 2026-08-23

DORTS identifies CD319A as the depot's main maintenance-equipment package and gives twelve categories.

- 4** Taipei Metro depot equipment practice — fleet and depot table [<https://ebook.dorts.gov.taipei/ebook/no27/files/basic-html/page107.html>]
捷運機廠設備實務

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)
accessed 2026-08-23

The table gives level four, 36 stabling-road positions, no test track and 26.8 ha in a six-train Banqiao/Tucheng Line context.

- 5** Tucheng Line route description [<https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=12C5B1574D868732>]
土城線路線說明

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)
accessed 2026-08-23

DORTS describes the former flood-control-river site, boundaries, 26.8 ha, shared Bannan maintenance function, project approvals and line opening.

- 6** Taipei Metro construction management practice — CD550 scope [<https://ebook.dorts.gov.taipei/ebook/no15/files/basic-html/page39.html>]
捷運工程施工管理實務

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)

accessed 2026-08-23

DORTS defines CD550 as covering civil/building-services work to Tucheng Depot and line-wide track, systems and rolling stock including the depot.

7 **Division of responsibilities — Rolling Stock Department** [<https://www.metro.taipei/cp.aspx?n=195274f164a8ee0b&s=EAC107016EAB69E7>]

業務職掌－車輛處

PRIMARY Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司) accessed 2026-08-23

TRTC assigns Bannan rolling-stock maintenance and management of the Tucheng and Nangang workshops to Vehicle Plant Two.

Last updated: 2026-08-23

An independent, non-commercial reference site. Not affiliated with Taipei Rapid Transit Corporation, Taipei City Government, or any bus operator. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. [About this site.](#)

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-22; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.