

[← Back to the previous page](#)

LB01

Dingpu

頂埔

INTERCHANGE

BL

Bannan Line at Dingpu ^[3]

Stop 1 of 12 ^[1] · Tucheng District (土城區) ^[1] · elevated ^[4]

Overview

LB SANYING LINE [/RAIL/METRO/LINES/SANYING-LINE/] 三鶯線			
POSITION 1 of 12 ^[1]	INTERCHANGE BL Bannan Line at Dingpu ^[3]	DISTRICT Tucheng District (土城區) ^[1]	STRUCTURE Elevated ^[4]
STREET EXITS 4 ^[2]	FACILITIES Step-free access; accessible toilet; information point; AED; water dispenser ^[2]		
ACCESSIBILITY TBC — no station-specific accessibility record has been added for this operator and line.			
OPENED 30 June 2026 ^[3]	OPERATOR New Taipei Metro Corporation [/rail/operators/ntmc/] ^[1]	TRIAL FARE Stored-value cards ride free from 30 June to 31 August 2026; riders without one need a single-journey ticket. ^[3]	TRIAL HOURS 08:00–22:00 from 1 August; 06:00–24:00 announced for 16–31 August. ^[5] ^[6]
NORMAL FARE NT\$20–35; the operator has not announced the charging start date. ^[3]			

Location

ADDRESS	新北市土城區頂埔里中央路四段51之7號 ^[1]
COORDINATES	24.959265, 121.418186 ^[14]

Near this station

Nearby connections are committed build-time joins. Bus links use curated exact-stop matches; YouBike links use the nearest-coordinate match within 200 metres, so a dock is nearby rather than an assertion that it sits inside the station.

Bus routes - Sanying 2 [/bus/routes/new-taipei/2-812/] 三鶯2線(原812) · 臺北客運 571 [/bus/routes/new-taipei/571/] 571 · 臺北客運 705 [/bus/routes/new-taipei/705/] 705 · 臺北客運 706 [/bus/routes/new-taipei/706/] 706 · 臺北客運 707 [/bus/routes/new-taipei/707/] 707 · 臺北客運 - BL45 [/bus/routes/colour-blue/blue-45/] 藍45 - BL46 [/bus/routes/colour-blue/blue-46/] 藍46 - Beta Community - MRT Dingpu Sta. [/bus/routes/new-taipei/route-60nzgf/] 北大社區-捷運頂埔站 · 臺北客運 - MRT DingXi Station-MRT Dingpu Station [/bus/routes/new-taipei/route-91qpeo/] 捷運頂溪站-捷運頂埔站 · 臺北客運 - Sanxia-Zhonghe High School [/bus/route/new-taipei/route-a6fms/] 三峽-中和高中 · 臺北客運 TDX bus snapshot retrieved 2026-08-15 · source [https://tdx.transportdata.tw/]	YouBike docks No joined dock is within the checked threshold. Static station records retrieved 2026-08-25 · TDX source [https://tdx.transportdata.tw/] · live availability is not stored here.
Rail interchanges No published interchange is recorded.	Exits and access Street exits: 4. ^[2] Detailed exit positions: TBC.

Station order is the operator’s published LB01–LB12 sequence. Coordinates come from the official New Taipei landmark records, converted from their published TWD97 fields to WGS84 for display. ^[14]


Station context

At **LB01**, DORTS presents A Beautiful Journey as an interchange walk: wall lighting and mosaic ceramic panels linked to train information turn the passage into a flowing river of light. ^[8] The project route record places **LB01** in Tucheng’s Central Road Section 4 and identifies the station as the Sanying Line’s connection to the existing Bannan Line Dingpu station. ^[7] DORTS describes the Sanying platform as ground-level three while the Bannan platform is underground three, making this a vertically stacked interchange rather than a same-level transfer. ^[11] The same interchange announcement records eight direct escalators, arranged as four up and four down, and two lifts serving the direct connection between the lines. ^[11] That announcement states a transfer time of under two minutes for the direct route, while the operator’s actual passenger walking time is not independently established here. ^[11] A 2024 construction notice records that the transfer facility was still being built between the two systems and temporarily closed Bannan exit 3 while the work proceeded. ^[12] The notice describes the construction path from the Bannan station’s underground level three by escalator or lift to Sanying’s ground-level three, which explains why the public route is distinct from a street transfer. ^[12] DORTS’ station-design record describes an elevated side platform closely integrated with the existing Dingpu station and shared entrances. ^[13] It frames the station as an urban greenhouse, using planting, a long-span structure, a semi-transparent expanded-metal façade, daylight and natural ventilation as parts of the design brief. ^[13] The line’s public-art index describes the wider project as 14.29 kilometres with 12 elevated stations, placing **LB01**’s interchange work inside a line-wide rather than underground station programme. ^[9] The builder’s engineering documentary says the elevated alignment crosses national and railway infrastructure, the Dahan and Sanxia rivers and Yingge Creek. ^[10] For railway crossings, it records a fish-fin bridge, protective base plates, railway supervision and a night operation with a TRA power-off section. ^[10] Those controls describe line-level construction risk and should not be read as evidence that a particular **LB01** structural incident occurred. ^[10] The public-art record establishes the artists and the interchange-passage media for A Beautiful Journey, but the fetched records do not establish a separate **LB01** art cost or a civil construction contract value. ^[8] No fetched primary record in this batch establishes an **LB01** rename, a separate station architect, or a station-specific feeder-bus stop-ID join, so those fields remain TBC. ^[7]

Ridership

Monthly station movement is entry plus exit. The latest published month is **07/2026**: **1,143,456** movements, ranked **#1 of 12** stations on the LB Line.

LATEST MONTH	MOVEMENT	LINE RANK	ENTRY / EXIT
07/2026	1,143,456	#1 / 12	619,820 / 523,636



LB01 Dingpu monthly trend. Exact values and dates are in the table below; entry and exit dimensions are retained where the source publishes them.

Station ridership by month

MONTH	MOVEMENT	ENTRY	EXIT	DAYS
06/2026	31,024	17,118	13,906	30
07/2026	1,143,456	619,820	523,636	31

Source: Monthly whole-system passenger traffic reports [https://www.ntmetro.com.tw/basic/?mode=download&func=basic&code=basic10145&join=10145&path=MTE15bm0N(2Baci0WFq0ezu(2Be1semBi(2BmHj(2Be1seioiF8yNjA4MjQxMTE2Mjg(3D.ods)] · operator statistics index [https://www.ntmetro.com.tw/basic/?node=10145] · retrieved 2026-08-26

References

14 of 14 sources on this page are primary — published by the operator, the builder or government.

1

Sanying Line stations

[https://www.ntmetro.com.tw/basic/?node=10164]

三鶯線車站

PRIMARY

New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-14

The operator's current table of LB station codes, Chinese names, addresses and running order.

2

LB01

Dingpu station information map

[https://www.ntmetro.com.tw/archive/file/1150805-LB01.jpg]

LB01 頂埔站資訊圖

PRIMARY

New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-14

The operator's station-specific information sheet publishes the official English name, numbered exits and facility symbols.

3

The Sanying Line officially opens on 30 June

[https://www.ntmetro.com.tw/basic/?mode=detail&node=867]

捷運三鶯線6/30正式通車

PRIMARY

New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-14

archived [https://web.archive.org/web/20260806053328/https://www.ntmetro.com.tw/basic/?mode=detail&node=867]

Opening date, operator, Dingpu and Yingge transfers, trial-fare rules, service plan and the NT\$20–35 normal fare band. It says the charging date will be announced separately.

-
- 4 Ministry of Transportation to inspect the Sanying Line on 7 June 2026 [https://www.motc.gov.tw/ch/app/data/view?id=14&module=news&serno=a7dd045e-24d7-4cfe-88e2-e390627cb279]

交通部訂於115年6月7日辦理捷運三鶯線履勘

PRIMARY Ministry of Transportation and Communications (交通部) accessed 2026-08-14

The ministry describes the inspected line as 14.29 km with twelve elevated stations.

-
- 5 Sanying Line operating hours extended to 08:00–22:00 from 1 August [https://www.ntpc.gov.tw/ch/home.jsp?dataserno=715da45564e1ee910042fd23ce8bcf0b&id=e8ca970cde5c00e1] 赴市議會施政報告 侯友宜宣布三鶯線8/1起延長營運時間為「8時至22時」

PRIMARY New Taipei City Government (新北市政府) accessed 2026-08-14

Publishes the trial-operation hours effective from 1 August 2026.

-
- 6 Sanying Line fare and trial-operation notice [https://www.ntmetro.com.tw/basic/?node=10166]

三鶯線票價

PRIMARY New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-14

The operator announces 06:00–24:00 service from 16 to 31 August and repeats the stored-value-card trial rule.

-
- 7 Sanying Line project route and stations [https://www.dorts.ntpc.gov.tw/about/routeInfo/1MJjdJr7dAv6]

三鶯線

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)

accessed 2026-08-14

The builder's current station list, construction locations and officially appended station names.

-
- 8 Sanying Line public art: A Beautiful Journey [https://www.dorts.ntpc.gov.tw/documentary/articleInfo/1A1dpD9odLK7]

一路有藝思：三鶯線公共藝術規劃構想

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)

accessed 2026-08-17

The builder's full public-art article describes **LB01**'s lighting performance and mosaic ceramic-panel works in the Bannan–Sanying interchange passage, including their linkage to train information and the flowing-light-river concept.

-
- 9 Sanying Line public-art index [https://www.dorts.ntpc.gov.tw/art_aesthetics/public_art]

公共藝術

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)

accessed 2026-08-17

The builder's full public-art index states that the Sanying Line is 14.29 km with 12 elevated stations and lists the **LB01**–**LB05** work titles.

- 10** Sanying Line high-risk bridge and railway construction [<https://www.dorts.ntpc.gov.tw/documentary/articleInfo/7PVdqkY4mGLb?page=239>]

侯市長視察三鶯線陶瓷老街站

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17

The builder's full documentary states that the line is elevated, crosses national and railway infrastructure and three waterways, and describes fish-fin bridge, railway supervision and night power-off controls.

- 11** Dingpu Bannan–Sanying interchange construction [<https://www.dorts.ntpc.gov.tw/news/indexInfo/06JmaQ3gmqya?page=1>]

三鶯線最關鍵一哩路!全線動態測試進行中

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17

The builder's full announcement describes Dingpu's vertical Bannan–Sanying arrangement, eight direct escalators, two direct lifts and the stated transfer time.

- 12** Dingpu interchange construction traffic notice [<https://www.dorts.ntpc.gov.tw/news/indexInfo/nalZ4Evzmzeo?page=5>]

新北捷運三鶯線施工 板南線頂埔站3號出口3/1起封閉

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17

The builder's full 2024 construction notice records the transfer-facility works between Bannan Dingpu and Sanying Dingpu and the temporary closure of Bannan exit 3.

- 13** Dingpu station breathable urban-greenhouse design [<https://www.dorts.ntpc.gov.tw/news/indexInfo/7PVdqJR7ZGLb?page=2>]

捷運三鶯線頂埔站周邊定向越野挑戰賽

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17

The builder's full page describes **LB01**'s elevated side platform, shared Dingpu entrances and the urban-greenhouse design using planting, a long-span structure, expanded metal, daylight and natural ventilation.

- 14** New Taipei City important landmarks information [<https://data.ntpc.gov.tw/api/datasets/6dcff24a-838c-40fb-a9df-f1160afafe84/json?page=0&size=3000>]

新北市重要地標資訊

PRIMARY New Taipei City Government Research, Development and Evaluation Commission (新北市政府研究發展考核委員會) accessed 2026-08-14

The official open-data records whose 地標類型 is 捷運站 and whose 地標名稱 identifies each 三鶯線 station. The records publish TWD97 TM2 fields twd97_x and twd97_y; the registry converts those published EPSG:3826 values to WGS84 latitude/longitude for display without estimating from a map.

An independent, non-commercial reference site. Not affiliated with Taipei Rapid Transit Corporation, Taipei City Government, or any bus operator. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. [About this site.](#)

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-22; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.