



SHIH-HAN LIN [https://commons.wikimedia.org/wiki/File:Taipei_MRT_Donghu_Station_01.JPG] · CC BY-SA 2.0 [<https://creativecommons.org/licenses/by-sa/2.0/>] · [WIKIMEDIA COMMONS](#)

[← Back to the Wenhu Line](#)

BR22

Donghu

東湖

Stop 22 of 24 · Neihu District (內湖區) · elevated

Overview

BR WENHU LINE [/RAIL/METRO/LINES/WENHU-LINE/] 文湖線			
POSITION 22 of 24	INTERCHANGE None	DISTRICT Neihu District (內湖區)	STRUCTURE Elevated
STREET EXITS 3			
ACCESSIBILITY			
LIFTS Published; the operator also publishes the station's exit lift/ramp locations in Chinese.			
STEP-FREE ROUTE Published in the operator's exit lift/ramp field; the station-specific route text is retained in the source record.			
TACTILE PATH AND WARNINGS Tactile paving: Not marked in this operator field. Stair anti-slip strips: Published.			
ACCESSIBLE TOILET Published; the operator publishes the station-specific accessible-toilet location in Chinese.			
NURSING ROOM TBC — this TRTC station-accessibility API does not publish nursing-room data.			
PLATFORM GAP TBC — no platform-gap measurement was found in this TRTC station-accessibility API.			
[10]			
ENGINEERING NO. [/RAIL/TECHNOLOGY/STATION-NUMBERING/] B9	OPENED TBC	OPERATOR Taipei Rapid Transit Corporation [/rail/operators/trtc/]	
PLANNED [Xidong Line] New Taipei's Xidong Line lists its SB10 station as interchanging with Wenhua here. New Taipei DORTS, 汐東捷運 [https://www.dorts.ntpc.gov.tw/about/route/8119Zo7NZveD]			

Location

ADDRESS 114056臺北市內湖區康寧路3段235號

COORDINATES 25.067455, 121.611535

Near this station

Nearby connections are committed build-time joins. Bus links use curated exact-stop matches; YouBike links use the nearest-coordinate match within 200 metres, so a dock is nearby rather than an assertion that it sits inside the station.

Bus routes

- **203** [/bus/routes/series-200s/203/] 203
- **240Express** [/bus/routes/series-200s/240/] 240直
- **247** [/bus/routes/series-200s/247-1u793pt/] 247
- **247Shuttle** [/bus/routes/series-200s/247-s94tgq/] 247區
- **281** [/bus/routes/series-200s/281/] 281
- **590** [/bus/routes/new-taipei/590/] 590 · 新北客運
- **591** [/bus/routes/new-taipei/591/] 591 · 中興巴士
- **629** [/bus/routes/new-taipei/629-agz5w/] 629 · 新北客運
- **645Sub** [/bus/routes/series-600s/645-1oyv0of/] 645副
- **645** [/bus/routes/series-600s/645-7bxkr5/] 645
- **681** [/bus/routes/series-600s/681/] 681
- **683B** [/bus/routes/series-600s/683-14554x7/] 683預
- **683** [/bus/routes/series-600s/683-17yuams/] 683
- **896** [/bus/routes/new-taipei/896/] 896 · 新北客運
- **BL51** [/bus/routes/colour-blue/blue-51/] 藍51
- **S1Shuttle** [/bus/routes/minibus/minibus-1-1nj7r2x/] 小1區
- **S1** [/bus/routes/minibus/minibus-1-p1127q/] 小1

YouBike docks

- **YouBike2.0_MRT Donghu Sta. (Exit 2)**
YouBike2.0_捷運東湖站(2號出口)
27.8 m · capacity 20
- **YouBike2.0_MRT Donghu Sta. (Exit 3)**
YouBike2.0_捷運東湖站(3號出口)
64.1 m · capacity 30

Static station records retrieved 2026-08-25 · TDX

source [https://tdx.transportdata.tw/] · live availability is not stored here.

• Minquan Metro Bus [/bus/routes/trunk/route-1dgbuox/]民權幹線 • Beihuan Metro Bus [/bus/routes/trunk/route-1seu29d/]北環幹線 • Nanjing Metro Bus [/bus/routes/trunk/route-rh1925/]南京幹線 TDX bus snapshot retrieved 2026-08-15 · source [https://tdx.transportdata.tw/]	
Rail interchanges No published interchange is recorded.	Exits and access Street exits: 3. Detailed exit positions: TBC.

First and last trains

TOWARDS	FIRST	LAST
Taipei Zoo	06:03	00:03
Taipei Nangang Exhibition Center	06:01	01:05

Station context


The current DORTS project table maps Donghu to engineering station B9, and the CB424 record includes B9 in the four-station elevated package covering B6–B9.^[1] B9 is on 25-metre Kangning Road 3, near Lane 245, on transport land to the northeast.^[2] The technical record describes a northeast–southwest elevated side platform, a 93-metre station body 20.6 metres wide and an 83-metre platform.^[2] DORTS treats B9 as part of the commercial-and-recreation corridor along Chenggong and Kangning Roads, where the broader account also records Dahu Park’s recreational role and nearby infrastructure.^[3] B9’s theme is Music, with a blue-grey station colour and a design reference to the Keelung River and sky.^[4] The shared elevated-station design keeps circulation semi-open and uses glass, enamelled steel and natural ventilation to reduce the visual and structural heaviness of a station above the road.^[5] B9 is among the side-platform stations for which DORTS documented rainwater falling from the platform edge onto metal cladding and prescribed flashing and maintenance procedures.^[6] Lake Ripples at Exit 3 turns the wall into DORTS’s “lake city story”: wind and rain create overlapping ripples that stand for shared memory in a city with lakes.^[9] The official art table records the work in March 2009 on the exterior wall at Exit 3, by Wu Shui-yi and Yang De-yi, using ceramic with celadon glaze through open selection at a listed cost of NT\$2,300,000.^[9] The public-art chapter’s executed list also records Donghu as an open-selection station,

separate from the topic summary used to frame the line's design themes.^[8] The station-colour plan separates the brown line colour used in platform-door and sign systems from each station's own colour treatment across selected finishes.^[7] The fetched CB424 record identifies the station package and dimensions but does not publish an individual contractor, award date or final station-package value; those fields remain TBC.^[2]

Ridership

Monthly station movement is entry plus exit. The latest published month is **07/2026**: **483,656** movements, ranked **#13 of 24** stations on the BR Line.

LATEST MONTH	MOVEMENT	LINE RANK	ENTRY / EXIT
07/2026	483,656	#13 / 24	237,608 / 246,048



BR22 Donghu monthly trend. Exact values and dates are in the table below; entry and exit dimensions are retained where the source publishes them.

Station ridership by month

MONTH	MOVEMENT	ENTRY	EXIT	DAYS
01/2015	480,764	237,209	243,555	31
02/2015	406,642	201,073	205,569	28
03/2015	505,295	249,284	256,011	31
04/2015	472,504	232,973	239,531	30
05/2015	487,932	241,369	246,563	31
06/2015	452,091	224,190	227,901	30
07/2015	460,954	229,019	231,935	31
08/2015	454,417	226,082	228,335	31

MONTH	MOVEMENT	ENTRY	EXIT	DAYS
09/2015	450,982	221,479	229,503	30
10/2015	492,062	243,858	248,204	31
11/2015	483,342	240,125	243,217	30
12/2015	516,252	256,424	259,828	31
01/2016	480,534	238,055	242,479	31
02/2016	444,897	218,277	226,620	29
03/2016	518,941	256,506	262,435	31
04/2016	465,468	231,451	234,017	30
05/2016	481,144	239,448	241,696	31
06/2016	447,350	222,532	224,818	30
07/2016	448,088	222,767	225,321	31
08/2016	467,054	232,401	234,653	31
09/2016	430,673	214,399	216,274	30
10/2016	478,951	237,130	241,821	31
11/2016	487,868	242,199	245,669	30
12/2016	516,158	256,537	259,621	31
01/2017	445,255	221,171	224,084	31
02/2017	462,449	227,653	234,796	28
03/2017	523,710	258,538	265,172	31
04/2017	465,037	230,618	234,419	30
05/2017	471,981	234,127	237,854	31
06/2017	461,613	229,152	232,461	30
07/2017	438,167	218,071	220,096	31
08/2017	453,976	226,104	227,872	31
09/2017	465,742	230,841	234,901	30
10/2017	457,386	226,222	231,164	31

MONTH	MOVEMENT	ENTRY	EXIT	DAYS
11/2017	485,766	241,239	244,527	30
12/2017	515,558	255,437	260,121	31
01/2018	492,662	243,909	248,753	31
02/2018	436,521	213,798	222,723	28
03/2018	523,476	258,333	265,143	31
04/2018	456,167	225,497	230,670	30
05/2018	493,253	243,735	249,518	31
06/2018	458,465	226,438	232,027	30
07/2018	463,065	228,677	234,388	31
08/2018	472,387	233,782	238,605	31
09/2018	459,626	227,045	232,581	30
10/2018	508,998	251,559	257,439	31
11/2018	504,728	249,272	255,456	30
12/2018	521,912	258,161	263,751	31
01/2019	512,654	252,375	260,279	31
02/2019	505,573	245,035	260,538	28
03/2019	524,703	257,961	266,742	31
04/2019	488,993	241,225	247,768	30
05/2019	511,864	253,278	258,586	31
06/2019	466,674	230,493	236,181	30
07/2019	478,227	236,958	241,269	31
08/2019	461,091	228,902	232,189	31
09/2019	463,634	228,891	234,743	30
10/2019	511,300	254,285	257,015	31
11/2019	515,421	256,029	259,392	30
12/2019	541,905	268,565	273,340	31


MONTH	MOVEMENT	ENTRY	EXIT	DAYS
01/2020	448,409	222,131	226,278	31
02/2020	436,761	214,750	222,011	29
03/2020	441,529	218,282	223,247	31
04/2020	378,470	187,876	190,594	30
05/2020	428,065	212,116	215,949	31
06/2020	423,280	210,581	212,699	30
07/2020	446,839	222,197	224,642	31
08/2020	439,591	218,027	221,564	31
09/2020	476,546	236,960	239,586	30
10/2020	472,526	233,787	238,739	31
11/2020	486,351	241,093	245,258	30
12/2020	530,260	263,446	266,814	31
01/2021	470,159	233,060	237,099	31
02/2021	437,574	214,366	223,208	28
03/2021	508,578	251,588	256,990	31
04/2021	474,092	235,282	238,810	30
05/2021	278,786	138,062	140,724	31
06/2021	101,534	50,439	51,095	30
07/2021	148,370	73,278	75,092	31
08/2021	242,796	120,119	122,677	31
09/2021	325,827	161,254	164,573	30
10/2021	394,532	194,178	200,354	31
11/2021	439,282	216,394	222,888	30
12/2021	475,392	234,336	241,056	31
01/2022	405,574	201,007	204,567	31
02/2022	379,725	185,005	194,720	28

MONTH	MOVEMENT	ENTRY	EXIT	DAYS
03/2022	471,791	232,622	239,169	31
04/2022	352,094	173,997	178,097	30
05/2022	261,734	128,856	132,878	31
06/2022	314,793	154,970	159,823	30
07/2022	354,516	174,627	179,889	31
08/2022	383,356	189,314	194,042	31
09/2022	401,304	198,126	203,178	30
10/2022	422,154	208,111	214,043	31
11/2022	460,299	227,549	232,750	30
12/2022	487,819	241,182	246,637	31
01/2023	409,509	201,748	207,761	31
02/2023	490,187	239,561	250,626	28
03/2023	497,227	244,662	252,565	31
04/2023	434,675	214,618	220,057	30
05/2023	476,185	235,315	240,870	31
06/2023	432,254	213,372	218,882	30
07/2023	432,013	212,791	219,222	31
08/2023	440,282	216,916	223,366	31
09/2023	467,998	231,772	236,226	30
10/2023	476,749	234,885	241,864	31
11/2023	496,922	244,948	251,974	30
12/2023	513,273	253,740	259,533	31
01/2024	502,716	247,303	255,413	31
02/2024	488,824	238,904	249,920	29
03/2024	510,258	251,342	258,916	31
04/2024	458,923	226,202	232,721	30

MONTH	MOVEMENT	ENTRY	EXIT	DAYS
05/2024	506,212	250,425	255,787	31
06/2024	456,166	225,027	231,139	30
07/2024	443,885	218,415	225,470	31
08/2024	471,420	233,223	238,197	31
09/2024	483,444	237,704	245,740	30
10/2024	477,371	233,956	243,415	31
11/2024	521,908	256,366	265,542	30
12/2024	547,870	269,310	278,560	31
01/2025	470,664	231,529	239,135	31
02/2025	507,314	248,360	258,954	28
03/2025	539,140	264,308	274,832	31
04/2025	511,430	250,560	260,870	30
05/2025	516,613	253,835	262,778	31
06/2025	492,980	241,988	250,992	30
07/2025	491,479	241,287	250,192	31
08/2025	486,478	239,297	247,181	31
09/2025	510,014	250,474	259,540	30
10/2025	508,845	249,211	259,634	31
11/2025	532,343	261,395	270,948	30
12/2025	560,424	274,847	285,577	31
01/2026	524,255	257,326	266,929	31
02/2026	480,405	234,152	246,253	28
03/2026	555,334	271,647	283,687	31
04/2026	511,539	250,669	260,870	30
05/2026	528,687	259,470	269,217	31
06/2026	504,168	246,767	257,401	30

MONTH	MOVEMENT	ENTRY	EXIT	DAYS
07/2026	483,656	237,608	246,048	31

Source: Ridership Counts " monthly station ODS files [https://web.metro.taipei/RidershipPerStation/202607_en.ods] · operator statistics index [https://english.metro.taipei/cp.aspx?n=C702FF0562802D53] · retrieved 2026-08-24



BR22 on the Wenhu Line. Drawn from MOTC route geometry.

References

10 of 10 sources on this page are primary — published by the operator, the builder or government.

- 1 **Wenhu Line project and station table** [<https://www.dorts.gov.taipei/cp.aspx?n=DBAC040496EFAB94>]
文山內湖線
PRIMARY Taipei City Department of Rapid Transit Systems accessed 2026-08-17
The full project record supports the Neihu extension's departure from Zhongshan Junior High tail tracks, its route toward Songshan Airport, and the airport-station siting decision. The original-language wording was checked on the linked page: the paragraph beginning 內湖線為銜接木柵線 and the sentence beginning 經評估以捷運內湖線於松山機場增設車站.

- 2 **CB424 and CB425 station structures and sites** [<https://ebook.dorts.gov.taipei/ebook/no32/files/basic-html/page24.html>]
捷運高架橋梁結構設計與施工
PRIMARY Taipei City Department of Rapid Transit Systems accessed 2026-08-18
The full technical volume gives B7, B8 and B9 station sites, orientations, platform forms and dimensions, describes the approximately 4 km CB424 bridge, and begins the CB425 records for B10 and B11. The original-language entries beginning B7大湖公園站 and B10南港軟體園區站 were checked on the linked page.

- 3 **Neihu Line corridor design zones** [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page91.html>]
捷運高架車站建築造型設計
PRIMARY Taipei City Department of Rapid Transit Systems accessed 2026-08-18
The full architecture volume places B2–B5 in the residential–rural landscape zone, describes the Xihu-area reclaimed land beside the river, and distinguishes B6–B9 as a commercial–recreation zone and B10–B11 as an industrial–technology zone. The original-language headings beginning 住宅城鄉風貌, 商業休閒環境 and 工業科技景觀 were checked on the linked page.

- 4 **Neihu Line station themes and colours** [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page95.html>]
捷運高架車站建築造型設計
PRIMARY Taipei City Department of Rapid Transit Systems accessed 2026-08-18
The full architecture volume's station-theme table records the B2–B11 themes and associated colours, including B6's Market/wine red, B7's Recreation/sapphire blue, B8's Dance/purple, B9's Music/blue-grey, B10's Digital/silver-grey and B11's Light-and-shadow/silver-white. The original-language table beginning 各車站設計主題及色彩 was checked on the linked page.

- 5 **Neihu Line elevated-station design principles** [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page93.html>]
捷運高架車站建築造型設計
PRIMARY Taipei City Department of Rapid Transit Systems accessed 2026-08-18
The full architecture volume describes the shared materials, platform-space form, overpass, semi-open edges, natural ventilation and “same within difference” approach of the elevated Neihu stations. The original-language paragraphs beginning 特殊站在建築語彙上 and 車站穿透與輕巧之構想 were checked on the linked page.

- 6 **Neihu Line platform-edge design review** [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page131.html>]
捷運高架車站建築造型設計

PRIMARY Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full architecture volume distinguishes the Xihu and Nangang Exhibition Center island-platform stations from the eight side-platform stations and records the platform-edge rain-stain and glass-cover design review. The original-language paragraph beginning 除了西湖站及南港展覽館站 was checked on the linked page.

7 **Neihu Line station form and environmental detailing** [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page97.html>]

捷運高架車站建築造型設計

PRIMARY Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full architecture volume explains how route colour and station colour are applied to columns, paving, wall panels, floors and doors, and illustrates the B2–B5 station forms. The original-language paragraphs beginning 各車站之色彩計畫 and 內湖段之車站為高架車站 were checked on the linked page.

8 **Neihu Line public-art selection and implementation** [<https://ebook.dorts.gov.taipei/ebook/no2/files/basic-html/page257.html>]

捷運車站規劃與設計實務

PRIMARY Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full page lists the Neihu station design-topic summary, records the executed-artwork selection methods, explains that the original wall-art installations at Gangqian and Huzhou were cancelled after design changes because the walls were incomplete, explains the later donated Gangqian work, and states how DORTS handled selection, material subsidy and implementation. The original-language paragraphs beginning 各站公共藝術之設置地點及徵選方式, 原擬於文德站、港墘站及葫洲站 and 港墘站之作品為捐贈 were checked on the linked page.

9 **Wenhu Line public-art table** [<https://www.dorts.gov.taipei/cp.aspx?n=EF3512A90C6BCFD2&s=E45C77C5F722B310>]

公共藝術總表

PRIMARY Taipei City Department of Rapid Transit Systems accessed 2026-08-17

The full official table supports the Wenhu entries for Songshan Airport, Jiannan Road, Xihu, Gangqian, Wende, Dahu Park, Donghu and Nangang Exhibition Center, including completion dates, locations, titles, authors, descriptions and selection methods. The original-language rows were checked on the linked page.

10 **TRTC station accessibility records** [<https://web.metro.taipei/pages/tw/stationdisabledinfo/>]

車站無障礙設施查詢

PRIMARY Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司) accessed 2026-08-24

TRTC's stationdisabledinfo API was fetched for all 121 station records returned by its station-label endpoint. The API publishes station-specific lift/ramp locations, accessible-toilet locations, tactile-paving and stair anti-slip fields. It does not publish nursing-room or platform-gap fields; those remain TBC here.

An independent, non-commercial reference site. Not affiliated with Taipei Rapid Transit Corporation, Taipei City Government, or any bus operator. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. [About this site.](#)

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-22; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.