

Lines

Route overviews, station lists, operating hours and service patterns.

10 entries

	Wenhu Line Taipei's driverless brown line — no cab, a front window you can stand at, and a rubber-tyred guideway that climbs hills the rest of the network cannot.	 文湖線
	Sanying Line New Taipei's first self-built medium-capacity metro — a driverless elevated railway linking Dingpu, Sanxia and Yingge, opened on 30 June 2026.	 三鶯線
	Tamsui–Xinyi Line The red line — the network's north-south spine, from the riverside at Tamsui through the core to Xiangshan, and the oldest right-of-way on the system.	 淡水信義線
	Songshan–Xindian Line The green line — three separate DORTS construction projects run as one, underground end to end, with the network's oddest branch climbing into the middle of a depot.	 松山新店線
	Zhonghe–Xinlu Line The orange line — a Y-shaped route built as three separate projects, whose two northern arms to Luzhou and Huilong share one southern trunk through Zhonghe.	 中和新蘆線
	Bannan Line The blue line — the east-west trunk through the main station, built in eight openings over sixteen years, and the one line whose ridership its own operator does not publish separately.	 板南線
	Circular Line New Taipei's orbital, and the line an earthquake took apart — eleven displaced girders, a 92 cm shove, eight months shut, and a Control Yuan report that traced it to a plate milled 36 mm too deep.	 環狀線
	Danhai LRT New Taipei's first light rail — street-running trams serving the Tamsui new town, built on Taiwan's own domestic light rail vehicle, with a second phase under construction.	 淡海輕軌
	Ankeng LRT The second New Taipei light rail line — a valley feeder into the Xindian corridor, with a button you have to press to get the doors to open.	 安坑輕軌
	Taoyuan Airport MRT The purple express-and-commuter line from Taipei Main Station to the airport and on into Taoyuan — a different operator, a different fare system, and the network's only express/local pattern.	 桃園機場捷運線

Side by side

	Wenhu Line 	Sanying Line 	Tamsui–Xinyi Line 	Songshan–Xindian Line 
Route length, operating	25.17 km	—	—	—
Route length, published	25.7 km	—	—	21.3 km
Stations	24	12	—	20
Elevated stations	22	—	—	—

	Wenhu Line BR	Sanying Line LB	Tamsui–Xinyi Line R	Songshan–Xindian Line G
Underground stations	2	—	—	—
Underground running	3.9 km	—	—	—
Guideway spacing	1880 mm	—	—	—
Electrification	750 V DC	—	—	—
Automation grade	GoA4	—	—	—
Peak headway	2–4 min	—	—	—
Off-peak headway	4–10 min	—	—	—
Late-evening headway	12 min	—	—	12 min
Design minimum headway	80 s	—	—	—
Maximum operating speed	70 km/h	80 km/h	—	—
Design speed	80 km/h	—	—	—
End-to-end journey	45 min	—	—	—
Route length	—	14.29 km	—	—
End-to-end journey, opening service	—	30 min	—	—
Peak headway, opening service	—	6 min	—	—
Off-peak headway, opening service	—	8 min	—	—
Base fare	—	20 NT\$	—	—
Maximum fare	—	35 NT\$	—	—
Cars per train	—	2	—	—
Fleet size	—	29 trains	TBC	—
Train capacity	—	330 people	—	—
Power	—	750 V DC, third rail	—	—
Tamsui section length	—	—	23.8 km	—
Xinyi section length	—	—	6.4 km	—
Xinbeitou branch length	—	—	1.2 km	—
East extension length	—	—	1.4 km	—
Whole-line route length	—	—	TBC	—
Tamsui to Xiangshan	—	—	54 min	—
Beitou to Daan	—	—	32 min	—
Beitou to Xinbeitou	—	—	3–4 min	—
Peak headway, each pattern	—	—	6 min	—
Peak headway, Beitou–Xiangshan	—	—	3 min	—
Initial network budget, 1986	—	—	444.4 NT\$bn	—
Xinyi section budget	—	—	33.862 NT\$bn	—
Line ridership	—	—	TBC	—
Route length, operating (main line)	—	—	—	18.77 km
Xindian Line section	—	—	—	10.5 km
Xindian Line section stations	—	—	—	11
Xiaonanmen Line section	—	—	—	1.6 km
Xiaonanmen Line section stations	—	—	—	1
Songshan section	—	—	—	8.5 km
Songshan section stations	—	—	—	8
Xiaobitan branch length, DORTS	—	—	—	1.5 km

	Wenhu Line	Sanying Line	Tamsui–Xinyi Line	Songshan–Xindian Line
	BR	LB	R	G
Xiaobitan branch length, TDX	—	—	—	1.94 km
Xiaobitan branch fleet	—	—	—	Three three-car sets (9 cars), c
Songshan section fleet	—	—	—	Ten six-car sets (60 cars), cont
Peak headway, main line	—	—	—	4–6 min
Off-peak headway, main line	—	—	—	6–8 min
Xiaobitan branch headway	—	—	—	12–20 min
End-to-end journey, Songshan–Xindian	—	—	—	37 min
Route length, whole network	—	—	—	—
Route length, Nanshijiao–Huilong	—	—	—	—
Route length, Nanshijiao–Luzhou	—	—	—	—
Journey time, Nanshijiao–Huilong	—	—	—	—
Journey time, Nanshijiao–Luzhou	—	—	—	—
Peak headway, per branch	—	—	—	—
Peak headway, shared trunk	—	—	—	—
Off-peak headway, per branch	—	—	—	—
Late-evening headway, per branch	—	—	—	—
Original total budget	—	—	—	—
5th revised budget (2019)	—	—	—	—
Route length, BL01 to BL23	—	—	—	—
Route length, as published by zh.wikipedia	—	—	—	—
Short working, BL05 to BL23	—	—	—	—
Short working journey	—	—	—	—
Peak headway, whole line	—	—	—	—
Peak headway, overlap section	—	—	—	—
Densest published headway	—	—	—	—
Longest gap, BL09 to BL10	—	—	—	—
Shortest gap, BL06 to BL07	—	—	—	—
Cars per train, C341	—	—	—	—
Daily ridership	—	—	—	—
Route length, chainage Y07—Y20	—	—	—	—
Phase 1 total cost	—	—	—	—
Minimum design seismic force	—	—	—	—
Recorded peak horizontal acceleration, 3 April 2024	—	—	—	—
Largest girder displacement	—	—	—	—
Pot bearings supplied to the works	—	—	—	—
Maximum speed	—	—	—	—
Line capacity	—	—	—	—
Green Mountain Line length	—	—	—	—
Blue Sea Line phase 1 length	—	—	—	—
Combined phase 1 network	—	—	—	—
Blue Sea Line phase 2 length	—	—	—	—
Stations, phase 2	—	—	—	—
Formation	—	—	—	—

	Wenhua Line BR	Sanying Line LB	Tamsui–Xinyi Line R	Songshan–Xindian Line G
Capacity	—	—	—	—
Seated	—	—	—	—
Fleet, phase 1	—	—	—	—
Maximum speed, off-wire	—	—	—	—
Traction power	—	—	—	—
Minimum curve radius	—	—	—	—
Maximum gradient	—	—	—	—
Maximum fare, whole system	—	—	—	—
Bicycle single fare	—	—	—	—
One-day pass	—	—	—	—
Route length, station chainage	—	—	—	—
Route length, published total	—	—	—	—
Full-line journey	—	—	—	—
Short-working journey	—	—	—	—
Peak headway, overlap (K06–K09)	—	—	—	—
Peak headway, non-overlap (K01–K05)	—	—	—	—
Capacity per train	—	—	—	—
Route length, TDX	—	—	—	—
Route length, DORTS	—	—	—	—
Express fleet	—	—	—	—
Commuter fleet	—	—	—	—
Power supply	—	—	—	—
Gauge	—	—	—	—
Operating speed	—	—	—	—
Maximum single fare	—	—	—	—
2025 surplus	—	—	—	—
2025 ridership	—	—	—	—

An independent, non-commercial reference site. Not affiliated with Taipei Rapid Transit Corporation, Taipei City Government, or any bus operator. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. **About this site.**

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-22; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.