

# Lines

Route overviews, station lists, operating hours and service patterns.

## Lines

10 entries 

### Side by side

|                                | Wenhu Line<br> | Sanying Line<br> | Tamsui–Xinyi Line<br> | Songshan–Xindian Line<br> |
|--------------------------------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Route length, operating        | 25.17 km                                                                                        | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| Route length, published        | 25.7 km                                                                                         | —                                                                                                 | —                                                                                                      | 21.3 km                                                                                                      |
| Stations                       | 24                                                                                              | 12                                                                                                | —                                                                                                      | 20                                                                                                           |
| Elevated stations              | 22                                                                                              | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| Underground stations           | 2                                                                                               | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| Underground running            | 3.9 km                                                                                          | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| Guideway spacing               | 1880 mm                                                                                         | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| Electrification                | 750 V DC                                                                                        | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| Automation grade               | GoA4                                                                                            | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| Peak headway                   | 2–4 min                                                                                         | 6 min                                                                                             | —                                                                                                      | —                                                                                                            |
| Off-peak headway               | 4–10 min                                                                                        | 8 min                                                                                             | —                                                                                                      | —                                                                                                            |
| Late-evening headway           | 12 min                                                                                          | —                                                                                                 | —                                                                                                      | 12 min                                                                                                       |
| Design minimum headway         | 80 s                                                                                            | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| Maximum operating speed        | 70 km/h                                                                                         | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| Design speed                   | 80 km/h                                                                                         | —                                                                                                 | —                                                                                                      | —                                                                                                            |
| End-to-end journey             | 45 min                                                                                          | 30 min                                                                                            | —                                                                                                      | —                                                                                                            |
| Route length                   | —                                                                                               | 14.29 km                                                                                          | —                                                                                                      | —                                                                                                            |
| Base fare                      | —                                                                                               | 20 NT\$                                                                                           | —                                                                                                      | —                                                                                                            |
| Maximum fare                   | —                                                                                               | 35 NT\$                                                                                           | —                                                                                                      | —                                                                                                            |
| Cars per train                 | —                                                                                               | 2                                                                                                 | —                                                                                                      | —                                                                                                            |
| Fleet size                     | —                                                                                               | TBC                                                                                               | TBC                                                                                                    | —                                                                                                            |
| Maximum speed                  | —                                                                                               | TBC                                                                                               | —                                                                                                      | —                                                                                                            |
| Tamsui section length          | —                                                                                               | —                                                                                                 | 23.8 km                                                                                                | —                                                                                                            |
| Xinyi section length           | —                                                                                               | —                                                                                                 | 6.4 km                                                                                                 | —                                                                                                            |
| Xinbeitou branch length        | —                                                                                               | —                                                                                                 | 1.2 km                                                                                                 | —                                                                                                            |
| East extension length          | —                                                                                               | —                                                                                                 | 1.4 km                                                                                                 | —                                                                                                            |
| Whole-line route length        | —                                                                                               | —                                                                                                 | TBC                                                                                                    | —                                                                                                            |
| Tamsui to Xiangshan            | —                                                                                               | —                                                                                                 | 54 min                                                                                                 | —                                                                                                            |
| Beitou to Daan                 | —                                                                                               | —                                                                                                 | 32 min                                                                                                 | —                                                                                                            |
| Beitou to Xinbeitou            | —                                                                                               | —                                                                                                 | 3–4 min                                                                                                | —                                                                                                            |
| Peak headway, each pattern     | —                                                                                               | —                                                                                                 | 6 min                                                                                                  | —                                                                                                            |
| Peak headway, Beitou–Xiangshan | —                                                                                               | —                                                                                                 | 3 min                                                                                                  | —                                                                                                            |
| Initial network budget, 1986   | —                                                                                               | —                                                                                                 | 444.4 NT\$bn                                                                                           | —                                                                                                            |
| Xinyi section budget           | —                                                                                               | —                                                                                                 | 33.862 NT\$bn                                                                                          | —                                                                                                            |

|                                                     | Wenhu Line    | Sanying Line  | Tamsui–Xinyi Line | Songshan–Xindian Line                 |
|-----------------------------------------------------|---------------|---------------|-------------------|---------------------------------------|
|                                                     | <div>BR</div> | <div>LB</div> | <div>R</div>      | <div>G</div>                          |
| Line ridership                                      | —             | —             | TBC               | —                                     |
| Route length, operating (main line)                 | —             | —             | —                 | 18.77 km                              |
| Xindian Line section                                | —             | —             | —                 | 10.5 km                               |
| Xindian Line section stations                       | —             | —             | —                 | 11                                    |
| Xiaonanmen Line section                             | —             | —             | —                 | 1.6 km                                |
| Xiaonanmen Line section stations                    | —             | —             | —                 | 1                                     |
| Songshan section                                    | —             | —             | —                 | 8.5 km                                |
| Songshan section stations                           | —             | —             | —                 | 8                                     |
| Xiaobitan branch length, DORTS                      | —             | —             | —                 | 1.5 km                                |
| Xiaobitan branch length, TDX                        | —             | —             | —                 | 1.94 km                               |
| Xiaobitan branch fleet                              | —             | —             | —                 | Three three-car sets (9 cars), contra |
| Songshan section fleet                              | —             | —             | —                 | Ten six-car sets (60 cars), contract  |
| Peak headway, main line                             | —             | —             | —                 | 4–6 min                               |
| Off-peak headway, main line                         | —             | —             | —                 | 6–8 min                               |
| Xiaobitan branch headway                            | —             | —             | —                 | 12–20 min                             |
| End-to-end journey, Songshan–Xindian                | —             | —             | —                 | 37 min                                |
| Route length, whole network                         | —             | —             | —                 | —                                     |
| Route length, Nanshijiao–Huilong                    | —             | —             | —                 | —                                     |
| Route length, Nanshijiao–Luzhou                     | —             | —             | —                 | —                                     |
| Journey time, Nanshijiao–Huilong                    | —             | —             | —                 | —                                     |
| Journey time, Nanshijiao–Luzhou                     | —             | —             | —                 | —                                     |
| Peak headway, per branch                            | —             | —             | —                 | —                                     |
| Peak headway, shared trunk                          | —             | —             | —                 | —                                     |
| Off-peak headway, per branch                        | —             | —             | —                 | —                                     |
| Late-evening headway, per branch                    | —             | —             | —                 | —                                     |
| Original total budget                               | —             | —             | —                 | —                                     |
| 5th revised budget (2019)                           | —             | —             | —                 | —                                     |
| Route length, BL01 to BL23                          | —             | —             | —                 | —                                     |
| Route length, as published by zh.wikipedia          | —             | —             | —                 | —                                     |
| Short working, BL05 to BL23                         | —             | —             | —                 | —                                     |
| Short working journey                               | —             | —             | —                 | —                                     |
| Peak headway, whole line                            | —             | —             | —                 | —                                     |
| Peak headway, overlap section                       | —             | —             | —                 | —                                     |
| Densest published headway                           | —             | —             | —                 | —                                     |
| Longest gap, BL09 to BL10                           | —             | —             | —                 | —                                     |
| Shortest gap, BL06 to BL07                          | —             | —             | —                 | —                                     |
| Cars per train, C341                                | —             | —             | —                 | —                                     |
| Daily ridership                                     | —             | —             | —                 | —                                     |
| Route length, chainage Y07—Y20                      | —             | —             | —                 | —                                     |
| Phase 1 total cost                                  | —             | —             | —                 | —                                     |
| Minimum design seismic force                        | —             | —             | —                 | —                                     |
| Recorded peak horizontal acceleration, 3 April 2024 | —             | —             | —                 | —                                     |
| Largest girder displacement                         | —             | —             | —                 | —                                     |

|                                     | Wenhu Line<br>BR | Sanying Line<br>LB | Tamsui–Xinyi Line<br>R | Songshan–Xindian Line<br>G |
|-------------------------------------|------------------|--------------------|------------------------|----------------------------|
| Pot bearings supplied to the works  | —                | —                  | —                      | —                          |
| Line capacity                       | —                | —                  | —                      | —                          |
| Green Mountain Line length          | —                | —                  | —                      | —                          |
| Blue Sea Line phase 1 length        | —                | —                  | —                      | —                          |
| Combined phase 1 network            | —                | —                  | —                      | —                          |
| Blue Sea Line phase 2 length        | —                | —                  | —                      | —                          |
| Stations, phase 2                   | —                | —                  | —                      | —                          |
| Formation                           | —                | —                  | —                      | —                          |
| Capacity                            | —                | —                  | —                      | —                          |
| Seated                              | —                | —                  | —                      | —                          |
| Fleet, phase 1                      | —                | —                  | —                      | —                          |
| Maximum speed, off-wire             | —                | —                  | —                      | —                          |
| Traction power                      | —                | —                  | —                      | —                          |
| Minimum curve radius                | —                | —                  | —                      | —                          |
| Maximum gradient                    | —                | —                  | —                      | —                          |
| Maximum fare, whole system          | —                | —                  | —                      | —                          |
| Bicycle single fare                 | —                | —                  | —                      | —                          |
| One-day pass                        | —                | —                  | —                      | —                          |
| Route length, station chainage      | —                | —                  | —                      | —                          |
| Route length, published total       | —                | —                  | —                      | —                          |
| Full-line journey                   | —                | —                  | —                      | —                          |
| Short-working journey               | —                | —                  | —                      | —                          |
| Peak headway, overlap (K06–K09)     | —                | —                  | —                      | —                          |
| Peak headway, non-overlap (K01–K05) | —                | —                  | —                      | —                          |
| Capacity per train                  | —                | —                  | —                      | —                          |
| Route length, TDX                   | —                | —                  | —                      | —                          |
| Route length, DORTS                 | —                | —                  | —                      | —                          |
| Express fleet                       | —                | —                  | —                      | —                          |
| Commuter fleet                      | —                | —                  | —                      | —                          |
| Power supply                        | —                | —                  | —                      | —                          |
| Gauge                               | —                | —                  | —                      | —                          |
| Operating speed                     | —                | —                  | —                      | —                          |
| Maximum single fare                 | —                | —                  | —                      | —                          |
| 2025 surplus                        | —                | —                  | —                      | —                          |
| 2025 ridership                      | —                | —                  | —                      | —                          |

---

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, and TYMC. Government open data. Retrieved 2026-08-10; source last updated 2020-01-31. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.