

Lines

Route overviews, station lists, operating hours and service patterns.

Lines

10 entries ▼

Side by side

	Wenhu Line BR	Sanying Line LB	Tamsui–Xinyi Line R	Songshan–Xindian Line G
Route length, operating	25.17 km	—	—	—
Route length, published	25.7 km	—	—	21.3 km
Stations	24	12	—	20
Elevated stations	22	—	—	—
Underground stations	2	—	—	—
Underground running	3.9 km	—	—	—
Guideway spacing	1880 mm	—	—	—
Electrification	750 V DC	—	—	—
Automation grade	GoA4	—	—	—
Peak headway	2–4 min	6 min	—	—
Off-peak headway	4–10 min	8 min	—	—
Late-evening headway	12 min	—	—	12 min
Design minimum headway	80 s	—	—	—
Maximum operating speed	70 km/h	—	—	—
Design speed	80 km/h	—	—	—
End-to-end journey	45 min	30 min	—	—
Route length	—	14.29 km	—	—
Base fare	—	20 NT\$	—	—
Maximum fare	—	35 NT\$	—	—
Cars per train	—	2	—	—
Fleet size	—	TBC	TBC	—
Maximum speed	—	TBC	—	—
Tamsui section length	—	—	23.8 km	—
Xinyi section length	—	—	6.4 km	—
Xinbeitou branch length	—	—	1.2 km	—
East extension length	—	—	1.4 km	—
Whole-line route length	—	—	TBC	—
Tamsui to Xiangshan	—	—	54 min	—
Beitou to Daan	—	—	32 min	—
Beitou to Xinbeitou	—	—	3–4 min	—
Peak headway, each pattern	—	—	6 min	—
Peak headway, Beitou–Xiangshan	—	—	3 min	—
Initial network budget, 1986	—	—	444.4 NT\$bn	—
Xinyi section budget	—	—	33.862 NT\$bn	—

	Wenhu Line	Sanying Line	Tamsui–Xinyi Line	Songshan–Xindian Line
	BR	LB	R	G
Line ridership	—	—	TBC	—
Route length, operating (main line)	—	—	—	18.77 km
Xindian Line section	—	—	—	10.5 km
Xindian Line section stations	—	—	—	11
Xiaonanmen Line section	—	—	—	1.6 km
Xiaonanmen Line section stations	—	—	—	1
Songshan section	—	—	—	8.5 km
Songshan section stations	—	—	—	8
Xiaobitan branch length, DORTS	—	—	—	1.5 km
Xiaobitan branch length, TDX	—	—	—	1.94 km
Xiaobitan branch fleet	—	—	—	Three three-car sets (9 cars), contra
Songshan section fleet	—	—	—	Ten six-car sets (60 cars), contract
Peak headway, main line	—	—	—	4–6 min
Off-peak headway, main line	—	—	—	6–8 min
Xiaobitan branch headway	—	—	—	12–20 min
End-to-end journey, Songshan–Xindian	—	—	—	37 min
Route length, whole network	—	—	—	—
Route length, Nanshijiao–Huilong	—	—	—	—
Route length, Nanshijiao–Luzhou	—	—	—	—
Journey time, Nanshijiao–Huilong	—	—	—	—
Journey time, Nanshijiao–Luzhou	—	—	—	—
Peak headway, per branch	—	—	—	—
Peak headway, shared trunk	—	—	—	—
Off-peak headway, per branch	—	—	—	—
Late-evening headway, per branch	—	—	—	—
Original total budget	—	—	—	—
5th revised budget (2019)	—	—	—	—
Route length, BL01 to BL23	—	—	—	—
Route length, as published by zh.wikipedia	—	—	—	—
Short working, BL05 to BL23	—	—	—	—
Short working journey	—	—	—	—
Peak headway, whole line	—	—	—	—
Peak headway, overlap section	—	—	—	—
Densest published headway	—	—	—	—
Longest gap, BL09 to BL10	—	—	—	—
Shortest gap, BL06 to BL07	—	—	—	—
Cars per train, C341	—	—	—	—
Daily ridership	—	—	—	—
Route length, chainage Y07—Y20	—	—	—	—
Phase 1 total cost	—	—	—	—
Minimum design seismic force	—	—	—	—
Recorded peak horizontal acceleration, 3 April 2024	—	—	—	—
Largest girder displacement	—	—	—	—

	Wenhu Line BR	Sanying Line LB	Tamsui–Xinyi Line R	Songshan–Xindian Line G
Pot bearings supplied to the works	—	—	—	—
Line capacity	—	—	—	—
Green Mountain Line length	—	—	—	—
Blue Sea Line phase 1 length	—	—	—	—
Combined phase 1 network	—	—	—	—
Blue Sea Line phase 2 length	—	—	—	—
Stations, phase 2	—	—	—	—
Formation	—	—	—	—
Capacity	—	—	—	—
Seated	—	—	—	—
Fleet, phase 1	—	—	—	—
Maximum speed, off-wire	—	—	—	—
Traction power	—	—	—	—
Minimum curve radius	—	—	—	—
Maximum gradient	—	—	—	—
Maximum fare, whole system	—	—	—	—
Bicycle single fare	—	—	—	—
One-day pass	—	—	—	—
Route length, station chainage	—	—	—	—
Route length, published total	—	—	—	—
Full-line journey	—	—	—	—
Short-working journey	—	—	—	—
Peak headway, overlap (K06–K09)	—	—	—	—
Peak headway, non-overlap (K01–K05)	—	—	—	—
Capacity per train	—	—	—	—
Route length, TDX	—	—	—	—
Route length, DORTS	—	—	—	—
Express fleet	—	—	—	—
Commuter fleet	—	—	—	—
Power supply	—	—	—	—
Gauge	—	—	—	—
Operating speed	—	—	—	—
Maximum single fare	—	—	—	—
2025 surplus	—	—	—	—
2025 ridership	—	—	—	—

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, and TYMC. Government open data. Retrieved 2026-08-10; source last updated 2020-01-31. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.