
Conflict index

Every source disagreement published by this guide, generated from the conflict sections in its content corpus.

YouBike — Conflicts in the static station snapshot

Discussed on YouBike [\[/bike/history/youbike/\]](/bike/history/youbike/) in the source page's "Conflicts in the static station snapshot" section.^[1]

Conflicts in the static station snapshot

The 23 August TDX snapshot records 4,086 rows across Taipei [\[/rail/thsr/stations/taipei/\]](/rail/thsr/stations/taipei/), New Taipei and Taoyuan [\[/rail/thsr/stations/taoyuan/\]](/rail/thsr/stations/taoyuan/), including 50,877 Taipei docks^[1]. The 25 August snapshot records 7,403 rows across five municipalities, including 50,876 Taipei docks^[2]. These are different retrievals of a live-maintained feed: the later value adds Taichung [\[/rail/thsr/stations/taichung/\]](/rail/thsr/stations/taichung/) and Kaohsiung and changes Taipei's returned capacity by one, so both values are published rather than averaged or selected as a definitive total^{[1] [2]}.

Sources for this entry

- TDX Bike Station City pull [\[https://tdx.transportdata.tw/api/basic/v2/Bike/Station/City/%7BCity%7D\]](https://tdx.transportdata.tw/api/basic/v2/Bike/Station/City/%7BCity%7D) — primary; Ministry of Transportation and Communications TDX / 交通部運輸資料流通服務平臺; accessed 2026-08-23.^[1]
- TDX Bike Station City pull — five-city snapshot [\[https://tdx.transportdata.tw/api/basic/v2/Bike/Station/City/%7BCity%7D\]](https://tdx.transportdata.tw/api/basic/v2/Bike/Station/City/%7BCity%7D) — primary; Ministry of Transportation and Communications TDX / 交通部運輸資料流通服務平臺; accessed 2026-08-25.^[2]

Imported diesel bus and coach chassis — Isuzu

Discussed on Imported diesel bus and coach chassis [\[/bus/models/imported-diesel-chassis/\]](/bus/models/imported-diesel-chassis/) in the source page's "Isuzu" section.^[3]

Isuzu

台北合眾汽車有限公司 is the current distributor, though sources conflict on when its agency began: 2014 per the distributor's own "About" page^[3], or 2012 per an independent account that also gives a fuller history — first Taiwan exports in 1952, domestic manufacture 1996–2007 halted after the then-manufacturer's parent bank collapsed in a 2007 fraud scandal^[4]. Current

chassis, fetched directly from the live site: **NQR(Bus) 8.5t** (4HK1 engine, 190PS, Euro-5-equivalent without urea injection) and **LT Bus 14.5t**^[5]. No full-size route-bus or highway-coach Isuzu model (Erga, Gala, Journey) was found sold or deployed in Taiwan.

Sources for this entry

- About Isuzu Taiwan [<https://isuzu.jetbean.com.tw/web/Comp?command=Intro>] — primary; Taipei Union Motors Co., Ltd. (台北合眾汽車有限公司); accessed 2026-08-28.^[3]
- Isuzu truck development history [<https://www.isuzu-tw.com/isuzu%E8%B2%A8%E8%BB%8A%E7%99%BC%E5%B1%95%E5%8F%B2/>] — secondary; isuzu-tw.com (independent/dealer account); accessed 2026-08-28.^[4]
- ISUZU Taiwan [<https://www.isuzu.com.tw/nqr-bus/>] — primary; Taipei Union Motors Co., Ltd. (台北合眾汽車有限公司); accessed 2026-08-28.^[5]

RAC-700 (Tron Energy) — Conflicting figures for earlier generations

Discussed on RAC-700 (Tron Energy) [</bus/models/rac-700/>] in the source page's "Conflicting figures for earlier generations" section.^[6]

Conflicting figures for earlier generations

Wikipedia's article on the RACE150 platform describes two earlier generations with figures that do not match the current spec sheet above — published here as a conflict, not resolved, since neither source states an exact model-year boundary and the article's underlying footnotes were not independently re-checked this pass^[6] ^[7]:

- **Dimensions and weight:** 11,990×2,480×3,220 mm, curb weight 12,140 kg, max weight 15,350 kg (Wikipedia, "2011–2017" generation)^[6] against the current 12,000×2,500×3,206 mm, 13,400 kg, 16,100 kg above^[7]. The 5,800 mm wheelbase is the one figure that agrees across both^[6] ^[7].
- **Battery:** 250 kWh (Wikipedia, "2011–2017"); 282 kWh, ternary lithium (Wikipedia, "2018+")^[6]; 350 kWh, LFP (current spec sheet, corroborated by a 2026 news report of a "newly launched" 350 kWh dual-gun fast-charge model)^[7] ^[8].
- **Motor:** "Fulton Electric" AC air-cooled, 150 kW (Wikipedia, "2011–2017"); Tatung (大同) water-cooled PMSM/SRPM, 189 kW (Wikipedia, "2018+")^[6]; PMSM, 350 kW max (current spec sheet)^[7].

Sources for this entry

- Tron Energy RACE150 [<https://zh.wikipedia.org/zh-tw/%E8%8F%AF%E5%BE%B7RACE150>] — secondary; Wikipedia (維基百科); accessed 2026-08-28.^[6]
- RAC-700 product page [<https://www.racev.com/zh-TW/product/jR>] — primary; RAC Electric Vehicles Inc. (華德動能科技股份有限公司); accessed 2026-08-28.^[7]
- Tron Energy electric bus deliveries accelerate [<https://udn.com/news/story/7252/9642289>] — secondary; United Daily News (聯合報); accessed 2026-08-28.^[8]

Alighter (Tang Eng) — Export, not domestic VSCC qualification

Discussed on Alighter (Tang Eng) [/bus/models/tang-eng-alighter/] in the source page's "Export, not domestic VSCC qualification" section.^[9]

Export, not domestic VSCC qualification

The first export shipment — 20 buses to Guatemala — cleared customs 8 February 2023 and shipped two days later, arriving after a 42-day voyage on 30 March, deployed by operating partners Innovate Group and Luka Electric Group in Antigua and Mixco^[9] ^[10]. A magazine account reports unverified order commitments of 100 buses/year from Guatemala and 200 buses/year from Paraguay, at a cited unit price of USD 450,000 — figures not checked against any contract document^[10].

唐榮車輛科技 **does not appear on any VSCC electric-bus qualified-model register checked for this site** — current, lapsed-certificate, or the earlier demonstration-programme list — see the VSCC qualified-model registry [/bus/models/vsc-qualified-registry/] ^[11]. This directly contradicts a 2021-era secondary claim that Tang Eng was "among the first companies to pass the electric bus demonstration programme vehicle qualification review"^[12]. Whether Tang Eng never qualified domestically, or qualified and was later dropped from the register entirely — rather than moved to the lapsed-certificate section where other manufacturers' expired models do appear — is not explained by any source found^[11] ^[12].

Sources for this entry

- Tang Eng's electric bus export — a small step for Tang Eng, a big step for Taiwan's EV development [https://www.ctee.com.tw/news/20230208700339-431202] — secondary; Commercial Times (工商時報/CTEE); accessed 2026-08-28.^[9]
- A first-round revenue of NT\$4 billion — how much gold can Tang Eng's electric buses mine in Latin America? [https://www.gvm.com.tw/article/98919] — secondary; Global Views Monthly (遠見雜誌); accessed 2026-08-28.^[10]
- MOTC Electric Bus Promotion Programme qualified vehicle operators and models, updated 15 Jul 2026 (current) [https://www.vsc.org.tw/File/Download/472d89ee-1953-4aec-b572-e67571b87af2] — primary; Vehicle Safety Certification Center, for MOTC (財團法人車輛安全審驗中心); accessed 2026-08-28.^[11]
- The electric bus national team is scrambling to form up! Teco and Tron Energy partner on 500 powertrain sets; Tatung and Tang Eng join forces [https://www.bnext.com.tw/article/61404/taiwan-electric-bus] — secondary; BusinessNext (數位時代); accessed 2026-08-28.^[12]

VSCC electric bus qualified-model registry — What the primary sources establish, and what they do not

Discussed on VSCC electric bus qualified-model registry [/bus/models/vsc-qualified-registry/] in the source page's "What the primary sources establish, and what they do not" section.^[13]

What the primary sources establish, and what they do not

The Control Yuan independently corroborates four qualified manufacturers as of 29 November 2024 — 成運, 華德, 創奕 and 鴻華 — with combined planned capacity of 5,960 vehicles by the end of 2025^[13]. 唐榮車輛科技 (Tang Eng) does not appear on any of the four register snapshots checked for this page, current or lapsed — see its own page [/bus/models/tang-eng-alighter/] for the secondary source this contradicts.

The regulation governing the process, 車輛型式安全審驗管理辦法, is issued under 公路法第63條第5項 and requires domestic bus body-builders to submit chassis construction specifications, and requires Class A/B buses to submit durability-performance test verification^[14]. Its own text defines the certifying body generically as "a domestic vehicle-professional institution entrusted by MOTC" rather than naming VSCC specifically — VSCC's own page is what identifies VSCC as that body^[14] ^[15].

This register gives model names, type codes, applicants and route/use classes — it does not give unit counts, fleet allocations, or vehicle-by-vehicle registrations. Taiwan publishes no equivalent census; per-model deployment figures on this site come from operator and news records, not from this registry, and are marked as such.

Sources for this entry

- Control Yuan investigation-closure summary, case 112交調026 [https://cybsbox.cy.gov.tw/] — primary; Control Yuan (監察院); accessed 2026-08-28.^[13]
- Vehicle Type Safety Approval Management Regulations [https://law.moj.gov.tw/LawClass/LawA11.aspx?PCODE=K0040065] — primary; Laws & Regulations Database of the Republic of China, Ministry of Justice (全國法規資料庫); accessed 2026-08-28.^[14]
- Vehicle Type Safety Approval [https://www.vsc.org.tw/Home/Content/520] — primary; Vehicle Safety Certification Center (財團法人車輛安全審驗中心); accessed 2026-08-28.^[15]

Haloha Shipping Co., Ltd. — TDX operator record — Water operations recorded by public sources

Discussed on Haloha Shipping Co., Ltd. — TDX operator record [/bus/operators/0606-20m33c/] in the source page's "Water operations recorded by public sources" section.^[16]

Water operations recorded by public sources

The Taipei City emergency-support plan lists 好樂好 among the city's Blue Highway [/ferry/routes/blue-highway/] operators, names 葉志哲 as chairman and publishes 2558-5519 and 0937-185158 as emergency contacts^[16]. Its vessel table attributes 11 small vessels to the company and gives 19.93 tonnes, 12 knots and 1.2 metres in the first row^[16]. The report is a dated planning record^[16]; it does not establish that 11 vessels remain in service today, and the remaining vessel rows are not reattributed here because the extracted table does not repeat the company name on each row^[16].

A 2004 Taipei Transportation Department announcement records a cross-city trial between Dadaocheng, Guandu [\[/rail/metro/stations/r25/\]](/rail/metro/stations/r25/) and Fisherman's Wharf ^[17]. It says 好樂好 planned to use the three passenger boats 飛魚一號, 飛魚五號 and 飛魚六號, with two weekday and six holiday departures, and publishes route-by-route fares and approximate journey times ^[17]. This is historical operating evidence, not a current timetable ^[17].

The 2020 official timetable records 好樂好 Dadaocheng–Tamsui sailings at NT\$300 full fare and NT\$150 half fare, plus Dadaocheng river cruises at NT\$200 and NT\$100, with operating days and departure times listed separately ^[18]. That timetable also says EasyCard [\[/ticketing/guides/cards-passes-and-fares/\]](/ticketing/guides/cards-passes-and-fares/) was accepted by 好樂好, while noting that operators' hours could change and passengers should confirm before travel ^[18]. The Public Transportation Office's current FAQ says operators also offer non-fixed charters, dining and package trips, and lists a different 好樂好 service number, 02-2550-2339 ^[19]. The two published phone numbers are retained as a dated source conflict rather than silently selecting one.

The company's booking page currently advertises a regular Dadaocheng Wharf–Tamsui Wharf service of about 90 minutes that sails when reservations reach ten people, and its page lists monthly 2026 event entries ^[20]. That current listing is a booking condition, not a guarantee that every advertised departure will run; the page itself says the service is scheduled subject to the listed conditions ^[20].

Sources for this entry

- 100年度 Taipei City Blue Highway vessel emergency-support plan [\[https://www-ws.gov.taipei/Download.ashx?icon=.pdf&n=MTYxMDhlubTluqbboh7rljJflluILkuqTpgJrpgYvovLjli5Xlk6Hln7fooYzoqIjnlasucGRm&u=LzAwMS9VcGxvYWQvMzMyL3JlbGZpbGUvMTU4OTgvmjUzMtK5Mi8xNjEwMew5t0W6puiHuuWMl%2BW4guS6p0mAmumBi%2Bi8u0WLleWToeWft%2Bihj0ioi0eVqy5wZGY%3D\]](https://www-ws.gov.taipei/Download.ashx?icon=.pdf&n=MTYxMDhlubTluqbboh7rljJflluILkuqTpgJrpgYvovLjli5Xlk6Hln7fooYzoqIjnlasucGRm&u=LzAwMS9VcGxvYWQvMzMyL3JlbGZpbGUvMTU4OTgvmjUzMtK5Mi8xNjEwMew5t0W6puiHuuWMl%2BW4guS6p0mAmumBi%2Bi8u0WLleWToeWft%2Bihj0ioi0eVqy5wZGY%3D) — primary; Taipei City Government (臺北市政府); accessed 2026-08-22. ^[16]
- Dadaocheng–Guandu–Fisherman's Wharf Blue Highway trial service [\[https://english.udd.gov.taipei/News_Content.aspx?n=DD9CEC17A97FBC64&s=BA5E85C9EA3A5D01&sms=72544237BBE4C5F6\]](https://english.udd.gov.taipei/News_Content.aspx?n=DD9CEC17A97FBC64&s=BA5E85C9EA3A5D01&sms=72544237BBE4C5F6) — primary; Taipei City Government Transportation Department (臺北市政府交通局); accessed 2026-08-22. ^[17]
- 2020 Blue Highway operator timetable [\[https://www-ws.gov.taipei/001/Upload/458/refile/10162/8212319/b7adcf0e-e518-412f-96bf-89fd89b152da.pdf\]](https://www-ws.gov.taipei/001/Upload/458/refile/10162/8212319/b7adcf0e-e518-412f-96bf-89fd89b152da.pdf) — primary; Taipei City Public Transportation Office (臺北市公共運輸處); accessed 2026-08-22. ^[18]
- Blue-waterway services beyond fixed departures [\[https://pto.gov.taipei/News_Content.aspx?n=6B4D38874E971F4B&s=C44B310829F209A7&sms=87415A8B9CE81B16\]](https://pto.gov.taipei/News_Content.aspx?n=6B4D38874E971F4B&s=C44B310829F209A7&sms=87415A8B9CE81B16) — primary; Taipei City Public Transportation Office (臺北市公共運輸處); accessed 2026-08-22. ^[19]
- Haloha KKTIX booking organisation page [\[https://haloha.kktix.cc/?locale=ja\]](https://haloha.kktix.cc/?locale=ja) — primary; Haloha Shipping Co., Ltd. (好樂好股份有限公司); accessed 2026-08-22. ^[20]

Bali District Office — New Bus authority record — F123 branch change and official conflict

Discussed on Bali District Office — New Bus authority record [\[/bus/operators/balidistrictoffice-zlmm0v/\]](/bus/operators/balidistrictoffice-zlmm0v/) in the source page's "F123 branch change and official conflict" section. ^[21]

F123 branch change and official conflict

The district office's 9 January 2026 news release says F123 was adjusted from 1 January, adding three branches: F123-Bali Psychiatric Center, F123-Xiagu via Bali Psychiatric Center and F123-Shihsanhang Culture Park via Bali Psychiatric Center ^[21]. It says the main line was also adjusted to departures at 06:40 and 15:25 and frames the change around hospital access, commuting, schooling and future transfer at the Tamsui–Bali bridge ^[21].

The full text health-center page publishes a different F123 set: weekday departures at 07:00, 12:05 and 15:50, with a holiday 06:40, 12:05 and 15:50 pattern ^[22]. Both are official government pages fetched for this record, so the values are preserved rather than averaged or silently replaced. The news release is dated and specifically describes the 2026 adjustment; the health-center page supplies the detailed text timetable but does not state a matching publication date ^[21] ^[22].

Sources for this entry

- Bali transport upgrade: three F123 New Bus branches [\[https://www.ntpc.gov.tw/ch/home.jsp?dataserno=4ac4c63641a08ee607416da6dc649c9c&id=e8ca970cde5c00e1\]](https://www.ntpc.gov.tw/ch/home.jsp?dataserno=4ac4c63641a08ee607416da6dc649c9c&id=e8ca970cde5c00e1) — primary; Bali District Office, New Taipei City Government (新北市八里區公所); accessed 2026-08-22. ^[21]
- Bali New Bus routes and timetables [\[https://bali.health.ntpc.gov.tw/article/%E6%96%B0%E5%B7%B4%E5%A3%AB%E8%B7%AF%E7%B7%9A%E6%99%82%E5%88%BB%E8%A1%A8\]](https://bali.health.ntpc.gov.tw/article/%E6%96%B0%E5%B7%B4%E5%A3%AB%E8%B7%AF%E7%B7%9A%E6%99%82%E5%88%BB%E8%A1%A8) — primary; Bali District Health Center, New Taipei City (新北市八里區衛生所); accessed 2026-08-22. ^[22]

Capital Bus Co., Ltd. — Taipei operator profile — Company history and legal identity

Discussed on Capital Bus Co., Ltd. — Taipei operator profile [\[/bus/operators/capitalbus-1icts2l/\]](/bus/operators/capitalbus-1icts2l/) in the source page's "Company history and legal identity" section. ^[23]

Company history and legal identity

The MOEA record identifies Capital Bus as 首都客運股份有限公司, with the English charter name CAPITAL BUS TRANSPORTATION Co., LTD. It gives unified business number 34049262, registered address in Sanchong [\[/rail/metro/stations/o15/\]](/rail/metro/stations/o15/), paid-in capital of NT\$530 million, representative Li Bowen and a registration date of 14 August 1975 ^[23]. The same record lists city bus, intercity bus, tour-bus, vehicle-repair and related activities among the approved business categories ^[23].

The operator's own company profile gives a different dated milestone: it says the company was founded on 1 July 1976 ^[24]. Taipei PTO's history places the predecessor called San Chung City Bus among the five private operators entering the city's joint-operation system on 30 April 1977, and labels that predecessor as today's Capital Bus ^[25]. Those dates are kept as separate registration, founding and network-transition events rather than silently chosen as one origin date.

Sources for this entry

- Capital Bus company record [<https://findbiz.nat.gov.tw/fts/company/34049262>] — primary; Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署); accessed 2026-08-21.^[23]
- Capital Bus company profile [https://www.capitalbusgroup.com.tw/cpbus/co_about.html] — primary; Capital Bus (首都客運股份有限公司); accessed 2026-08-21.^[24]
- Taipei city-bus history [https://pto.gov.taipei/News_Content.aspx?n=AAEEE8A01971ECFB&s=FBAD7AB84D95E137&sms=D0111F238E458DC8] — primary; Taipei City Public Transportation Office (臺北市公共運輸處); accessed 2026-08-21.^[25]

Capital Bus Co., Ltd. — New Taipei operator profile — Company history and legal identity

Discussed on Capital Bus Co., Ltd. — New Taipei operator profile [</bus/operators/capitalbus-1mj8h7/>] in the source page's "Company history and legal identity" section.^[26]

Company history and legal identity

The MOEA record identifies Capital Bus as 首都客運股份有限公司, with the English charter name CAPITAL BUS TRANSPORTATION Co., LTD. It gives unified business number 34049262, registered address in Sanchong, paid-in capital of NT\$530 million, representative 李博文 and a registration date of 14 August 1975^[26]. The same record lists city bus, intercity bus, tour-bus, vehicle-repair and related activities among the approved business categories^[26].

The operator's own company profile gives a different dated milestone: it says the company was founded on 1 July 1976^[27]. Taipei PTO's history places the predecessor called San Chung City Bus among the five private operators entering the city's joint-operation system on 30 April 1977, and labels that predecessor as today's Capital Bus^[28]. Those dates are kept as separate registration, founding and network-transition events rather than silently chosen as one origin date.

Sources for this entry

- Capital Bus company record [<https://findbiz.nat.gov.tw/fts/company/34049262>] — primary; Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署); accessed 2026-08-21.^[26]
- Capital Bus company profile [https://www.capitalbusgroup.com.tw/cpbus/co_about.html] — primary; Capital Bus (首都客運股份有限公司); accessed 2026-08-21.^[27]
- Taipei city-bus history [https://pto.gov.taipei/News_Content.aspx?n=AAEEE8A01971ECFB&s=FBAD7AB84D95E137&sms=D0111F238E458DC8] — primary; Taipei City Public Transportation Office (臺北市公共運輸處); accessed 2026-08-21.^[28]

Danan Bus Co., Ltd. — New Taipei operator profile — Company history and legal identity

Discussed on Danan Bus Co., Ltd. — New Taipei operator profile [\[/bus/operators/dananbus-o4rqys/\]](#) in the source page's "Company history and legal identity" section.^[29]

Company history and legal identity

Danan's own profile says it was established in August 1969 by Yulon Motor and the Veterans Affairs Council, with early investment vehicles including Rongqiao and Xufa; it says the Veterans Affairs Council took over in February 1977 and that Danan and Shin-Shin jointly operated intercity services afterward ^[29]. The MOEA record gives a different date for the legal entity: 24 April 1969, unified business number 11011623, registered address 臺北市士林區承德路四段274號, representative 張捷, total capital NT\$350 million and paid-in capital NT\$308,652,850 ^[30]. These are retained as separate operator-stated and statutory dates rather than collapsed into one founding claim ^[29] ^[30].

The current MOEA director table records the Veterans Affairs Council as the represented entity for three directors, alongside corporate representations for 欣湖天然氣, 欣泉投資 and 欣欣客運 ^[30]. That is evidence of the current registered board representation shown by the record; it does not establish a complete parent-group or merger chronology ^[30].

Sources for this entry

- Danan Bus company profile [\[https://www.dnbus.com.tw/about2.html\]](https://www.dnbus.com.tw/about2.html) — primary; Danan Bus Co., Ltd. (大南汽車股份有限公司); accessed 2026-08-21.^[29]
- Danan Bus company record [\[https://findbiz.nat.gov.tw/fts/company/11011623\]](https://findbiz.nat.gov.tw/fts/company/11011623) — primary; Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署); accessed 2026-08-21.^[30]

Danan Bus Co., Ltd. — Taipei operator profile — Company history and legal identity

Discussed on Danan Bus Co., Ltd. — Taipei operator profile [\[/bus/operators/dananbus-zudmrz/\]](#) in the source page's "Company history and legal identity" section.^[31]

Company history and legal identity

Danan's own profile says it was established in August 1969 by Yulon Motor and the Veterans Affairs Council, with early investment vehicles including Rongqiao and Xufa; it says the Veterans Affairs Council took over in February 1977 and that Danan and Shin-Shin jointly operated intercity services afterward ^[31]. The MOEA record gives a different date for the legal entity: 24 April 1969, unified business number 11011623, registered address 臺北市士林區承德路四段274號,

representative 張捷, total capital NT\$350 million and paid-in capital NT\$308,652,850 ^[32]. These are retained as separate operator-stated and statutory dates rather than collapsed into one founding claim ^[31] ^[32].

The current MOEA director table records the Veterans Affairs Council as the represented entity for three directors, alongside corporate representations for 欣湖天然氣, 欣泉投資 and 欣欣客運 ^[32]. That is evidence of the current registered board representation shown by the record; it does not by itself establish a complete parent-group or merger chronology ^[32].

Sources for this entry

- Danan Bus company profile [<https://www.dnbus.com.tw/about2.html>] — primary; Danan Bus Co., Ltd. (大南汽車股份有限公司); accessed 2026-08-21. ^[31]
- Danan Bus company record [<https://findbiz.nat.gov.tw/fts/company/11011623>] — primary; Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署); accessed 2026-08-21. ^[32]

Kuo-Kuang Motor Transportation Co., Ltd. — New Taipei operator profile — Legal identity and operating character

Discussed on Kuo-Kuang Motor Transportation Co., Ltd. — New Taipei operator profile [[/bus/operators/kuokuangbus-z1k94y/](#)] in the source page's "Legal identity and operating character" section. ^[33]

Legal identity and operating character

Kuo-Kuang Motor Transportation is the English rendering used here for 國光汽車客運股份有限公司. The Ministry of Economic Affairs registry identifies the company by unified business number 70810572, records it as approved, and gives 15 June 2001 as its approved-establishment date ^[33]. The same statutory record names 王雅萱 as representative, gives the registered address as 1F, No. 53, Section 4, Chongyang Road, Sanchong District, New Taipei City, and records NT\$465 million in paid-in capital ^[33]. Its registered activities cover highway passenger transport, city-bus passenger transport and sightseeing-bus passenger transport, alongside parking, vehicle repair and other ancillary activities ^[33].

The registry lists corporate representatives on the current board from construction, vehicle-manufacturing and investment companies, but it does not identify a single parent group ^[33]. That distinction matters because a board representation list is evidence of the registered governance arrangement, not proof of a consolidated operating group ^[33].

The company's self-authored profile gives a different date layer: it says operations began on 1 July 2001, and describes the business around safety and quality, professional efficiency and comfortable service ^[34]. The profile also describes national intercity service, online and voice ticketing, maintenance capability, parking management, city-bus service and a sightseeing-bus

division said to have been established in 2008 ^[34]. Its more-than-860-bus and more-than-96-route figures, together with an average daily passenger figure tied explicitly to 2005, are retained as a dated historical snapshot rather than a current fleet census ^[34].

Sources for this entry

- Kuo-Kuang Motor Transportation company registry record [<https://findbiz.nat.gov.tw/fts/company/70810572>] — primary; Ministry of Economic Affairs, Department of Commerce (經濟部商業發展署); accessed 2026-08-21. ^[33]
- About Kuo-Kuang Motor Transportation [<https://1207835175744.tw66.com.tw/web/Comp?command=Intro>] — primary; Kuo-Kuang Motor Transportation Co., Ltd. (國光汽車客運股份有限公司); accessed 2026-08-21. ^[34]

San Chung Bus Co., Ltd. — Taipei operator profile — Company history and identity

Discussed on San Chung Bus Co., Ltd. — Taipei operator profile [[/bus/operators/sanchungbus-1b7yg2j/](#)] in the source page's "Company history and identity" section. ^[35]

Company history and identity

The operator's company profile dates its creation to 7 May 1968, when it began highway passenger transport with 20 vehicles ^[35]. It says the business added tour-bus rental in 1970, joined Taipei's joint-operation bus system on 30 April 1977, and received approval in 1996 to operate the Taipei–Hsinchu intercity route ^[35]. A government employment record gives the company a different establishment date, 2 April 1968, while agreeing on the legal name 三重汽車客運股份有限公司, representative 李博文 and business number 35025506 ^[36]. Both dates are published here because they are different records, not because one has been silently treated as definitive ^[35] ^[36].

The same government record lists NT\$190 million in capital, 1,300 employees and highway passenger transport plus large-bus rental as the business categories ^[36]. The Highway Bureau's operator directory lists 三重客運 at the Sanhe Road address and gives 02-29882133 ^[37]. The TDX pull remains the source for this page's municipality label and generated route associations; it does not establish ownership, a parent company, fleet models or contract history ^[38].

Sources for this entry

- San Chung Bus company profile [https://www.sanchung-bus.com.tw/co_about.html] — primary; San Chung Bus Co., Ltd. (三重汽車客運股份有限公司); accessed 2026-08-20. ^[35]
- TaiwanJobs employer profile [https://job.taiwanjobs.gov.tw/Internet/jobwanted/company_desc2.aspx?EMPLOYER_ID=152797] — primary; Workforce Development Agency, Ministry of Labor (勞動部勞動力發展署); accessed 2026-08-20. ^[36]
- Intercity bus company directory [<https://www.thb.gov.tw/cp.aspx?n=292>] — primary; Highway Bureau, Ministry of Transportation and Communications (交通部公路局); accessed 2026-08-20. ^[37]

- TDX bus operator and route pull [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications TDX (交通部運輸資料流通服務平臺); accessed 2026-08-15. [38]

San Chung Bus Co., Ltd. — New Taipei operator profile — Company history and identity

Discussed on San Chung Bus Co., Ltd. — New Taipei operator profile [</bus/operators/sanchungbus-11zv139/>] in the source page's "Company history and identity" section. [39]

Company history and identity

The operator's company profile dates its creation to 7 May 1968, when it began highway passenger transport with 20 vehicles [39]. It says the business added tour-bus rental in 1970, joined Taipei's joint-operation bus system on 30 April 1977, and received approval in 1996 to operate the Taipei–Hsinchu intercity route [39]. A government employment record gives the company a different establishment date, 2 April 1968, while agreeing on the legal name 三重汽車客運股份有限公司, representative 李博文 and business number 35025506 [40]. Both dates are published here because they are different records, not because one has been silently treated as definitive [39] [40].

The same government record lists NT\$190 million in capital, 1,300 employees and highway passenger transport plus large-bus rental as the business categories [40]. The Highway Bureau's operator directory lists 三重客運 at the Sanhe Road address and gives 02-29882133 [41]. The TDX pull remains the source for this page's municipality label and generated route associations; it does not establish ownership, a parent company, fleet models or contract history [42].

Sources for this entry

- San Chung Bus company profile [https://www.sanchung-bus.com.tw/co_about.html] — primary; San Chung Bus Co., Ltd. (三重汽車客運股份有限公司); accessed 2026-08-20. [39]
- TaiwanJobs employer profile [https://job.taiwanjobs.gov.tw/Internet/jobwanted/company_desc2.aspx?EMPLOYER_ID=152797] — primary; Workforce Development Agency, Ministry of Labor (勞動部勞動力發展署); accessed 2026-08-20. [40]
- Intercity bus company directory [<https://www.thb.gov.tw/cp.aspx?n=292>] — primary; Highway Bureau, Ministry of Transportation and Communications (交通部公路局); accessed 2026-08-20. [41]
- TDX bus operator and route pull [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications TDX (交通部運輸資料流通服務平臺); accessed 2026-08-15. [42]

Shin-Shin Bus Co., Ltd. — New Taipei operator profile — Company history and ownership transition

Discussed on Shin-Shin Bus Co., Ltd. — New Taipei operator profile [\[/bus/operators/shin-shin-bus-ooqycq/\]](#) in the source page's "Company history and ownership transition" section. ^[43]

Company history and ownership transition

Shin-Shin's official company page says the business was jointly established in ROC year 58, January 1969, by Yulon Motor, Rongqiao and the Veterans Affairs Council ^[43]. Taipei PTO's history separately records the late-1960s expansion of private operators and the 1977 joint-operation system, providing public-transport context without replacing the company's own founding account ^[44]. The operator page also says Yulon's shareholding was transferred in batches in July 2015 and acquired by the Chung Hsing and Capital groups ^[43]. That is an operator-published ownership-history statement, not a substitute for a current share register.

The MOEA record identifies 欣欣客運股份有限公司 as unified business number 18739212, with paid-in capital of NT\$519,002,790, representative 張元勳 and a registered address on Tingzhou Road in Taipei's Zhongzheng District ^[45]. MOEA gives 18 May 1969 as the approved establishment date ^[45]. The operator's January founding statement and the statutory May date are retained together because they describe different dated records.

Sources for this entry

- Shin-Shin Bus company profile [\[http://www.shinbus.com.tw/about/\]](http://www.shinbus.com.tw/about/) — primary; Shin-Shin Bus (欣欣客運股份有限公司); accessed 2026-08-21. ^[43]
- Taipei city-bus history [\[https://pto.gov.taipei/News_Content.aspx?n=AAEEE8A01971ECFB&s=FBAD7AB84D95E137&sms=D0111F238E458DC8\]](https://pto.gov.taipei/News_Content.aspx?n=AAEEE8A01971ECFB&s=FBAD7AB84D95E137&sms=D0111F238E458DC8) — primary; Taipei City Public Transportation Office (臺北市公共運輸處); accessed 2026-08-21. ^[44]
- Shin-Shin Bus company record [\[https://findbiz.nat.gov.tw/fts/company/18739212\]](https://findbiz.nat.gov.tw/fts/company/18739212) — primary; Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署); accessed 2026-08-21. ^[45]

Shin-Shin Bus Co., Ltd. — Taipei operator profile — Company history and ownership transition

Discussed on Shin-Shin Bus Co., Ltd. — Taipei operator profile [\[/bus/operators/shinshinbus-2fom1y/\]](#) in the source page's "Company history and ownership transition" section. ^[46]

Company history and ownership transition

Shin-Shin's official company page says the business was jointly established in ROC year 58, January 1969, by Yulon Motor, Rongqiao and the Veterans Affairs Council ^[46]. Taipei PTO's history separately records the late-1960s expansion of private operators and the 1977 joint-operation system, providing the public-transport context without replacing the company's own

founding account ^[47]. The operator page also says Yulon's shareholding was transferred in batches in July 2015 and acquired by the Chung Hsing and Capital groups ^[46]. That is an operator-published ownership-history statement, not a substitute for a current share register; the page does not establish a statutory parent after that transaction.

The MOEA record identifies 欣欣客運股份有限公司 as unified business number 18739212, with paid-in capital of NT\$519,002,790, representative Zhang Yuan-xun and a registered address on Tingzhou Road in Taipei's Zhongzheng District ^[48]. MOEA gives 18 May 1969 as the approved establishment date ^[48]. The operator's January founding statement and the statutory May date are retained together because they describe different dated records.

Sources for this entry

- Shin-Shin Bus company profile [<http://www.shinbus.com.tw/about/>] — primary; Shin-Shin Bus (欣欣客運股份有限公司); accessed 2026-08-21. ^[46]
- Taipei city-bus history [https://pto.gov.taipei/News_Content.aspx?n=AAEEE8A01971ECFB&s=FBAD7AB84D95E137&sms=D0111F238E458DC8] — primary; Taipei City Public Transportation Office (臺北市公共運輸處); accessed 2026-08-21. ^[47]
- Shin-Shin Bus company record [<https://findbiz.nat.gov.tw/fts/company/18739212>] — primary; Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署); accessed 2026-08-21. ^[48]

Taoyuan Bus — New Taipei TDX operator record — Fleet record and electric-bus history

Discussed on Taoyuan Bus — New Taipei TDX operator record [[/bus/operators/taoyuanbus-2ov8j/](#)] in the source page's "Fleet record and electric-bus history" section. ^[49]

Fleet record and electric-bus history

The 2014 Environmental Protection Administration report records a joint electric-bus observation event at Taoyuan Bus's Taoyuan terminal and says Taoyuan County had operated a free electric demonstration between Taoyuan railway station and the county government since 2012 ^[49]. That report says 45 electric buses and ten electric routes were operating county-wide at the time, including city routes and Daxi routes; it does not identify all 45 as Taoyuan Bus vehicles or provide a model roster ^[49].

The Highway Bureau's open-data catalogue is narrower and newer: its dataset was updated 29 May 2025 and lists 桃園客運 under local-government code 68000000 with brand 華德 and 15 licensed vehicles ^[50]. The 2014 county-wide total and the 2025 company/brand row are not added together: they have different dates, geography and units of measurement ^[49] ^[50]. Neither fetched primary record names a chassis, body, capacity, specific model designation, hybrid vehicle, or complete current fleet, so those fields remain TBC ^[49] ^[50] ^[51].

Sources for this entry

- Electric-bus operations observation event [<https://enews.moenv.gov.tw/Page/3B3C62C78849F32F/c786de79-bdd3-43e7-ae4b-a23241d918a9>] — primary; Environmental Protection Administration, Executive Yuan (行政院環境保護署; now Ministry of Environment); accessed 2026-08-22.^[49]
- National electric-bus operating vehicle count and manufacturer dataset [https://www.thb.gov.tw/News_Content_thbOpenData.aspx?n=13&s=734] — primary; Highway Bureau, Ministry of Transportation and Communications (交通部公路局); accessed 2026-08-22.^[50]
- TDX bus operator and route pull [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications TDX (交通部運輸資料流通服務平臺); accessed 2026-08-15.^[51]

Kaohsiung regional buses — Electric buses — three citywide counts, three different dates

Discussed on Kaohsiung regional buses [</bus/regional/kaohsiung/>] in the source page's "Electric buses — three citywide counts, three different dates" section.^[52]

Electric buses — three citywide counts, three different dates

No single reconciled figure exists; this site publishes all three rather than picking one. **10 April 2018**: 77 electric buses across seven private operators — 港都客運 50, 南台灣客運 14, 高雄客運 11, 漢程客運 2^[52]. **6 May 2022**: a city government publication states 195 electric low-floor buses out of roughly 1,000+ total city buses, 19% — described as the first among Taiwan's major cities^[53]. **A higher, unverified figure**: search results describe up to 130 electric buses at 港都客運 alone, called "全國第一" (first nationally) by a business magazine — this site could not fetch that article (HTTP 403 on every attempt, including an AMP variant) and does not publish the figure as fact. The same 2022 publication profiles a Foxtron Model T [</bus/models/model-t-electric/>] bus in service on Route 24, with a stated 80%-charge time of two hours, though it does not name which operator runs that route^[53].

Sources for this entry

- Green electric bus era arrives — Kaohsiung buses roll out further and further [<https://168.motc.gov.tw/theme/fullsized/post/1906121103392>] — secondary; MOTC Traffic Safety Portal (交通部168交通安全入口網); accessed 2026-08-28.^[52]
- Kaohsiung's new good-life progress, No. 05 [<https://takao.kcg.gov.tw/article/760>] — primary; Kaohsiung City Government Information Bureau (高雄市政府新聞局), 高雄畫刊; accessed 2026-08-28.^[53]

Kaohsiung regional buses — Conflicts and gaps

Discussed on Kaohsiung regional buses [</bus/regional/kaohsiung/>] in the source page's "Conflicts and gaps" section.^[54]

Conflicts and gaps

The 197-route municipal index and the 316-record TDX snapshot are both published values, but the fetched sources do not define a common counting unit: the index is a public route list while TDX includes separately identified route records and branch/service variants.^[54]^[55] The page therefore publishes both and leaves the reconciliation TBC. A historical route-change series, current route-level timetable history, fleet allocation, depot assignment, reliability, route-level ridership and a complete accessibility inventory also remain TBC because the fetched primary pages and structured responses do not supply those fields.^[55]^[56]^[57]^[58]

Sources for this entry

- Kaohsiung bus route overview by route [<https://www.tbkc.gov.tw/Service/PublicTransport/NewBusRoute>] — primary; Kaohsiung City Government Transportation Bureau (高雄市政府交通局); accessed 2026-08-25.^[54]
- Kaohsiung city-bus route response [<https://tdx.transportdata.tw/api/basic/v2/Bus/Route/City/Kaohsiung?format=JSON>] — primary; Taiwan Ministry of Transportation and Communications TDX (交通部運輸資料流通服務); accessed 2026-08-25.^[55]
- Kaohsiung TDX ordered bus stops by route [<https://tdx.transportdata.tw/api/basic/v2/Bus/StopOfRoute/City/Kaohsiung?format=JSON>] — primary; Taiwan Ministry of Transportation and Communications TDX (交通部運輸資料流通服務); accessed 2026-08-25.^[56]
- Kaohsiung public-transport accessibility service index [<https://www.tbkc.gov.tw/Service/PublicTransport/Accessibility>] — primary; Kaohsiung City Government Transportation Bureau (高雄市政府交通局); accessed 2026-08-25.^[57]
- Kaohsiung MRT feeder-bus operations [<https://data.gov.tw/dataset/159665>] — primary; Kaohsiung City Government Budget Office (高雄市政府主計處); accessed 2026-08-25.^[58]

Taichung regional buses — Conflicts

Discussed on Taichung regional buses [</bus/regional/taichung/>] in the source page's "Conflicts" section.^[59]

Conflicts

台中客運's own site gives two different depot/station lists: its About page names roughly eight facilities^[59], its separate Stations page names twelve, including a transfer station and a 秋紅谷 site the About page omits^[60]. Both are the operator's own primary pages; neither explains the discrepancy, and this site publishes both rather than merging them.

The route-map dataset warns that its compiled publication can lag actual operations, while the citybus interface directs passengers to dynamic information or operator schedules for actual departures.^[61]^[62] These sources measure different publication layers, so the JSON retains route identity and stops but does not turn them into a frequency claim.^[61]^[63]

The full CSV contains 23 raw operator-label values, while the visible operator-link group on the citybus page presents 14 labels.^[63]^[62] The first is a count of labels attached to route records and the second is a portal link list; neither is treated as a legal-company count.^[63]^[62]

The city-bus CSV has no departure-time field, while the separate 小黃公車 page describes 26 services with fixed departure times and linked image schedules.^[63]^[64] The two values belong to different networks and publication formats, so the Yellow timetable is kept in its own data-layer object.^[64]

Sources for this entry

- Taichung Bus — company profile [https://www.tcbus.com.tw/co_about.html] — primary; 臺中汽車客運股份有限公司; accessed 2026-08-28.^[59]
- Taichung Bus — stations [https://www.tcbus.com.tw/co_office.html] — primary; 臺中汽車客運股份有限公司; accessed 2026-08-28.^[60]
- Taichung city-bus route and stop information dataset [<https://data.gov.tw/dataset/83748>] — primary; Taichung City Government Transportation Bureau (臺中市政府交通局); accessed 2026-08-25.^[61]
- Taichung bus real-time information [<https://citybus.taichung.gov.tw/ebus>] — primary; Taichung City Government Transportation Bureau (臺中市政府交通局); accessed 2026-08-25.^[62]
- Taichung city-bus route-map CSV [<https://newdatacenter.taichung.gov.tw/api/v1/no-auth/resource.download?rid=20c2e4cc-49bf-45d5-a880-714c7c66eed6>] — primary; Taichung City Government Transportation Bureau (臺中市政府交通局); accessed 2026-08-25.^[63]
- Taichung 小黃公車 [<https://www.traffic.taichung.gov.tw/content/index.asp?Parser=1,7,505,52>] — primary; Taichung City Government Transportation Bureau (臺中市政府交通局); accessed 2026-08-25.^[64]

Tainan regional buses — Operators — a network that keeps changing hands

Discussed on Tainan regional buses [</bus/regional/tainan/>] in the source page's "Operators — a network that keeps changing hands" section.^[65]

Operators — a network that keeps changing hands

Tainan [</rail/thsr/stations/tainan/>]'s city-bus operator roster has been actively reshaped by tender through the 2020s, unlike Taipei's stable joint-operation group^[65]. 興南客運 (Shing Nan Bus) is the oldest, tracing to 台灣輕鐵株式會社 (1921) and a 1941 merger into 興南乘合自動車株式會社^[66]. 新營客運 (Xinying Bus), formally established January 1950, joined the Tainan system in a first batch of 44 transferred highway routes — sources disagree on whether that was 2011 or 2012^[67]. 府城客運 (Fucheng Bus) is younger and structurally distinct: founded 2013 as a subsidiary spun off from **Kaohsiung Bus** (高雄客運, also documented on this site's Kaohsiung page [</bus/regional/kaohsiung/>]) specifically to give Tainan a dedicated city-bus brand, after the original, differently-owned 台南客運 stopped running city routes in 2003^[68]. 漢程客運 (Han-Cheng Bus), founded 2013 in Kaohsiung as part of the same 台灣愛巴士 交通聯盟 alliance as 巨業交運/巨業交通, expanded into Tainan in December 2019 as its fourth operator^[69].

Route 77 traces a small chain of hand-offs that is itself informative. Launched 2016 as Tainan's first electric-bus route, it passed from its original operator to 府城客運 and then, from 10 April 2023, to 漢程客運 — the same 40 daily trips and alignment carried through each transfer^[70]. A **2024-08-21 network reorganisation** awarded 巨業交通 nine routes (existing and new, first batch targeted for Q4 2024) and 統聯客運 ten routes, making 統聯客運 Tainan's sixth operator from **3 January 2025**^[65] — after the TDX snapshot above was retrieved, so that operator may not yet appear in the committed route/operator records.

Sources for this entry

- Tainan city bus network reorganisation — new route awards [https://www.tainan.gov.tw/news_content.aspx?n=13370&s=8687622] — primary; Tainan City Government (臺南市政府); accessed 2026-08-28.^[65]
- Shing Nan Bus [<https://zh.wikipedia.org/zh-tw/%E8%88%88%E5%8D%97%E5%AE%A2%E9%81%8B>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-28.^[66]
- Xinying Bus [<https://zh.wikipedia.org/zh-tw/%E6%96%B0%E7%87%9F%E5%AE%A2%E9%81%8B>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-28.^[67]
- Fucheng Bus (Tainan Bus) [<https://zh.wikipedia.org/zh-tw/%E5%BA%9C%E5%9F%8E%E5%AE%A2%E9%81%8B>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-28.^[68]
- Han-Cheng Bus [<https://zh.wikipedia.org/zh-tw/%E6%BC%A2%E7%A8%8B%E5%AE%A2%E9%81%8B>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-28.^[69]
- Route 77 operator transfer notice [https://www.tainan.gov.tw/News_Content.aspx?n=13370&s=8381879] — primary; Tainan City Government (臺南市政府); accessed 2026-08-28.^[70]

Tainan regional buses — Conflicts

Discussed on Tainan regional buses [</bus/regional/tainan/>] in the source page's "Conflicts" section.^[67]

Conflicts

新營客運's own zh.wikipedia article and the separate 大台南公車 overview article disagree on the year it joined the Tainan network — 2011 in one, 2012 in the other, describing what appears to be the same 44-route transfer^[67]. Neither is independently corroborated against a Tainan city government primary source; both are published rather than picked.

Sources for this entry

- Xinying Bus [<https://zh.wikipedia.org/zh-tw/%E6%96%B0%E7%87%9F%E5%AE%A2%E9%81%8B>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-28.^[67]

Tainan regional buses — Gaps and conflicts

Discussed on Tainan regional buses `[/bus/regional/tainan/]` in the source page's "Gaps and conflicts" section.^[71]

Gaps and conflicts

The route and stop datasets provide current structure, but not a historical route-change log, reliability series, depot allocation, vehicle assignment or accessibility inventory.^{[71] [72] [73]} TDX provides route and stop update timestamps, while the ridership catalogue provides annual route totals; neither is a complete timetable history.^{[74] [75]} The city portal and the 小黃公車 Q&A are therefore retained as the service-information boundary, and any timetable or route change should be refreshed from those sources before publication.^{[76] [77]}

The official sources disagree on the current 小黃公車 count. The Q&A page says 52 routes across 32 administrative districts, while the 5 August 2026 expansion notice says that adding 黃3, 黃16 and 黃23 increased the total from 46 to 49 routes across 31 districts.^{[77] [78]} These may be different publication snapshots or scopes, but the fetched sources do not explain the difference. The data layer preserves the Q&A table's 52 unique route names and reports the notice's 49 separately; it does not average them or choose a winner.^{[77] [78]}

Sources for this entry

- Tainan city-bus route data `[https://data.gov.tw/dataset/85855]` — primary; Tainan City Government Transportation Bureau (臺南市政府交通局); accessed 2026-08-25.^[71]
- Tainan city-bus route stop order data `[https://data.gov.tw/dataset/85852]` — primary; Tainan City Government Transportation Bureau (臺南市政府交通局); accessed 2026-08-25.^[72]
- Tainan bus operator response `[https://tdx.transportdata.tw/api/basic/v2/Bus/Operator/City/Tainan?$format=JSON]` — primary; Taiwan Ministry of Transportation and Communications TDX (交通部運輸資料流通服務); accessed 2026-08-25.^[73]
- Tainan city-bus route response `[https://tdx.transportdata.tw/api/basic/v2/Bus/Route/City/Tainan?$format=JSON]` — primary; Taiwan Ministry of Transportation and Communications TDX (交通部運輸資料流通服務); accessed 2026-08-25.^[74]
- Tainan city-bus ridership information `[https://data.gov.tw/dataset/53402]` — primary; Tainan City Government Transportation Bureau (臺南市政府交通局); accessed 2026-08-25.^[75]
- Tainan City Bus portal `[https://2384.tainan.gov.tw/tnbusweb/Default.aspx]` — primary; Tainan City Government Transportation Bureau (臺南市政府交通局); accessed 2026-08-25.^[76]
- Tainan 小黃公車 information and Q&A `[https://2384.tainan.gov.tw/newtnbusweb/othersInfoDrtsQA.html]` — primary; Tainan City Government Transportation Bureau (臺南市政府交通局); accessed 2026-08-25.^[77]
- Tainan 小黃公車 service expansion notice `[https://traffic.tainan.gov.tw/Announcement/news?PageType=1&id=5606215d-e4c4-4b81-9bb0-3bb2d230b29d]` — primary; Tainan City Government Transportation Bureau (臺南市政府交通局); accessed 2026-08-25.^[78]

BR20 B / 棕20預 — Classification and conflict

Discussed on **BR20** B / 棕20預 [/bus/routes/colour-brown/brown-20-bgsxaf/] in the source page's "Classification and conflict" section.^[79]

Classification and conflict

The official catalogue places 棕20 under 捷運棕線接駁公車.^[79] TDX has a separate normalized record 棕20預, while the full official page describes reservation-only 美堤碼頭 detours without publishing that separate label.^[80] The two values are retained.^[81]

The confirmed outbound stop sequence in this separate TDX record runs from 行善行愛路口, past 新湖行善路口/濱江國中/外雙溪(至善), ending at 故宮博物院(正館); the return working ends at 行善石潭路口 rather than the outbound origin.^[81] One confirmed interchange is recorded in the curated stop-ID join set: Jiannan Rd. (**BR15**), the same single station confirmed for plain 棕20.^[81] This record carries 2 subroutes under a single operator, 大南汽車, distinct from plain 棕20's own 4-subroute TDX record.^[81] The outbound working covers 19 stops and the return, ending at 行善石潭路口 rather than the outbound origin, also covers 19 — an asymmetric loop rather than a there-and-back working over the same stop set.^[81] Whether this separately filed record represents a distinct scheduled service or is simply TDX's own alternate encoding of plain 棕20's reservation-only detour was not established by any source checked for this entry.^[81]^[80] Both endpoints, 行善行愛路口 and 故宮博物院(正館), match plain 棕20's own published outbound termini exactly.

Sources for this entry

- Taipei/New Taipei bus route catalogue [https://ebus.gov.taipei/ebus?ct=all] — primary; Taipei City Government and New Taipei City Government, 臺北市政府與新北市政府; accessed 2026-08-15.^[79]
- BR20** route schedule and reserved detours [https://ebus.gov.taipei/Route/RouteSchedule?routeid=0114002000] — primary; Taipei City Government and New Taipei City Government, 臺北市政府與新北市政府; accessed 2026-08-15.^[80]
- TDX bus data [https://tdx.transportdata.tw/] — primary; Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺; accessed 2026-08-15.^[81]

BR7G / 棕7綠野香坡 — Classification and conflict

Discussed on BR7G / 棕7綠野香坡 [/bus/routes/colour-brown/brown-7-ssatjm/] in the source page's "Classification and conflict" section.^[82]

Classification and conflict

The official 大臺北公車 catalogue lists 棕7綠野香坡 under 捷運棕線接駁公車.^[82] The TDX snapshot still identifies this record as 棕7綠野香坡.^[83] The full PDA page states: 「原【812】路線自115年6月30日起, 縮駛至『捷運橫溪站』並調整路線番號為『三鶯2線』」.^[84] Both values are retained; the

identity is unresolved — the PDA statement describes route 812 being shortened and renumbered to 三鶯2線, a different identity from 棕7綠野香坡, and this search found no primary source connecting that 812 renumbering to this specific 棕7 stop-pattern record.

The confirmed outbound stop sequence in the current TDX record runs from 伴山別墅(一), past 伴山別墅(二)/碧潭橋頭, ending at 市政府(市府)/捷運市政府站.^[83] Two confirmed interchanges are recorded in the curated stop-ID join set: Taipei City Hall (**BL18**) and Muzha (**BR02**), the same pair confirmed for plain 棕7.^[83] The route runs 2 subroutes under a single operator, 臺北客運, matching plain 棕7's own operator despite the unresolved identity conflict above.^[83] The outbound working covers 55 stops, longer than either plain 棕7 (47) or 棕7建業路; the return, starting from 消防局(松仁), covers 54.^[83] Whether that longer stop count reflects the 綠野香坡 (Green Fields) residential detour named in the identity, or the possible 812/三鶯2 renumbering above, was not established by any source checked for this entry.

- Corridor decision: TBC.
- Unusual branch or short working: TBC.
- Operator changes: TBC.

Sources for this entry

- Taipei/New Taipei bus route catalogue [<https://ebus.gov.taipei/ebus?ct=all>] — primary; Taipei City Government and New Taipei City Government, 臺北市政府與新北市政府; accessed 2026-08-15.^[82]
- TDX bus data [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺; accessed 2026-08-15.^[83]
- BR7 Green Field route information [<https://pda5284.gov.taipei/MQS/route.jsp?rid=17466>] — primary; Taipei City Government, 臺北市政府公車動態資訊系統; accessed 2026-08-15.^[84]

R68B / 紅68預 — Classification conflict

Discussed on R68B / 紅68預 [</bus/routes/colour-red/red-68-hdun1/>] in the source page's "Classification conflict" section.^[85]

Classification conflict

The committed TDX snapshot contains a colour-red record named 紅68預, which is why this page exists.^[85] The full official catalogue lists 39 labels under 捷運紅線接駁公車 and omits 紅68預.^[86] The full official schedule page is labelled 紅68 and records appointment-only trial workings within that service; it does not name a separate 紅68預 route.^[87]

Despite the classification conflict, the TDX-only record does carry its own confirmed stop sequence and curated interchange: from 洲美里, past 洲美街219號/洲美國小/福美站/三王宮, through 福美承平路口, and on the outbound working past 遠雄商舟大樓/中鼎第二總部大樓, ending at 捷運芝山站(福華).^[85] One confirmed interchange is recorded in the curated stop-ID join set: Zhishan (**R17**), matching the route's own terminus and identical to plain 紅68's own confirmed

interchange.^[85] The stop sequence is otherwise near-identical to plain 紅68's own, differing only in whether the 中鼎 第二總部大樓 detour is included — the same detour the schedule page's own appointment-only note describes.^[85]

Sources for this entry

- TDX bus data [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺; accessed 2026-08-18.^[85]
- Taipei/New Taipei bus route catalogue [<https://ebus.gov.taipei/ebus?ct=all>] — primary; Taipei City Government and New Taipei City Government, 臺北市政府與新北市政府; accessed 2026-08-18.^[86]
- R68 route schedule [<https://ebus.gov.taipei/Route/RouteSchedule?routeid=0111006800>] — primary; Taipei City Public Transportation Office, 臺北市政府公共運輸處; accessed 2026-08-18.^[87]

108 / 108 — Classification and corridor

Discussed on 108 / 108 [</bus/routes/series-100s/108-hvewbe/>] in the source page's "Classification and corridor" section.^[88]

Classification and corridor

The official catalogue lists 108 under 一般公車, as a separate routeid entry from its 108區 shuttle variant.^[88] Its full schedule page gives service span weekday and holiday 0700–1730, headway weekday 30–40 minutes and holiday 20–30 minutes at both peak and off-peak, a single-section fare (一段票), and 大都會客運陽明山站 as the service contact.^[89]

The schedule page's own 起迄站名 field names the same stop, 陽明山公車總站, on both sides, which reads as a loop starting and ending at the Yangmingshan bus terminal.^[89] A community wiki instead describes the route as running from 陽明山 to a different terminus, 擎天崗 (起點站為陽明山, 終點站為擎天崗), not as a loop.^[90] This is a direct conflict between a primary field and a secondary description; both values are published here and neither is picked.

The confirmed stop sequence never leaves Yangmingshan National Park: from the Yangmingshan bus terminal it calls at the park's own visitor infrastructure — the park headquarters, Yangmingshuwu (the former presidential retreat), the Xiaoyoukeng service station, Menghuan Lake and Lengshuikeng — before returning via the Qingshan recreation area.^[91] No stop on either direction is named for an MRT station, and the curated stop-ID join set carries no confirmed MRT connection for this route at all — a rider transfers to it at the mountain-top terminal itself, not partway along an urban corridor.^[91]

Sources for this entry

- Taipei/New Taipei bus route catalogue [<https://ebus.gov.taipei/ebus?ct=all>] — primary; Taipei City Government and New Taipei City Government, 臺北市政府與新北市政府; accessed 2026-08-19.^[88]

- 108 route schedule [<https://ebus.gov.taipei/Route/RouteSchedule?routeid=0100010800>] — primary; Taipei City Public Transportation Office, 臺北市政府公共運輸處; accessed 2026-08-19.^[89]
- Taipei joint-operation bus route 108 [<https://zh.wikiversity.org/wiki/%E5%8F%B0%E5%8C%97%E8%81%AF%E7%87%9F%E5%85%AC%E8%BB%8A108%E8%B7%AF%E7%B7%9A>] — secondary; Wikiversity contributors, 維基學院; accessed 2026-08-19.^[90]
- TDX bus data [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺; accessed 2026-08-19.^[91]

950 / 950 — Conflicts

Discussed on 950 / 950 [</bus/routes/series-900s/950/>] in the source page's "Conflicts" section.^[92]

Conflicts

The primary press release states 28 fixed daily trips and weekday hours 0600–2200 at the 2014 launch.^[92] The official schedule page, fetched directly, lists 17 daily departures running 0600–2000.^[93] Both figures describe route 950, but the schedule page's departure count and end time are lower than the launch-day press release's; TDX records three separate subroutes under 950 (950路, 950去程半, 950返程半), so the two figures may be counting different subsets of the route's workings rather than disagreeing about the same one.^[94]

Sources for this entry

- Cross-city express bus 950 'Zhonghe–Neihu Science Park' opens 15 April [https://www.ntpc.gov.tw/ch/home.jsp?id=28&parentpath=0%2C6%2C27&mcustomize=news_view.jsp&dataserno=201404110032] — primary; New Taipei City Government, 新北市政府; accessed 2026-08-19.^[92]
- 950 route schedule [<https://ebus.gov.taipei/Route/RouteSchedule?routeid=0100095000>] — primary; Taipei City Public Transportation Office, 臺北市政府公共運輸處; accessed 2026-08-19.^[93]
- TDX bus data [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺; accessed 2026-08-19.^[94]

Green Island ferry services — Operators — a genuine count conflict

Discussed on Green Island ferry services [</ferry/routes/green-island/>] in the source page's "Operators — a genuine count conflict" section.^[95]

Operators — a genuine count conflict

The scenic-area administration's own contact page names four ferry brands serving Green Island: Kaixuan (凱旋), Green Island Star (綠島之星), Uranus (天王星) and Golden Star/Hengxing (金星、恆星).^[95] Several other sources — including two of the operators' own sites and a booking aggregator — describe only three companies as running the actual pooled, scheduled service: Kaixuan (registered as Farnlin Shipping, 帆利航運), Green Island Star (registered as Long Hong Shipping, 龍鴻航業) and Uranus (registered as Changjie Shipping, 長杰航運, whose new vessel Tianwangxing 21 began sailing 28 March 2025).^[96] No operational detail for Golden Star/Hengxing was found in any source beyond a phone number on the administration's own contact list. Both counts are published here rather than one being picked.

The administration's page separately lists two different phone numbers for Uranus across its two hosted pages (089-281617 on the general ferry page, 089-281618 on the Green Island subsite), and assigns that same 089-281618 number to Golden Star/Hengxing on the subsite while the general page gives Golden Star/Hengxing a third number, 089-281477.^{[95] [97]} Neither discrepancy is resolved here.

Sources for this entry

- Ferries [<https://www.eastcoast-nsa.gov.tw/zh-tw/service/ferry/>] — primary; East Coast National Scenic Area Administration (交通部觀光署東部海岸國家風景區管理處); accessed 2026-08-28.^[95]
- Tianwangxing 21 (Uranus 21) [<https://www.tsang-jai.com.tw/>] — primary; Changjie Shipping Co., Ltd. (長杰航運股份有限公司); accessed 2026-08-28.^[96]
- Green Island traffic information [<https://www.eastcoast-nsa.gov.tw/greenisland/zh-tw/tour/traffic>] — primary; East Coast National Scenic Area Administration (交通部觀光署東部海岸國家風景區管理處); accessed 2026-08-28.^[97]

Orchid Island ferry services — Crossing time: a genuine spread, not one number

Discussed on Orchid Island ferry services [</ferry/routes/orchid-island/>] in the source page's "Crossing time: a genuine spread, not one number" section.^[98]

Crossing time: a genuine spread, not one number

Sources disagree substantially on the Fugang–Orchid Island crossing time, and this page publishes the spread rather than picking one. Taitung County's own tourism page states 120 minutes.^[98] Dafa Steamship's own operator page states about 150 minutes for the same route.^[99] The East Coast National Scenic Area Administration's page gives "about 2-3 hours."^[100] A booking aggregator separately reports 150 minutes outbound and 200 minutes on the return leg when the return is routed via Green Island. For the Houbihu–Orchid Island leg, Taitung County's page gives "120-150 minutes," roughly consistent with a private portal's "about 2 hours."^[98]^[101] None of these figures is treated as more authoritative than another; the range itself is the finding.

Sources for this entry

- Outlying island transport [<https://tour.taitung.gov.tw/zh-tw/traffic/island>] — primary; Taitung County Government (臺東縣政府); accessed 2026-08-28.^[98]
- Dafa Steamship fares and route information [<https://www.dafaship.com/>] — primary; Dafa Steamship Co., Ltd. (大發輪船股份有限公司); accessed 2026-08-28.^[99]
- Ferries [<https://www.eastcoast-nsa.gov.tw/zh-tw/service/ferry/>] — primary; East Coast National Scenic Area Administration (交通部觀光署東部海岸國家風景區管理處); accessed 2026-08-28.^[100]
- Traffic information [<https://travel.lanyu.info/trip-info/traffic/>] — secondary; Blue Door Lanyu (蘭色大門, private tourism portal); accessed 2026-08-28.^[101]

Penghu island ferry services — What remains date-sensitive

Discussed on Penghu island ferry services [</ferry/routes/penghu/>] in the source page's "What remains date-sensitive" section.^[102]

What remains date-sensitive

The county's live page is the source for the displayed 26 August–1 September week, while the ticket guidance is an effective-date document from July 2025; neither should be read as a permanent timetable.^[102]^[103] The live page and the older ticket PDF also publish slightly different wind threshold values: the live page gives 15.6, 13.6 and 10.5 m/s for its named service groups, while the PDF's table displays 15.5, 10, 10 and 13.5 m/s across its service columns.^[102]^[103] The headings in the PDF's extracted text do not expose a clean one-to-one mapping for every column, so the values are reported as a dated source conflict rather than reconciled by guesswork.

Sources for this entry

- Public ferry timetable [<https://www.phpto.gov.tw/home.jsp?id=106>] — primary; 澎湖縣政府公共車船管理處 (Penghu County Public Vehicle and Ship Management Office); accessed 2026-08-26.^[102]
- Public ferry ticket-purchase guidance [https://www.penghu.gov.tw/userfiles/03/files/%E6%BE%8E%E6%B9%96%E7%B8%A3%E6%94%BF%E5%BA%9C%E5%85%AC%E5%85%B1%E8%BB%8A%E8%88%B9%E7%AE%A1%E7%90%86%E8%99%95%E4%BA%A4%E9%80%9A%E8%88%B9%E8%88%AA%E7%8F%AD%E8%B3%BC%E7%A5%A8%E9%A0%88%E7%9F%A5114_07_19.pdf] — primary; 澎湖縣政府公共車船管理處 (Penghu County Public Vehicle and Ship Management Office); accessed 2026-08-26.^[103]

The Taiwan Railways Changhua–Minxiong Double Track — One historical double-track record

Discussed on The Taiwan Railways Changhua–Minxiong Double Track [\[/rail/history/changhua-minxiong-double-track/\]](/rail/history/changhua-minxiong-double-track/) in the source page's "One historical double-track record" section. ^[104]

One historical double-track record

Taiwan Railways' full construction-history table lists Changhua–Minxiong as a 71.7 km double-track segment. ^[104] The table gives 1957 as the construction year and 1970 as the operation-start year, with Taiwan Railways Administration listed as the constructor. ^[104] Its explanation is 添築雙線, rendered by the operator as "Extended to be double-tracked." ^[104]

The full operator PDF repeats the same segment and values in its row 43, so the HTML table and PDF are two presentations of the same primary construction record, not two different measurements. ^[105] This page therefore treats 71.7 km as the operator's historical construction-table scope. It does not turn the row into a separate present-day line, and it does not infer that the table's operation-start field supplies an exact commissioning date. ^[104] ^[105]

Sources for this entry

- Railway route construction history [\[https://www.railway.gov.tw/tra-tip-web/adr/about-1-5\]](https://www.railway.gov.tw/tra-tip-web/adr/about-1-5) — primary; National Taiwan Railways Corporation (國營臺灣鐵路股份有限公司); accessed 2026-08-26. ^[104]
- Chronological History of Railroad Construction [\[https://www.railway.gov.tw/tra-tip-web/tip/file/6a439dbd-9cee-4d4b-9c4b-215439bffb5f5\]](https://www.railway.gov.tw/tra-tip-web/tip/file/6a439dbd-9cee-4d4b-9c4b-215439bffb5f5) — primary; National Taiwan Railways Corporation / former Taiwan Railways Administration (國營臺灣鐵路股份有限公司／臺灣鐵路管理局); accessed 2026-08-26. ^[105]

The Taiwan Railways Chiayi–Xinshi Double Track — One historical double-track record

Discussed on The Taiwan Railways Chiayi–Xinshi Double Track [\[/rail/history/chiayi-xinshi-double-track/\]](/rail/history/chiayi-xinshi-double-track/) in the source page's "One historical double-track record" section. ^[106]

One historical double-track record

Taiwan Railways' full construction-history table lists Chiayi–Xinshi as a 50.1 km double-track segment. ^[106] The table gives 1957 as the construction year and 1970 as the operation-start year, with Taiwan Railways Administration listed as the constructor. ^[106] Its explanation is 添築雙線, rendered by the operator as "Extended to be double-tracked." ^[106]

The full operator PDF repeats the same segment and values in its row 44, so the HTML table and PDF are two presentations of the same primary construction record, not two different measurements. ^[107] This page therefore treats 50.1 km as the operator's historical construction-

table scope. It does not turn the row into a separate present-day line, and it does not infer that the table's operation-start field supplies an exact commissioning date.^[106]^[107]

Sources for this entry

- Railway route construction history [<https://www.railway.gov.tw/tra-tip-web/adr/about-1-5>] — primary; National Taiwan Railways Corporation (國營臺灣鐵路股份有限公司); accessed 2026-08-26.^[106]
- Chronological History of Railroad Construction [<https://www.railway.gov.tw/tra-tip-web/tip/file/6a439dbd-9cee-4d4b-9c4b-215439bffb5f5>] — primary; National Taiwan Railways Corporation / former Taiwan Railways Administration (國營臺灣鐵路股份有限公司／臺灣鐵路管理局); accessed 2026-08-26.^[107]

The Circular Line's 0403 earthquake — What is disputed

Discussed on The Circular Line's 0403 earthquake [</rail/history/circular-line-0403-earthquake/>] in the source page's "What is disputed" section.^[108]

What is disputed

BES's own statement says the damaged section was between its **Y12** Qiaohe and **Y14** Banxin engineering labels and that the contractor followed the approved drawings.^[108] BES says the upper and lower bearing arrangements both had milled-through slope plates but only the upper support failed; it therefore argues that the milling-through detail and bearing failure were not the main cause, and that the design strength and unequal seismic demand require further examination.^[108]

That position conflicts with the Control Yuan's finding that the work did not follow the drawings and that the pin's loss of the shear interface was the failure mechanism.^[109] The sources on this page establish the competing positions, not a final court determination. The full court merits judgment, final settlement and current responsibility allocation remain TBC.

The repair itself added permanent unseating-prevention and uplift-restraint devices as a second line of defence, while replacing the pot-bearing facilities and restoring track, cables and other systems.^[110] That is the published remedy; it does not by itself decide which party's explanation of the original cause will prevail.

Sources for this entry

- Circular Line statement [https://www.bes.com.tw/en/news_detail.php?id=186] — primary; BES Engineering Corporation (中華工程股份有限公司); accessed 2026-08-27.^[108]
- Investigation report 114交調0005: Circular Line 0403 earthquake damage [<https://www.cy.gov.tw/CyBsBoxContent.aspx?s=49082>] — primary; Control Yuan of the Republic of China (監察院); accessed 2026-08-27.^[109]
- New Taipei Circular Line ready; full service resumes at noon [<https://www.ntmetro.com.tw/basic/?mode=detail&node=754>] — primary; New Taipei Metro Corporation [</rail/operators/ntmc/>] (新北大眾捷運股份有限公司); accessed 2026-08-27.^[110]

Forestry railways beyond Alishan — Records still missing

Discussed on Forestry railways beyond Alishan [/rail/history/forestry-railways/] in the source page's "Records still missing" section.^[111]

Records still missing

Baxianshan's gauge is not established by any source found. Its logging-closure year is not established either — 1963 and 1965 are two different values from two different pages of the same government department, contradicting each other. Its recreation-area opening year is likewise not established between the same department's own conflicting 1986 and 1988 pages. Taipingshan's true network-length total is not established — 100-plus km across 16 lines and 68.01 km across seven lines are two different published counts. The year the 見晴線 trail conversion took place is unverified. No cultural-heritage registration for Taipingshan's surviving Maoxing Line infrastructure or diesel locomotives was found in this search — recorded as not found, not confirmed absent.^[111]

Sources for this entry

- Baxianshan National Forest Recreation Area (park page) [https://www.forest.gov.tw/0000186] — primary; Forestry and Nature Conservation Agency (林業及自然保育署); accessed 2026-08-29.^[111]

Metro incidents and service disruptions — Conflicts and gaps

Discussed on Metro incidents and service disruptions [/rail/history/incidents/] in the source page's "Conflicts and gaps" section.^[112]

Conflicts and gaps

DORTS technical-book no. 29 p. 87 labels Nari 「民國90年9月6日」, while DORTS technical journal no. 46 p. 214 gives 「民國90年9月17日」.^{[112] [113]} Both dates are published here; no fetched primary reconciles them.^{[112] [113]}

The Control Yuan and New Taipei DORTS count eleven Circular Line displacement locations, while NTMC's reopening release counts nine spans repositioned. The sources appear to count different things, but no fetched primary explicitly maps eleven locations to nine spans, so this page does not choose between them.^{[114] [115] [116]}

The complete station-by-station identity of the 16 flooded stations is **TBC**; the fetched DORTS pages name only examples. The exact station, date and vehicle details of the 1993 Wenhua testing incident remain TBC, as do the formal investigations behind the incoming lead-only events whose full primary pages could not be fetched.

See also: Wenhua Line [/rail/metro/lines/wenhua-line/], Songshan–Xindian Line [/rail/metro/lines/songshan-xindian-line/], Tamsui–Xinyi Line [/rail/metro/lines/tamsui-xinyi-line/], Bannan Line [/rail/metro/lines/bannan-line/], Zhonghe–Xinlu Line [/rail/metro/lines/zhonghe-xinlu-line/], Circular Line [/rail/metro/lines/circular-line/], and Ankeng LRT [/rail/metro/lines/ankeng-lrt/].

Sources for this entry

- Practical water, environmental-control and fire-safety engineering, p. 87 [https://ebook.dorts.gov.taipei/ebook/no29/files/basic-html/page87.html] — primary; Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-17.^[112]
- Remote control of full-section flood isolation compartments, p. 214 [https://ebook.dorts.gov.taipei/JRTST/ebook/no46/files/basic-html/page214.html] — primary; Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-17.^[113]
- Control Yuan investigation report, case 114交調0005 [https://www.cy.gov.tw/CyBsBoxContent.aspx?s=49082] — primary; Control Yuan of the Republic of China (監察院); accessed 2026-08-17.^[114]
- Initial explanation of Circular Line earthquake damage [https://www.dorts.ntpc.gov.tw/news/indexInfo/1A1dprRBmLK7] — primary; New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-17.^[115]
- Circular Line ready; full service resumes at noon [https://www.ntmetro.com.tw/basic/?mode=detail&node=754] — primary; New Taipei Metro Corporation (新北大眾捷運股份有限公司); accessed 2026-08-17.^[116]

The Matra dispute — Two disputes, not one

Discussed on The Matra dispute [/rail/history/matra-dispute/] in the source page's “Two disputes, not one” section.^[117]

Two disputes, not one

The delay claim, 1988–2005. Matra sued for the cost of a contract that ran years longer than it was written for, because the civil works its equipment depended on were late — the claim arises, in 自由時報's words, 「因土木工程部分包商施工延誤，連帶造成馬特拉的工期延長，增加成本費用」^[117]. This is the dispute that went to arbitration in 1993 and was still before the Supreme Court in 2005^[117]. It is about money and contract law, and **Matra won it**^[117].

The withdrawal, 1996–97. After the line opened, Matra pulled its technical staff out of Taiwan and stopped maintaining the system^[118]. This is the dispute everybody remembers — the one that produced the most famous sentence said about the Taipei Metro [/rail/operators/trtc/], and the one that steered the procurement that followed.

They are connected: the withdrawal happened because the delay claim had poisoned the relationship. But they are not the same event, and the NT\$1.64 billion that circulates belongs to the first, not the second^[117].

Sources for this entry

- Muzha metro line: Matra wins, Taipei to pay NT\$1.64 billion [<https://www.epochtimes.com/b5/5/7/23/n995027.htm>] — secondary; 孫友廉, 陳曉宜, 鄭學庸, 自由時報, 23 July 2005 (via 大紀元 reprint); accessed 2026-08-06.^[117]
- Wenhua line [<https://zh.wikipedia.org/zh-tw/%E6%96%87%E6%B9%96%E7%B7%9A>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-06.^[118]

Coal and mineral mining railways — The Pingxi Line began as a private colliery railway

Discussed on Coal and mineral mining railways [</rail/history/mining-railways/>] in the source page's "The Pingxi Line [</rail/tra/lines/pingxi-line/>] began as a private colliery railway" section.^[119]

The Pingxi Line began as a private colliery railway

What is now TRA's Pingxi Line began as 石底線, a private railway built to move coal out of the Shidi coalfield. In June 1918, 顏雲年, who held two of the coalfield's mining rights, joined with the Japanese trading house 藤田組 to form 臺北炭礦株式會社 and build a railway once wartime raw-material prices made the investment worthwhile; construction began in January 1919.^[119] 藤田組 withdrew after the post-WWI economic downturn, and Yan Yunian bought out its stake, bringing in further investors and reorganising the enlarged company as 臺陽礦業株式會社 in 1920.^[119] Sources disagree by a year on when the line was finished: an encyclopedia account gives July 1921, while an independently fetched enthusiast history gives July 1922.^{[119] [120]} Both are published here rather than resolved. The colonial government purchased the line in 1929, relieving Taiyang Mining's cash-flow problems and renaming it 平溪線 under the Railway Bureau — the exact day and purchase price given in some secondary accounts rest on a citation this research did not independently verify.^[120]

A separate, later, and unrelated operation also carries the Pingxi name: 新平溪煤礦 (New Pingxi Coal Mine) at Shifen, now preserved as a museum with its own narrow-gauge electric mining train. Its own 1965 opening and 1997 closure dates are unverified in this research, sourced only to a search summary rather than a fetched page. It is a different company and a different mine from the 1918-1929 石底線/臺陽礦業 story above, not established by any source found to be connected to it.

Sources for this entry

- Pingxi Line [<https://zh.wikipedia.org/zh-tw/%E5%B9%B3%E6%BA%AA%E7%B7%9A>] — secondary; Wikipedia contributors (維基百科); accessed 2026-08-29.^[119]
- Industrial heritage: coal from Shidi — the Shidi Grand Incline and the Pingxi Line railway [https://milkyrailway.blogspot.com/2023/01/blog-post_30.html] — secondary; Milky Railway (時光土場); accessed 2026-08-29.^[120]

Coal and mineral mining railways —

Jinguashi: two railways, one popular name

Discussed on Coal and mineral mining railways [\[/rail/history/mining-railways/ \]](#) in the source page's "Jinguashi: two railways, one popular name" section. ^[121]

Jinguashi: two railways, one popular name

Japanese merchant 田中長兵衛, through 田中組, and separately 藤田組, obtained mining rights at Jinguashi for gold and copper extraction. ^[121] 金瓜石礦山株式會社, established in 1925, built a light railway connecting Jinguashi to Ruifang, completed in 1931. ^[122] Nippon Mining (日本礦業株式會社) purchased the Jinguashi mining rights in 1933 and expanded processing facilities, including the 十三層 ore-flotation plant. ^[122] ^[121]

The name "金瓜石線" is used by different sources for two different railways. The National Central Library's digital archive applies it to the 1931 Jinguashi-Ruifang light railway described above. ^[122] Wikipedia's dedicated article instead applies the same name to a separate, later 762 mm industrial line running from 水湳洞 through 煥子寮 and 深澳 to the port at 八尺門, completed in 1936 and measured at 12.0 km with five stations as of a 1953 survey — a line the National Archives Administration independently corroborates under the alternate name 水八鐵路, carrying ore to the port for shipment. ^[123] ^[121] This line's passenger service ended in August 1962 due to deteriorated track. ^[123] Both usages of "金瓜石線" are published here without picking one as correct.

Postwar, mining continued under 臺灣金屬鑛業股份有限公司 (Taiwan Metal Mining Co.), formed in 1955. ^[121] Sources disagree on when mining at Jinguashi finally ended — two sources agree independently on 1987, but a third gives 1985 under a differently named company (臺灣金礦公司), and this research could not determine whether that is the same entity operating under an inconsistent name or a genuinely separate closure event.

Sources for this entry

- Mining mountain memory: exploring a century of Jinguashi history [\[https://www.archives.gov.tw/tw/arctw/69-1742.html\]](https://www.archives.gov.tw/tw/arctw/69-1742.html) — primary; National Archives Administration, National Development Council (國家發展委員會檔案管理局); accessed 2026-08-29. ^[121]
- The Jinguashi mining special-purpose railway — the Jinguashi Line [\[https://tm.ncl.edu.tw/article?u=001_001_0000360833\]](https://tm.ncl.edu.tw/article?u=001_001_0000360833) — primary; Taiwan Memory, National Central Library (國家圖書館 臺灣記憶); accessed 2026-08-29. ^[122]
- Jinguashi Line [\[https://zh.wikipedia.org/zh-tw/%E9%87%91%E7%93%9C%E7%9F%B3%E7%B7%9A\]](https://zh.wikipedia.org/zh-tw/%E9%87%91%E7%93%9C%E7%9F%B3%E7%B7%9A) — secondary; Wikipedia contributors (維基百科); accessed 2026-08-29. ^[123]

Coal and mineral mining railways — Houtong: a station, then a mine, then a museum

Discussed on Coal and mineral mining railways [\[/rail/history/mining-railways/\]](/rail/history/mining-railways/) in the source page's "Houtong: a station, then a mine, then a museum" section.^[124]

Houtong: a station, then a mine, then a museum

Houtong Station opened on 27 January 1920 as part of the Yilan Line.^[124] The Ruisan coal-preparation plant nearby was completed in March 1922, originally under Mitsui zaibatsu operation; Mitsui later abandoned the site believing reserves exhausted, and in 1934 李建興 and his brothers leased the workings, forming what was formally registered on 15 November 1954 as 瑞三鑛業股份有限公司.^[125] The company became Taiwan's largest single coal producer, with a cumulative 1946-1980 output of 6,741,118 tonnes — reported as 5.23% of national production over that span, a figure not directly comparable to a separate broadcaster's claim that the mine supplied "one-seventh" of Taiwan's coal at its single-year peak, since the two describe different measurement periods.^[125] The mine closed on 1 May 1990, following declining economics and three fatal disasters in 1984.^[125]^[126] The preparation plant and coal-transport bridge were registered as historic buildings on 7 November 2005; the wider site was named and opened as 猴硐煤礦博物園區 (Houtong Coal Mine Museum Park) on 24 July 2010, and the Ruisan plant itself reopened after restoration in September 2022, with a second restoration phase that broke ground on 21 October 2024, targeted for completion in 2026.^[126]

Sources for this entry

- Houtong Station [\[https://zh.wikipedia.org/zh-tw/%E7%8C%B4%E7%A1%90%E8%BB%8A%E7%AB%99\]](https://zh.wikipedia.org/zh-tw/%E7%8C%B4%E7%A1%90%E8%BB%8A%E7%AB%99) — secondary; Wikipedia contributors (維基百科); accessed 2026-08-29.^[124]
- Ruisan Coal Mine [\[https://zh.wikipedia.org/zh-tw/%E7%91%9E%E4%B8%89%E7%85%A4%E7%A4%A6\]](https://zh.wikipedia.org/zh-tw/%E7%91%9E%E4%B8%89%E7%85%A4%E7%A4%A6) — secondary; Wikipedia contributors (維基百科); accessed 2026-08-29.^[125]
- Ruisan Mining coal-preparation plant, 'coal for a prosperous nation' — reviving Houtong's mining heritage [\[https://wedid.ntpc.gov.tw/Governance/Detail/gbBlm01ALMDz\]](https://wedid.ntpc.gov.tw/Governance/Detail/gbBlm01ALMDz) — primary; New Taipei City Government (新北市政府); accessed 2026-08-29.^[126]

The Taiwan Railways Old Mountain Line — Heritage status and today's rail bike

Discussed on The Taiwan Railways Old Mountain Line [\[/rail/history/old-mountain-line/\]](/rail/history/old-mountain-line/) in the source page's "Heritage status and today's rail bike" section.^[127]

Heritage status and today's rail bike

Two of the 1938-era replacement iron bridges — 內社川鐵橋 (Neishechuan Iron Bridge) and the Yutengping replacement span — were designated Miaoli [\[/rail/thsr/stations/miaoli/\]](/rail/thsr/stations/miaoli/) County monuments, approved by the county's Tangible Cultural Assets Review Committee on 10 March 2019 and announced the next day, making them the corridor's fourth and fifth protected heritage

sites after Shengxing Station, Longteng Broken Bridge and Taichung's Taian Station.^[127] This page does not state the designation dates for Shengxing Station or Longteng Bridge themselves as established facts: they are reported by several secondary accounts, but the Ministry of Culture's own heritage database could not be read to confirm them directly (see Remaining gaps).

The old alignment briefly returned to scheduled service on 5 June 2010, with a steam-hauled heritage train running Sanyi to the former Taian station.^[128] Miaoli County Government has since redeveloped the corridor as 舊山線鐵道自行車 (Old Mountain Line Rail Bike), which the Tourism Administration describes as Taiwan's first rail-bike attraction, run under a "dynamic preservation" model rather than as a TRA passenger service.^[129] Sources disagree on exactly when the Rail Bike itself began operating, and this page does not pick between them.

Sources for this entry

- Two Old Mountain Line iron bridges of recognised value designated as monuments [<https://e-info.org.tw/node/216883>] — secondary; Taiwan Environmental Information Center (環境資訊中心); accessed 2026-08-27.^[127]
- The Old Mountain Line Railway's Closure and Reopening [https://tcmb.culture.tw/zh-tw/detail?indexCode=Culture_Event&id=233563] — secondary; Culture Memory Bank 2.0, Ministry of Culture, citing Miaoli Literature no. 49 (2012), Miaoli County Cultural and Tourism Bureau; accessed 2026-08-27.^[128]
- The Old Mountain Line Railway [<https://www.taiwan.net.tw/m1.aspx?sNo=0001110&id=A12-00494>] — primary; Tourism Administration, Ministry of Transportation and Communications (交通部觀光署); accessed 2026-08-27.^[129]

Port rail connections — Kaohsiung, Keelung, Taichung — Taichung: the one port line still running, on a disputed birth date

Discussed on Port rail connections — Kaohsiung, Keelung, Taichung [</rail/history/port-rail-connections/>] in the source page's "Taichung: the one port line still running, on a disputed birth date" section.^[130]

Taichung: the one port line still running, on a disputed birth date

Taichung Port Station remains an active TRA station today, with a freight-consignment desk still listed on the operator's own current station page.^[130] The line itself is 7.8 km, but its origin date is genuinely disputed between two different TRA-adjacent sources: a Wikipedia article, uncited for this specific figure, gives an opening or operator-transfer date of 31 October 1976, while a TRA construction-history PDF — read directly for a separate piece of this project's research — lists the same line as built in 1973 and put into operation in 1974, and the current TRA HTML construction-history page omits the line entirely.^[131] ^[132] Both dates are published here without resolving which is correct. TRA's own 2024 social-media statement puts the line's annual freight volume at 202,000 tonnes — mostly wheat moved to flour mills at Fugang and Hsinchu [</rail/th-sr/stations/hsinchu/>], at roughly three round trips per day on the port line itself — within a

system-wide TRA freight total of 6.81 million tonnes that year.^[133] A separate, uncited claim on Wikipedia that this wheat traffic ended in June 2025 and was replaced by irregular energy-storage-container shipments from November 2025 could not be corroborated against any primary or independently written source in repeated searches, and is not published here as established.

Sources for this entry

- Taichung Port Station information [https://www.railway.gov.tw/tra-tip-web/tip/tip00H/tipH41/vi
ewStaInfo/2210] — primary; National Taiwan Railways Corporation (國營臺灣鐵路股份有限公司);
accessed 2026-08-29.^[130]
- Taichung Port Line [https://zh.wikipedia.org/zh-tw/%E5%8F%B0%E4%B8%AD%E6%B8%AF%E7%B7%9A] —
secondary; Wikipedia contributors (維基百科); accessed 2026-08-29.^[131]
- Chronological history of railroad construction [https://www.railway.gov.tw/tra-tip-web/tip/fil
e/6a439dbd-9cee-4d4b-9c4b-215439bffb5] — primary; National Taiwan Railways Corporation (國
營臺灣鐵路股份有限公司); accessed 2026-08-26.^[132]
- Annual volume passes 200,000 tonnes, a new record — TRA and Taichung Port branch
cooperate closely to raise freight efficiency [https://www.facebook.com/TaiwanRailwayCorporatio
n/posts/800856652089039] — primary; Taiwan Railway Corporation official Facebook page (臺灣
鐵路股份有限公司); accessed 2026-08-29.^[133]

Public art in the Taipei-region rail network — Conflicts and gaps

Discussed on Public art in the Taipei-region rail network [/rail/history/public-art/] in the source page's "Conflicts and gaps" section.^[134]

Conflicts and gaps

Xiaobitan [/rail/metro/stations/g03a/]’s work has three different primary-source figures. The general DORTS table gives NT\$1,000,000; the dedicated DORTS work record gives approximately NT\$35,900,000 plus a NT\$1,000,000 first prize; and the DORTS technical book says the project was constrained by a NT\$15,000,000 budget limit before the interior works were substantially reduced.^{[134] [135] [136]} The sources describe different scopes or stages, but do not reconcile them, so all three values remain published.

The Sanying sources also disagree. The 2025 announcement assigns 蘆花街燈 to **LB08** and 時光行旅 to **LB10**.^[137] The 2026 announcement omits the **LB08** label, assigns 時光行旅 and 陶鄉 to **LB10**, and calls the programme 12 works.^[138] The full **LB08** art record instead names 陶鄉 at **LB08**. The table preserves each value rather than choosing a station allocation.^{[137] [138] [139]}

The Daqiaotou [/rail/metro/stations/o12/] page establishes eight platform-wall paintings but not the individual catalogue fields. The Airport MRT and Danhai operator pages likewise name works while leaving most catalogue fields unpublished. Those fields stay TBC; an unlisted station is not treated as proof that no work exists.^{[140] [141] [142]}

See the Wenhua Line [\[/rail/metro/lines/wenhua-line/\]](/rail/metro/lines/wenhua-line/), Tamsui–Xinyi Line [\[/rail/metro/lines/tamsui-xinyi-line/\]](/rail/metro/lines/tamsui-xinyi-line/), Songshan–Xindian Line [\[/rail/metro/lines/songshan-xindian-line/\]](/rail/metro/lines/songshan-xindian-line/), Zhonghe–Xinlu Line [\[/rail/metro/lines/zhonghe-xinlu-line/\]](/rail/metro/lines/zhonghe-xinlu-line/), Bannan Line [\[/rail/metro/lines/bannan-line/\]](/rail/metro/lines/bannan-line/), Circular Line [\[/rail/metro/lines/circular-line/\]](/rail/metro/lines/circular-line/), Ankeng LRT [\[/rail/metro/lines/ankeng-lrt/\]](/rail/metro/lines/ankeng-lrt/), Sanying Line [\[/rail/metro/lines/sanying-line/\]](/rail/metro/lines/sanying-line/), Airport MRT [\[/rail/metro/lines/airport-mrt/\]](/rail/metro/lines/airport-mrt/), and Danhai LRT [\[/rail/metro/lines/danhai-lrt/\]](/rail/metro/lines/danhai-lrt/) pages for line-level context.

Sources for this entry

- Taipei Metro public-art table [\[https://www.dorts.gov.taipei/cp.aspx?n=EF3512A90C6BCFD2&s=BCB5B88DD2E6E46B\]](https://www.dorts.gov.taipei/cp.aspx?n=EF3512A90C6BCFD2&s=BCB5B88DD2E6E46B) — primary; Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-17.^[134]
- Xiaobitan station public art [\[https://www.dorts.gov.taipei/cp.aspx?n=CED2FA967D173F88&s=682C3BAE644B538F\]](https://www.dorts.gov.taipei/cp.aspx?n=CED2FA967D173F88&s=682C3BAE644B538F) — primary; Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-17.^[135]
- Public art at Xiaobitan station, Taipei Metro Engineering Series no. 2, p. 249 [\[https://ebook.dorts.gov.taipei/ebook/no2/files/basic-html/page249.html\]](https://ebook.dorts.gov.taipei/ebook/no2/files/basic-html/page249.html) — primary; Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-17.^[136]
- Sanying Line public-art announcement [\[https://www.dorts.ntpc.gov.tw/news/indexInfo/vKR2Lv01ZJGp\]](https://www.dorts.ntpc.gov.tw/news/indexInfo/vKR2Lv01ZJGp) — primary; New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-17.^[137]
- Sanying Line public art opens as a mobile exhibition [\[https://www.dorts.ntpc.gov.tw/news/indexInfo/xVR2eBELdJ36\]](https://www.dorts.ntpc.gov.tw/news/indexInfo/xVR2eBELdJ36) — primary; New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-17.^[138]
- Yingge station public art record [\[https://www.dorts.ntpc.gov.tw/art_aesthetics/public_artinfo/W00dPjjBmnbJJ\]](https://www.dorts.ntpc.gov.tw/art_aesthetics/public_artinfo/W00dPjjBmnbJJ) — primary; New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-17.^[139]
- Daqiaotou station architecture [\[https://www.dorts.gov.taipei/cp.aspx?n=7F9131BAD8DCF960&s=CEDF8906C30FD635\]](https://www.dorts.gov.taipei/cp.aspx?n=7F9131BAD8DCF960&s=CEDF8906C30FD635) — primary; Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-17.^[140]
- Airport MRT public art [\[https://www.tymetro.com.tw/tymetro-new/tw/_pages/life/public_art.html\]](https://www.tymetro.com.tw/tymetro-new/tw/_pages/life/public_art.html) — primary; Taoyuan Metro Corporation [\[/rail/operators/tymc/\]](/rail/operators/tymc/) (桃園大眾捷運股份有限公司); accessed 2026-08-17.^[141]
- Danhai LRT public art [\[https://www.ntmetro.com.tw/basic/?mode=detail&node=17\]](https://www.ntmetro.com.tw/basic/?mode=detail&node=17) — primary; New Taipei Metro Corporation (新北大眾捷運股份有限公司); accessed 2026-08-17.^[142]

The Ten Major Constructions and the THSR BOT crisis — Six transport projects under one 1970s banner

Discussed on The Ten Major Constructions and the THSR BOT crisis [\[/rail/history/ten-major-constructions/\]](/rail/history/ten-major-constructions/) in the source page's “Six transport projects under one 1970s banner” section.^[143]

Six transport projects under one 1970s banner

Premier Chiang Ching-kuo announced the Ten Major Construction Projects (十大建設) in 1973, to be completed 1974-1979, in response to the 1973 oil crisis and infrastructure bottlenecks from a decade of rapid industrialisation.^[143] Six of the ten were transport projects: the Sun Yat-sen Freeway (Keelung to Kaohsiung, 373 km, completed 31 October 1978), railway electrification of the western trunk line (completed 27 June 1979), the North-Link Line connecting the eastern rail network to the western one (full operation from 1 February 1980), Taoyuan International Airport (opened 26 February 1979 as Chiang Kai-shek International Airport), Taichung Port, and Su'ao Port.^[143] The freeway's construction cost is reported with three different figures across the same secondary source — NT\$42.9 billion, "over NT\$40 billion," and NT\$44.8 billion — none of which this research traced to a primary government figure, so all three are published here rather than resolved.^[144] A separate full-page fetch of a popular history site, checked specifically because a search-engine summary had implied it documented a substantive motorway-versus-rail policy debate, found only a much thinner account: that Chiang overrode unspecified objections in 1970, with no named opponents and no cost comparison — an example of a search snippet outrunning what the underlying page actually supports.^[145] No source found in this research documents a contemporaneous, sourced debate over widening the existing rail/road corridor as an alternative to a new freeway alignment.

Sources for this entry

- Ten Major Construction Projects [<https://zh.wikipedia.org/zh-tw/%E5%8D%81%E5%A4%A7%E5%BB%BA%E8%A8%AD>] — secondary; Wikipedia contributors (維基百科); accessed 2026-08-29.^[143]
- Sun Yat-sen Freeway [<https://zh.wikipedia.org/zh-tw/%E4%B8%AD%E5%B1%B1%E9%AB%98%E9%80%9F%E5%85%AC%E8%B7%AF>] — secondary; Wikipedia contributors (維基百科); accessed 2026-08-29.^[144]
- Taiwan's first freeway [<https://storystudio.tw/article/gushi/taiwan-first-freeway>] — secondary; StoryStudio (故事); accessed 2026-08-29.^[145]

The Taiwan Railways Xindian Line — Records still missing

Discussed on The Taiwan Railways Xindian Line [</rail/history/xindian-line/>] in the source page's "Records still missing" section.^[146]

Records still missing

The checked primary records do not provide a complete former-station register, a dated legal closure instrument, a full track-removal chronology or a surveyed boundary showing which road and metro sections reused railway land.^[146] ^[147] ^[148] Exact last-service times remain TBC because the full sources disagree or give only a year.^[147] ^[149]

Sources for this entry

- Chronological History of Railroad Construction [<https://www.railway.gov.tw/tra-tip-web/tip/file/6a439dbd-9cee-4d4b-9c4b-215439bffb5f5>] — primary; National Taiwan Railways Corporation / former Taiwan Railways Administration (國營臺灣鐵路股份有限公司／臺灣鐵路管理局); accessed

2026-08-26.^[146]

- Urban texture formed by railways (5) — Xindian Line [<https://www.dorts.ntpc.gov.tw/documentary/articleInfo/VKgm01r42nxA?page=3>] — primary; New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-26.^[147]
- Jingmei's former splendour [https://www.gov.taipei/News_Content.aspx?n=F0DDAF49B89E9413&s=EC29198AFE22C076&sms=72544237BBE4C5F6] — primary; Taipei City Government (臺北市政府); accessed 2026-08-26.^[148]
- The early NTU people's "metro" — the narrow-gauge Wanxin Railway story [<https://ntualumni.bm.ntu.edu.tw/bm.bimonthly.article/detail/sn/4114>] — secondary; National Taiwan University Alumni Bimonthly (國立臺灣大學校友雙月刊); accessed 2026-08-26.^[149]

Kaohsiung Metro maintenance depots — Conflicts

Discussed on Kaohsiung Metro maintenance depots [</rail/krtc/facilities/depots/>] in the source page's "Conflicts" section.^[150]

Conflicts

Kaohsiung Metro's own comparison table for Daliao Depot's site area is 54 hectares.^[150] A zh.wikipedia depot table gives 55.0 hectares for the same facility, not independently traced to its own footnote.^[151] Both values are published; neither is picked.

North Depot's district coverage is stated by KRTC's own page as spanning two districts, Gangshan and Ciaotou.^[152] The same zh.wikipedia depot table gives Ciaotou District only.^[151] Both are published as a direct primary-versus-secondary disagreement.

Sources for this entry

- Daliao Depot [https://corp.krtc.com.tw/Business/land_development_more?id=278b8920c45c4ac78f3e010646cf4f4f] — primary; Kaohsiung Rapid Transit Corporation (高雄捷運股份有限公司); accessed 2026-08-27.^[150]
- Kaohsiung Rapid Transit [<https://zh.wikipedia.org/zh-tw/%E9%AB%98%E9%9B%84%E6%8D%B7%E9%81%8B>] — secondary; Wikipedia; accessed 2026-08-27.^[151]
- North Depot [https://corp.krtc.com.tw/Business/land_development_more?id=ec242f99d99949be84f3cfdef6d56b0b] — primary; Kaohsiung Rapid Transit Corporation (高雄捷運股份有限公司); accessed 2026-08-27.^[152]

Red Line — Construction and opening chronology

Discussed on Red Line [</rail/krtc/lines/red-line/>] in the source page's "Construction and opening chronology" section.^[153]

Construction and opening chronology

The government's network history places the Red and Orange lines in the first stage of Kaohsiung's first-period MRT development plan, approved in ROC80, and says that the two routes were completed and opened in ROC97.^[153] KRTC's company history gives a more granular institutional chronology: the city invited private participation on 1 February 1999, the China Steel-led application was selected on 10 May 2000, the company received its licence on 28 December 2000, and the construction and development agreements were signed on 12 January 2001.^[154] KRTC records construction beginning in October 2001 and describes the concession as 36 years from the start of construction, comprising more than six years of construction before the Red and Orange lines entered service.^[154]

MTBU treats the Red and Orange network as one private-participation construction and operating project: its page gives six years of construction, 30 years of operation and a 36-year concession, with a planned 42.7 km and 38 stations, three depots and a total construction cost of NT\$183.963 billion.^[155] KRTC records the Red Line's regular service opening on 9 March 2008 and the Orange Line's opening on 14 September 2008; the latter date marks the full operation of the original cross-shaped network, not the first Red Line service.^[156]

The historical service-indicator document is a separate design snapshot. It describes a Red Line of 28.3 km, with 19.8 km underground and 8.5 km elevated, and 23 stations at the time of that document.^[157] The current government page reports 28.3 km and 24 Red Line stations, while the TDX route pull reports 29.72 km and its current sequence includes **R24** and RK1.^{[155] [158] [159]} Those values are retained as different dated or structured boundaries rather than made to agree by arithmetic.

Sources for this entry

- Long-term network introduction [<https://mtbu.kcg.gov.tw/KaohsiungMetro/LongtermNetwork/LN01.html>] — primary; Kaohsiung City Government Mass Rapid Transit Bureau (高雄市政府捷運工程局); accessed 2026-08-25.^[153]
- Mission and vision: company origin [<https://corp.krtc.com.tw/About/page?id=6df67da0dd21469da80e9528f32d7057>] — primary; Kaohsiung Rapid Transit Corporation (高雄捷運股份有限公司); accessed 2026-08-25.^[154]
- Red and Orange Line route description [<https://mtbu.kcg.gov.tw/KaohsiungMetro/CompletedRoutes/RedandOrange/RedandOrange01.html>] — primary; Kaohsiung City Government Mass Rapid Transit Bureau (高雄市政府捷運工程局); accessed 2026-08-24.^[155]
- KRTC fifteenth-anniversary service history [https://www.krtc.com.tw/Information/news_more?id=1b8bdb412efe4f489271bd368efdd22d] — primary; Kaohsiung Rapid Transit Corporation (高雄捷運股份有限公司); accessed 2026-08-25.^[156]
- Kaohsiung MRT operating service indicators [<https://mtbu.kcg.gov.tw/FileContent/GetDownloadFile?fileCaption=95%E5%B9%B48%E6%9C%88-%E9%AB%98%E9%9B%84%E6%8D%B7%E9%81%8B%E7%87%9F%E9%81%8B%E6%9C%8D%E5%8B%99%E6%8C%87%E6%A8%99&fileDictionary=FileUpload&fileFormat=.pdf&fileName=20200312203955689.pdf>] — primary; Kaohsiung City Government Mass Rapid Transit Bureau (高雄市政府捷運工程局); accessed 2026-08-25.^[157]
- TDX Kaohsiung Metro route records [<https://tdx.transportdata.tw/api/basic/v2/Rail/Metro/Route/KRTC?%24format=JSON&%24top=1000&%24skip=0>] — primary; Ministry of Transportation and Communications, TDX (交通部運輸資料流通服務平臺); accessed 2026-08-24.^[158]

- TDX Kaohsiung Metro station-of-route records [<https://tdx.transportdata.tw/api/basic/v2/Rail/Metro/StationOfRoute/KRTC?format=JSON&top=1000&skip=0>] — primary; Ministry of Transportation and Communications, TDX (交通部運輸資料流通服務平臺); accessed 2026-08-24.^[159]

Taoyuan Airport MRT — Planning and approvals

Discussed on Taoyuan Airport MRT [</rail/metro/lines/airport-mrt/>] in the source page's "Planning and approvals" section.^[160]

Planning and approvals

Sources disagree about when this line's history starts because different bodies mean different things by "planning." The first fully verified institutional milestone is the central government's October 1996 decision to build it as a BOT (build–operate–transfer) concession, and Long Life International Development Co. won that concession in 1998^[160]. The BOT model collapsed on 31 December 2002, when Long Life and the High Speed Rail Bureau agreed to terminate the contract^[160]. Government took over: MOTC designated the High Speed Rail Bureau as the project's builder on 28 October 2003, and the central government approved the construction plan on 9 March 2004^[161] ^[162].

Sources for this entry

- Taoyuan Airport MRT [<https://zh.wikipedia.org/zh-tw/%E6%A1%83%E5%9C%92%E6%A9%9F%E5%A0%B4%E6%8D%B7%E9%81%8B>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-12.^[160]
- TYMC company history [https://www.tymetro.com.tw/tymetro-new/tw/_pages/about/history.html] — primary; Taoyuan Metro Corporation; accessed 2026-08-12.^[161]
- Airport Line [<https://www.dorts.ntpc.gov.tw/about/route/npW0dxy4Z3Ex>] — primary; New Taipei City Government, Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-12.^[162]

Taoyuan Airport MRT — Construction history

Discussed on Taoyuan Airport MRT [</rail/metro/lines/airport-mrt/>] in the source page's "Construction history" section.^[162]

Construction history

Construction of the Sanchong–Airport– Zhongli section and its E&M systems formally started 27 February 2006^[162]; TYMC's own history page instead marks 26 June 2006, the date of a ceremonial groundbreaking presided over by the Premier^[161] — two different milestones in the same year, not a contradiction. DORTS records that Taipei rejected the originally elevated Sanchong–Taipei section on urban-design and land-use grounds; Taipei City agreed to fund the

extra cost of underground construction, and that section formally started on 25 September 2006 after its design and construction were assigned to DORTS^[162]. The detailed design ran from March 1998 through 2002, according to the same project chronology^[162].

The opening date itself moved repeatedly. The earliest announced target was January 2009; by March 2016 it had changed six times^[163]. The fetched report gives that count but not a complete dated list of each change. The line finally opened **2 March 2017**^[164]^[162]. TYMC's chronology records the 99% system-stability test on 20 November 2016, Ricardo's safety certification on 2 December, initial inspection on 3–4 December, final inspection on 29–30 December, the operating permit on 25 January 2017 and trial service from 2 February^[161].

Sources for this entry

- Airport Line [<https://www.dorts.ntpc.gov.tw/about/route/npW0dxy4Z3Ex>] — primary; New Taipei City Government, Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-12.^[162]
- TYMC company history [https://www.tymetro.com.tw/tymetro-new/tw/_pages/about/history.html] — primary; Taoyuan Metro Corporation; accessed 2026-08-12.^[161]
- Airport MRT opening date has changed six times: how we got here [<https://www.cna.com.tw/news/firstnews/201603040457.aspx>] — secondary; 中央社 CNA; accessed 2026-08-12.^[163]
- About TYMC [https://www.tymetro.com.tw/tymetro-new/tw/_pages/about/index.html] — primary; Taoyuan Metro Corporation (桃園大眾捷運股份有限公司); accessed 2026-08-12.^[164]

Taoyuan Airport MRT — Engineering and contract disputes — two figures confirmed, a widely repeated total not found anywhere

Discussed on Taoyuan Airport MRT [</rail/metro/lines/airport-mrt/>] in the source page's "Engineering and contract disputes — two figures confirmed, a widely repeated total not found anywhere" section.^[165]

Engineering and contract disputes — two figures confirmed, a widely repeated total not found anywhere

The main electromechanical contract (ME01) went to a consortium led by the Japanese trading house **Marubeni** (丸紅), with Kawasaki Heavy Industries and Hitachi as named subcontractors. In January 2017, weeks before opening, the High Speed Rail Bureau announced it would impose a **NT\$2.5 billion delay penalty** — the contract's maximum, calculated at 0.05% of contract value per day of delay — and had already **withheld roughly NT\$1.9 billion in performance bonds**, over Marubeni's unauthorised subcontracting of the signalling system, which its contract required it to design itself, to a British firm^[165]. Marubeni's own counter-claim against the Ministry, seeking NT\$12.9 billion over repeated design changes, was reported in the same account^[165]. Both of the Bureau's figures were independently corroborated by two further contemporaneous reports naming the same amounts and the same reasons.

A combined "NT\$7.2 billion" total for this dispute circulates widely. NT\$2.5 billion plus NT\$1.9 billion is NT\$4.4 billion, not NT\$7.2 billion, and no primary or secondary source read for this page — not the three contemporaneous 2017 news accounts, not zh.wikipedia's own article on the line, which contains no Marubeni monetary figures at all — states a combined total of any kind. The NT\$7.2 billion figure appeared repeatedly in this research run's own search-engine result summaries, never inside a quoted source sentence, and in one case alongside an unrelated, later, and much smaller 2021 dispute — the Railway Bureau withheld NT\$726.93 million from Marubeni that year for missing express-train travel-time, speed and headway targets^[166] — that shares a leading digit and may be the source of the confusion. The two confirmed figures, and Marubeni's name, are published here on the strength of three independent contemporaneous accounts; the total is not, because it could not be found stated anywhere.

Sources for this entry

- Airport MRT settles accounts: High Speed Rail Bureau to fine Marubeni NT\$2.5 billion and pursue further damages [<https://www.cna.com.tw/news/ahel/201701090048.aspx>] — secondary; 中央社 CNA (記者汪淑芬); accessed 2026-08-12.^[165]
- Airport MRT travel times miss target: Railway Bureau withholds over NT\$700 million from Marubeni [<https://www.cna.com.tw/news/firstnews/202108290054.aspx>] — secondary; 中央社 CNA; accessed 2026-08-12.^[166]

Taoyuan Airport MRT — Rolling stock

Discussed on Taoyuan Airport MRT [</rail/metro/lines/airport-mrt/>] in the source page's "Rolling stock" section.^[167]

Rolling stock

Two fleets, two manufacturers, sharing the same 1,435mm gauge and DC 750V third-rail supply^[167] ^[168].

The **express fleet (2000-type, purple)** is built entirely by **Kawasaki Heavy Industries**, delivered 2011–2013 for the 2017 opening: 11 five-car sets, 55 cars, each set four passenger cars plus a dedicated luggage car^[167]. Transverse seating, overhead luggage racks, WiFi and USB charging are fitted; wireless charging pads are noted in one source as currently suspended, rather than the always-on feature sometimes described^[167]. Capacity is around 855 per set, with 206 seats and eight wheelchair spaces^[167].



Inside an express (2000-type) train.
CHENG-EN CHENG FROM TAICHUNG CITY, TAIWAN, CC BY-SA 2.0, WIKIMEDIA COMMONS

The **commuter fleet (1000-type, blue)** was built under an industrial- cooperation arrangement: Kawasaki built the prototype set and three later sets (101, 118–120); the rest, sets 102–117, were assembled domestically by **Taiwan Rolling Stock Co.** (台灣車輛股份有限公司)^[168]. There are currently 20 four-car sets, 80 cars, with longitudinal seating for higher standing capacity^[168]. Per-set seating is 188 — one source's own summary prose describes this as "per car," which its own per-car table contradicts (44+47+50+44 seats across the four cars, summing close to 188), so this page publishes the per-set reading^[168].

Both fleets run at 100 km/h in service, with a 110 km/h design maximum^[167] ^[168].

Sources for this entry

- Taoyuan Metro 2000-type electric multiple unit [https://zh.wikipedia.org/zh-tw/%E6%A1%83%E5%9C%92%E6%8D%B7%E9%81%8B2000%E5%9E%8B%E9%9B%BB%E8%81%AF%E8%BB%8A] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-12.^[167]
- Taoyuan Metro 1000-type electric multiple unit [https://zh.wikipedia.org/zh-tw/%E6%A1%83%E5%9C%92%E6%8D%B7%E9%81%8B1000%E5%9E%8B%E9%9B%BB%E8%81%AF%E8%BB%8A] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-12.^[168]

Bannan Line — Conflicting measurements and records

Discussed on Bannan Line [/rail/metro/lines/bannan-line/] in the source page's "Conflicting measurements and records" section.^[169]

Conflicting measurements and records

The operating and construction lengths do not describe the line with one number.^[169]^[170]^[171]^[172]^[173]^[174] TDX measures 26.65 km from **BL01** to **BL23** and English Wikipedia rounds that to 26.6 km, while Chinese Wikipedia gives 28.2 km.^[169]^[175]^[176] The five DORTS project lengths also sum to 28.2 km: about 11, 7.1, 5.6, 2.5 and 2 km respectively.^[170]^[171]^[172]^[173]^[174] DORTS's construction-management volume introduces a further rounding by calling Banqiao about 7 km rather than the project page's 7.1 km.^[177]^[171]

The final-inspection date for the first 1999 opening also differs between DORTS pages.^[170]^[171] The parent Nangang record says 13 December 1999, while the Banqiao record says 23 December for Ximen–Longshan Temple; both give passenger service on 24 December.^[170]^[171]

See also: Public art in the Taipei-region rail network [/rail/history/public-art/], Station naming and renames [/rail/history/station-naming/], and Metro incidents and service disruptions [/rail/history/incidents/].

Sources for this entry

- Taiwan MOTC TDX — StationOfRoute, operator TRTC [https://tdx.transportdata.tw/] — primary; Ministry of Transportation and Communications, Taiwan; accessed 2026-08-10.^[169]
- Bannan Line [https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS) 臺北市政府捷運工程局; accessed 2026-08-10.^[170]
- Banqiao Line [https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=F007031A0E7C5D14] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS) 臺北市政府捷運工程局; accessed 2026-08-10.^[171]
- Tucheng Line [https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=12C5B1574D868732] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS) 臺北市政府捷運工程局; accessed 2026-08-10.^[172]
- Nangang Line eastern extension [https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=D392F4A16D3932DF] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS) 臺北市政府捷運工程局; accessed 2026-08-10.^[173]
- Tucheng Line extension to Dingpu [https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=02B240F1DBB7806E] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS) 臺北市政府捷運工程局; accessed 2026-08-10.^[174]
- Bannan line [https://en.wikipedia.org/wiki/Bannan_line] — secondary; Wikipedia; accessed 2026-08-10.^[175]
- Bannan line [https://zh.wikipedia.org/zh-tw/%E6%9D%BF%E5%8D%97%E7%B7%9A] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-10.^[176]
- Taipei MRT Engineering Series, revised edition, volume 15: MRT construction management practice [https://ebook.dorts.gov.taipei/ebook/no15/files/basic-html/page37.html] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS) 臺北市政府捷運工程局; accessed 2026-08-23.^[177]

Circular Line — Incident investigation and engineering findings

Discussed on Circular Line [\[/rail/metro/lines/circular-line/\]](/rail/metro/lines/circular-line/) in the source page's "Incident investigation and engineering findings" section.^[178]

Incident investigation and engineering findings

Read the report carefully and the first thing to notice is what is *not* a finding^[178]. Its terms of reference recite the allegation it was asked to look at — eleven suspected displacements, a repair initially costed at over NT\$400 million, at least a year to fix^[178]. Those are the reported claims the Control Yuan set out to test, not its conclusions, and they are quoted here as such.

The mechanism

The report's first finding is a construction fault, stated without hedging: the contractor, BES Engineering (中華工程), **did not build to the drawings**^[178]. It milled through the grade-adjustment plate (調坡板) that sits between the girder and the bearing, leaving void space above the locating pin; under the earthquake the pin jumped upward into that void, its base left the interface between the upper and lower plates of the pot bearing, and it lost its ability to resist shear^[178].

The numbers behind that sentence are the heart of the case^[178]:

DIMENSION	DEPTH
Milled recess, as shown on the contractor's own shop drawing	5 mm ^[178]
Milled recess, as measured on site by the investigation	41 mm ^[178]
Void left above the pin	36 mm ^[178]
Height of the pin itself	40 mm ^[178]

36 mm of void plus the 5 mm of engagement the drawing required is 41 mm — the report's own arithmetic — and 41 mm is more than enough to swallow a pin only 40 mm tall^[178]. The pins were found by the New Taipei City Civil Engineers Association, which jacked the damaged bridges up and discovered them lodged in the upper plate of the bearing or lying on the pier cap where they had fallen^[178].

The section was built under contract CF651B, part of the CF650 section works, and the structures carried a warranty running to 12 March 2026^[178] — which is why the timing of the claim against the contractor matters.

The shaking was smaller than the design case

This is the part most likely to be misread. The viaducts were designed to the Ministry of Transportation and Communications' 2006 railway bridge seismic design code, at a Taipei basin design ground motion of 0.24 g, with an importance factor of 1.2 because metro bridges are classed as important structures — so the minimum design seismic force is 0.288 g, which on the Central Weather Administration's 2020 intensity scale falls in the 6-weak band^[178]. The "designed for 6-weak" formulation is the report's own arithmetic on 0.24 g × 1.2 followed by a lookup on the 2020 scale, not a design document that says 6-weak^[178].

What the instruments recorded near the damaged bridges was smaller^[178]:

STATION	NORTH–SOUTH PEAK GROUND ACCELERATION
TAP026, 頂溪國小	224.60 gal ^[178]
TAP032, 積穗國小	206.77 gal ^[178]
TAP115, 安和國小	223.17 gal ^[178]

At 積穗國小 the peak ground velocity reached 32.16 cm/s, an intensity of 5-strong, and the peak horizontal acceleration measured there was 0.229 g — below the 0.288 g of the 475-year return-period design earthquake^[178]. New Taipei DORTS said the same thing three weeks after the earthquake: intensity 5-strong at the nearest recording station^[179].

The comparison the report itself draws is between seismic microzones rather than between metro lines. The adjacent zones — the DF111 contract range covering Wenshan and Xindian, and the DF113 range covering Sanchong, Xinzhuang [\[/rail/metro/stations/o18/\]](/rail/metro/stations/o18/) and Banqiao — recorded far lower ground motion in the same earthquake and suffered **no bridge damage at all**^[178]. In the DF112 range covering Zhonghe and Yonghe, horizontal peak ground acceleration was around twice its neighbours' and horizontal peak ground velocity around fifteen times^[178].

Which produces the single most quotable line in the document: 「也就是說，輸入比 規範要求小20%的地震，卻得到比預期大50%的力量，顯示出反應譜分析不能反映當地地震反應 的實況」 — an input earthquake 20% smaller than the code requires produced forces 50% larger than expected, showing that response-spectrum analysis does not reflect the local seismic response^[178].

The design, and what nobody checked

The report's second finding is against the design. The structure is described in it as **Taiwan's first stacked viaduct** — 國內史無前例的疊式高架橋 — carried on branching piers through climbing and descending sections, and the finding is that no higher design standard was adopted and no displacement-limiting devices were added to provide a further line of defence, and that this unprecedented structural form went through **no external structural review**^[178].

Note the word: viaduct, not station. Nothing found in the research behind this page describes stacked *stations*.

The structural engineers' report the investigation relied on sets out the hierarchy plainly: displacement-limiting devices assist the bearings and resist seismic force, and fall-prevention equipment or sufficient seat length prevents the span dropping — the second and third lines of

defence respectively for a bridge bearing system in an earthquake^[178]. The line was built with neither of the two backups.

Three further design failures are recorded^[178]:

- The detailed design consultant, CECI (世曦), **double-deducted dead load** when calculating the bearings' uplift design force, and so underestimated the required uplift resistance^[178].
- The pot-bearing detail drawing **contradicts itself about the pins**^[178]. Note 1 in its lower-left corner gives every pin a height of 40 mm with diameters of 120, 140, 150, 160, 200, 210, 220 and 280 mm; the table on the same drawing gives every pin a diameter of 100 mm with heights of 15, 20 and 25 mm; and neither set matches the pins actually found in the damaged bearings^[178]. The report's own word for this is 令人費解 — baffling.
- **Nobody senior signed that drawing**^[178]. Only the handling officer at Taipei DORTS's third civil works office stamped it; neither the design unit responsible for reviewing it nor DORTS as the approving authority signed at all, which the report finds is a failure to carry out the review and approval the contract's specification chapter on pot bearings required^[178].

888 pot bearings were supplied to the works in total, sampled in six batches against the production schedule and tested at National Taiwan University of Science and Technology's structural mechanics laboratory^[178].

The plate that nobody in Taiwan inspects

The third finding is the one most easily missed, and it is the reason the fault survived construction. The grade-adjustment plate is a secondary component between the girder and the bearing; it is designed by the contractor, assembled in the fabrication shop, and concealed once the girder is lifted into place — so it was **not an inspection hold point**^[178].

The investigation then checked whether it is one anywhere else, and found that it is not: not on the Directorate General of Highways' viaducts, not on the Hualien–Taitung railway works, not on the Tamkang Bridge, not on the Ankeng LRT, not on the Sanying Line, not on the Taichung Metro, not on the Wenhua Line, not on the second phase of the Wanda Line, and not in the Public Construction Commission's inspection checkpoints for steel bridge erection^[178]. Taipei DORTS's remedy, dated 13 December 2024 — the day after the line reopened — was to add a pot-bearing inspection flow chart and a sampling standard^[178].

The seismometer that was told not to report

The fourth finding concerns an instrument that was installed, worked, and was disconnected from anyone who could act on it. Zhongyuan station has triaxial accelerometer-type seismometers at both ends of its platform level^[178]. On 28 August 2019 Taipei DORTS's electrical and mechanical systems engineering office wrote to Taipei Rapid Transit Corporation that the seismometer detection signals need not be relayed to the control centre — and from the line's opening in 2020 to the date of the report, the Circular Line control centre held **no seismic record from that instrument at all**^[178].

The 2019 letter identifies the instruments by the codes **Y9** and **Y13**, which are not the codes the stations at those positions carry today; the two numbering schemes remain unreconciled, and the station the report names is Zhongyuan^[178].

The report also states as fact that when Taipei City Government handed operations to New Taipei City Government on 23 May 2023, New Taipei Metro took the equipment as it stood, and received training on the anemometer only — nothing on the seismic instrumentation^[178].

The code itself

The sixth finding is against the ministry. Through years of revision, including the substantially updated 2021 edition of the railway bridge seismic design code, MOTC has never addressed **transverse** displacement: the rules still deal only with the longitudinal, running direction^[178]. The line failed sideways.

Who was actually corrected

This is worth stating precisely, because the operator of the line and the builder of it are different cities and the two are easily transposed. The formal 糾正 — a correction, the Control Yuan's censure of an agency — was proposed against **Taipei City Government**, on findings one and three: the construction fault and the supervision gap^[178]. Taipei DORTS built the line and supervised its own construction^[178].

New Taipei City Government and MOTC received 函請檢討改進 — a request to review and improve, and report back — not a correction^[178]. Findings two and four went to Taipei City for review, finding four also to New Taipei City, and findings five and six to MOTC^[178].

Sources for this entry

- Control Yuan investigation report, case 114交調0005: the displacement of Circular Line track following the 3 April 2024 earthquake [<https://www.cy.gov.tw/CyBsBoxContent.aspx?s=49082>] — primary; 監察院 (Control Yuan of the Republic of China); accessed 2026-08-23.^[178]
- Eleven locations severely damaged on the Circular Line; recovery initially estimated at over a year [<https://www.dorts.ntpc.gov.tw/news/indexInfo/1AldprRBmLK7>] — primary; 新北市政府捷運工程局 (New Taipei City Government, Department of Rapid Transit Systems), 24 April 2024; accessed 2026-08-10.^[179]

Circular Line — The design, and what nobody checked

Discussed on Circular Line [</rail/metro/lines/circular-line/>] in the source page's "The design, and what nobody checked" section.^[178]

The design, and what nobody checked

The report's second finding is against the design. The structure is described in it as **Taiwan's first stacked viaduct** — 國內史無前例的疊式高架橋 — carried on branching piers through climbing and descending sections, and the finding is that no higher design standard was adopted and no displacement-limiting devices were added to provide a further line of defence, and that this unprecedented structural form went through **no external structural review**^[178].

Note the word: viaduct, not station. Nothing found in the research behind this page describes stacked *stations*.

The structural engineers' report the investigation relied on sets out the hierarchy plainly: displacement-limiting devices assist the bearings and resist seismic force, and fall-prevention equipment or sufficient seat length prevents the span dropping — the second and third lines of defence respectively for a bridge bearing system in an earthquake^[178]. The line was built with neither of the two backups.

Three further design failures are recorded^[178]:

- The detailed design consultant, CECI (世曦), **double-deducted dead load** when calculating the bearings' uplift design force, and so underestimated the required uplift resistance^[178].
- The pot-bearing detail drawing **contradicts itself about the pins**^[178]. Note 1 in its lower-left corner gives every pin a height of 40 mm with diameters of 120, 140, 150, 160, 200, 210, 220 and 280 mm; the table on the same drawing gives every pin a diameter of 100 mm with heights of 15, 20 and 25 mm; and neither set matches the pins actually found in the damaged bearings^[178]. The report's own word for this is 令人費解 — baffling.
- **Nobody senior signed that drawing**^[178]. Only the handling officer at Taipei DORTS's third civil works office stamped it; neither the design unit responsible for reviewing it nor DORTS as the approving authority signed at all, which the report finds is a failure to carry out the review and approval the contract's specification chapter on pot bearings required^[178].

888 pot bearings were supplied to the works in total, sampled in six batches against the production schedule and tested at National Taiwan University of Science and Technology's structural mechanics laboratory^[178].

Sources for this entry

- Control Yuan investigation report, case 114交調0005: the displacement of Circular Line track following the 3 April 2024 earthquake [<https://www.cy.gov.tw/CyBsBoxContent.aspx?s=49082>] — primary; 監察院 (Control Yuan of the Republic of China); accessed 2026-08-23.^[178]

Circular Line — Engineering responsibility and dispute

Discussed on Circular Line [</rail/metro/lines/circular-line/>] in the source page's "Engineering responsibility and dispute" section.^[180]

Engineering responsibility and dispute

On 3 January 2025 New Taipei City Government announced that the two city governments would jointly sue BES Engineering for **NT\$1.927 billion**, on the basis that the contractor had not built to the approved drawings; the same release carries the 40 mm pin, the 5 mm drawing and the 41 mm as-built account of the mechanism^[180]. The suit was filed on 27 March 2025 at the Taipei District Court^[181].

BES has not conceded. It says it 「均依核定施工圖說嚴格執行」 — that it strictly executed the approved construction drawings — and that the milled-through plate and the bearing failure are **not** the main cause of the damage, which it says needs further examination from the direction of structural design strength^[182].

The litigation outcome, and whether any prosecution followed the Control Yuan's request that New Taipei DORTS pursue liability for public-danger offences^[178].

Sources for this entry

- Displacement investigation report published: contractor did not build to the approved drawings; the two city governments will jointly sue BES Engineering for NT\$1.927 billion [<https://www.ntpc.gov.tw/ch/home.jsp?id=e8ca970cde5c00e1&dataserno=9be8e636a516475bafac1bcac788d423>] — primary; 新北市政府 (New Taipei City Government), 3 January 2025; accessed 2026-08-10.^[180]
- Circular Line earthquake damage — the two city governments sue BES Engineering for NT\$1.927 billion [<https://www.cna.com.tw/news/aloc/202503270341.aspx>] — secondary; 中央社 CNA, 27 March 2025; accessed 2026-08-10.^[181]
- Sued for NT\$1.9 billion over the Circular Line earthquake damage, BES Engineering says it built to the drawings [<https://news.pts.org.tw/article/732085>] — secondary; 公視新聞網 PTS; accessed 2026-08-10.^[182]
- Control Yuan investigation report, case 114交調0005: the displacement of Circular Line track following the 3 April 2024 earthquake [<https://www.cy.gov.tw/CyBsBoxContent.aspx?s=49082>] — primary; 監察院 (Control Yuan of the Republic of China); accessed 2026-08-23.^[178]

Circular Line — Conflicts and measurement records

Discussed on Circular Line [</rail/metro/lines/circular-line/>] in the source page's "Conflicts and measurement records" section.^[178]

Conflicts and measurement records

How many displacements, and how many spans

FIGURE	SOURCE	WHAT IT APPEARS TO COUNT
11 displaced steel box girders	Control Yuan ^[178] ; New Taipei DORTS ^[179]	Locations where a girder moved
9 spans of steel box girder repositioned	New Taipei Metro's reopening release ^[183] ; CNA ^[181]	Spans that had to be jacked back into place

Eleven displacement locations across nine spans is arithmetically possible, but the available records do not establish that mapping^[178] ^[183].

How far the damage ran

The primary source is inconsistent with itself, and that is worth publishing rather than smoothing over. The Control Yuan's terms of reference and its opening paragraph put the damage between Banxin and Qiaohe and along the Jingping [\[/rail/metro/stations/y10/\]](/rail/metro/stations/y10/) Road section; the conclusion of its first finding gives the range as Banxin to Jingan; and its own breakdown, quoting New Taipei DORTS, places **five displacements between Qiaohe and Zhongyuan, five between Zhongyuan and Banxin, and one near Jingan** — five plus five plus one, spanning [Y15](#) down to [Y11](#), not [Y15](#) to [Y13](#) ^[178]. Jingping and Jingan are adjacent stations, and the report uses both names for the outlying eleventh location ^[178].

The service suspension was wider than the damage in either reading: Banqiao to Zhonghe could not operate ^[178].

How long the line is

FIGURE	SOURCE	WHAT IT MEASURES
15.4 km	Taipei DORTS ^[184] ^[185] and New Taipei DORTS ^[186]	The published route length of Phase 1, quoted identically by both bureaux
15.06 km	TDX cumulative chainage at Y20 ^[187]	Platform to platform, Y07 to Y20 — station to station, not the whole built alignment
0	TDX <code>RouteLength</code> ^[187]	Not published; the field is present and empty

The 0.34 km between the first two is the same shape as the result recorded on the Wenhua Line [\[/rail/metro/lines/wenhua-line/\]](/rail/metro/lines/wenhua-line/): chainage between end platforms is not the route length ^[184] ^[187]. The two values remain separate measurements ^[184] ^[187].

How long the finished ring will be

FIGURE	SOURCE	WHAT IT IS
49.31 km	arithmetic on Taipei DORTS's four published section lengths ^[185]	15.4 + 14.93 + 5.73 + 13.25, added up on this page — a sum, not a DORTS figure
49.18 km	zh.wikipedia's infobox ^[188]	The figure that circulates in English material; not traceable to a government page in this research
20.66 km for the South and North rings together	New Taipei DORTS ^[189]	Equals 5.73 + 14.93 exactly, so the two bureaux agree on the sections

The whole-ring total remains TBC: the fetched government pages publish section lengths, while the secondary 49.18-km figure is not corroborated by those pages ^[185] ^[189] ^[188].

Whose fault it was

Four positions, and they are not reconciled^{[178] [180] [182]}:

- **The contractor did not build to the drawings**, and milling through the grade-adjustment plate is the cause — Control Yuan's first finding, and New Taipei City Government's basis for the claim^{[178] [180]}.
- **The contractor denies it**, says it built strictly to the approved drawings, and says the plate and the bearings are not the main cause^[182].
- **The design was at fault** — no displacement-limiting devices, dead load double-deducted in the uplift calculation, drawings neither reviewed nor approved, no external structural review of an unprecedented structure^[178].
- **The supervision was at fault** — a concealed component with no inspection hold point^[178].

The Control Yuan apportions responsibility to contractor, designer, supervisor **and** the ministry's own code^[178]. The contractor rejects the first^[182]. The litigation filed in March 2025 has not been resolved on this page.

Sources for this entry

- Control Yuan investigation report, case 114交調0005: the displacement of Circular Line track following the 3 April 2024 earthquake [<https://www.cy.gov.tw/CyBsBoxContent.aspx?s=49082>] — primary; 監察院 (Control Yuan of the Republic of China); accessed 2026-08-23.^[178]
- Eleven locations severely damaged on the Circular Line; recovery initially estimated at over a year [<https://www.dorts.ntpc.gov.tw/news/indexInfo/1AldprRBmLK7>] — primary; 新北市政府捷運工程局 (New Taipei City Government, Department of Rapid Transit Systems), 24 April 2024; accessed 2026-08-10.^[179]
- The New Taipei Circular Line is ready: safety confirmed, full service resumes at 12:00 [<https://www.ntmetro.com.tw/basic/?mode=detail&node=754>] — primary; 新北大眾捷運股份有限公司 (New Taipei Metro Corporation), 12 December 2024; accessed 2026-08-23.^[183]
- Circular Line earthquake damage — the two city governments sue BES Engineering for NT\$1.927 billion [<https://www.cna.com.tw/news/alog/202503270341.aspx>] — secondary; 中央社 CNA, 27 March 2025; accessed 2026-08-10.^[181]
- Circular Line Phase 1 [<https://www.dorts.gov.taipei/cp.aspx?n=86E55BE3A390F789>] — primary; 新北市政府捷運工程局 (Taipei City Government, Department of Rapid Transit Systems); accessed 2026-08-23.^[184]
- What is the route and the system type of the whole Circular Line? [https://www.dorts.gov.taipei/News_Content.aspx?n=2A66A485FACB0D5B&sms=87415A8B9CE81B16&s=5283528B7AF0EECA] — primary; 新北市政府捷運工程局 (Taipei City Government, Department of Rapid Transit Systems); accessed 2026-08-23.^[185]
- The New Taipei Circular Line [<https://www.dorts.ntpc.gov.tw/about/route/zj6Dd5ajdA1o>] — primary; 新北市政府捷運工程局 (New Taipei City Government, Department of Rapid Transit Systems); accessed 2026-08-23.^[186]
- Taiwan MOTC TDX — Line, Route, StationOfRoute and Shape, operator NTMC [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications, Taiwan; accessed 2026-08-05.^[187]

- Circular line (Taipei metropolitan area) [[https://zh.wikipedia.org/zh-tw/%E7%92%B0%E7%8B%80%E7%B7%9A_\(%E5%8F%B0%E5%8C%97%E9%83%BD%E6%9C%83%E5%8D%80\)](https://zh.wikipedia.org/zh-tw/%E7%92%B0%E7%8B%80%E7%B7%9A_(%E5%8F%B0%E5%8C%97%E9%83%BD%E6%9C%83%E5%8D%80))] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-10.^[188]
- Circular Line — South Ring and North Ring [<https://www.dorts.ntpc.gov.tw/about/route/bQw92Vzy2j0k>] — primary; 新北市政府捷運工程局 (New Taipei City Government, Department of Rapid Transit Systems); accessed 2026-08-23.^[189]
- Displacement investigation report published: contractor did not build to the approved drawings; the two city governments will jointly sue BES Engineering for NT\$1.927 billion [<https://www.ntpc.gov.tw/ch/home.jsp?id=e8ca970cde5c00e1&dataserno=9be8e636a516475bafac1bcac788d423>] — primary; 新北市政府 (New Taipei City Government), 3 January 2025; accessed 2026-08-10.^[180]
- Sued for NT\$1.9 billion over the Circular Line earthquake damage, BES Engineering says it built to the drawings [<https://news.pts.org.tw/article/732085>] — secondary; 公視新聞網 PTS; accessed 2026-08-10.^[182]

Sanying Line — Where the sources disagree

Discussed on Sanying Line [</rail/metro/lines/sanying-line/>] in the source page's "Where the sources disagree" section.^[190]

Where the sources disagree

Project cost. Three official values survive. The October 2014 early-works release gave **NT\$55.022 billion**.^[190] The April 2015 NDC-stage release and August 2018 engineering report gave **NT\$50.5 billion**; the report says value engineering used shorter trains, tighter headways, shorter stations, well foundations and U-girders to reduce the earlier NT\$55 billion proposal.^[191]^[192] The live builder page now gives **NT\$50.200 billion**.^[193] These are dated project estimates or current programme figures, not interchangeable measurements of final expenditure.

Journey and peak interval. In 2014 the city forecast an end-to-end journey of no more than **23 minutes** and a **three-minute** peak interval.^[190] Opening service was about **30 minutes** and **six minutes**.^[194] The engineering report's mature design pattern put LB01–LB08 at 2.2 minutes but LB08–LB12 at 4.4 minutes.^[192] The sources describe an early forecast, initial operations and a design-year branching pattern respectively; none is substituted for another.

Bade approval. The extension page's dated record says the Executive Yuan approved the comprehensive plan on 1 August 2025, while its introduction says the project has not been approved.^[195] The page gives no update date for the stale sentence, so its provenance cannot be reconstructed.

See also: Public art in the Taipei-region rail network [</rail/history/public-art/>], Station naming and renames [</rail/history/station-naming/>], and Metro incidents and service disruptions [</rail/history/incidents/>].

Sources for this entry

- Work starts on the Fuxing Road–Long'en Street section of the Sanying Line [https://www.ntpc.gov.tw/ch/home.jsp?dataserno=97560cd17a0812998e7100388c4f7a3d&id=e8ca970cde5c00e1] — primary; New Taipei City Government Transportation Department (新北市政府交通局); accessed 2026-08-23.^[190]
- National Development Council passes the Sanying Line comprehensive plan [https://www.ntpc.gov.tw/ch/home.jsp?dataserno=42f3d489a109908ddf71d0e3978bbe5b&id=e8ca970cde5c00e1] — primary; New Taipei City Government Transportation Department (新北市政府交通局); accessed 2026-08-23.^[191]
- Sanying Line construction project — implementation history and refinements [https://www.dorts.ntpc.gov.tw/admin/Content/Upload/file/20211117/0a63f435-a113-4405-88a0-6c95b39f797d.pdf] — primary; New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局), 工程; accessed 2026-08-23.^[192]
- Sanying Line project record [https://www.dorts.ntpc.gov.tw/about/route/1MJjdJr7dAv6] — primary; New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-23.^[193]
- The Sanying metro line officially opens 30 June [https://www.ntmetro.com.tw/basic/?mode=detail&node=867] — primary; New Taipei Metro Corporation (新北大眾捷運股份有限公司); accessed 2026-08-06.^[194]
- Sanying Line extension to Bade, Taoyuan [https://www.dorts.ntpc.gov.tw/about/route/90V4drGQZqEN] — primary; New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-23.^[195]

Songshan–Xindian Line — Length records and conflicts

Discussed on Songshan–Xindian Line [/rail/metro/lines/songshan-xindian-line/] in the source page's "Length records and conflicts" section.^[196]

Length records and conflicts

The published distances use different project and operating boundaries, so the figures are retained with their source labels.

FIGURE	WHAT IT MEASURES	SOURCE
18.77 km	Operating length, G01 to G19 , the main line only	TDX CumulativeDistance ^[196]
21.3 km	zh.wikipedia's headline "operating length"	zh.wikipedia's infobox ^[197]
20.6 km (10.5 + 1.6 + 8.5)	DORTS's three project lengths added together	Xindian, Xiaonanmen [/rail/metro/stations/g11/] and Songshan project pages ^[198] ^[199] ^[200]
1.94 km	The Xiaobitan branch alone, separate from the above	TDX ^[196]

The Xindian technical-document page gives a different 10.55 km main project and 1.53 km branch, and the track article describes 11.2 km from CKS Memorial Hall to Xindian with a separate depot scope.^{[201] [202] [203]} Those figures cannot be silently substituted for the live TDX chainage; each remains labelled by its source and measurement boundary.^{[201] [202] [203]}

The branch therefore has a second explicit conflict: approximately 1.5 km in DORTS's route project, 1.53 km in the construction-management article, 1.9 km in the secondary branch account and 1.94 km in TDX.^{[198] [201] [204] [196]}

The Songshan project page calls 499.3億元 its construction budget.^[200] The Audit Office fragment instead reports a 530億4,206萬元 expenditure budget and 502億9,566萬元 audited final expenditure. These are different accounting labels, so no single unqualified "cost" is presented.^{[200] [205]}

Sources for this entry

- Taiwan MOTC TDX — StationOfRoute, operator TRTC [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications, Taiwan; accessed 2026-08-12.^[196]
- Songshan-Xindian Line [<https://zh.wikipedia.org/zh-tw/%E6%9D%BE%E5%B1%B1%E6%96%B0%E5%BA%97%E7%B7%9A>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-12.^[197]
- Songshan-Xindian Line — Xindian Line route description [<https://www.dorts.gov.taipei/cp.aspx?n=71acc5b0cdfc313&s=CBD13A8895C4EF94>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-12.^[198]
- Songshan-Xindian Line — Xiaonanmen Line route description [<https://www.dorts.gov.taipei/cp.aspx?n=71acc5b0cdfc313&s=9A7448733F1518F5>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-12.^[199]
- Songshan-Xindian Line — Songshan section route description [<https://www.dorts.gov.taipei/cp.aspx?n=71acc5b0cdfc313&s=C974A7C467B035B8>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-12.^[200]
- Xindian Line construction management [<https://ebook.dorts.gov.taipei/ebook/no15/files/basic-html/page36.html>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-23.^[201]
- Taipei metropolitan rapid-transit technical-document management practice [<https://ebook.dorts.gov.taipei/ebook/no17/files/basic-html/page23.html>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-23.^[202]
- Xindian Line track engineering [<https://ebook.dorts.gov.taipei/JRTST/ebook/no39/files/basic-html/page21.html>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-23.^[203]
- Xiaobitan branch [<https://zh.wikipedia.org/zh-tw/%E5%B0%8F%E7%A2%A7%E6%BD%AD%E6%94%AF%E7%B7%9A>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-12.^[204]
- Audit report on the Songshan Line special final accounts [<https://auditreport.audit.gov.tw/ServerFile/Get/637927033231617129357c12bea3f0498585d044e95ec0ec0d05d>] — primary; National Audit Office, Taipei City Audit Division (審計部／審計部臺北市審計處); accessed 2026-08-23.^[205]

Tamsui–Xinyi Line — Construction history

Discussed on Tamsui–Xinyi Line [\[/rail/metro/lines/tamsui-xinyi-line/\]](/rail/metro/lines/tamsui-xinyi-line/) in the source page's "Construction history" section.^[206]

Construction history

The Tamsui section came in three pieces, and DORTS records an inspection date against each^[206]:

SECTION	TRIAL INSPECTION	FINAL INSPECTION	OPENED
Tamsui–Zhongshan	12 Feb 1997	21 Mar 1997	28 March 1997 ^[206]
Zhongshan–Taipei Main	—	17 Dec 1997	25 December 1997 ^[206]
Taipei Main–CKS Memorial Hall	—	—	24 December 1998 ^[206]

DORTS calls the result 「國內第一條通車的高運量捷運系統」 — the first high-capacity metro line in Taiwan to enter service^[206]. The last of those three stretches was not built with the rest of the Tamsui line at all: the project record notes against both **R08** and **R09** that 「本站工程併入捷運新店線辦理」, the station works were folded into the Xindian line contract^[206].

The Xinyi section followed fifteen years later, inspected on 13 October and 8 November 2013 and opened on **24 November 2013**, against a budget of NT\$33.862 billion^[207]. Its seven-station count includes **R08** and **R05**^[207], both of which already existed on other lines — so a source giving a smaller number of stations "opened in 2013" is counting new stations rather than the project's, not contradicting it.

The whole thing descends from one decision: the Executive Yuan approved the initial network on 4 April 1986 with a total budget of NT\$444.4 billion, and the Tamsui line was let as 13 design contracts and around 120 construction contracts^[206]. The earliest of them is worth naming — contract CT107, earthworks for Beitou Depot [\[/rail/metro/depots/beitou-depot/\]](/rail/metro/depots/beitou-depot/), signed on **19 January 1988**, which DORTS itself calls the earliest of them^[206].

Sources for this entry

- Tamsui–Xinyi Line: Tamsui section route description [\[https://www.dorts.gov.taipei/cp.aspx?n=0AC527D5FC9E596A\]](https://www.dorts.gov.taipei/cp.aspx?n=0AC527D5FC9E596A) — primary; Taipei City Government, Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-10.^[206]
- Tamsui–Xinyi Line: Xinyi section route description [\[https://www.dorts.gov.taipei/cp.aspx?n=0ac527d5fc9e596a&s=CB7BC86DBDA1E44D\]](https://www.dorts.gov.taipei/cp.aspx?n=0ac527d5fc9e596a&s=CB7BC86DBDA1E44D) — primary; Taipei City Government, Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-10.^[207]

Tamsui–Xinyi Line — Where the sources disagree

Discussed on Tamsui–Xinyi Line [\[/rail/metro/lines/tamsui-xinyi-line/\]](/rail/metro/lines/tamsui-xinyi-line/) in the source page's "Where the sources disagree" section.^[208]

Where the sources disagree

Dongmen dimensions and shield drives. The 2005 DORTS paper reports a box about **217 m × 24.7 m**, excavated about **31.2 m**, with Xinyi shield drives of **1,240.5 m** and **1,247.0 m** (about 2,487.5 m combined).^[208] The 2014 DORTS construction paper instead reports about **216 m × 25 m**, an excavation of about **32 m**, and drives of **1,219.3 m** and **1,225.8 m** (about 2,445.1 m combined).^[209] The difference is published as a conflict because neither source states why its measuring basis differs.

Route length. DORTS's two published figures are 23.8 km for the Tamsui section including the branch^[206] and 6.4 km for the Xinyi section^[207]. They meet end to end at **R08**, so they sum to 30.2 km with the branch, or 29.0 km for the main line alone — but that sum is this page's arithmetic on two primary figures, not anybody's published length. Chinese Wikipedia's infobox gives **32.3 km**^[210]. Nothing read for this page explains the two-to-three kilometre gap, and the whole-line spec row therefore reads TBC rather than picking one. The Wenhua Line's three lengths turned out to be three correct measurements of three different things; this may be the same, and saying so is not the same as knowing it.

Station count. DORTS's 22^[206] and 7^[207] share **R08**, which nets to 28 — the number in service today, **R02** to **R28** plus **R22A**. Chinese Wikipedia says 29, counting the unopened **R01**^[210]. Those are compatible once you know what each counts.

Rolling stock. Chinese Wikipedia's line infobox names C301, C381 [\[/rail/metro/rolling-stock/c381/\]](/rail/metro/rolling-stock/c381/) and C381A^[210]; its Xinbeitou article names C371 [\[/rail/metro/rolling-stock/c371/\]](/rail/metro/rolling-stock/c371/) for the branch^[211]. Two articles on one encyclopedia, two fleets. Neither was checked against a TRTC or manufacturer record, so the facts panel names no fleet at all. The obvious reconciliation is obvious enough to be suspicious.

See also: Public art in the Taipei-region rail network [\[/rail/history/public-art/\]](/rail/history/public-art/), Station naming and renames [\[/rail/history/station-naming/\]](/rail/history/station-naming/), and Metro incidents and service disruptions [\[/rail/history/incidents/\]](/rail/history/incidents/).

Sources for this entry

- Construction Problems Where Multiple Tunnels Cross and Overlap: Xinzhuang Line CK570H [\[https://ebook.dorts.gov.taipei/JRTST/ebook/no33/files/basic-html/page96.html\]](https://ebook.dorts.gov.taipei/JRTST/ebook/no33/files/basic-html/page96.html) — primary; Rapid Transit Systems & Technology, Taipei DORTS (臺北市政府捷運工程局《捷運技術》); accessed 2026-08-23.^[208]
- Construction of Taipei MRT Xinyi Line Contract CK570H [\[https://ebook.dorts.gov.taipei/JRTST/ebook/no51/files/basic-html/page82.html\]](https://ebook.dorts.gov.taipei/JRTST/ebook/no51/files/basic-html/page82.html) — primary; Rapid Transit Systems & Technology, Taipei DORTS (臺北市政府捷運工程局《捷運技術》); accessed 2026-08-23.^[209]
- Tamsui–Xinyi Line: Tamsui section route description [\[https://www.dorts.gov.taipei/cp.aspx?n=0AC527D5FC9E596A\]](https://www.dorts.gov.taipei/cp.aspx?n=0AC527D5FC9E596A) — primary; Taipei City Government, Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-10.^[206]

- Tamsui–Xinyi Line: Xinyi section route description [https://www.dorts.gov.taipei/cp.aspx?n=0ac527d5fc9e596a&s=CB7BC86DBDA1E44D] — primary; Taipei City Government, Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-10. [207]
- Tamsui–Xinyi line [https://zh.wikipedia.org/zh-tw/%E6%B7%A1%E6%B0%B4%E4%BF%A1%E7%BE%A9%E7%B7%A] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-10. [210]
- Xinbeitou branch line [https://zh.wikipedia.org/zh-tw/%E6%96%B0%E5%8C%97%E6%8A%95%E6%94%AF%E7%B7%A] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-10. [211]

Wenhu Line — Length records and measurement conflicts

Discussed on Wenhu Line [/rail/metro/lines/wenhu-line/] in the source page's "Length records and measurement conflicts" section. [212]

Length records and measurement conflicts

Four figures circulate, and they are not in conflict — they measure four different things. **This site publishes 25.17 km, the operating length**, and says what each of the others counts.

FIGURE	WHAT IT MEASURES	SOURCE
25.17 km	Operating length — the railway that carries passengers, BR01 to BR24	TDX CumulativeDistance against the last station of route BR-1 [212]
25.7 km	The two construction projects added together	10.9 km + 14.8 km, both DORTS's own figures [213]
25.04 km	The same railway, measured by this site along MOTC's surveyed geometry from the first station to the last	the map below
26.42 km	The whole published alignment, including 635 m of depot lead beyond BR01 and 744 m of tail track beyond BR24	the same geometry, untrimmed [212]

The last row is the one this site got wrong: it printed the untrimmed figure as the route length for four builds, because measuring everything MOTC draws counts depot lead and tail track that no passenger travels on [212]. Trimmed to the termini, the same geometry lands within 130 m of the operator's own figure [212] — and that agreement is the check working, which is why both are still printed side by side on the network page [/rail/network/].

The 25.7 km that appears as 路線長度 on zh.wikipedia [214] is the **sum of the two published section lengths**: DORTS records 木柵線 約10.9公里 and 內湖線 約14.8公里, and 10.9 + 14.8 = 25.7 exactly [213]. Those are project lengths — the extent of what was built, including non-revenue

track at each end — which is why the total exceeds the 25.17 km of railway that carries passengers^[212].

Sources for this entry

- Taiwan MOTC TDX — StationOfRoute, operator TRTC [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications, Taiwan; accessed 2026-08-05.^[212]
- Wenshan—Neihu Line [<https://www.dorts.gov.taipei/cp.aspx?n=DBAC040496EFAB94>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-23.^[213]
- Wenhua line [<https://zh.wikipedia.org/zh-tw/%E6%96%87%E6%B9%96%E7%B7%9A>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-06.^[214]

Zhonghe—Xinlu Line — Length records and measurement conflicts

Discussed on Zhonghe—Xinlu Line [</rail/metro/lines/zhonghe-xinlu-line/>] in the source page's "Length records and measurement conflicts" section.^[215]

Length records and measurement conflicts

Three figures, and they are not really in conflict once labelled. **31.5 km and 26 stations** is the sum of the three component projects' own DORTS figures (5.4 + 19.7 + 6.4, with the station count reconciled above), and it matches the total zh.wikipedia's infobox gives outright^[215] ^[216] ^[217] ^[218]. That is the whole network as built. TDX instead measures each branch as it actually runs from Nanshijiao [</rail/metro/stations/o01/>]: **24.11 km** to Huilong [</rail/metro/stations/o21/>], **18.41 km** to Luzhou [</rail/metro/stations/o54/>]^[219] — figures a passenger's own journey matches, but which overlap each other along the shared trunk and so cannot simply be added to the network total.

Sources for this entry

- Zhonghe—Xinlu Line — Zhonghe Line [<https://www.dorts.gov.taipei/cp.aspx?n=122C012A85C41404>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-23.^[215]
- Zhonghe—Xinlu Line — Xinzhuang Line [<https://www.dorts.gov.taipei/cp.aspx?n=122C012A85C41404&s=33245A586D747A2C>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-23.^[216]
- Zhonghe—Xinlu Line — Luzhou Line [<https://www.dorts.gov.taipei/cp.aspx?n=122C012A85C41404&s=3843E83F882E79FD>] — primary; Taipei City Government, Department of Rapid Transit Systems (DORTS); accessed 2026-08-23.^[217]
- Zhonghe—Xinlu line [<https://zh.wikipedia.org/zh-tw/%E4%B8%AD%E5%92%8C%E6%96%B0%E8%98%86%E7%B7%9A>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-12.^[218]

- Taiwan MOTC TDX — Route and StationOfRoute, operator TRTC [<https://tdx.transportdata.tw/>] — primary; Ministry of Transportation and Communications, Taiwan; accessed 2026-08-12.^[219]

Taipei Metro fares — A genuine conflict: how many social-welfare points, exactly

Discussed on Taipei Metro fares [</rail/metro/operations/fares/>] in the source page's "A genuine conflict: how many social-welfare points, exactly" section.^[220]

A genuine conflict: how many social-welfare points, exactly

Senior (敬老卡) and disability (愛心卡) cardholders get a monthly allowance of social-welfare points, usable across TRTC, NTMC's Circular Line and light rail, Maokong Gondola [</rail/cable/lines/maokong-gondola/>], and joint bus operators, before falling back to a 40% MRT discount or 50% bus discount once exhausted.^[220] TRTC's own FAQ states this allowance as **600 points a month**; NTMC's own FAQ, describing what reads as the identical benefit for the identical population, states **480 points a month**.^[220]^[221] Both are primary sources directly contradicting each other on a figure that affects a specific, sizeable population of riders. Neither is picked here.

Sources for this entry

- FAQ — Senior/Disability Social-Welfare Cards [https://www.metro.taipei/News_Content.aspx?n=566DA580861CEE77&sms=87415A8B9CE81B16&s=41B78C4788395C41] — primary; Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司); accessed 2026-08-28.^[220]
- Frequently Asked Questions [<https://www.ntmetro.com.tw/basic/?node=10005>] — primary; New Taipei Metro Corporation (新北大眾捷運股份有限公司); accessed 2026-08-28.^[221]

Taipei Metro ridership — TRTC: 2.1 million riders a day, most of the way back from COVID

Discussed on Taipei Metro ridership [</rail/metro/operations/ridership/>] in the source page's "TRTC: 2.1 million riders a day, most of the way back from COVID" section.^[222]

TRTC: 2.1 million riders a day, most of the way back from COVID

TRTC's own FY2025 performance report puts average daily ridership at 2,101,700 — up 3.7% on FY2024's 2,026,843 — split into 2,276,587 on an average weekday and 1,740,170 on an average holiday or weekend.^[222] That figure is 97.2% of the pre-pandemic FY2019 average of 2,163,285, a recovery TRTC states directly rather than leaving a reader to infer it.^[222] Service quality stayed within the operator's own statutory floors across all five lines: punctuality (arrival within schedule) ranged from 99.69% to 99.93%, and train-availability rates from 91.85% to

95.83%, both comfortably above the 99% and 90% floors respectively.^[222] System reliability, measured in mean distance between failures (MKBF), reached 23.009 million car-kilometres in FY2024 — the best year on record — and 19.678 million in FY2025, the second-best.^[222] A widely repeated shorthand claiming MKBF "exceeds 20 million car-km" holds for FY2024 but not FY2025, which fell just short of that threshold — worth stating precisely rather than rounding up.

TRTC's cumulative ridership has passed several billion-scale thresholds since the system opened in 1996: 500 million by January 2001, 2 billion by August 2005, 4 billion by April 2010, 5 billion by February 2012, 10 billion by March 2019, 13 billion by November 2023, and 15 billion by 24 June 2026.^[223] TRTC's own operational report, written earlier in 2026, separately states the system had "surpassed 14.5 billion" trips as of that writing — consistent with, not contradicting, the chronicle's later 15-billion milestone a few months on.^{[222] [223]}

Sources for this entry

- FY2025 (ROC 114) Operational Performance Report [<https://www.metro.taipei/cp.aspx?n=2EC550B62FFE16C2>] — primary; Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司); accessed 2026-08-28.^[222]
- Company Chronicle [<https://www.metro.taipei/cp.aspx?n=B27E7BC8CBBCDA61>] — primary; Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司); accessed 2026-08-28.^[223]

Taipei Metro ridership — Remaining gaps

Discussed on Taipei Metro ridership [</rail/metro/operations/ridership/>] in the source page's "Remaining gaps" section.^[224]

Remaining gaps

Per-line ridership for TRTC's four heavy lines individually (Red, Green, Orange, Blue) is not published anywhere found for this page. Whether the 31 December 2025 24-hour figure of 3,043,167 system-wide riders is TRTC's genuine all-time single-day record is not established — TRTC's own chronicle states the figure without record-specific language. TRTC's FY2025 annual total, calculated here by summing its own two-category table, sits within rounding distance of a different figure attributed to a city-government statistical yearbook, but that yearbook's own tables could not be independently read to confirm the match precisely — not established.^[224]

Sources for this entry

- Annual and Prior-Month Ridership Statistics [<https://www.metro.taipei/cp.aspx?n=FED7CC0F31E0A664>] — primary; Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司); accessed 2026-08-28.^[224]

C301 — Fleet-count conflict

Discussed on C301 [/rail/metro/rolling-stock/c301/] in the source page's "Fleet-count conflict" section.^[225]

Fleet-count conflict

The detailed DORTS history and TRTC's 2012 report both give 22 trains, while the fixed formation and total of 132 cars independently produce the same arithmetic: $22 \times 6 = 132$.^[225]^[226] DORTS's later no. 48 article instead prints **132 輛 (21 列)** — 132 cars and 21 trains.^[227] That parenthetical conflicts with both the other official records and its own six-car context; it is published here as an unresolved source error rather than quietly discarded.

Sources for this entry

- The First Generation Electric Multiple Units of Taipei Heavy Rail Rapid Transit System [https://data.taipei/api/dataset/3812b03c-7e72-40c7-85cf-c67df9162f7e/resource/9b9c9bf1-b6e4-43b7-9d18-f2818b5d1718/download] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-23.^[225]
- Taipei Metro 2012 annual report [https://www-ws.gov.taipei/001/Upload/public/Attachment/312916442785.pdf] — primary; Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司); accessed 2026-08-23.^[226]
- Tracking the advancement of Taipei MRT E&M systems — transformation, innovation and growth in E&M planning and design [https://ebook.dorts.gov.taipei/JRTST/ebook/no48/files/basic-html/page137.html] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-23.^[227]

C321 — Source wording conflict

Discussed on C321 [/rail/metro/rolling-stock/c321/] in the source page's "Source wording conflict" section.^[228]

Source wording conflict

The Audit Office first describes the communications work as covering 36輛電聯車, literally 36 EMU cars, but TRTC's response on the same page says installation was complete on 全部36列車, all 36 trains.^[228] DORTS's two independent fleet records establish 36 six-car trains and 216 cars, but the audit's two wordings remain published here as an internal conflict rather than silently normalised.^[229] ^[230]

Sources for this entry

- Taipei Metro's procurement of controllers for 321-type EMUs was seriously behind schedule, and the liquidated-damages calculation lacked a contractual basis [https://auditreport.audit.gov.tw/ServerFile/Get/6379270128874995755bce8920a08e4970aa52b4f88fe32edb] — primary; National Audit Office (審計部); accessed 2026-08-23.^[228]

- Tracking the advancement of Taipei MRT E&M systems — transformation, innovation and growth in E&M planning and design [<https://ebook.dorts.gov.taipei/JRTST/ebook/no48/files/basic-html/page138.html>] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-23.^[229]
- How many trains were procured for each route in the Taipei metropolitan MRT network? [http://www.gov.taipei/News_Content.aspx?n=EEC70A4186D4C828&s=C8602F8588914E91&sms=87415A8B9CE81B16] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-23.^[230]

C370 (Bombardier Innovia) — Passenger systems and capacity

Discussed on C370 (Bombardier Innovia) [</rail/metro/rolling-stock/innovia-apm-256-c370/>] in the source page's "Passenger systems and capacity" section.^[231]

Passenger systems and capacity

Each car has four externally sliding doors, two per side, driven by DC motors.^[231]

Microprocessor controllers monitor direction, speed, obstacle detection and ATC commands.

^[232] Door-side lights flash for five seconds before opening, and multi-tone audible warnings provide an equivalent cue before opening and closing.^[232] Four dynamic route displays, four passenger-information screens, two emergency intercoms, CCTV and two extinguishers were specified per car.^[231]

Capacity has an unresolved primary-source disagreement. The design paper gives 20 seats and 93 people per car at five standing passengers per square metre, which implies 372 per four-car train.^[233] TRTC's current network introduction uses the same five-person standing density but states approximately 386 people per Bombardier train.^[234] The 14-person difference is not explained in either opened page, so both values are published rather than one being chosen.

Sources for this entry

- New medium-capacity EMUs for the Neihu Line — doors, safety and passenger information [<https://ebook.dorts.gov.taipei/jrtst/ebook/no33/files/basic-html/page32.html>] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-23.^[231]
- New medium-capacity EMUs for the Neihu Line — door control and accessible warnings [<https://ebook.dorts.gov.taipei/JRTST/ebook/no33/files/basic-html/page41.html>] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-23.^[232]
- New medium-capacity EMUs for the Neihu Line — contract, formation and principal specification [<https://ebook.dorts.gov.taipei/JRTST/ebook/no33/files/basic-html/page30.html>] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-23.^[233]

- Taipei Metro network introduction — Wenhua Line vehicles [<https://www.metro.taipei/cp.aspx?n=ccf30033e6ed8008&s=405306CC7ACD137B>] — primary; Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司); accessed 2026-08-23.^[234]

Taipei-region rail projects — Approved or advancing extensions

Discussed on Taipei-region rail projects [</rail/projects/project-status/>] in the source page's "Approved or advancing extensions" section.^[235]

Approved or advancing extensions

Taichung's Blue Line is documented separately as an approved project moving into route construction.^[235] The full project page gives 24.78 km, 20 stations and one depot; current route contracts cover BC11 (B01–B03) and BC12 (B04–B08).^[235] See the Taichung Metro Blue Line project page [</rail/projects/taichung-blue-line/>] for the dated approval and procurement record.

Taichung's Purple Line remains a feasibility-stage project under central review.^[236] Its full project page gives approximately 16.31 km and 16 planned stations, while the July 2026 release gives the estimated NT\$690.87 billion cost.^[236]^[237] See the Taichung Metro Purple Line project page [</rail/projects/taichung-purple-line/>] for its dated review chronology and route boundary.

Taichung's Airport Orange Line feasibility study was approved by the Executive Yuan on 18 August 2026.^[238] The current project page gives approximately 29.23 km and 26 planned stations; see the Taichung Airport MRT Orange Line project page [</rail/projects/taichung-orange-line/>] for its approval sequence, forecast boundary and pre-construction status.^[238]

The Orange Line Sea Line extension remains a feasibility-stage project with an interim revised report under review.^[239] Its January public proposal is approximately 16.50 km with 10 stations and branches toward Sanmin Road and Wuqi Fishing Port; see the Orange Line Sea Line extension project page [</rail/projects/taichung-orange-sea-extension/>] for the planning boundary, mode debate and source conflicts.^[239]

Taichung's Chongde–Fengyuan Red Line remains in feasibility review.^[240] Its preliminary scope is approximately 15.42 km with 11 stations and one level-five depot, but the Fengyuan urban section still has two elevated and one underground alternatives.^[240]^[241] See the Taichung Metro Chongde–Fengyuan Line project page [</rail/projects/taichung-red-line/>] for the study chronology, forecast boundary and unresolved route choice.

The Xinyi East Extension is a one-station, approximately 1.4 km extension with tail tracks; its CR580C contract page records a 17 October 2016 start.^[242] DORTS's 2026 priorities describe the construction fences coming down and the extension entering service after preliminary inspection, while its older FAQ gives ROC 115 as the dated completion target.^[243]^[244]

The Sanying–Bade extension is approved at the comprehensive-planning level but is not presented here as a construction start. The current New Taipei record describes a 4.03 km, three-station route from **LB12** to a jointly built **LB14** / **G04**, and records detailed design beginning 1 July 2026.^[245] Danhai Blue Sea Line Phase 2 has moved further than a sketch but is still a changing project: the original route was 4.4 km, the revised riverside route is 3.32 km, and advance road, utility and track works began in June 2025 while the revised plan continued through review.^[246]

The Railway Bureau's current budget also separates approved projects from municipal route proposals. It includes the **A14** Airport MRT station works and the 15.59 km, 13-station Nangang–Badu project, which is planned to connect the Taipei-region metro systems, TRA and HSR; this budget record gives its programme as ROC 113–123.^[247]

Sources for this entry

- Taichung Metro Blue Line project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C46>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-25.^[235]
- Taichung Metro Purple Line project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C142>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-25.^[236]
- Purple Line feasibility study under review [<https://tcrt.taichung.gov.tw/latestevent/Details?Parser=9%2C4%2C160%2C%2C%2C%2C1549>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-25.^[237]
- Taichung Airport MRT Orange Line project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C99>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-25.^[238]
- Orange Line extension to coastal districts project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C158>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-25.^[239]
- Taichung Metro Chongde–Fengyuan Line project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C137>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-25.^[240]
- Red Line public meetings collect local opinions [<https://tcrt.taichung.gov.tw/latestevent/Details?Parser=9%2C4%2C160%2C%2C%2C%2C1289>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-25.^[241]
- Xinyi Line East Extension CR580C contract [<https://www.dorts.gov.taipei/cp.aspx?n=027CDB8C2A690039&s=A900A23BE33939EA>] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-24.^[242]
- DORTS 2026 policy priorities [https://www.dorts.gov.taipei/Content_List.aspx?n=DB5E985E6B7CAB80] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-24.^[243]
- DORTS construction completion targets [https://www.dorts.gov.taipei/News_Content.aspx?Create=1&n=2A66A485FACB0D5B&s=5154D7C19D53C545&sms=87415A8B9CE81B16] — primary; Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局); accessed 2026-08-24.^[244]

- Sanying Line extension to Bade, Taoyuan [<https://wedid.ntpc.gov.tw/governance/detail/6YdLEB3o1R7b>] — primary; New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-24.^[245]
- Danhai Blue Sea Line Phase 2 [<https://wedid.ntpc.gov.tw/governance/detail/Go5lQMN0lQkY>] — primary; New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局); accessed 2026-08-24.^[246]
- Railway Bureau 2026 transport and rail construction budget [<https://www.rb.gov.tw/public/files/artsinfo/1756447737-2.pdf>] — primary; Railway Bureau, Ministry of Transportation and Communications (交通部鐵道局); accessed 2026-08-24.^[247]

Taichung Metro Purple Line — Published scope and conflicts

Discussed on Taichung Metro Purple Line [</rail/projects/taichung-purple-line/>] in the source page's "Published scope and conflicts" section.^[248]

Published scope and conflicts

The current project page gives a preliminary length of approximately 16.31 km, 16 stations and an elevated form.^[248] The July 2026 release describes the same preliminary project as approximately 16.3 km, with 16 elevated stations and a medium-capacity metro system.^[249] Both values are retained because the sources do not explain whether the 0.01 km difference is rounding or a small planning revision.^{[248] [249]}

The July release gives a total estimated cost of NT\$690.87 billion, with estimated central support of NT\$292.04 billion and a local share of NT\$398.83 billion.^[249] These are estimates attached to a feasibility-stage project, not a construction contract value or a final approved funding split.^[249]

Sources for this entry

- Tun District MRT Loop Line (Purple Line) project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C142>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-25.^[248]
- Purple Line feasibility study under review [<https://tcrt.taichung.gov.tw/latestevent/Details?Parser=9%2C4%2C160%2C%2C%2C%2C1549>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-25.^[249]

TOD and joint development — Meihe City and the legal dispute

Discussed on TOD and joint development [</rail/projects/tod-joint-development/>] in the source page's "Meihe City and the legal dispute" section.^[250]

Meihe City and the legal dispute

Meihe City is the region's essential caution against treating joint development as an uncomplicated financing success. New Taipei's official 2014 account says the review lasted more than 15 years, reduced an original 26-building design to 13 buildings, and required greater setbacks and public space after urban-design and environmental review.^[250] A later New Taipei government research report instead describes 16 towers, 2,220 units, about 400,600 m² of floor area, and Rich Development as the selected private developer.^[251] Those are conflicting project descriptions from different official records; the site publishes both rather than choosing one.
^[250] ^[251]

The legal issue is not just a design disagreement. Judicial Interpretation No. 743 states that land expropriated under MRT Law Article 6 cannot be used in the same plan for Article 7 joint development, and that transfer to a third party requires clear legal authority.^[252] The interpretation records the underlying Xindian depot case, the different statutory purposes of expropriation and joint development, and the disagreement among the Control Yuan, executive agencies and courts before the interpretation.^[252] Meihe City is therefore published here as a legal and governance conflict as well as a large-scale station-area project.^[252]

Sources for this entry

- Xizhou construction and Meihe City review [https://www.ntpc.gov.tw/ch/home.jsp?dataserno=201406150005&id=28&mcustomize=news_view.jsp&parentpath=0%2C6%2C27] — primary; New Taipei City Government (新北市政府); accessed 2026-08-24.^[250]
- Research on the Meihe City MRT joint-development case [https://www.rde.ntpc.gov.tw/userfiles/1160700/files/8_%E6%8D%B7%E9%81%8B%E8%81%AF%E5%90%88%E9%96%8B%E7%99%BC%E6%A1%88%E5%95%8F%E9%A1%8C%E4%B9%8B%E7%A0%94%E7%A9%B6-%E4%BB%A5%E7%BE%8E%E6%B2%B3%E5%B8%82%E7%82%BA%E4%BE%8B.pdf] — secondary; New Taipei City Land Administration (新北市政府地政局); accessed 2026-08-24.^[251]
- Judicial Interpretation No. 743 [<https://web.law.ntpc.gov.tw/Scripts/FLAWDOC03.aspx?ccode=D&cno=743&rtype=C>] — primary; Judicial Yuan (司法院); accessed 2026-08-24.^[252]

Taipei-region metro electrification — Airport MRT: an official conflict

Discussed on Taipei-region metro electrification [</rail/technology/metro-electrification/>] in the source page's "Airport MRT: an official conflict" section.^[253]

Airport MRT: an official conflict

The Railway Bureau's technical power page says domestic high- and medium-capacity metro systems use third rail as the mainstream arrangement.^[253] It states that the operating Airport MRT uses a 750 V DC lower-contact third rail. It also describes three main substations, 27 traction substations and 22 station substations for the example system.^[253]

The Bureau's separate Airport MRT project overview gives a different value in its core-electromechanical summary: 1,500 V DC supplied through overhead catenary.^[254] Both are official Bureau pages, and the project overview is itself maintained as a project description. The current page therefore reports the Airport MRT collection method and voltage as TBC rather than silently choosing one record. A signed as-built electrical specification, operator asset register or dated acceptance record would settle the conflict.

Sources for this entry

- Power system [https://www.rb.gov.tw/zh-TW/main/main_71/main_80/main_87/main_92/] — primary; Railway Bureau, Ministry of Transportation and Communications (交通部鐵道局); accessed 2026-08-27.^[253]
- Taiwan Taoyuan International Airport Access MRT system construction project [https://www.rb.gov.tw/zh-TW/main/main_28/20250505_152320/20251104_134001/20250505_155203/] — primary; Railway Bureau, Ministry of Transportation and Communications (交通部鐵道局); accessed 2026-08-27.^[254]

Taiwan High Speed Rail — BOT contract and financial disputes

Discussed on Taiwan High Speed Rail [</rail/thsr/lines/thsr/>] in the source page's "BOT contract and financial disputes" section.^[255]

BOT contract and financial disputes

The Railway Bureau describes the project as Taiwan's first major national infrastructure project promoted through private investment participation.^[255] It records the 23 July 1998 signing of a 35-year construction-and-operation concession and a separate 50-year station-area development concession.^[255] The stated project cost was approximately NT\$513.3 billion, with the government responsible for land, the Taipei underground co-construction section, supervision and management, while the concession company funded civil works, stations, core electromechanical systems, operation and maintenance.^[255]

The original financial model did not remain unchanged. The Railway Bureau says a 27 July 2015 amendment extended the concession to 70 years, cancelled the station-area development contract, returned development land, reduced capital to clear accumulated losses and added NT\$30 billion of government investment.^[255] The Control Yuan's official record names an investigation into whether direct and indirect public investment violated BOT principles.^[256] In a related statement, the Control Yuan says public and state-enterprise entities supplied 37.42% and describes that as a serious departure from the government-zero-investment commitment.^[257] Those are the source's figures and characterization; this page does not average them into a new ownership percentage.

Sources for this entry

- Taiwan High-Speed Rail project [https://www.rb.gov.tw/zh-TW/main/main_28/20250505_152320/20251104_134001/20250505_180533/] — primary; Railway Bureau, Ministry of Transportation and Communications (交通部鐵道局); accessed 2026-08-24.^[255]
- Investigation into whether government investment in the High-Speed Rail company violated BOT principles [<https://www.cy.gov.tw/CyBsBoxContent2.aspx?n=718&s=356>] — primary; Control Yuan, Taiwan (監察院); accessed 2026-08-24.^[256]
- High-Speed Rail did not fulfil the government-zero-investment commitment [https://www.cy.gov.tw/News_Content.aspx?n=795&s=5321] — primary; Control Yuan, Taiwan (監察院); accessed 2026-08-24.^[257]

THSR station-area development — Success and stagnation, in the same programme

Discussed on THSR station-area development [</rail/thsr/projects/joint-development/>] in the source page's "Success and stagnation, in the same programme" section.^[258]

Success and stagnation, in the same programme

THSR's own twentieth-anniversary framing draws a sharp contrast. At Qingpu, next to Taoyuan Station, roughly 70% of the local population is now under 45, with new commercial floor space added between 2017 and 2025 equal to about 80% of the area's entire prior office stock.^[258] At Zhubei, next to Hsinchu Station, the under-45 population grew 43.8% — the only one of the twelve station areas to show positive growth in that age band — alongside a fourfold rise in local output value.^[258] THSR's chairman described this as a shift from "movement" to "relocation" to "liveability."^[258]

Changhua [</rail/thsr/stations/changhua/>] tells a different story. THSR's own twentieth-anniversary figures rank it last of the twelve stations by absolute ridership.^[258] Since 2014, the county has offered 66.34 hectares of buildable land for sale around the station; 36.76 hectares remained unsold as of the most recent figures read for this page, and the county's own description is blunt: development has fallen short of expectations.^[259] Miaoli tells a related story — two county-owned industrial parcels went to bid 42 times without a single successful sale — though the county was still actively pitching the site to prospective tenants, including Nvidia, as recently as October 2025.^[260]

A genuine statistical trap sits inside this same anniversary report:^[258] Miaoli, Yunlin [</rail/thsr/stations/yunlin/>] and Changhua post the *highest* ridership-growth multiples of all twelve stations. Both things are true at once — the fastest percentage growth, and the lowest absolute ridership — because an extremely small opening-period base makes any subsequent traffic look like a large multiple. Neither figure should be read as contradicting the other.

Sources for this entry

- THSR at 20: more than movement, twelve stations have grown into 'HSR cities' [<https://www.cna.com.tw/news/ahel/202608190128.aspx>] — secondary; Central News Agency (中央社); accessed 2026-08-28.^[258]

- Changhua's HSR special district: land sales fall short of expectations [<https://news.ltn.com.tw/news/life/paper/1766076>] — secondary; Liberty Times (自由時報); accessed 2026-08-28. [259]
- Miaoli pitches its HSR special district to Nvidia [<https://www.cna.com.tw/news/afe/202510200331.aspx>] — secondary; Central News Agency (中央社); accessed 2026-08-28. [260]

THSR rolling stock — A seating-capacity conflict that stays open

Discussed on THSR rolling stock [</rail/thsr/rolling-stock/fleet-roster/>] in the source page's "A seating-capacity conflict that stays open" section. [261]

A seating-capacity conflict that stays open

THSR's own current car-facilities page states 977 seats per trainset. [261] A different figure, 989, traces back through Wikipedia's own citation trail to an archived MOTC Railway Bureau document this research could not independently fetch to check its date or context. [262] No source found explains why the two numbers differ — a guess that some standard-class seating was later converted to luggage space is not established and not published as fact here. Both figures are recorded; neither is picked.

Sources for this entry

- Car Facilities [<https://www.thsrc.com.tw/ArticleContent/52ffe06e-3e38-4352-8170-93a768905dbd>] — primary; Taiwan High Speed Rail Corporation (台灣高速鐵路股份有限公司); accessed 2026-08-28. [261]
- Taiwan High Speed Rail 700T EMU [<https://zh.wikipedia.org/zh-tw/%E5%8F%B0%E7%81%A3%E9%AB%98%E9%80%9F%E9%90%B5%E8%B7%AF700T%E5%9E%8B%E9%9B%BB%E8%81%AF%E8%BB%8A>] — secondary; Wikipedia; accessed 2026-08-28. [262]

Green Line — Who actually built it

Discussed on Green Line [</rail/tmrt/lines/green-line/>] in the source page's "Who actually built it" section. [263]

Who actually built it

Taichung had no metro-engineering agency of its own when the Green Line was designed and built. DORTS — Taipei City Government's own Department of Rapid Transit Systems — states directly that MOTC commissioned Taipei City Government to handle the line's subsequent design and construction, formalised in a three-party agreement MOTC, Taipei City Government and Taichung City Government signed on 15 November 2008. [263] A 2017 news report corroborates DORTS actually doing the work: 「負責代為工程施作的北市捷運局表示，台中捷運綠線目前工程進度近7成」 (the Taipei DORTS office, executing the work on Taichung's behalf, states

progress is nearly 70%), and describes a DORTS deputy director personally leading a January 2017 factory inspection of the prototype train at Kawasaki Heavy Industries in Japan. ^[264]

Taichung's mayor confirmed the same arrangement in 2025, framing it as a temporary necessity now ending: 「台中只有一條捷運綠線，委託最有經驗的台北市政府施作」 (with only the one line, Taichung commissioned the most experienced body available) — announced alongside Taichung establishing its own independent metro-engineering bureau for future lines. ^[265] The line's own current civil-package records (CJ910/CJ920/CJ930/CJ900) are attributed to Taichung's own bureau, which reflects that bureau's current role hosting the records rather than a contradiction of DORTS's construction history. ^{[266] [267] [268] [269] [263]}

Sources for this entry

- Taichung Metro Green Line (Wuri-Wenxin-Beitun Line) [<https://www.dorts.gov.taipei/cp.aspx?n=1C3E25BBF5A49242>] — primary; 臺北市政府捷運工程局 (Department of Rapid Transit Systems, Taipei City Government); accessed 2026-08-29. ^[263]
- From Japan via Kawasaki Heavy Industries! Taichung Metro Green Line's first EMU arrives at Taichung Port [<https://www.storm.mg/article/220061>] — secondary; 風傳媒 (Storm Media); accessed 2026-08-29. ^[264]
- No longer relying on Taipei City Government to build for us: Mayor Lu Shiow-yen says Taichung enters a peak metro-construction period for the next 30 years [<https://www.nownews.com/news/6547020>] — secondary; NOWnews; accessed 2026-08-29. ^[265]
- CJ910 project record [<https://tcrt.taichung.gov.tw/form/Details?Parser=2%2C6%2C45%2C%2C%2C30>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-23. ^[266]
- CJ920 project record [<https://tcrt.taichung.gov.tw/form/Details?Parser=2%2C6%2C45%2C%2C%2C29>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-23. ^[267]
- CJ930 project record [<https://tcrt.taichung.gov.tw/form/Details?Parser=2%2C6%2C45%2C%2C%2C28>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-23. ^[268]
- CJ900/CJ907 system-equipment project record [<https://tcrt.taichung.gov.tw/form/Details?Parser=2%2C6%2C45%2C%2C%2C31>] — primary; Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局); accessed 2026-08-23. ^[269]

G6 Wenxin Chongde — A themed station, and a disputed future interchange

Discussed on **G6** Wenxin Chongde [</rail/tmrt/stations/g6/>] in the source page's "A themed station, and a disputed future interchange" section. ^[270]

A themed station, and a disputed future interchange

The operator has made this its permanent sports-themed station, sited close to the CTBC Brothers' home ground at the Taichung Intercontinental Baseball Stadium. ^[270] CNA reported a 3D ground-mural installation here around 12 July 2023, timed to the start of the CPBL season's

second half, intended to let riders "提前感受球場氛圍" (get an early feel for the stadium atmosphere) and encourage transit use for games. ^[270]

自由時報 has reported that a future Red Line (崇德豐原線) will interchange with the Green Line at this station: 「紅線完工後將與綠線於文心崇德站形成轉乘節點」. ^[271] TCRT's own Red Line project page, fetched directly and checked specifically for this station's name, does not contain it anywhere — that page instead describes the Red Line's route by a different intersection, Chongde Road and Sanmin Road. ^[271] The Red Line itself remains at the feasibility-study stage. This is published as an unresolved conflict between a news report's claim and the primary project page's own silence, not resolved by picking one. ^[271]

The operator's current public-art roster names works at selected Green Line stations, but it does not assign a named work to **G6** in the roster consulted for this page. ^[272] Whether an unlisted or later work exists here is therefore TBC; the page does not turn a list boundary into a claim that no artwork exists.

The station-specific sources consulted here do not establish a separate incident at **G6**. ^[273] That is a research boundary, not a claim that no disruption or worksite event has ever occurred here.

Sources for this entry

- Second half of the season begins: Taichung Metro's Wenxin Chongde station draws attention with a CTBC Brothers 3D ground mural [<https://www.cna.com.tw/news/ahel/202307120082.aspx>] — secondary; 中央社 (Central News Agency, CNA); accessed 2026-08-29. ^[270]
- Taichung Metro Red Line route field survey: from Chongde Road to Fengyuan, meeting the Green Line at Wenxin Chongde station [<https://news.ltn.com.tw/news/life/breakingnews/5080686>] — secondary; 自由時報 (Liberty Times); accessed 2026-08-29. ^[271]
- Public works [<https://www.tmrt.com.tw/art/public-works>] — primary; Taichung Metro Corporation [[/rail/operators/tmrt/](https://www.tmrt.com.tw/rail/operators/tmrt/)] (臺中捷運股份有限公司); accessed 2026-08-23. ^[272]
- Major events [<https://www.tmrt.com.tw/about/major-events>] — primary; Taichung Metro Corporation (臺中捷運股份有限公司); accessed 2026-08-23. ^[273]

Taiwan Railways level crossings — Elimination by grade separation

Discussed on Taiwan Railways level crossings [[/rail/tra/facilities/level-crossings/](https://www TRA.gov.tw/rail/tra/facilities/level-crossings/)] in the source page's "Elimination by grade separation" section. ^[274]

Elimination by grade separation

TRA has been eliminating crossings city by city through grade-separation megaprojects for decades, though this page's confidence in the individual project details is limited: the Railway Bureau's own project pages, the natural primary source, returned no readable content on every fetch attempted. Taipei's underground project reached full through-running on 24 October 2011. ^[274] Kaohsiung's underground project's first phase eliminated seven named surface crossings, with the last surface-running train departing 13 October 2018; sources disagree on when its

second phase was completed, and this page publishes both years found rather than choosing one. Hualien's own elevation project, covering seven crossings between Hualien and Ji'an, is confirmed by Legislative Yuan records to remain at the feasibility and planning stage, not under construction.^[275]

Sources for this entry

- TRA grade separation [<https://zh.wikipedia.org/zh-tw/%E8%87%BA%E9%90%B5%E7%AB%8B%E9%AB%94%E5%8C%96>] — secondary; Wikipedia; accessed 2026-08-27.^[274]
- Legislative Yuan record: Hualien-Ji'an railway elevation [<https://www.ly.gov.tw/EngPages/Detail.aspx?nodeid=38514&pid=227478>] — primary; Legislative Yuan (立法院); accessed 2026-08-27.^[275]

Taiwan Railways heritage rolling stock and the National Railway Museum — Five locomotives, still formally managed

Discussed on Taiwan Railways heritage rolling stock and the National Railway Museum [[/rail/tra/rolling-stock/heritage-preservation/](#)] in the source page's "Five locomotives, still formally managed" section.^[276]

Five locomotives, still formally managed

TRA's own internal regulation still actively manages five steam locomotives as a tiered rental asset class: CT273 and CK124 in the top "special-A" tier, DT668 and CK101 in the "A" tier, and the narrow-gauge LDK59 in the "B" tier, each with a stated rate for a dynamic (running) rental.^[276] The same regulation bars CT273 and DT668 from the Pingxi, Shen'ao and Jiji lines entirely, and restricts CK101 to static or motionless display on major festival days only, because its original manufacturer has closed and parts and wheels can no longer be sourced.^[276]

CT273, a 1943 Kawasaki-built CT270-class locomotive based on the Japan Railways C57 design, was TRA's last steam locomotive withdrawn from regular service, in 1984, and was restored to operation in 2014; a 2025 news report, read via search synthesis rather than a full fetch and flagged accordingly for confidence, describes it hauling a summer tourist train between Yuli and Taitung, based at Hualien.^[277] DT668, a 1941 Kawasaki-built DT650-class locomotive and TRA's heaviest steam class, was withdrawn March 1984 and restored to run on the Neiwan Branch Line in November 2011. CK124 was restored to operation in 2001, and LDK59, TRA's preserved narrow-gauge locomotive, in 2011 — both dates from a secondary lead index, not independently verified against a primary source.^[278] This page does not state where each is currently based with confidence: sources disagree between Changhua Roundhouse and TRA's Fugang depot for both CK101 and DT668, and this page publishes both locations rather than choosing one.

Sources for this entry

- Taiwan Railway Administration Steam Locomotive Management and Lending Guidelines [<http://www.railway.gov.tw/tra-tip-web/tip/file/6dc22469-5878-45f8-b4f4-d3ee6e751e35>] — primary; Taiwan Railways Administration (交通部臺灣鐵路管理局); accessed 2026-08-27.^[276]
- Steam Queen CT273 returns for a limited three runs, Yuli to Taitung [<https://www.cna.com.tw/news/ahel/202506020030.aspx>] — secondary; Central News Agency (中央社); accessed 2026-08-27.^[277]
- List of Taiwan Railways steam locomotives [<https://zh.wikipedia.org/zh-tw/%E8%87%BA%E7%81%A3%E9%90%B5%E8%B7%AF%E7%AE%A1%E7%90%86%E5%B1%80%E8%92%B8%E6%B1%BD%E6%A9%9F%E8%BB%8A%E5%88%97%E8%A1%A8>] — secondary; Wikipedia; accessed 2026-08-27.^[278]

Taiwan Railways heritage rolling stock and the National Railway Museum — A museum, open since 2025

Discussed on Taiwan Railways heritage rolling stock and the National Railway Museum [</rail/tra/rolling-stock/heritage-preservation/>] in the source page's "A museum, open since 2025" section.^[279]

A museum, open since 2025

The National Railway Museum's first phase opened 31 July 2025 at the former Taipei Railway Workshop site, comprising six restored heritage buildings — the Diesel-Electric Workshop, General Administration Building, Technical Training Institute, Materials Testing Lab, Grand Hall and Bathhouse — eight exhibitions, a weekend heritage-train ride over roughly 650 m using restored diesel railcars, and 24 displayed heritage vehicles.^[279] The museum's own current page confirms it remains open in 2026 on the same footprint, Tuesday through Sunday; no source read for this page states a Phase 2 opening date or scope.^[280] The site itself, Taipei Railway Workshop, was designated a national historic monument in 2015; sources disagree on the exact date.

Sources for this entry

- National Railway Museum opens its first phase on 31 July, 'Railway Museum, Moving Forward,' creating a new cultural landmark [https://www.nrm.gov.tw/News_Content.aspx?n=3307&s=241584] — primary; National Railway Museum Preparatory Office (國家鐵道博物館籌備處); accessed 2026-08-27.^[279]
- National Railway Museum visitor information [<https://www.nrm.gov.tw/cp.aspx?n=3319>] — primary; National Railway Museum (國家鐵道博物館); accessed 2026-08-27.^[280]

Taiwan Railways train control and signalling — What the 2018 Puyuma accident changed

Discussed on Taiwan Railways train control and signalling [</rail/tra/technology/signalling/>] in the source page's "What the 2018 Puyuma accident changed" section.^[281]

What the 2018 Puyuma accident changed

The Taiwan Transportation Safety Board's own investigation into the 2018 Puyuma derailment found that ATP had been illegally isolated and the train was travelling over the applicable speed, attributing part of the root cause to TRA's own failure to enforce its existing rules against unauthorised ATP isolation; the report issued 27 recommendations, though the published announcement does not itemise which specifically concern ATP or signalling design as distinct from management and procedure. ^[281]

In response, TRA built an "ATP isolation speed-limit system" that forces a speed cap even when ATP itself is switched off. Sources disagree on both its budget and its cap: one report gives a 60 km/h limit and a NT\$245 million budget covering 52 systems across 18 Puyuma and 8 Taroko trainsets; ^[282] another gives a NT\$270 million budget. ^[283] A separate, earlier report describes an initial ministerial directive for a 65 km/h cap that explicitly did not rule out going lower — consistent with, but not confirmed as, the same rollout. Post-accident operating rules also require drivers to check ATP at both cab ends before departure and require a faulty-ATP train be swapped rather than dispatched.

Sources for this entry

- TTSB completes supplemental work on the Executive Yuan's Puyuma accident investigation and releases findings [<https://www.ttsb.gov.tw/1133/1178/1179/27718/post>] — primary; Taiwan Transportation Safety Board (國家運輸安全調查委員會); accessed 2026-08-27. ^[281]
- 60 km/h speed limit set for ATP failure; Puyuma and Taroko trains to be equipped by year end [<https://news.ltn.com.tw/news/life/breakingnews/3321111>] — secondary; Liberty Times (自由時報); accessed 2026-08-27. ^[282]
- Transport safety: the black-hole loop — TRA's track keeps getting rougher; 30 years built only half an ATP [<https://www.twreporter.org/a/taiwan-railway-examination-report-transportation-safety>] — secondary; The Reporter (報導者); accessed 2026-08-27. ^[283]

Airport MRT — From a failed BOT to a government-built line

Discussed on Airport MRT [</rail/tymc/lines/airport-mrt/>] in the source page's "From a failed BOT to a government-built line" section. ^[284]

From a failed BOT to a government-built line

Planning has at least three defensible starting points, and different sources plainly mean different things by it: an October 1989 feasibility study is the earliest date found, though only at secondary strength; in October 1996 the central government decided to build the line under a Build-Operate-Transfer (BOT) model; and Long Life International Development Co. (長生國際開發) won the BOT bid in 1998. ^[284] The BOT arrangement collapsed on 31 December 2002, when Long Life and the then High Speed Rail Bureau agreed to terminate the contract. ^[284] The government took direct responsibility afterward: MOTC designated the High Speed Rail Bureau as the project's construction body on 28 October 2003, and the central government approved the construction plan on 9 March 2004. ^[285] ^[286]

Construction start likewise has more than one dated event rather than one clean answer: New Taipei's project record gives 27 February 2006 for the formal start of the Sanchong–Airport–Zhongli section and its E&M systems, while TYMC's own company history instead records a ceremonial groundbreaking on 26 June 2006, presided over by the Premier.^[286]^[285] The line opened on 2 March 2017 for stations **A1** through **A21**, after the originally announced January 2009 target had been publicly revised six times — the specific dates and reasons for each of the six changes are not established by any source read for this page and stay TBC.^[285]

Sources for this entry

- Taoyuan Airport MRT (BOT and planning history) [<https://zh.wikipedia.org/zh-tw/%E6%A1%83%E5%9C%92%E6%A9%9F%E5%A0%B4%E6%8D%B7%E9%81%8B>] — secondary; 維基百科 (zh.wikipedia); accessed 2026-08-28.^[284]
- Company milestones [https://www.tymetro.com.tw/tymetro-new/tw/_pages/about/history.html] — primary; Taoyuan Metro Corporation (桃園大眾捷運股份有限公司); accessed 2026-08-28.^[285]
- Airport MRT project record [<https://www.dorts.ntpc.gov.tw/about/route/npW0dxy4Z3Ex>] — primary; Department of Rapid Transit Systems, New Taipei City Government (新北市政府捷運工程局); accessed 2026-08-28.^[286]

Airport MRT — The Marubeni dispute: two confirmed figures, one unconfirmed total

Discussed on Airport MRT [</rail/tymc/lines/airport-mrt/>] in the source page's "The Marubeni dispute: two confirmed figures, one unconfirmed total" section.^[287]

The Marubeni dispute: two confirmed figures, one unconfirmed total

Around the 2017 opening, contemporaneous wire reporting recorded the then High Speed Rail Bureau imposing a NT\$2.5 billion delay-penalty cap on contractor Marubeni Corporation (丸紅), the contractual maximum, plus a separate NT\$1.9 billion performance bond withheld over Marubeni's unauthorised subcontracting of the signalling system to a British firm — its contract required Marubeni to design that system itself.^[287] Marubeni separately counter-claimed NT\$12.9 billion against the Ministry, on the grounds of repeated Bureau-directed design changes.^[287] No source read for this page states a combined total for the dispute of any kind: NT\$2.5 billion plus NT\$1.9 billion is NT\$4.4 billion, not any commonly-circulated larger figure, and the individual component figures are published here on that basis rather than an unconfirmed total.

A separate, later dispute in 2021 concerned in-service performance rather than construction delay: the Public Construction Commission recommended withholding NT\$726,926,496 from Marubeni for missing three contractual operating standards — express journey time, average speed and train headway.^[288]

Sources for this entry

- Airport MRT settles accounts: Railway Bureau to fine Marubeni NT\$2.5 billion and seek damages [<https://www.cna.com.tw/news/ahel/201701090048.aspx>] — secondary; Central News Agency (中央社); accessed 2026-08-28.^[287]
- Airport MRT running times missed target: Railway Bureau withholds over NT\$700 million from Marubeni [<https://www.cna.com.tw/news/firstnews/202108290054.aspx>] — secondary; Central News Agency (中央社); accessed 2026-08-28.^[288]

Taoyuan Green Line — Construction approvals and progress

Discussed on Taoyuan Green Line [</rail/tymc/lines/green-line/>] in the source page's "Construction approvals and progress" section.^[289]

Construction approvals and progress

The feasibility study was approved by the Executive Yuan on 26 August 2011, the environmental assessment on 9 September 2014 and the comprehensive planning report on 20 April 2016.^[289] The bureau records the GM01 systems package award in 2018, GC01's elevated civil package in 2018, GC02 and GC03 underground packages in 2019, and the GC05 lifts-and-escalators package in 2022.^[289] It separately records GD04A detailed design and GC04B's later elevated civil package, with the package progress values dated to June 2026.^[289]

The current construction overview lists the Green Line as being in the construction stage at 72.19% overall progress.^[290] That programme figure is not silently substituted for any package figure: the line page records both the overview value and the bureau's individual GM01, GC01, GC02, GC03, GC05 and GC04B values as different measurements with different dates.^{[289] [290]}

Sources for this entry

- Taoyuan Metro Green Line project page [<https://dorts.tycg.gov.tw/cp.aspx?Create=1&n=23132>] — primary; Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局); accessed 2026-08-24.^[289]
- Taoyuan rail construction progress overview [<https://dorts.tycg.gov.tw/cp.aspx?n=23173>] — primary; Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局); accessed 2026-08-24.^[290]

Taoyuan Airport MRT fare history — A separately reported discount, not verified here

Discussed on Taoyuan Airport MRT fare history [</rail/tymc/operations/fares/>] in the source page's "A separately reported discount, not verified here" section.^[291]

A separately reported discount, not verified here

Existing research on this project's Airport MRT line page separately records a January 2025 cancellation of a NT\$10 discount that had applied to single tickets, sourced to a Global Views Monthly (遠見雜誌) article citing the company chairman on rising electricity costs.^[291] Neither of the two ticketing pages read for this report mentions that change, so it is neither newly confirmed nor contradicted here — it remains at the same secondary-source strength already on record. Whether that single-ticket discount cancellation and the season-pass repricing described above form one coordinated fare reform, both taking effect the same day, or are simply two unrelated changes that happened to land together, is not established by any source read and is not assumed either way.

Sources for this entry

- Taoyuan Airport MRT's 2024 surplus hit a record NT\$500 million — why cancel the system-wide NT\$10 ticket discount? [\[https://city.gvm.com.tw/article/117975\]](https://city.gvm.com.tw/article/117975) — secondary; 城市學 (GVM/Global Views Monthly); accessed 2026-08-12.^[291]

G18 — Taoyuan Green Line — Construction contract GCo4B, and a conflict between two DORTS pages

Discussed on **G18** — Taoyuan Green Line [\[/rail/tymc/stations/g18-g18/\]](/rail/tymc/stations/g18-g18/) in the source page's "Construction contract GCo4B, and a conflict between two DORTS pages" section.^[292]

Construction contract GCo4B, and a conflict between two DORTS pages

Unlike **G16** and **G17**, **G18** sits on an awarded, groundbreaking construction contract. DORTS's own project table lists an elevated civil-works package awarded 26 July 2024, with cumulative progress of 6.12% as of June 2026.^[292] A separate DORTS news release on the same contract's 14 November 2024 groundbreaking gives it a budget of NT\$5.83 billion, an elevated-section length of approximately 1.3 km, a crossing of National Highway 2 (國道 [\[/road/network/national-freeways/\]](/road/network/national-freeways/)2號), and connection toward Airport MRT **A16** Hengshan station.^[293] The contractor's own case page for the award, Raito Engineering (利德工程股份有限公司), names the project management/supervision consultant as 中興工程顧問 and the design consultant as 林同棧工程顧問 (T.Y. Lin International), with a 2024-2030 execution window.^[294]

The three sources disagree on which two stations the contract covers. The DORTS project table's own contract label reads **G17** - **G18**; the contractor's own case page agrees with **G17** - **G18** in its title but describes "**G17** and **G18**" in body text; DORTS's own news release about the same contract's groundbreaking instead names the stations as **G18** and **G19**.^{[292] [294] [293]} This is the same publisher disagreeing with itself across two of its own pages, published here as a conflict rather than resolved by picking one. A possible explanation raised in general search results — that a mid-project station renumbering after **G15a** / **G15b** were inserted shifted every code after **G15** up by one — was not verified against any full-fetched primary source and is not asserted here.

Sources for this entry

- Taoyuan Metro Green Line project page [<https://dorts.tycg.gov.tw/cp.aspx?Create=1&n=23132>] — primary; Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局); accessed 2026-08-24.^[292]
- Groundbreaking news release for the **G18** – **G19** elevated section [https://dorts.tycg.gov.tw/News_Content.aspx?n=23116&s=1581665] — primary; Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局); accessed 2026-08-29.^[293]
- GC04B contract case page [https://www.raito.com.tw/case_detail46_1.htm] — primary; Raito Engineering Co., Ltd. (利德工程股份有限公司), the contractor; accessed 2026-08-29.^[294]

G19 — Taoyuan Green Line — Construction contract GCo4B, and a conflict between two DORTS pages

Discussed on **G19** — Taoyuan Green Line [</rail/tymc/stations/g19-g19/>] in the source page's "Construction contract GCo4B, and a conflict between two DORTS pages" section.^[295]

Construction contract GCo4B, and a conflict between two DORTS pages

DORTS's own project table lists an elevated civil-works package (contract label **G17** – **G18** on that page) awarded 26 July 2024, with cumulative progress of 6.12% as of June 2026.^[295]

DORTS's own news release on the same contract's 14 November 2024 groundbreaking, however, names the covered stations as **G18** and **G19** — this station included — giving a budget of NT\$5.83 billion, an elevated-section length of approximately 1.3 km, and a crossing of National Highway 2 (國道2號).^[296] The contractor's own case page for the award, Raito Engineering (利德工程股份有限公司), agrees with the project table's **G17** – **G18** label in its title while describing "**G17** and **G18**" in body text, and names the supervision consultant as 中興工程顧問 and the design consultant as 林同棧工程顧問 (T.Y. Lin International), with a 2024-2030 execution window.^[297]

Three sources disagree on which two stations this contract covers, and two of the three are DORTS's own pages. This is published as a conflict rather than resolved by picking one; a possible mid-project renumbering after **G15a** / **G15b** were inserted was raised in general search results but not verified against any full-fetched primary source and is not asserted here.

Sources for this entry

- Taoyuan Metro Green Line project page [<https://dorts.tycg.gov.tw/cp.aspx?Create=1&n=23132>] — primary; Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局); accessed 2026-08-24.^[295]
- Groundbreaking news release for the **G18** – **G19** elevated section [https://dorts.tycg.gov.tw/News_Content.aspx?n=23116&s=1581665] — primary; Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局); accessed 2026-08-29.^[296]
- GC04B contract case page [https://www.raito.com.tw/case_detail46_1.htm] — primary; Raito Engineering Co., Ltd. (利德工程股份有限公司), the contractor; accessed 2026-08-29.^[297]

Traffic-death statistics — a three-way disagreement — The 2024 figures, and a conflict this page does not resolve

Discussed on Traffic-death statistics — a three-way disagreement [\[/statistics/national/traffic-safety/\]](#) in the source page's "The 2024 figures, and a conflict this page does not resolve" section. ^[298]

The 2024 figures, and a conflict this page does not resolve

For 2024, the A30 total is well established at 2,950 deaths, alongside 393,000 recorded accidents and 524,000 injured, from an NGO republication of the official MOTC/police statistics. ^[298] The Ministry of Health and Welfare's own official statistical release states a 2024 "運輸事故" (transport accident) death count of 2,932, down 136 people (4.4%) from 2023. ^[299]

A separate news comparison, published to illustrate the growing gap between MOTC and MOHW figures, cites a different MOHW-attributed value for the same year: 2,426. ^[300] That comparison piece uses the same Chinese term, 運輸事故死亡人數, for a number 506 lower than the one on MOHW's own official page for the identical year. This page does not resolve which of the two MOHW-attributed figures is correct, or whether they measure genuinely different populations — for instance, MOHW's own page may report all-mode transport-accident deaths including rail, air and water, while the news comparison's figure may be a road-traffic-only subset drawn from a more granular MOHW release this research did not locate and fetch. Both values are published here with their sources rather than one being silently preferred.

The same news comparison gives the 2024 MOTC-MOHW gap as 524 people, or 17.7%. ^[300] That arithmetic is only consistent with the 2,426 MOHW-attributed figure ($2,950 - 2,426 = 524$), not with MOHW's own official 2,932 figure ($2,950 - 2,932 = 18$, a 0.6% gap) — which is itself evidence that the "2,426" comparison figure and the "2,932" figure on MOHW's own page are measuring two different things, even though both are attributed to the same ministry.

Sources for this entry

- Road traffic accident overview, 2024 [\[https://tadd.org.tw/situation56.htm\]](https://tadd.org.tw/situation56.htm) — secondary; 財團法人道路交通安全教育基金會 (Road Traffic Safety Education Foundation), republishing MOTC/police statistics; accessed 2026-08-29. ^[298]
- 113 statistical results for national causes of death [\[https://www.mohw.gov.tw/cp-7177-82775-1.htm\]](https://www.mohw.gov.tw/cp-7177-82775-1.htm) — primary; 衛生福利部 (Ministry of Health and Welfare); accessed 2026-08-29. ^[299]
- Comparison of MOTC and MOHW traffic-death figures, 2020-2024 [\[https://udn.com/news/story/7270/9339444\]](https://udn.com/news/story/7270/9339444) — secondary; 聯合報 (United Daily News, UDN); accessed 2026-08-29. ^[300]

How bus fare stages (段) actually work — How crossing multiple segments is counted

Discussed on How bus fare stages (段) actually work [\[/ticketing/guides/bus-fare-stages/\]](#) in the source page's "How crossing multiple segments is counted" section. ^[301]

How crossing multiple segments is counted

Chinese Wikipedia's article on New Taipei's own city buses gives a worked example of the counting logic. For a corridor running through zones A, B and C, with B as the segment point: riding within one zone, or from A to B, or from B to C, is one segment; riding all the way from A to C is two segments (the single-segment fare, doubled)^[301]. On a longer corridor with two segment points, A–B–C–D–E, both B and D count as crossing points^[301]. This is an illustrative example rather than a government fare rule in itself, but it does not contradict, and directly illustrates, the primary rule already confirmed above.

Sources for this entry

- New Taipei city buses [<https://zh.wikipedia.org/zh-tw/%E6%96%B0%E5%8C%97%E5%B8%82%E5%B8%82%E5%8D%80%E5%85%AC%E8%BB%8A>] — secondary; 維基百科 (Chinese Wikipedia); accessed 2026-08-20.^[301]

Fare history and concessions — Bus fares

Discussed on Fare history and concessions [</ticketing/guides/fare-history/>] in the source page's "Bus fares" section.^[302]

Bus fares

Taipei and New Taipei buses use segment fares, not one flat price for every journey.^[302] The current passenger table is NT\$15 full fare per segment, NT\$12 for a student EasyCard segment and NT\$8 for elderly, disabled/companion and eligible-child concessions.^[302] Taipei PTO records the latest joint-operation bus operating-rate approval as 1 July 2020 while passenger fares stayed at 15/12/8 and the city subsidised the difference.^[303]

This is a measurement conflict, not a price contradiction: operating rate is the regulated cost/revenue figure, while passenger fare is what the rider pays. The historical report records a 1997 bus-rate-related transfer-discount change, but a complete gazette-backed chronology of every passenger-fare adjustment remains TBC.^[304]

Sources for this entry

- Taipei/New Taipei bus passenger fare information [<https://ebus.gov.taipei/RelatedLinks/TicketInfo>] — primary; Taipei City Government and New Taipei City Government (臺北市政府與新北市府); accessed 2026-08-24.^[302]
- Taipei joint-operation bus fares remain unchanged [https://pto.gov.taipei/News_Content.aspx?n=D065CCB1467288C8&s=FB42176B7B44EDED] — primary; Taipei Public Transport Office (臺北市公共運輸處); accessed 2026-08-24.^[303]
- Taipei transport price adjustments and fare discounts [<https://www-ws.gov.taipei/Download.ashx?icon=..pdf&n=MTA1MTLoh7r1ljJflulLlpKfnnL7pgYvovLjlg7nmoLzoqr%2Fm1bT1vbHpn7%2FqZXmnpAucGRm&u=LzAwMS9VcGxvYWQvMzY3L3JlbGZpbGUvNDUwMDAvNzY2MjY1My84Mjlm0GRlMC1iMDQ5LTQ5YjctODM1ZC1j0ThjNTQwNDdlZDcucGRm>] — primary; Taipei City Government (臺北市府); accessed 2026-08-24.^[304]

References

238 of 304 sources on this page are primary — published by the operator, the builder or government.

- 1 TDX Bike Station City pull [<https://tdx.transportdata.tw/api/basic/v2/Bike/Station/City/{City}>]

交通部運輸資料流通服務平臺 — Bike Station/City

PRIMARY Ministry of Transportation and Communications TDX / 交通部運輸資料流通服務平臺 accessed 2026-08-23

Build-time pull of the static station feed for Taipei, New Taipei and Taoyuan. Supports the dated station-row counts, published BikesCapacity totals and the fact that live availability is a separate feed.

- 2 TDX Bike Station City pull — five-city snapshot [<https://tdx.transportdata.tw/api/basic/v2/Bike/Station/City/{City}>]

交通部運輸資料流通服務平臺 — Bike Station/City

PRIMARY Ministry of Transportation and Communications TDX / 交通部運輸資料流通服務平臺 accessed 2026-08-25

Build-time pull of the static Station/City feed for Taipei, New Taipei, Taoyuan, Taichung and Kaohsiung. Supports the 25 August 2026 row and BikesCapacity totals, source-update timestamps and the fact that live availability is a separate feed.

- 3 About Isuzu Taiwan [<https://isuzu.jetbean.com.tw/web/Comp?command=Intro>]

關於五十鈴

PRIMARY Taipei Union Motors Co., Ltd. (台北合眾汽車有限公司) accessed 2026-08-28

Supports the current distributor's own tonnage-class product range and its stated (but conflicting, see body) 2014 agency-transition date.

- 4 Isuzu truck development history [<https://www.isuzu-tw.com/isuzu貨車發展史/>]

ISUZU貨車發展史

SECONDARY isuzu-tw.com (independent/dealer account) accessed 2026-08-28

Supports a fuller Taiwan Isuzu history including 1952 first exports and 1996-2007 domestic manufacture, and gives 2012 (conflicting with isuzu-about's 2014) for the current distributor's agency start.

- 5 ISUZU Taiwan [<https://www.isuzu.com.tw/nqr-bus/>]

ISUZU Taiwan

PRIMARY Taipei Union Motors Co., Ltd. (台北合眾汽車有限公司) accessed 2026-08-28

Supports the current NQR(Bus) 8.5t and LT Bus 14.5t chassis and the NQR's engine/emissions specification.

- 6 Tron Energy RACE150 [<https://zh.wikipedia.org/zh-tw/華德RACE150>]

華德RACE150

SECONDARY Wikipedia (維基百科) accessed 2026-08-28

Supports two earlier-generation dimension/battery/motor figures, offered as a conflict against the current racev.com spec sheet rather than as an established fact; the article's own footnotes were not independently re-read this pass.

- 7 **RAC-700 product page** [<https://www.racev.com/zh-TW/product/jR>]
華德動能科技股份有限公司產品頁 — RAC-700
PRIMARY RAC Electric Vehicles Inc. (華德動能科技股份有限公司) accessed 2026-08-28
Supports the current RAC-700 dimensions, weight, seating, motor, battery, top speed and charging figures.
-
- 8 **Tron Energy electric bus deliveries accelerate** [<https://udn.com/news/story/7252/9642289>]
華德動能電巴交車 加速
SECONDARY United Daily News (聯合報) accessed 2026-08-28
Supports first-half delivery counts, cumulative production estimate and the newly launched 350kWh dual-gun fast-charge configuration.
-
- 9 **Tang Eng's electric bus export — a small step for Tang Eng, a big step for Taiwan's EV development** [<https://www.ctee.com.tw/news/20230208700339-431202>]
唐榮電巴出口一小步台灣電動車發展一大步
SECONDARY Commercial Times (工商時報 /CTEE) accessed 2026-08-28
Supports the first 20-unit Guatemala export, named operating partners, and a lower battery/range figure framed as an export minimum spec.
-
- 10 **A first-round revenue of NT\$4 billion — how much gold can Tang Eng's electric buses mine in Latin America?** [<https://www.gvm.com.tw/article/98919>]
首戰進帳40億，唐榮電巴在拉丁美洲淘金力多大？
SECONDARY Global Views Monthly (遠見雜誌) accessed 2026-08-28
Supports the Guatemala shipment's arrival date and unverified annual order-commitment figures for Guatemala and Paraguay.
-
- 11 **MOTC Electric Bus Promotion Programme qualified vehicle operators and models, updated 15 Jul 2026 (current)** [<https://www.vsc.org.tw/File/Download/472d89ee-1953-4aec-b572-e67571b87af2>]
交通部電動大客車推動計畫合格車輛業者及其車輛車型 (115.07.15)
PRIMARY Vehicle Safety Certification Center, for MOTC (財團法人車輛安全審驗中心) accessed 2026-08-28
The current and lapsed-certificate sections of this register contain no Tang Eng entry, contradicting the 2021-era BusinessNext claim.
-

-
- 12 The electric bus national team is scrambling to form up! Teco and Tron Energy partner on 500 powertrain sets; Tatung and Tang Eng join forces [https://www.bnext.com.tw/article/61404/taiwan-electric-bus]
電動巴士國家隊忙組隊！東元、華得動能合作500套動力系統，大同、唐榮攜手
SECONDARY BusinessNext (數位時代) accessed 2026-08-28
Supports a 2021-era claim that Tang Eng was among the first manufacturers to pass demonstration-programme vehicle qualification, which the VSCC register does not corroborate.
-
- 13 Control Yuan investigation-closure summary, case 112交調026 [https://cybsbox.cy.gov.tw/]
監察院交通及採購委員會調查報告結案情形一覽表
PRIMARY Control Yuan (監察院) accessed 2026-08-28
Supports the count of four qualified manufacturers and combined 2025 capacity planning as of 29 November 2024.
-
- 14 Vehicle Type Safety Approval Management Regulations [https://law.moj.gov.tw/LawClass/LawAll.aspx?PCODE=K0040065]
車輛型式安全審驗管理辦法
PRIMARY Laws & Regulations Database of the Republic of China, Ministry of Justice (全國法規資料庫) accessed 2026-08-28
Supports the two-year certificate validity period and bus-specific chassis/body and durability-test submission requirements.
-
- 15 Vehicle Type Safety Approval [https://www.vsc.org.tw/Home/Content/520]
車輛型式安全審驗
PRIMARY Vehicle Safety Certification Center (財團法人車輛安全審驗中心) accessed 2026-08-28
Supports VSCC's authorised role in pre-sale vehicle safety/spec review and issuing the type safety approval certificate.
-
- 16 100年度 Taipei City Blue Highway vessel emergency-support plan [https://www.w-s.gov.taipei/Download.ashx?icon=..pdf&n=MTYxMDhlubTluqboh7rljJflluILkuqTpgJrpgYvo vLjli5Xlk6Hln7fooYzoqIjnlasucGRm&u=LzAwMS9VcGxvYWQvMzMzMyL3JlbGZpbGUvMTU040TgvMjUzM Tk5Mi8xNjEwMw5tOW6puiHuuWMl%2BW4guS6p0mAmumBi%2Bi8uOWLleWToeWft%2Bihj0ioi0eVqy5 wZGY%3D]
臺北市藍色公路船舶支援救災計畫
PRIMARY Taipei City Government (臺北市政府) accessed 2026-08-22
Supports the dated official emergency-plan table listing 好樂好, its contact person and phones, and 11 small vessels with the table's published aggregate tonnage, speed and draft figures; it does not establish a current fleet count.
-
- 17 Dadaocheng–Guandu–Fisherman's Wharf Blue Highway trial service [https://english.udd.gov.taipei/News_Content.aspx?n=DD9CEC17A97FBC64&s=BA5E85C9EA3A5D01&sms=72544237BBE4C5F6]
藍色公路『大稻埕-關渡-漁人碼頭』航線自7月17日試營運載客
PRIMARY Taipei City Government Transportation Department (臺北市政府交通局)

accessed 2026-08-22

Supports the 2004 cross-city trial route, its published six route patterns and fares, the three named vessels attributed to 好樂好, and the weather-related suspension warning in that dated announcement.

-
- 18 2020 Blue Highway operator timetable [https://www-ws.gov.taipei/001/Upload/458/re1file/10162/8212319/b7adcf0e-e518-412f-96bf-89fd89b152da.pdf]

2020 藍色水路業者航班表

PRIMARY Taipei City Public Transportation Office (臺北市公共運輸處) accessed 2026-08-22
Supports the 2020 published Dadaocheng–Tamsui and Dadaocheng river-cruise timetable, fares, operating days, and the statement that EasyCard was accepted by 好樂好 among the listed operators.

-
- 19 Blue-waterway services beyond fixed departures [https://pto.gov.taipei/News_Content.aspx?n=6B4D38874E971F4B&s=C44B310829F209A7&sms=87415A8B9CE81B16]

藍色水路除了固定航班外，有提供其他服務嗎？

PRIMARY Taipei City Public Transportation Office (臺北市公共運輸處) accessed 2026-08-22
Supports the current public-office FAQ's distinction between fixed departures and non-fixed charters, dining and package services, and its separately published 好樂好 service phone; page metadata says it was updated 2026-02-03.

-
- 20 Haloha KKTIX booking organisation page [https://haloha.kktix.cc/?locale=ja]
好樂好股份有限公司

PRIMARY Haloha Shipping Co., Ltd. (好樂好股份有限公司) accessed 2026-08-22
Supports the operator's current booking-page description of regular Dadaocheng–Tamsui departures, an approximately 90-minute journey, a ten-person reservation threshold, and the page's dated 2026 event history.

-
- 21 Bali transport upgrade: three F123 New Bus branches [https://www.ntpc.gov.tw/c/h/home.jsp?dataserno=4ac4c63641a08ee607416da6dc649c9c&id=e8ca970cde5c00e1]

八里交通升級！F123新巴士增3支線，強化就醫與轉運接駁

PRIMARY Bali District Office, New Taipei City Government (新北市八里區公所)
accessed 2026-08-22

Dated 2026-01-09; records the F123 changes announced as effective 2026-01-01, three hospital-serving branches, main-line time changes and the service contact.

-
- 22 Bali New Bus routes and timetables [https://bali.health.ntpc.gov.tw/article/%E6%96%B0%E5%B7%B4%E5%A3%AB%E8%B7%AF%E7%B7%9A%E6%99%82%E5%88%BB%E8%A1%A8]

新巴士路線、時刻表

PRIMARY Bali District Health Center, New Taipei City (新北市八里區衛生所)
accessed 2026-08-22

Publishes a full text route/timetable page for F121, F122, F123 and F126, including stops, departure times and F126's Jiangcuo variant.

-
- 23 Capital Bus company record [https://findbiz.nat.gov.tw/fts/company/34049262]
首都客運股份有限公司 - 經濟部商工登記公示資料查詢

PRIMARY Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署)
accessed 2026-08-21

Supports the statutory company name, English name, registration number, capital, representative, registered address, registration date and approved business categories.

- 24 Capital Bus company profile [https://www.capitalbusgroup.com.tw/cpbus/co_about.html]

公司簡介

PRIMARY Capital Bus (首都客運股份有限公司) accessed 2026-08-21

Supports the operator-stated founding date, business scope, operating region, named operating sites, maintenance teams and service-quality statement.

- 25 Taipei city-bus history [https://pto.gov.taipei/News_Content.aspx?n=AAEEE8A01971ECFB&s=FBAD7AB84D95E137&sms=D0111F238E458DC8]

公車簡介

PRIMARY Taipei City Public Transportation Office (臺北市公共運輸處) accessed 2026-08-21

Supports the 1977 Taipei joint-operation entry of the predecessor identified by the authority as today's Capital Bus.

- 26 Capital Bus company record [<https://findbiz.nat.gov.tw/fts/company/34049262>]

首都客運股份有限公司 - 經濟部商工登記公示資料查詢

PRIMARY Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署) accessed 2026-08-21

Supports the statutory company name, English name, registration number, capital, representative, registered address, registration date and approved business categories.

- 27 Capital Bus company profile [https://www.capitalbusgroup.com.tw/cpbus/co_about.html]

公司簡介

PRIMARY Capital Bus (首都客運股份有限公司) accessed 2026-08-21

Supports the operator-stated founding date, business scope, operating region, named operating sites, maintenance teams and service-quality statement.

- 28 Taipei city-bus history [https://pto.gov.taipei/News_Content.aspx?n=AAEEE8A01971ECFB&s=FBAD7AB84D95E137&sms=D0111F238E458DC8]

公車簡介

PRIMARY Taipei City Public Transportation Office (臺北市公共運輸處) accessed 2026-08-21

Supports the 1977 Taipei joint-operation entry of the predecessor identified by the authority as today's Capital Bus.

- 29 Danan Bus company profile [<https://www.dnbus.com.tw/about2.html>]

公司簡介

PRIMARY Danan Bus Co., Ltd. (大南汽車股份有限公司) accessed 2026-08-21

Supports the operator-stated founding month, early investors, 1977 Veterans Affairs Council takeover, wider service focus and mission.

- 30 Danan Bus company record [<https://findbiz.nat.gov.tw/fts/company/11011623>]

大南汽車股份有限公司 - 經濟部商工登記公示資料查詢

PRIMARY Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署)

accessed 2026-08-21

Supports the statutory company number, capital, representative, registered address, registration date, director representation and approved business categories.

31 **Danan Bus company profile** [<https://www.dnbus.com.tw/about2.html>]

公司簡介

PRIMARY Danan Bus Co., Ltd. (大南汽車股份有限公司) accessed 2026-08-21

Supports the operator-stated founding month, early investors, 1977 Veterans Affairs Council takeover, wider service focus and mission.

32 **Danan Bus company record** [<https://findbiz.nat.gov.tw/fts/company/11011623>]

大南汽車股份有限公司 - 經濟部商工登記公示資料查詢

PRIMARY Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署)

accessed 2026-08-21

Supports the statutory company number, capital, representative, registered address, registration date, director representation and approved business categories.

33 **Kuo-Kuang Motor Transportation company registry record** [<https://findbiz.nat.gov.tw/fts/company/70810572>]

國光汽車客運股份有限公司

PRIMARY Ministry of Economic Affairs, Department of Commerce (經濟部商業發展署)

accessed 2026-08-21

Supports legal name, unified number, establishment date, representative, address, paid-in capital, business scopes, board representatives and the cross-domain Puli warehouse entry.

34 **About Kuo-Kuang Motor Transportation** [<https://1207835175744.tw66.com.tw/web/Comp?command=Intro>]

關於國光汽車

PRIMARY Kuo-Kuang Motor Transportation Co., Ltd. (國光汽車客運股份有限公司)

accessed 2026-08-21

Self-authored company profile supporting the 1 July 2001 operating date, stated service character and dated fleet/network snapshot.

35 **San Chung Bus company profile** [https://www.sanchung-bus.com.tw/co_about.html]

公司簡介

PRIMARY San Chung Bus Co., Ltd. (三重汽車客運股份有限公司) accessed 2026-08-20

Supports the operator's history, operating footprint, approximate bus scale, daily kilometres, 16 dispatch sites, two maintenance yards and vehicle-washing facilities.

36 **TaiwanJobs employer profile** [https://job.taiwanjobs.gov.tw/Internet/jobwanted/company_desc2.aspx?EMPLOYER_ID=152797]

台灣就業通 — 找工作 — 公司介紹

PRIMARY Workforce Development Agency, Ministry of Labor (勞動部勞動力發展署)

accessed 2026-08-20

Supports the displayed employer identity, registration number, establishment-date value, representative, capital, employee count, address and business categories.

- 37 Intercity bus company directory [<https://www.thb.gov.tw/cp.aspx?n=292>]
查詢公路客運公司
PRIMARY Highway Bureau, Ministry of Transportation and Communications (交通部公路局)
accessed 2026-08-20
Supports the regulator directory entry for 三重客運, its address and telephone number.
-
- 38 TDX bus operator and route pull [<https://tdx.transportdata.tw/>]
交通部運輸資料流通服務平臺
PRIMARY Ministry of Transportation and Communications TDX (交通部運輸資料流通服務平臺)
accessed 2026-08-15
Supports the committed operator records, contact fields, source municipalities, operator IDs, route associations and route names; the pull contains no ownership, fleet-model, depot or contract-history fields.
-
- 39 San Chung Bus company profile [https://www.sanchung-bus.com.tw/co_about.html]
公司簡介
PRIMARY San Chung Bus Co., Ltd. (三重汽車客運股份有限公司) accessed 2026-08-20
Supports the operator's history, operating footprint, approximate bus scale, daily kilometres, 16 dispatch sites, two maintenance yards and vehicle-washing facilities.
-
- 40 TaiwanJobs employer profile [https://job.taiwanjobs.gov.tw/Internet/jobwanted/company_desc2.aspx?EMPLOYER_ID=152797]
台灣就業通 — 找工作 — 公司介紹
PRIMARY Workforce Development Agency, Ministry of Labor (勞動部勞動力發展署)
accessed 2026-08-20
Supports the displayed employer identity, registration number, establishment-date value, representative, capital, employee count, address and business categories.
-
- 41 Intercity bus company directory [<https://www.thb.gov.tw/cp.aspx?n=292>]
查詢公路客運公司
PRIMARY Highway Bureau, Ministry of Transportation and Communications (交通部公路局)
accessed 2026-08-20
Supports the regulator directory entry for 三重客運, its address and telephone number.
-
- 42 TDX bus operator and route pull [<https://tdx.transportdata.tw/>]
交通部運輸資料流通服務平臺
PRIMARY Ministry of Transportation and Communications TDX (交通部運輸資料流通服務平臺)
accessed 2026-08-15
Supports the committed operator records, contact fields, source municipalities, operator IDs, route associations and route names; the pull contains no ownership, fleet-model, depot or contract-history fields.
-
- 43 Shin-Shin Bus company profile [<http://www.shinbus.com.tw/about/>]
公司簡介
PRIMARY Shin-Shin Bus (欣欣客運股份有限公司) accessed 2026-08-21

Supports the operator-stated founding, 2015 Yulon share transfer, organization, broad fleet count, service scope, station count, station locations and repair-shop address.

- 44 **Taipei city-bus history** [https://pto.gov.taipei/News_Content.aspx?n=AAEEE8A01971ECFB&s=FBAD7AB84D95E137&sms=D0111F238E458DC8]

公車簡介

PRIMARY Taipei City Public Transportation Office (臺北市公共運輸處) accessed 2026-08-21
Supports the authority's account of private bus operators entering Taipei's joint-operation system, including the late-1960s and 1977 milestones.

- 45 **Shin-Shin Bus company record** [<https://findbiz.nat.gov.tw/fts/company/18739212>]

欣欣客運股份有限公司 - 經濟部商工登記公示資料查詢

PRIMARY Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署)
accessed 2026-08-21

Supports the statutory company identity, registration number, capital, representative, address, establishment date, approved business categories and historical factory entries.

- 46 **Shin-Shin Bus company profile** [<http://www.shinbus.com.tw/about/>]

公司簡介

PRIMARY Shin-Shin Bus (欣欣客運股份有限公司) accessed 2026-08-21

Supports the operator-stated founding, 2015 Yulon share transfer, organization, broad fleet count, service scope, station count, station locations and repair-shop address.

- 47 **Taipei city-bus history** [https://pto.gov.taipei/News_Content.aspx?n=AAEEE8A01971ECFB&s=FBAD7AB84D95E137&sms=D0111F238E458DC8]

公車簡介

PRIMARY Taipei City Public Transportation Office (臺北市公共運輸處) accessed 2026-08-21
Supports the authority's account of private bus operators entering Taipei's joint-operation system, including the late-1960s and 1977 milestones.

- 48 **Shin-Shin Bus company record** [<https://findbiz.nat.gov.tw/fts/company/18739212>]

欣欣客運股份有限公司 - 經濟部商工登記公示資料查詢

PRIMARY Ministry of Economic Affairs, Administration of Commerce (經濟部商業發展署)
accessed 2026-08-21

Supports the statutory company identity, registration number, capital, representative, address, establishment date, approved business categories and historical factory entries.

- 49 **Electric-bus operations observation event** [<https://enews.moenv.gov.tw/Page/3B3C62C78849F32F/c786de79-bdd3-43e7-ae4b-a23241d918a9>]

辦理電動公車觀摩 加速推動電動公車

PRIMARY Environmental Protection Administration, Executive Yuan (行政院環境保護署 ; now Ministry of Environment) accessed 2026-08-22

The 2014 official report identifies Taoyuan Bus's participation in the electric-bus demonstration, describes the Taoyuan station-county-government free service from 2012, and reports 45 electric buses and ten routes county-wide at that time.

- 50 **National electric-bus operating vehicle count and manufacturer dataset** [https://www.thb.gov.tw/News_Content_thbOpenData.aspx?n=13&s=734]
全國電動公車運行車輛數與廠牌資料
PRIMARY Highway Bureau, Ministry of Transportation and Communications (交通部公路局)
accessed 2026-08-22
The full data catalogue says the dataset was updated 2025-05-29 and lists Taoyuan Bus under code 68000000 with brand 華德 and quantity 15; it does not give models, chassis, body, capacity or route allocation.
-
- 51 **TDX bus operator and route pull** [<https://tdx.transportdata.tw/>]
交通部運輸資料流通服務平臺
PRIMARY Ministry of Transportation and Communications TDX (交通部運輸資料流通服務平臺)
accessed 2026-08-15
Supports the committed operator record, contact fields, source municipality, operator IDs, route associations and route names; the pull contains no ownership, fleet-model, depot or contract-history fields.
-
- 52 **Green electric bus era arrives — Kaohsiung buses roll out further and further** [<https://168.motc.gov.tw/theme/fullsized/post/1906121103392>]
綠色電動巴士時代來臨 高雄公車愈開愈遠
SECONDARY MOTC Traffic Safety Portal (交通部 168 交通安全入口網) accessed 2026-08-28
Dated 2018-04-10. States a citywide total of 77 electric buses across seven private operators: 港都客運 50, 南台灣客運 14, 高雄客運 11, 漢程客運 2 — a much smaller figure than the 2022 195-bus count, from an earlier date.
-
- 53 **Kaohsiung's new good-life progress, No. 05** [<https://takao.kcg.gov.tw/article/760>]
高雄新好生活進行式 No.05
PRIMARY Kaohsiung City Government Information Bureau (高雄市政府新聞局), 高雄畫刊
accessed 2026-08-28
Published 2026-05-06. States a citywide figure of 195 electric low-floor buses out of roughly 1,000+ total city buses (19%), and profiles a Foxtron "Model T" bus in service on Route 24 with a stated 2-hour 80% charge time.
-
- 54 **Kaohsiung bus route overview by route** [<https://www.tbkc.gov.tw/Service/PublicTransport/NewBusRoute>]
公車路線總覽(依路線別)
PRIMARY Kaohsiung City Government Transportation Bureau (高雄市政府交通局)
accessed 2026-08-25
The full municipal route index displayed 197 routes when fetched; its count is retained as a separate publication scope from TDX's 316 route records.
-
- 55 **Kaohsiung city-bus route response** [[https://tdx.transportdata.tw/api/basic/v2/Bus/Route/City/Kaohsiung?\\$format=JSON](https://tdx.transportdata.tw/api/basic/v2/Bus/Route/City/Kaohsiung?$format=JSON)]
高雄市公車路線資料 (TDX Route)
PRIMARY Taiwan Ministry of Transportation and Communications TDX (交通部運輸資料流通服務) accessed 2026-08-25

The full live response supplied 316 route records, route names, terminal labels, operator objects, sub-routes, route-map URLs, version IDs and source update times.

- 56 **Kaohsiung TDX ordered bus stops by route** [[https://tdx.transportdata.tw/api/basic/v2/Bus/StopOfRoute/City/Kaohsiung?\\$format=JSON](https://tdx.transportdata.tw/api/basic/v2/Bus/StopOfRoute/City/Kaohsiung?$format=JSON)]

高雄市公車路線站序資料 (TDX StopOfRoute)

PRIMARY Taiwan Ministry of Transportation and Communications TDX (交通部運輸資料流通服務) accessed 2026-08-25

The full live response supplied 617 direction-level records and 19,191 ordered stop objects with names, sequence values, boarding flags and coordinates.

- 57 **Kaohsiung public-transport accessibility service index** [<https://www.tbkc.gov.tw/Service/PublicTransport/Accessibility>]

無障礙服務

PRIMARY Kaohsiung City Government Transportation Bureau (高雄市政府交通局) accessed 2026-08-25

The full page lists a dated low-floor-bus route and reservation information file, plus separate rehabilitation-bus and facility entries; the linked low-floor PDF itself failed fetch and is not expanded here.

- 58 **Kaohsiung MRT feeder-bus operations** [<https://data.gov.tw/dataset/159665>]

高雄市捷運接駁公車營運情形

PRIMARY Kaohsiung City Government Budget Office (高雄市政府主計處) accessed 2026-08-25

The full catalogue lists annual fields including route mileage, vehicles, trips, passenger count, passenger-kilometres and revenue; its linked JSON and CSV resources failed direct fetch, so no values are asserted.

- 59 **Taichung Bus — company profile** [https://www.tcbus.com.tw/co_about.html]

台中客運-公司簡介

PRIMARY 臺中汽車客運股份有限公司 accessed 2026-08-28

The operator's own page, fetched in full. Supports the 474-vehicle fleet figure (undated) and one of two disagreeing depot/station lists — see the conflicts section.

- 60 **Taichung Bus — stations** [https://www.tcbus.com.tw/co_office.html]

台中客運-站場簡介

PRIMARY 臺中汽車客運股份有限公司 accessed 2026-08-28

The operator's own second, longer depot/station list (12 facilities against the About page's 8-9) — the two pages do not agree and this site publishes both.

- 61 **Taichung city-bus route and stop information dataset** [<https://data.gov.tw/dataset/83748>]

臺中市市區公車路線站點資訊

PRIMARY Taichung City Government Transportation Bureau (臺中市政府交通局) accessed 2026-08-25

The official dataset page defines the route-map scope, fields, provider, irregular update frequency, 2026-06-09 metadata update and warning that the published compilation can lag actual service.

62 **Taichung bus real-time information** [<https://citybus.taichung.gov.tw/ebus>]

台中公車即時動態資訊

PRIMARY Taichung City Government Transportation Bureau (臺中市政府交通局)
accessed 2026-08-25

The official city-bus interface publishes network fare rules, directs passengers to live/operator schedules for actual departures and lists operator links.

63 **Taichung city-bus route-map CSV** [<https://newdatacenter.taichung.gov.tw/api/v1/no-auth/resource.download?rid=20c2e4cc-49bf-45d5-a880-714c7c66eed6>]

taichung_bus_maps_2026.CSV

PRIMARY Taichung City Government Transportation Bureau (臺中市政府交通局)
accessed 2026-08-25

The full CSV snapshot supplies 392 route records with operator labels, route descriptions, map links and outbound/return stop strings; counts and direction terminal summaries in this page are derived from those records.

64 **Taichung 小黃公車** [<https://www.traffic.taichung.gov.tw/content/index.asp?Parser=1,7,505,52>]

臺中市小黃公車

PRIMARY Taichung City Government Transportation Bureau (臺中市政府交通局)
accessed 2026-08-25

The official page lists 26 Yellow routes, fixed-departure and reservation rules, two reservation phone groups, stop behaviour and linked route/timetable images.

65 **Tainan city bus network reorganisation — new route awards** [https://www.tainan.gov.tw/news_content.aspx?n=13370&s=8687622]

大台南公車路網整理計畫 新增業者路線

PRIMARY Tainan City Government (臺南市政府) accessed 2026-08-28

Dated 2024-08-21. Awarded 巨業交通 nine routes (existing and new) with a first batch targeted for Q4 2024, and awarded 統聯客運 ten routes, becoming Tainan's sixth operator from 2025-01-03.

66 **Shing Nan Bus** [<https://zh.wikipedia.org/zh-tw/興南客運>]

興南客運

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-28

Traces to 台灣輕鐵株式會社 (1921), merged into 興南乘合自動車株式會社 1 September 1941, renamed 興南汽車客運股份有限公司 26 April 1947. Fetched twice; a first pass garbled the years to 1912/1942, corrected on a targeted re-fetch — quoted text here is from the corrected fetch: 「1941年9月3日，台灣輕鐵株式會社、新化軌道株式會社與佳里商會合併為興南乘合自動車株式會社」。

67 **Xinying Bus** [<https://zh.wikipedia.org/zh-tw/新營客運>]

新營客運

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-28

Formally established January 1950, tracing to a Japanese-era predecessor. Joined the Tainan city-bus system in a first batch of 44 transferred highway routes — this source and the separate 大台南公車 wiki article disagree on the year (2011 here, 2012 there); not independently resolved.

68 **Fucheng Bus (Tainan Bus)** [<https://zh.wikipedia.org/zh-tw/府城客運>]

府城客運

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-28

Founded 2013-06-19 (統編 54077201) as a subsidiary spun off from 高雄客運 at the Tainan Transportation Bureau's request, after the original 台南客運 (a differently-owned company despite the similar English name) ceased operating city routes in 2003. Took over routes from 高雄客運 through 2013; later added double-decker circular routes (2018) and a tourist shuttle.

69 **Han-Cheng Bus** [<https://zh.wikipedia.org/zh-tw/漢程客運>]

漢程客運

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-28

Founded 2013-11-15, HQ Kaohsiung, member of 台灣愛巴士交通聯盟 (Taiwan iBus Transportation Alliance, alongside 巨業交通 and 全航客運, also documented on this site's Taichung page). Began Kaohsiung operations 2013-12-15; expanded into Tainan 2019-12-05 as its fourth city-bus operator.

70 **Route 77 operator transfer notice** [https://www.tainan.gov.tw/News_Content.aspx?n=13370&s=8381879]

大台南公車77路4/10起改由漢程客運營運

PRIMARY Tainan City Government (臺南市政府) accessed 2026-08-28

Dated 2023-04-08. Route 77 transferred from 府城客運 to 漢程客運 effective 2023-04-10, 40 daily trips, same stops and alignment.

71 **Tainan city-bus route data** [<https://data.gov.tw/dataset/85855>]

大台南公車路線資料

PRIMARY Tainan City Government Transportation Bureau (臺南市政府交通局)

accessed 2026-08-25

The official dataset page defines the route-data fields, identifies the Tainan Transportation Bureau as provider and identifies route data as sourced through TDX.

72 **Tainan city-bus route stop order data** [<https://data.gov.tw/dataset/85852>]

大台南公車路線站序資料

PRIMARY Tainan City Government Transportation Bureau (臺南市政府交通局)

accessed 2026-08-25

The official dataset page defines the RouteUID, RouteID, direction, ordered Stops, UpdateTime and VersionID fields and identifies TDX as the data source.

73 **Tainan bus operator response** [[https://tdx.transportdata.tw/api/basic/v2/Bus/Operator/City/Tainan?\\$format=JSON](https://tdx.transportdata.tw/api/basic/v2/Bus/Operator/City/Tainan?$format=JSON)]

大台南公車業者資料 (TDX Operator)

PRIMARY Taiwan Ministry of Transportation and Communications TDX (交通部運輸資料流通服務)

accessed 2026-08-25

The full live response supplies ten operator records with names, contacts, URLs and source update times.

74 **Tainan city-bus route response** [[https://tdx.transportdata.tw/api/basic/v2/Bus/Route/City/Tainan?\\$format=JSON](https://tdx.transportdata.tw/api/basic/v2/Bus/Route/City/Tainan?$format=JSON)]

大台南公車路線資料 (TDX Route)

PRIMARY Taiwan Ministry of Transportation and Communications TDX (交通部運輸資料流通服務) accessed 2026-08-25

The full live TDX response supplies 165 Tainan route records, route names, operators, sub-routes, terminal labels, fare descriptions, map links and source update times.

75 **Tainan city-bus ridership information** [<https://data.gov.tw/dataset/53402>]

大台南公車運量資訊

PRIMARY Tainan City Government Transportation Bureau (臺南市政府交通局) accessed 2026-08-25

The full dataset page defines monthly route ridership fields, lists annual CSV/JSON resources for Minguo years 108–114, gives annual update frequency and records metadata updated 2026-08-11 16:29.

76 **Tainan City Bus portal** [<https://2384.tainan.gov.tw/tnbusweb/Default.aspx>]

大台南公車

PRIMARY Tainan City Government Transportation Bureau (臺南市政府交通局) accessed 2026-08-25

The full official portal exposes dynamic bus information, route maps, stop information, transfer queries, fare queries and timetable/download links.

77 **Tainan 小黃公車 information and Q&A** [<https://2384.tainan.gov.tw/newtnbusweb/othersInfoDrtsQA.html>]

小黃公車資訊

PRIMARY Tainan City Government Transportation Bureau (臺南市政府交通局) accessed 2026-08-25

The full official page explains the taxi-bus model, fixed and reservation services, fare rules, service districts and the 52 unique route names in its route table.

78 **Tainan 小黃公車 service expansion notice** [<https://traffic.tainan.gov.tw/Announcement/news?PageType=1&id=5606215d-e4c4-4b81-9bb0-3bb2d230b29d>]

臺南市小黃公車新增路線及服務方式

PRIMARY Tainan City Government Transportation Bureau (臺南市政府交通局) accessed 2026-08-25

The full official notice records the 黃3/黃16 joint bus-taxi operation, new 黃23 service, reservation window and fare treatment.

79 **Taipei/New Taipei bus route catalogue** [<https://ebus.gov.taipei/ebus?ct=all>]

大臺北公車

PRIMARY Taipei City Government and New Taipei City Government, 臺北市府與新北市政府 accessed 2026-08-15

Lists 棕20 under 捷運棕線接駁公車.

-
- 80 **BR20** route schedule and reserved detours [<https://ebus.gov.taipei/Route/RouteSchedule?routeid=0114002000>]
棕20路線資訊
PRIMARY Taipei City Government and New Taipei City Government, 臺北市政府與新北市府 accessed 2026-08-15
Supports reservation-only 美堤碼頭 detours, not a separate 棕20預 identity.
-
- 81 **TDX bus data** [<https://tdx.transportdata.tw/>]
交通部運輸資料流通服務平臺
PRIMARY Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺 accessed 2026-08-15
Supports the normalized 棕20預 route identity and structural fields.
-
- 82 **Taipei/New Taipei bus route catalogue** [<https://ebus.gov.taipei/ebus?ct=all>]
大臺北公車
PRIMARY Taipei City Government and New Taipei City Government, 臺北市政府與新北市府 accessed 2026-08-15
Lists 棕7綠野香坡 under 捷運棕線接駁公車.
-
- 83 **TDX bus data** [<https://tdx.transportdata.tw/>]
交通部運輸資料流通服務平臺
PRIMARY Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺 accessed 2026-08-15
Supports the current normalized route identity and structural fields.
-
- 84 **BR7 Green Field route information** [<https://pda5284.gov.taipei/MQS/route.jsp?rid=17466>]
棕7綠野香坡公車動態資訊
PRIMARY Taipei City Government, 臺北市政府公車動態資訊系統 accessed 2026-08-15
Publishes the current Green Field stop listing and the 812-to-三鶯2 notice.
-
- 85 **TDX bus data** [<https://tdx.transportdata.tw/>]
交通部運輸資料流通服務平臺
PRIMARY Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺 accessed 2026-08-18
Supports the normalized route record named 紅68預 and its colour-red group in the committed TDX-derived snapshot; it does not by itself establish a route history or current operator timetable.
-
- 86 **Taipei/New Taipei bus route catalogue** [<https://ebus.gov.taipei/ebus?ct=all>]
大臺北公車
PRIMARY Taipei City Government and New Taipei City Government, 臺北市政府與新北市府 accessed 2026-08-18
The full official catalogue lists 39 labels under 捷運紅線接駁公車 and does not list 紅68預.
-

-
- 87 **R68 route schedule** [<https://ebus.gov.taipei/Route/RouteSchedule?routeid=0111006800>]
紅68班表
PRIMARY Taipei City Public Transportation Office, 臺北市政府公共運輸處 accessed 2026-08-18
Full official page is labelled 紅68, not 紅68預; it records current appointment-only trials within the 紅68 service but does not establish a separate 紅68預 route.
-
- 88 **Taipei/New Taipei bus route catalogue** [<https://ebus.gov.taipei/ebus?ct=all>]
大臺北公車
PRIMARY Taipei City Government and New Taipei City Government, 臺北市政府與新北市政府 accessed 2026-08-19
Lists 108 under 一般公車, as a routeid entry separate from its 108區 shuttle variant.
-
- 89 **108 route schedule** [<https://ebus.gov.taipei/Route/RouteSchedule?routeid=0100010800>]
108班表
PRIMARY Taipei City Public Transportation Office, 臺北市政府公共運輸處 accessed 2026-08-19
Full official schedule page. Its 起迄站名 field reads verbatim "陽明山公車總站 - 陽明山公車總站" (the same name on both sides), giving service span, headway by day type, fare and operator contact.
-
- 90 **Taipei joint-operation bus route 108** [<https://zh.wikiversity.org/wiki/%E5%8F%B0%E5%8C%97%E8%81%AF%E7%87%9F%E5%85%AC%E8%BB%8A108%E8%B7%AF%E7%B7%9A>]
台北聯營公車108路線
SECONDARY Wikiversity contributors, 維基學院 accessed 2026-08-19
Community-compiled operational history, not independently verified against a primary PTO/operator announcement in this search. States the route runs 陽明山 to 擎天崗 (起點站為陽明山, 終點站為擎天崗) rather than as a loop, and records dated headway and fleet changes.
-
- 91 **TDX bus data** [<https://tdx.transportdata.tw/>]
交通部運輸資料流通服務平臺
PRIMARY Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺 accessed 2026-08-19
Supports the normalized route, operator, stop, sequence, shape and source-update fields; the committed bus layer does not publish a route-length or timetable field.
-
- 92 **Cross-city express bus 950 'Zhonghe–Neihu Science Park' opens 15 April** [https://www.ntpc.gov.tw/ch/home.jsp?id=28&parentpath=0%2C6%2C27&mcustomize=news_view.jsp&dataserno=201404110032]
雙北快速公車950「中和-內湖科學園區」自4/15起通車
PRIMARY New Taipei City Government, 新北市政府 accessed 2026-08-19
Government press release announcing the route. Names the operator 中興大業巴士股份有限公司, gives the corridor via 福和橋、基隆路高架道路、捷運六張犁站、臺北市政府、麥帥一橋 to 內湖, a roughly 70-minute run time, a two-section fare totalling NT\$30, weekday 0600–2200 operation, 28 fixed daily trips, and holiday service suspended (例假日停駛). Does not mention a predecessor route.
-

- 93 **950 route schedule** [<https://ebus.gov.taipei/Route/RouteSchedule?routeid=0100095000>]
950班表
PRIMARY Taipei City Public Transportation Office, 臺北市政府公共運輸處 accessed 2026-08-19
Full official schedule page listing the current 中和-內湖科學園區 corridor, weekday-only service span, fare and operator contact (中興巴士中和站 02-2225-9629); the fetched schedule table lists 17 daily departures from 0600 to 2000.
-
- 94 **TDX bus data** [<https://tdx.transportdata.tw/>]
交通部運輸資料流通服務平臺
PRIMARY Ministry of Transportation and Communications TDX, 交通部運輸資料流通服務平臺 accessed 2026-08-19
Supports the normalized route, operator, stop, sequence, shape and source-update fields; the committed bus layer does not publish a route-length or timetable field. Also records three subroutes — 950路, 950去程半 and 950返程半.
-
- 95 **Ferries** [<https://www.eastcoast-nsa.gov.tw/zh-tw/service/ferry/>]
客船
PRIMARY East Coast National Scenic Area Administration (交通部觀光署東部海岸國家風景區管理處) accessed 2026-08-28
The scenic-area authority's own current ferry information page, naming ports, crossing time and operator contact numbers.
-
- 96 **Tianwangxing 21 (Uranus 21)** [<https://www.tsang-jai.com.tw/>]
天王星21號
PRIMARY Changjie Shipping Co., Ltd. (長杰航運股份有限公司) accessed 2026-08-28
The third pooled operator's own site, confirming its new vessel's first sailing on 28 March 2025; the page states no fare figures.
-
- 97 **Green Island traffic information** [<https://www.eastcoast-nsa.gov.tw/greenisland/zh-tw/tour/traffic>]
交通資訊—天堂島嶼
PRIMARY East Coast National Scenic Area Administration (交通部觀光署東部海岸國家風景區管理處) accessed 2026-08-28
The administration's dedicated Green Island subsite, corroborating the Fugang-Nanliao port pair and crossing time, and naming the seasonal Chenggong route.
-
- 98 **Outlying island transport** [<https://tour.taitung.gov.tw/zh-tw/traffic/island>]
離島交通
PRIMARY Taitung County Government (臺東縣政府) accessed 2026-08-28
The county government's own tourism page, giving a 120-minute Fugang-Orchid Island crossing time, a 120-150 minute Houbihu figure, and Daily Air's Taitung-Orchid Island flight details.
-
- 99 **Dafa Steamship fares and route information** [<https://www.dafaship.com/>]
大發輪船票價及航線資訊
PRIMARY Dafa Steamship Co., Ltd. (大發輪船股份有限公司) accessed 2026-08-28

The operator's own current fare table for the Fugang-Orchid Island route, and its own stated crossing time of about 150 minutes.

100 Ferries [<https://www.eastcoast-nsa.gov.tw/zh-tw/service/ferry/>]

客船

PRIMARY East Coast National Scenic Area Administration (

交通部觀光署東部海岸國家風景區管理處) accessed 2026-08-28

The scenic-area authority's own current ferry page, naming Fugang as the port, three operators for the Orchid Island route, and describing the peak-season triangle routing via Green Island.

101 Traffic information [<https://travel.lanyu.info/trip-info/traffic/>]

交通資訊

SECONDARY Blue Door Lanyu (蘭色大門 , private tourism portal) accessed 2026-08-28

A private (non-government) tourism portal, the only source found stating the Houbihu route's specific mid-March to mid-October operating window.

102 Public ferry timetable [<https://www.phpto.gov.tw/home.jsp?id=106>]

交通船時刻表

PRIMARY 澎湖縣政府公共車船管理處

(Penghu County Public Vehicle and Ship Management Office) accessed 2026-08-26

The live official timetable page fetched on 26 August 2026. Its displayed query covers 26 August–1 September 2026 and lists South Sea services, vessel names, ticket points, weather-stop rules and the page update date of 18 August 2026.

103 Public ferry ticket-purchase guidance [https://www.penghu.gov.tw/userfiles/03/files/%E6%BE%8E%E6%B9%96%E7%B8%A3%E6%94%BF%E5%BA%9C%E5%85%AC%E5%85%B1%E8%BB%8A%E8%88%B9%E7%AE%A1%E7%90%86%E8%99%95%E4%BA%A4%E9%80%9A%E8%88%B9%E8%88%AA%E7%8F%AD%E8%B3%BC%E7%A5%A8%E9%A0%88%E7%9F%A5114_07_19.pdf]

澎湖縣政府公共車船管理處交通船船票購買須知

PRIMARY 澎湖縣政府公共車船管理處

(Penghu County Public Vehicle and Ship Management Office) accessed 2026-08-26

The full one-page official guidance, effective 19 July 2025. It describes fixed and special services, ticket-sales windows, online reservations, wind thresholds and refunds.

104 Railway route construction history [<https://www.railway.gov.tw/tra-tip-web/adr/about-1-5>]

臺灣鐵路路線建造史

PRIMARY National Taiwan Railways Corporation (國營臺灣鐵路股份有限公司)

accessed 2026-08-26

Full operator HTML page. Its construction table lists Changhua–Minxiong (double track) at 71.7 km, built in 1957, opened in 1970, with TRA as constructor and the explanation that it was extended to double track.

105 Chronological History of Railroad Construction [<https://www.railway.gov.tw/tra-tip-web/tip/file/6a439dbd-9cee-4d4b-9c4b-215439bffb5f5>]

路線修築沿革

PRIMARY National Taiwan Railways Corporation / former Taiwan Railways Administration (

國營臺灣鐵路股份有限公司／臺灣鐵路管理局) accessed 2026-08-26

Full ten-page operator PDF. Its row 43 repeats the Changhua–Minxiong double-track segment as 71.7 km, with 1957 construction and 1970 operation-start fields.

106 Railway route construction history [<https://www.railway.gov.tw/tra-tip-web/adr/about-1-5>]

臺灣鐵路路線建造史

PRIMARY National Taiwan Railways Corporation (國營臺灣鐵路股份有限公司) accessed 2026-08-26

Full operator HTML page. Its construction table lists Chiayi–Xinshi (double track) at 50.1 km, built in 1957, opened in 1970, with TRA as constructor and the explanation that it was extended to double track.

107 Chronological History of Railroad Construction [<https://www.railway.gov.tw/tra-tip-web/tip/file/6a439dbd-9cee-4d4b-9c4b-215439bffb5f5>]

路線修築沿革

PRIMARY National Taiwan Railways Corporation / former Taiwan Railways Administration (國營臺灣鐵路股份有限公司／臺灣鐵路管理局) accessed 2026-08-26

Full ten-page operator PDF. Its row 44 repeats the Chiayi–Xinshi double-track segment as 50.1 km, with 1957 construction and 1970 operation-start fields.

108 Circular Line statement [https://www.bes.com.tw/en/news_detail.php?id=186]

環狀線聲明稿

PRIMARY BES Engineering Corporation (中華工程股份有限公司) accessed 2026-08-27

BES's 6 January 2025 statement of its own technical and legal position. It says the contractor followed the approved drawings, that both upper and lower supports had milled-through slope plates but only the upper support failed, and that the plate detail and bearing failure were not the main cause. It is primary for BES's position, not an independent adjudication.

109 Investigation report 114交調0005: Circular Line 0403 earthquake damage [<https://www.cy.gov.tw/CyBsBoxContent.aspx?s=49082>]

監察院調查報告 114交調0005

PRIMARY Control Yuan of the Republic of China (監察院) accessed 2026-08-27

Official Control Yuan case record and report landing page. It identifies the commissioners, review and publication dates, supplies the report files, and records the investigation's findings on the earthquake damage, pot bearings, design, supervision, instrumentation and code. The report's direct files are the DOCX at <https://cybsbox.cy.gov.tw/CYBsBoxSSL/edoc/download/68978> and PDF at <https://cybsbox.cy.gov.tw/CYBsBoxSSL/edoc/download/72631>.

110 New Taipei Circular Line ready; full service resumes at noon [<https://www.ntmetro.com.tw/basic/?mode=detail&node=754>]

新北環狀線準備好了!確認安全無虞12:00 全線復駛

PRIMARY New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-27

The operator's 12 December 2024 reopening notice. It records nine repositioned steel-box-girder spans, 139 damaged items, 1,438 replaced track baseplates, 1,050 metres of restored track, 41,500 metres of replaced cable, the 248-day repair account and the added

permanent unseating and uplift-restraint devices.

-
- 111 Baxianshan National Forest Recreation Area (park page)** [<https://www.forest.gov.tw/0000186>]

八仙山國家森林遊樂區

PRIMARY Forestry and Nature Conservation Agency (林業及自然保育署)

accessed 2026-08-29

A second, separate official page giving 1963 as the year logging ended (48 years from the 1915 start) and 1986 for the recreation area's establishment — both figures conflict with dates given on the recreation.forest.gov.tw page for the same subjects, published as conflicts rather than resolved.

-
- 112 Practical water, environmental-control and fire-safety engineering, p. 87** [<http://ebook.dorts.gov.taipei/ebook/no29/files/basic-html/page87.html>]

捷運工程叢書精進版－29 捷運系統水電、環控與消防工程實務

PRIMARY Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局)

accessed 2026-08-17

Full DORTS technical-book page describing Nari flood entry through openings and naming Taipei Main Station, Zhongxiao Dunhua and Kunyang as examples; it labels the typhoon date 90年9月6日.

-
- 113 Remote control of full-section flood isolation compartments, p. 214** [<https://ebook.dorts.gov.taipei/JRTST/ebook/no46/files/basic-html/page214.html>]

捷運防水隔艙遠端控制之探討

PRIMARY Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局)

accessed 2026-08-17

Full DORTS technical-journal page stating the 17 September 2001 date, 16 flooded stations, one depot, one high-capacity control centre, three months of repairs and 15 December full reopening.

-
- 114 Control Yuan investigation report, case 114交調0005** [<https://www.cy.gov.tw/CyBsBoxContent.aspx?s=49082>]

監察院調查報告 114交調0005

PRIMARY Control Yuan of the Republic of China (監察院) accessed 2026-08-17

Full official investigation report on the 3 April 2024 Circular Line earthquake damage, including the eleven displacement locations and construction findings.

-
- 115 Initial explanation of Circular Line earthquake damage** [<https://www.dorts.ntpc.gov.tw/news/indexInfo/1A1dpRbMLK7>]

環狀線震損初步說明

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)

accessed 2026-08-17

Full New Taipei DORTS announcement recording the seven severe and four less-severe displacement ranges and the initial recovery estimate.

-
- 116 Circular Line ready; full service resumes at noon** [<https://www.ntmetro.com.tw/basic/?mode=detail&node=754>]

新北環狀線準備好了!確認安全無虞12:00 全線復駛

PRIMARY New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-17
Full operator reopening release for 12 December 2024, including nine repositioned spans and the published repair inventory.

- 117 **Muzha metro line: Matra wins, Taipei to pay NT\$1.64 billion** [<https://www.epochtimes.com/b5/5/7/23/n995027.htm>]

木柵捷運線 馬特拉勝訴 北市要賠16.4億

SECONDARY 孫友廉 , 陳曉宜 , 鄭學庸 , 自由時報 , 23 July 2005 (via 大紀元 reprint)
accessed 2026-08-06

The contemporaneous report of the final judgment, with the figures, the procedural stages and the limitation-period reasoning, plus a signed commentary. The best source this page has for the litigation. The original 自由時報 URL has rotted; the 大紀元 reprint is what remains reachable.

- 118 **Wenhu line** [<https://zh.wikipedia.org/zh-tw/文湖線>]

文湖線

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-06

Carries the 1997 reading of the withdrawal — 馬特拉與台北市政府捷運工程局發生合約糾紛後，將技術人員全數撤離。

- 119 **Pingxi Line** [<https://zh.wikipedia.org/zh-tw/平溪線>]

平溪線

SECONDARY Wikipedia contributors (維基百科) accessed 2026-08-29

Lead-only encyclopedia article. Supports the 1918 company formation and January 1919 construction start; its July 1921 completion date and 1929 government-purchase date/price rest on an in-page footnote not independently opened in this pass.

- 120 **Industrial heritage: coal from Shidi — the Shidi Grand Incline and the Pingxi Line railway** [https://milkyrailway.blogspot.com/2023/01/blog-post_30.html]

【產業遺產】來自石底的煤礦：石底大斜坑與平溪線鐵道

SECONDARY Milky Railway (時光土場) accessed 2026-08-29

Enthusiast blog, full page fetched. Gives a July 1922 completion date, one year later than zh.wikipedia's July 1921 — published as a conflict. Also describes the 1929 government purchase causally (relieving Taiyang Mining's cash-flow problems) without a specific day or price.

- 121 **Mining mountain memory: exploring a century of Jinguashi history** [<https://www.archives.gov.tw/tw/arctw/69-1742.html>]

礦山記憶：探索金瓜石百年歷史風華

PRIMARY National Archives Administration, National Development Council (國家發展委員會檔案管理局) accessed 2026-08-29

Government archive publishing its own historical account. Corroborates the 1933 Nippon Mining purchase and names the Shuinandong-Baduozi line "水八鐵路," matching zh.wikipedia's separate "金瓜石線" article rather than the National Central Library's usage of that same name.

- 122 **The Jinguashi mining special-purpose railway — the Jinguashi Line** [https://tm.ncl.edu.tw/article?u=001_001_0000360833]

金瓜石礦山專用鐵道金瓜石線

PRIMARY Taiwan Memory, National Central Library (國家圖書館 臺灣記憶)

accessed 2026-08-29

National library digital-heritage archive. Names the 1931-completed Jinguashi-Ruifang light railway "金瓜石線" — a different line from the one a separate Wikipedia article gives the same name to (see specs above).

123 Jinguashi Line [<https://zh.wikipedia.org/zh-tw/金瓜石線>]

金瓜石線

SECONDARY Wikipedia contributors (維基百科) accessed 2026-08-29

Describes a different railway under the same name — a 762 mm industrial line from Shuinandong through Baduozi to the port at Bachimen, completed 1936, ending passenger service in August 1962. Independently corroborated as "水八鐵路" by the National Archives Administration.

124 Houtong Station [<https://zh.wikipedia.org/zh-tw/猴硐車站>]

猴硐車站

SECONDARY Wikipedia contributors (維基百科) accessed 2026-08-29

Supports the 27 January 1920 opening date, on the Yilan Line.

125 Ruisan Coal Mine [<https://zh.wikipedia.org/zh-tw/瑞三煤礦>]

瑞三煤礦

SECONDARY Wikipedia contributors (維基百科) accessed 2026-08-29

Supports the March 1922 coal-preparation-plant completion, the Mitsui predecessor operation, Li Jian-hsing's 1934 lease and the company's 1954 formal registration, cumulative 1946-1980 output figures, and the closure date corroborated independently by a New Taipei City government page.

126 Ruisan Mining coal-preparation plant, 'coal for a prosperous nation' — reviving Houtong's mining heritage [<https://wedid.ntpc.gov.tw/Governance/Detail/gbB1m01ALMDz>]

瑞三鑛業整煤廠「產煤裕國」，再造猴硐礦業風華

PRIMARY New Taipei City Government (新北市政府) accessed 2026-08-29

City government's own account of its restoration project. Confirms the 1990 closure, the September 2022 restoration reopening, visitor numbers since, and a second restoration phase that broke ground 21 October 2024 targeting 2026 completion.

127 Two Old Mountain Line iron bridges of recognised value designated as monuments [<https://e-info.org.tw/node/216883>]

具珍貴價值 舊山線2座鐵橋獲指定為古蹟

SECONDARY Taiwan Environmental Information Center (環境資訊中心) accessed 2026-08-27

Full article read directly. Source for the 2019 county-monument designation of Neishechuan and Yutengping iron bridges.

128 The Old Mountain Line Railway's Closure and Reopening [https://tcmb.culture.tw/zh-tw/detail?indexCode=Culture_Event&id=233563]

舊山線鐵道停駛與復駛

SECONDARY

Culture Memory Bank 2.0, Ministry of Culture, citing Miaoli Literature no. 49 (2012), Miaoli County Cultural and Tourism Bureau
accessed 2026-08-27

Full page read directly. Source for the 23–24 September 1998 changeover and the 5 June 2010 heritage-service resumption.

- 129 The Old Mountain Line Railway** [<https://www.taiwan.net.tw/m1.aspx?sNo=0001110&id=A12-00494>]

舊山線鐵道

PRIMARY Tourism Administration, Ministry of Transportation and Communications (交通部觀光署) accessed 2026-08-27

Full official tourism-agency page, read directly. Source for the 1908 completion, the 402.326 m Shengxing elevation, the 8-tunnel/3-bridge/4-station count and the Rail Bike conversion.

- 130 Taichung Port Station information** [<https://www.railway.gov.tw/tra-tip-web/tip/tip00H/tipH41/viewStaInfo/2210>]

臺中港車站資訊

PRIMARY National Taiwan Railways Corporation (國營臺灣鐵路股份有限公司) accessed 2026-08-29

Operator's own current station page. Confirms the station is active with a freight-consignment desk still listed, operating hours 05:00–24:00.

- 131 Taichung Port Line** [<https://zh.wikipedia.org/zh-tw/台中港線>]

台中港線

SECONDARY Wikipedia contributors (維基百科) accessed 2026-08-29

Gives 7.8 km and a 31 October 1976 opening/operator-transfer date, uncited on the page itself and conflicting with a separately-verified TRA construction-history PDF date of 1973 built/1974 operating (see tra-construction-history-pdf).

- 132 Chronological history of railroad construction** [<https://www.railway.gov.tw/tra-tip-web/tip/file/6a439dbd-9cee-4d4b-9c4b-215439bffb5f5>]

路線修築沿革

PRIMARY National Taiwan Railways Corporation (國營臺灣鐵路股份有限公司) accessed 2026-08-26

Full operator PDF, read directly for this project's separate Jianan-Taichung Port double-track research file. Its row 45 entry for the Taichung Port Line gives 7.8 km, construction in Minguo 62 (1973), operation start Minguo 63 (1974) — conflicting with the 1976 date given elsewhere; the current TRA HTML construction-history page omits this line entirely.

- 133 Annual volume passes 200,000 tonnes, a new record — TRA and Taichung Port branch cooperate closely to raise freight efficiency [<https://www.facebook.com/TaiwanRailwayCorporation/posts/800856652089039>]
年運量突破20萬噸創新高／台鐵公司與台中港務分公司密切合作，提升貨運效能
PRIMARY Taiwan Railway Corporation official Facebook page (臺灣鐵路股份有限公司)
accessed 2026-08-29
Operator's own social-media statement, dated 29 March 2024. States system-wide TRA freight of 6.81 million tonnes and Taichung Port Line-specific freight of 202,000 tonnes, primarily wheat to Fugang and Hsinchu flour mills.
-
- 134 Taipei Metro public-art table [<https://www.dorts.gov.taipei/cp.aspx?n=EF3512A90C6BCFD2&s=BCB5B88DD2E6E46B>]
捷運公共藝術總表
PRIMARY Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局)
accessed 2026-08-17
Full DORTS table for CKS Memorial Hall, Guting, Gongguan, Xindian and Xiaobitan, including work title, artist, medium, completion date, selection route and the table's cost field.
-
- 135 Xiaobitan station public art [<https://www.dorts.gov.taipei/cp.aspx?n=CED2FA967D173F88&s=682C3BAE644B538F>]
小碧潭站公共藝術「幸福知道」
PRIMARY Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局)
accessed 2026-08-17
Full DORTS work record for 幸福知道, including artist, media, completion date, invited competition, and the approximately NT\$35.9 million cost plus NT\$1 million first prize.
-
- 136 Public art at Xiaobitan station, Taipei Metro Engineering Series no. 2, p. 249 [<https://ebook.dorts.gov.taipei/ebook/no2/files/basic-html/page249.html>]
捷運工程叢書精進版－2 捷運車站規劃與設計實務
PRIMARY Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局)
accessed 2026-08-17
Full official technical-book page describing the NT\$15 million budget limit, later design reductions and the work's public-art awards.
-
- 137 Sanying Line public-art announcement [<https://www.dorts.ntpc.gov.tw/news/indexInfo/vKR2Lv01ZJGp>]
捷運三鶯線打造行動美術館「有趣」首亮相
PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17
Full announcement listing the 2025 station labels for **LB02** and **LB06** and describing the mobile-museum programme; artist, year, medium, selection and cost are not published in the announcement.
-
- 138 Sanying Line public art opens as a mobile exhibition [<https://www.dorts.ntpc.gov.tw/news/indexInfo/xVR2eBELdJ36>]
捷運即展場！三鶯線12件公共藝術驚艷登場
PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)

accessed 2026-08-17

Full 19 February 2026 announcement listing **LB07** and **LB10**–**LB12** labels and calling the programme 12 works; its station labels do not reconcile with the 2025 announcement or the full **LB08** record.

- 139 Yingge station public art record [https://www.dorts.ntpc.gov.tw/art_aesthetics/public_artinfo/W00dPjjBmnbJ]

鶯歌車站(繪本)

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17

Full NTPC/DORTS art record for 陶鄉 by 吳建福, including ceramic and kiln-firing references and corridor placement; year, selection and cost are not published.

- 140 Daqiaotou station architecture [<https://www.dorts.gov.taipei/cp.aspx?n=7F9131BAD8DCF960&s=CEDF8906C30FD635>]

大橋頭站建築設計

PRIMARY Taipei City Department of Rapid Transit Systems (臺北市政府捷運工程局)
accessed 2026-08-17

Full DORTS architecture page describing eight platform-wall paintings at **012**; it does not publish complete title, artist, year and medium fields for those paintings.

- 141 Airport MRT public art [https://www.tymetro.com.tw/tymetro-new/tw/_pages/life/public_art.html]

桃園機場捷運公共藝術

PRIMARY Taoyuan Metro Corporation (桃園大眾捷運股份有限公司) accessed 2026-08-17
Full TYMC operator inventory for the Airport MRT station allocations, titles and artists; it generally does not publish year, medium, selection or cost.

- 142 Danhai LRT public art [<https://www.ntmetro.com.tw/basic/?mode=detail&node=17>]

淡海輕軌公共藝術

PRIMARY New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-17
Full NTMC operator page for Jimmy Liao's line-wide Green Mountain work 閉上眼睛一下下, its **V01**–**V11** scope and cast-bronze/painted-glass media; year, selection and cost are not published.

- 143 Ten Major Construction Projects [<https://zh.wikipedia.org/zh-tw/十大建設>]

十大建設

SECONDARY Wikipedia contributors (維基百科) accessed 2026-08-29
Lead-only encyclopedia synthesis, citing 行政院經濟建設委員會 (1979), 行政院主計處, 交通部運輸研究所 (1980年鑑) and contemporary newspapers in its own footnotes — this research did not independently open and verify each of those underlying citations, so cost/date figures here should be treated as leads pending that follow-up.

- 144 Sun Yat-sen Freeway [<https://zh.wikipedia.org/zh-tw/中山高速公路>]

中山高速公路

SECONDARY Wikipedia contributors (維基百科) accessed 2026-08-29

Gives three different construction-cost figures across its own article body and footnotes (NT\$42.9bn, "over NT\$40bn," NT\$44.8bn) — published as a conflict, not resolved, since none was traced to a primary 交通部高速公路局 or 國史館 source in this research.

- 145 Taiwan's first freeway [<https://storystudio.tw/article/gushi/taiwan-first-freeway>]

台灣第一條高速公路

SECONDARY StoryStudio (故事) accessed 2026-08-29

Full page fetched. States Chiang Ching-kuo overrode objections ("力排眾議") to push the freeway through in 1970, without naming who objected or on what grounds — notably thinner than a search-engine summary of the same subject had implied, an example of the gap this project's sourcing discipline exists to catch.

- 146 Chronological History of Railroad Construction [<https://www.railway.gov.tw/tra-tip-web/tip/file/6a439dbd-9cee-4d4b-9c4b-215439bffb5f5>]

路線修築沿革

PRIMARY National Taiwan Railways Corporation / former Taiwan Railways Administration (國營臺灣鐵路股份有限公司／臺灣鐵路管理局) accessed 2026-08-26

Full ten-page operator PDF. Its Wanhua–Xindian row gives 10.4 km; the aligned explanation records purchase in 1949 and dismantling in 1965.

- 147 Urban texture formed by railways (5) — Xindian Line [<https://www.dorts.ntpc.gov.tw/documentary/articleInfo/VKgm01r42nxA?page=3>]

鐵道型塑的都市紋理(五)-新店線

PRIMARY New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局) accessed 2026-08-26

Full municipal history page. It gives the 25 March 1921 full opening, 1,067 mm gauge, 20 March 1965 operating stop, 1968 road conversion and the broad overlap with the modern Xindian MRT line.

- 148 Jingmei's former splendour [https://www.gov.taipei/News_Content.aspx?n=F0DDAF49B89E9413&s=EC29198AFE22C076&sms=72544237BBE4C5F6]

景美風華再現

PRIMARY Taipei City Government (臺北市政府) accessed 2026-08-26

Full city-government history page. It gives 10.7 km, fourteen stations in the Japanese-era account, ten after retrocession and the 1965 end of operation, and locates later road construction on the former route.

- 149 The early NTU people's "metro" — the narrow-gauge Wanxin Railway story [<https://ntualumnibm.ntu.edu.tw/bm.bimonthly.article/detail/sn/4114>]

早年臺大人的「捷運」——萬新鐵路窄軌火車的故事

SECONDARY National Taiwan University Alumni Bimonthly (國立臺灣大學校友雙月刊) accessed 2026-08-26

Full alumni feature, retained as a secondary lead for the claimed 24–25 March 1965 passenger/freight final-service times; those exact times are not promoted as established because the checked operator records do not confirm them.

-
- 150 Daliao Depot** [https://corp.krtc.com.tw/Business/land_development_more?id=278b8920c45c4ac78f3e010646cf4f4f]
大寮機廠
PRIMARY Kaohsiung Rapid Transit Corporation (高雄捷運股份有限公司)
accessed 2026-08-27
Full page, read directly. States location, 54-hectare total site area, and Level 5 maintenance tier as the network's main repair depot.
-
- 151 Kaohsiung Rapid Transit** [<https://zh.wikipedia.org/zh-tw/高雄捷運>]
高雄捷運
SECONDARY Wikipedia accessed 2026-08-27
Depot-comparison table gives Daliao Depot as 55.0 hectares and North Depot as covering Ciantou District only — both figures conflict with KRTC's own depot pages.
-
- 152 North Depot** [https://corp.krtc.com.tw/Business/land_development_more?id=ec242f99d99949be84f3cfdef6d56b0b]
北機廠
PRIMARY Kaohsiung Rapid Transit Corporation (高雄捷運股份有限公司)
accessed 2026-08-27
Full page, read directly. States location across two districts, 34-hectare total site area (24.6 hectares as depot/access-road/station facility zone), and Level 3 maintenance tier.
-
- 153 Long-term network introduction** [<https://mtbu.kcg.gov.tw/KaohsiungMetro/LongtermNetwork/LN01.html>]
路網簡介
PRIMARY Kaohsiung City Government Mass Rapid Transit Bureau (高雄市政府捷運工程局)
accessed 2026-08-25
The government records Red and Orange as first-stage routes approved in ROC80 and places their completion in ROC97, with later network planning reviewed after the 2010 county-city merger.
-
- 154 Mission and vision: company origin** [<https://corp.krtc.com.tw/About/page?id=6df67da0dd21469da80e9528f32d7057>]
使命與願景
PRIMARY Kaohsiung Rapid Transit Corporation (高雄捷運股份有限公司)
accessed 2026-08-25
The operator records the 1999 invitation, 2000 selection and incorporation, 2001 concession and construction start, six-year construction period, and 36-year concession.
-
- 155 Red and Orange Line route description** [<https://mtbu.kcg.gov.tw/KaohsiungMetro/CompletedRoutes/RedandOrange/RedandOrange01.html>]
路線說明 (含路網及車站)
PRIMARY Kaohsiung City Government Mass Rapid Transit Bureau (高雄市政府捷運工程局)
accessed 2026-08-24
The government project page gives the Red/Orange route lengths, station counts, type, depot count and transfer relationships.
-

- 156 KRTC fifteenth-anniversary service history [https://www.krtc.com.tw/Information/news_more?id=1b8bdb412efe4f489271bd368efdd22d]
歡慶高雄捷運通車十五週年 高捷甘心為你
PRIMARY Kaohsiung Rapid Transit Corporation (高雄捷運股份有限公司)
accessed 2026-08-25
The operator records Red service from 9 March 2008, Orange service from 14 September 2008, and network-level daily-ridership milestones.
-
- 157 Kaohsiung MRT operating service indicators [<https://mtbu.kcg.gov.tw/FileContent/GetDownloadFile?fileCaption=95%E5%B9%B4%E6%9C%88-%E9%AB%98%E9%9B%84%E6%8D%B7%E9%81%8B%E7%87%9F%E9%81%8B%E6%9C%8D%E5%8B%99%E6%8C%87%E6%A8%99&fileDictionary=FileUpload&fileFormat=.pdf&fileName=20200312203955689.pdf>]
高雄捷運營運服務指標
PRIMARY Kaohsiung City Government Mass Rapid Transit Bureau (高雄市政府捷運工程局)
accessed 2026-08-25
The government document describes the historical Red/Orange design boundary, underground/elevated split and the electrical, signalling, communications, platform and fare systems that form the integrated system.
-
- 158 TDX Kaohsiung Metro route records [<https://tdx.transportdata.tw/api/basic/v2/Rail/Metro/Route/KRTC?%24format=JSON&%24top=1000&%24skip=0>]
高雄捷運路線資料
PRIMARY Ministry of Transportation and Communications, TDX (交通部運輸資料流通服務平臺)
accessed 2026-08-24
The live pull contains four directional route records with source route lengths, termini and travel times.
-
- 159 TDX Kaohsiung Metro station-of-route records [<https://tdx.transportdata.tw/api/basic/v2/Rail/Metro/StationOfRoute/KRTC?%24format=JSON&%24top=1000&%24skip=0>]
高雄捷運路線車站資料
PRIMARY Ministry of Transportation and Communications, TDX (交通部運輸資料流通服務平臺)
accessed 2026-08-24
The live pull contains four directional records: two for the Red Line and two for the Orange Line, with ordered members and cumulative distances.
-
- 160 Taoyuan Airport MRT [<https://zh.wikipedia.org/zh-tw/桃園機場捷運>]
桃園機場捷運
SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-12
Read in full. Source for the BOT era (1996年10月 BOT decision, 1998 Long Life International wins the bid, terminated 2002年12月31日), the two depot names (蘆竹機廠, 青埔機廠), and the express/commuter service pattern detail (34.03 km / ~39 min base express; ~64 min Huanbei peak express). Contains no Marubeni monetary figures at all, despite being the article a widely-circulated dispute figure is often attributed to.
-
- 161 TYMC company history [https://www.tymetro.com.tw/tymetro-new/tw/_pages/about/history.html]
桃捷大事紀

PRIMARY Taoyuan Metro Corporation accessed 2026-08-12

The operator's own milestone list: MOTC designated the High Speed Rail Bureau as builder 28 October 2003 (92年10月28日), central government approved the construction plan 9 March 2004, a groundbreaking ceremony was held 26 June 2006, and the company itself was established 6 July 2010 (99年07月06日).

162 Airport Line [<https://www.dorts.ntpc.gov.tw/about/route/npw0dxy4Z3Ex>]

機場線

PRIMARY New Taipei City Government, Department of Rapid Transit Systems (新北市政府捷運工程局) accessed 2026-08-12

The builder's own project record: route length 51.03 km, 22 stations (15 elevated, 7 underground), about 10.92 km underground and 40.11 km elevated, two depots, and total construction cost about NT\$113.85 billion. It records the 2006-02-27 start for the Sanchong–Airport–Zhongli section and E&M systems, the 2004-03-09 plan approval, the 2006-09-25 start of the underground Sanchong–Taipei section after Taipei's urban-design objection, and full-line operation on 2017-03-02.

163 Airport MRT opening date has changed six times: how we got here [<https://www.cna.com.tw/news/firstnews/201603040457.aspx>]

機場捷運通車時程變更6次 始末報你知

SECONDARY 中央社 CNA accessed 2026-08-12

The earliest announced opening date was January 2009; by this article's date (4 March 2016) it had changed six times: 最早決定的通車日是2009年1月，至今已變更6次. The fetch used for this page returned only the article's opening paragraph, not an itemised list of each change, which is why this page states the headline fact but not a full delay table.

164 About TYMC [https://www.tymetro.com.tw/tymetro-new/tw/_pages/about/index.html]

關於桃捷

PRIMARY Taoyuan Metro Corporation (桃園大眾捷運股份有限公司) accessed 2026-08-12

The operator's own statement of its founding and opening date: 機場捷運線於106年3月2日正式營運通車 — service began 2 March 2017. Confirms the company was formed by the three city governments, with Taoyuan City Government designated by MOTC to run it.

165 Airport MRT settles accounts: High Speed Rail Bureau to fine Marubeni NT\$2.5 billion and pursue further damages [<https://www.cna.com.tw/news/ahel/201701090048.aspx>]

機捷算總帳 高鐵局將罰丸紅25億並求償

SECONDARY 中央社 CNA (記者汪淑芬) accessed 2026-08-12

Contemporaneous wire report, 9 January 2017. Two figures, quoted directly: a NT\$2.5 billion delay penalty, the contractual maximum (罰金最高上限約25億元, calculated at 0.05% of contract value per day); and roughly NT\$1.9 billion in performance bonds withheld (扣住部分履約保證金約19億多元) over Marubeni's unauthorised subcontracting of the signalling system to a British firm. Also reports Marubeni's own NT\$12.9 billion counter-claim against MOTC over design changes. No combined total is stated in this article.

166 Airport MRT travel times miss target: Railway Bureau withholds over NT\$700 million from Marubeni [<https://www.cna.com.tw/news/firstnews/202108290054.aspx>]

機捷行車時間未達標 鐵道局扣丸紅7億多元工程款

SECONDARY 中央社 CNA accessed 2026-08-12

A separate, later, smaller dispute: NT\$726,926,496 withheld (以扣工程款方式辦理驗收，並建議減價金額7億2692萬6496元) for missed express-train travel time, average speed and headway targets, decided late 2020, reaching the Railway Bureau March 2021. Not the same matter as the 2016–17 penalty and bond figures above, and not a source for any 'NT\$7.2 billion' total — no such total appears in this article either.

167 Taoyuan Metro 2000-type electric multiple unit [<https://zh.wikipedia.org/zh-tw/桃園捷運2000型電聯車>]

桃園捷運2000型電聯車

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-12

Read in full. Manufacturer: 該型列車由川崎重工業製造 (Kawasaki Heavy Industries), built 2011–2013. 11 five-car sets (201–211), 55 cars, 4 passenger cars plus 1 dedicated luggage car per set. DC 750V third rail, 1,435mm gauge. ≈855 passengers per set, 206 seats, 8 wheelchair spaces. 100 km/h operating, 110 km/h design maximum. Transverse seating, overhead luggage racks, WiFi, USB charging; a photo caption notes wireless charging pads as currently suspended (暫停使用).

168 Taoyuan Metro 1000-type electric multiple unit [<https://zh.wikipedia.org/zh-tw/桃園捷運1000型電聯車>]

桃園捷運1000型電聯車

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-12

Read in full. Split manufacture under an industrial-cooperation programme: 川崎重工 (101、118~120編組) / 台灣車輛 (102~117編組) — Kawasaki built the prototype and sets 118–120, Taiwan Rolling Stock Co. built the rest domestically. Built 2011–2012 and again 2015. 4-car sets (4M), 20 sets currently (80 cars). Longitudinal seating. Same power supply and gauge as the express fleet. The article's summary prose reads as 188 seats per car, but its own per-car table (44+47+50+44=185) shows 188 is the per-set total, not per car — checked here rather than repeated as written.

169 Taiwan MOTC TDX — StationOfRoute, operator TRTC [<https://tdx.transportdata.a.tw/>]

PRIMARY Ministry of Transportation and Communications, Taiwan accessed 2026-08-10

Government open data, committed to this repository at data/tdx/. Route BL-1 runs **BL01** to **BL23** over 23 stations with a final CumulativeDistance of 26.65 km; route BL-2 is the short working, **BL05** to **BL23**, 19 stations, 20.48 km. The inter-station gaps on this page are differences between consecutive cumulative distances on BL-1.

170 Bannan Line [<https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065>]

板南線

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

臺北市政府捷運工程局 accessed 2026-08-10

The builder's own project record for the line as a whole. Source for the Nangang section — 約11公里，設11座車站，全線地下 — for the two 1999 and 2000 opening dates (市政府至西門段：民國88年12月24日；市政府至昆陽段：民國89年12月30日), for the Nangang depot at 約7.83公頃 with development rights reserved above the shed roof slab, and for the construction-difficulty sentence naming 北門.

- 171 **Banqiao Line** [<https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=F007031A0E7C5D14>]

板橋線

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

臺北市政府捷運工程局 accessed 2026-08-10

全長約7.1公里，設5座車站，underground throughout, and the only place the three-stage opening is set out in one list: 88年12月24日 (西門–龍山寺), 89年8月31日 (龍山寺–新埔), 95年5月31日 (新埔–永寧).

- 172 **Tucheng Line** [<https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=12C5B1574D868732>]

土城線

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

臺北市政府捷運工程局 accessed 2026-08-10

全長約5.6公里，設4座車站，全採地下方式建造, and the only source found for Tucheng depot: 位於土城大漢溪防汛河川舊址, 面積約 26.8 公頃, 板橋線及土城線、南港線電聯車之主要停駐、清洗及維修工廠.

- 173 **Nangang Line eastern extension** [<https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=D392F4A16D3932DF>]

南港線東延段

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

臺北市政府捷運工程局 accessed 2026-08-10

全長約2.5公里，設2座車站; the 2008 and 2011 openings; 總經費157.35億元; and the specific figure behind the three-railway claim at Nangang — 其間在臺鐵路權內約725公尺與高鐵、地鐵形成三鐵共構.

- 174 **Tucheng Line extension to Dingpu** [<https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=02B240F1DBB7806E>]

土城線延伸頂埔段

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

臺北市政府捷運工程局 accessed 2026-08-10

路線長度約2公里，設1座車站; approved 96年2月16日, started 98年12月31日, opened 104年7月6日 after 初勘 on 104年6月6日 and 履勘 on 104年6月23日; 總經費76.27億元.

- 175 **Bannan line** [https://en.wikipedia.org/wiki/Bannan_line]

SECONDARY Wikipedia accessed 2026-08-10

Cited only for its infobox length of 26.6 km, which is a third value in the length conflict and agrees with the TDX measurement to the rounding. The article carries one reference in total and says nothing substantive about the fleets.

- 176 **Bannan line** [<https://zh.wikipedia.org/zh-tw/板南線>]

板南線

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-10

Read as a lead index and, via ?action=raw, as a bibliography — both news sources on this page came out of its reference list. Its infobox gives 28.2 km, 80 km/h operating and 90 km/h design speed, 750V 第三軌供電, both depots and both fleets. Its lead calls the line 全路

-
- 177 Taipei MRT Engineering Series, revised edition, volume 15: MRT construction management practice [<https://ebook.dorts.gov.taipei/ebook/no15/files/basic-html/page37.html>]

捷運工程叢書 精進版—15 捷運工程施工管理實務

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

臺北市政府捷運工程局 accessed 2026-08-23

DORTS's procurement history. It gives an approximately 7 km Banqiao length, says the Xindian River shield tunnels drove joint bids for CP261–CP263, distinguishes the Nangang contracts by technical and security requirements, and records the cancellation of negotiated-price awards on Banqiao.

-
- 178 Control Yuan investigation report, case 114交調0005: the displacement of Circular Line track following the 3 April 2024 earthquake [<https://www.cy.gov.tw/CyBsBoxContent.aspx?s=49082>]

監察院調查報告 114交調0005

PRIMARY 監察院 (Control Yuan of the Republic of China) accessed 2026-08-23

The single most important document on this subject, and the source for everything on this page attributed to the investigation. Commissioners 趙永清 and 葉宜津, on their own motion; reviewed 11 March 2025, published 17 June 2025. Read here from the report's .docx (<https://cybsbox.cy.gov.tw/CYBSBoxSSL/edoc/download/68978>), whose word/document.xml was extracted directly — about 15,800 characters of body text, the whole report minus figures and tables. A .pdf of the same report is at <https://cybsbox.cy.gov.tw/CYBSBoxSSL/edoc/download/72631> and could not be rendered in the environment used. Note that the report's 案由 recites the allegation being investigated — eleven displacements, NT\$400m+, over a year — and is not the same thing as its findings.

-
- 179 Eleven locations severely damaged on the Circular Line; recovery initially estimated at over a year [<https://www.dorts.ntpc.gov.tw/news/indexInfo/1A1dp1RBmLK7>]

環狀線11處受損嚴重 初估復原工期超過1年

PRIMARY 新北市政府捷運工程局

(New Taipei City Government, Department of Rapid Transit Systems), 24 April 2024
accessed 2026-08-10

Three weeks after the earthquake, and the only source found for the severity split: of the eleven displacements, seven severe at 20–92 cm and four at 3.5–6 cm. Also the initial estimate of 復原工作初步評估須約1年以上 and the intensity 5-strong recorded at the station nearest the damage. The Control Yuan report gives neither the split nor this estimate as its own.

-
- 180 Displacement investigation report published: contractor did not build to the approved drawings; the two city governments will jointly sue BES Engineering for NT\$1.927 billion [<https://www.ntpc.gov.tw/ch/home.jsp?id=e8ca970cde5c00e1&dataserno=9be8e636a516475bafac1bcac788d423>]

環狀線位移鑑定報告出爐!廠商未按核定施工圖施作 雙北市府將一同向中華工程提告 求償19.27億

PRIMARY 新北市政府 (New Taipei City Government), 3 January 2025 accessed 2026-08-10

The city's own announcement of the claim total and of the 40 mm / 5 mm / 41 mm account of the pin and the milled plate. A three-way breakdown of the NT\$1.927 billion circulates in search summaries and secondary reporting; a full fetch of this page on 2026-08-10 returned the total and no breakdown, so no breakdown is published here.

- 181 Circular Line earthquake damage — the two city governments sue BES Engineering for NT\$1.927 billion [<https://www.cna.com.tw/news/aloc/202503270341.aspx>]

捷運環狀線震損 雙北市府提告中華工程求償19.27億

SECONDARY 中央社 CNA, 27 March 2025 accessed 2026-08-10

Cited for the fact and date of the filing — 27 March 2025, at the Taipei District Court, against 中華工程 — which no primary document read in this research records. It also reports nine displaced spans, which is the count the repair records use and not the eleven the investigation uses; both are on this page.

- 182 Sued for NT\$1.9 billion over the Circular Line earthquake damage, BES Engineering says it built to the drawings [<https://news.pts.org.tw/article/732085>]

捷運環狀線震損遭求償19億 中華工程：均按圖施工

SECONDARY 公視新聞網 PTS accessed 2026-08-10

The contractor's own position, quoted: 均依核定施工圖說嚴格執行, and 調坡板銹穿與支承失效, 並非災損主因, 相關原因需從結構設計強度等因素進一步檢討. Secondary, because it is a news outlet reporting what the company said — but it is the only account found of the defendant's case, and the defendant has not conceded.

- 183 The New Taipei Circular Line is ready: safety confirmed, full service resumes at 12:00 [<https://www.ntmetro.com.tw/basic/?mode=detail&node=754>]

新北環狀線準備好了!確認安全無虞12:00 全線復駛

PRIMARY 新北大眾捷運股份有限公司 (New Taipei Metro Corporation), 12 December 2024

accessed 2026-08-23

The reopening, with the repair inventory: nine spans of steel box girder repositioned, 139 items damaged, 1,438 track baseplates replaced, 1,050 m of track restored, 41,500 m of cable replaced, headways back to 5–7 min peak and 8–10 off-peak. Also 李政安 on the remedy — 除了全面更換為優化的盤式支承設施外、也增設永久防落橋及抗拉拔裝置為第二道防線 — which replaces the bearings wholesale without stating how many.

- 184 Circular Line Phase 1 [<https://www.dorts.gov.taipei/cp.aspx?n=86E55BE3A390F789>]
環狀線第一階段

PRIMARY 臺北市政府捷運工程局 (Taipei City Government, Department of Rapid Transit Systems)

accessed 2026-08-23

The builder's project record for the section now open: 於109年1月31日通車營運; 第2次修正計畫於104年5月6日奉行政院核定, 總經費699.73億元 against an initial financial plan of 401.18億元; and the depot, 南機廠位於新店十四張農業區, 面積約14.33公頃, 供佈設機廠之面積約12.19公頃. The depot's published name is 南機廠, South Depot; 十四張 is where it is, not what it is called.

- 185 What is the route and the system type of the whole Circular Line? [https://www.dorts.gov.taipei/News_Content.aspx?n=2A66A485FACB0D5B&sms=87415A8B9CE81B16&s=5283528B7AF0EECA]

常見問答－機電設施＞環狀線全線之路線與型式為何？

PRIMARY 臺北市政府捷運工程局 (Taipei City Government, Department of Rapid Transit Systems) accessed 2026-08-23

The builder's own whole-line answer, and the only page found in this research that gives all four sections' dimensions together: 環狀線係採鋼軌鋼輪全自動無人駕駛中運量系統; 共15.4公里，14車站(地下1站，高架13站) 及1座機廠; 北環段：共14.93公里，12車站及1座地下機廠; 南環段：共5.73公里，6車站（地下6站，不包括大坪林站）；東環段：約13.25公里，10車站及1座地下機廠（地下10站）。It states no whole-ring total. Fetched twice, the second time asking only for verbatim sentences containing 公里, because a first fetch had produced a total that the second could not find.

186 The New Taipei Circular Line [<https://www.dorts.ntpc.gov.tw/about/route/zj6Dd5ajdA1o>]

新北環狀線

PRIMARY 新北市政府捷運工程局

(New Taipei City Government, Department of Rapid Transit Systems) accessed 2026-08-23

The other bureau's page for the same railway, cited here because it independently repeats Taipei DORTS's figures — 15.4 公里, 14 座車站, 中運量, 109年1月31日全線通車營運, 699.73億元, one depot in the 新店十四張 agricultural zone. Two bureaux publishing the same numbers is what makes the 15.4 km figure solid enough to set beside the chainage.

187 Taiwan MOTC TDX — Line, Route, StationOfRoute and Shape, operator NTMC [<https://tdx.transportdata.tw/>]

PRIMARY Ministry of Transportation and Communications, Taiwan accessed 2026-08-05

Government open data, committed to this repository at [data/tdx/NTMC/](https://data.tdx/NTMC/). Source for the station sequence and codes, the 34-minute end-to-end run time, the transfer times, and the 15.06 km cumulative chainage from **Y07** to **Y20**. The RouteLength field is 0 — present and unpopulated — which is the same behaviour this site found on every TRTC metro route. line.json records IsBranch: false, and the fourteen stations run in one unbranched sequence, so the nineteen segments of the published geometry are an artefact of how the alignment is drawn rather than a statement about the railway.

188 Circular line (Taipei metropolitan area) [[https://zh.wikipedia.org/zh-tw/環狀線_\(台北都會區\)](https://zh.wikipedia.org/zh-tw/環狀線_(台北都會區))]

環狀線 (台北都會區)

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-10

Cited for one thing only: its infobox 路線長度 of 49.18公里 for the completed ring, which is the figure that circulates in English material. No government page reached in this research states a whole-ring total, so the figure cannot be checked against the builder — it is published here as a conflicting value, not as an authority.

189 Circular Line — South Ring and North Ring [<https://www.dorts.ntpc.gov.tw/about/route/bQw92Vzy2j0k>]

環狀線(南環段/北環段)

PRIMARY 新北市政府捷運工程局

(New Taipei City Government, Department of Rapid Transit Systems) accessed 2026-08-23

The under-construction rings, from the bureau building them: 路線全長20.66公里(其中新北市轄內8.21公里), 18 stations of which 7 are inside New Taipei, 1798.98億元, 預計120年完工. Also the section-contract start dates quoted on this page. Its 20.66 km equals the 5.73 + 14.93 of Taipei DORTS's two section figures exactly, which is a cross-check between two bureaux rather than a coincidence.

-
- 190 Work starts on the Fuxing Road–Long'en Street section of the Sanying Line [<https://www.ntpc.gov.tw/ch/home.jsp?dataserno=97560cd17a0812998e7100388c4f7a3d&id=e8ca970cde5c00e1>]

捷運三鶯線 復興路至隆恩街段工程開工

PRIMARY New Taipei City Government Transportation Department (新北市政府交通局)
accessed 2026-08-23

The 31 October 2014 announcement gives the early NT\$55.022bn estimate, 118,600 daily-trip forecast, all-elevated form, crossings of Freeway 3, TRA and five waterways, and New Taipei's first combination of a 3D terrain model with BIM for metro construction.

-
- 191 National Development Council passes the Sanying Line comprehensive plan [<https://www.ntpc.gov.tw/ch/home.jsp?dataserno=42f3d489a109908ddf71d0e3978bbe5b&id=e8ca970cde5c00e1>]

行政院國家發展委員會通過捷運三鶯線綜合規劃報告

PRIMARY New Taipei City Government Transportation Department (新北市政府交通局)
accessed 2026-08-23

The 20 April 2015 plan-stage release gives 14.29 km, 12 elevated stations, NT\$50.5bn, parallel basic design and project management, and a forecast reduction of 20–30 minutes in journeys to Taipei.

-
- 192 Sanying Line construction project — implementation history and refinements [<https://www.dorts.ntpc.gov.tw/admin/Content/Upload/file/20211117/0a63f435-a113-4405-88a0-6c95b39f797d.pdf>]

捷運三鶯線建設計畫的推動歷程與精進作為

PRIMARY New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局), 工程 accessed 2026-08-23

The full 28-page August 2018 report was downloaded and read. It documents the alignment's geology, foundation selection, 13,452 m bridge-type schedule, special river crossings, U-girder design, GoA 4/CBTC functional requirements, depot planning, procurement and BIM construction methods; and says value engineering reduced a proposed NT\$55bn plan to NT\$50.5bn through short trains, close headways, shorter stations, well foundations and U-girders.

-
- 193 Sanying Line project record [<https://www.dorts.ntpc.gov.tw/about/route/1MJjdJr7dAv6>]

三鶯線

PRIMARY New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局) accessed 2026-08-23

The live builder record gives 14.29公里, 502.00億元, 12座, the 2012 feasibility and 2015 comprehensive-planning approvals, advance- and main-works dates, inspection and permit milestones, the full street-and-river alignment, tail tracks for Bade, and the 30 June 2026 opening.

- 194 The Sanying metro line officially opens 30 June [<https://www.ntmetro.com.tw/basic/?mode=detail&node=867>]
捷運三鶯線6/30正式通車
PRIMARY New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-06
The operator's opening notice: 全長14.29公里，全線共設有12座車站; transfers at Dingpu and Yingge; about 30 minutes end to end; six- and eight-minute initial headways; the 20–35 NT\$ fare band; and stored-value-card taps free through 31 August.
-
- 195 Sanying Line extension to Bade, Taoyuan [<https://www.dorts.ntpc.gov.tw/about/route/90V4drGQZqEN>]
三鶯線延伸桃園八德段
PRIMARY New Taipei City Government Department of Rapid Transit Systems (新北市政府捷運工程局) accessed 2026-08-23
The live page gives a 4.03 km, three-station, NT\$16.058bn extension expected in 2034, records Executive Yuan approval on 1 August 2025 and EIA acceptance on 2 November 2023, and describes two elevated stations followed by underground LB14 shared with Taoyuan Green Line **G04**. Its introduction still says 本計畫尚未核定, contradicting its own dated approval record.
-
- 196 Taiwan MOTC TDX — StationOfRoute, operator TRTC [<https://tdx.transportdata.tw/>]
PRIMARY Ministry of Transportation and Communications, Taiwan accessed 2026-08-12
Government open data, committed to this repository at data/tdx/. Route G-1 (**G01** – **G19**) gives a CumulativeDistance of 18.77 km at its last station; route G-3 (**G03** – **G03A**, the Xiaobitan branch) gives 1.94 km. Both are the operating length of track that carries passengers, independent of DORTS's project-length figures.
-
- 197 Songshan-Xindian Line [<https://zh.wikipedia.org/zh-tw/松山新店線>]
松山新店線
SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-12
Cross-checked against DORTS and agreeing on every shared date. Source for the published operating length (營運長度：21.3公里), the 20-station count, the 1991 construction start month, the 14–15 November 2014 handover ceremony at Beimen, and the October 2016 switch from line number "3" to code "G" (原3號線調整為編號『G』).
-
- 198 Songshan-Xindian Line — Xindian Line route description [<https://www.dorts.gov.taipei/cp.aspx?n=71acc5b0cdfc313&s=CBD13A8895C4EF94>]
臺北市政府捷運工程局-松山新店線 (新店線路線說明)
PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS) accessed 2026-08-12
The builder's own project record for the Xindian Line construction project: route (北起台大醫院站...穿越景美溪後進入新北市), length (主線約10.5公里), station count with the NTU Hospital anomaly stated directly (沿線設11座車站，台大醫院站屬淡水信義線營運), the Xiaobitan branch's engineering and length (由地下轉平面並於機廠內爬升至高架之小碧潭站，支線長約1.5公里), the 1986 network approval and 1987 underground redesign (75年4月4日...76年5月20日獲行政院同意), the Xiaobitan approval date (88年9月17日), construction start (80年3月1日台大醫院站開工), and the two opening dates (87年12月24日, 88年11月11日).
-

- 199 Songshan-Xindian Line — Xiaonanmen Line route description [<https://www.dorts.gov.taipei/cp.aspx?n=71acc5b0cdfc313&s=9A7448733F1518F5>]

臺北市政府捷運工程局-松山新店線（小南門線路線說明）

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

accessed 2026-08-12

The builder's record for the Xiaonanmen Line: route and length (西門站至中正紀念堂站，全長約1.6公里), one station, its purpose as Bannan Line (藍線) depot-access track built with the Nangang Line project (小南門線提供藍線車輛過軌營運維修的功能，併南港線一併設計施工), its own 2000 opening (89年8月31日通車營運) and 2014 absorption into this line's operation (103年11月15日併入松山新店線營運).

- 200 Songshan-Xindian Line — Songshan section route description [<https://www.dorts.gov.taipei/cp.aspx?n=71acc5b0cdfc313&s=C974A7C467B035B8>]

臺北市政府捷運工程局-松山新店線（松山線路線說明）

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

accessed 2026-08-12

The builder's own record for the Songshan section: route, length and station count with Ximen explicitly included (全長約8.5公里，設8座地下車站，含西門站), the three civil contracts and earliest signing date (CG590C，95年3月29日簽約), the route-plan and finance-plan approvals (86年11月21日，93年12月2日), the NT\$49.93bn budget (499.3億元), and the inspection and opening dates (103年10月5日初勘、103年10月31日履勘、103年11月15日通車與新店線串聯營運).

- 201 Xindian Line construction management [<https://ebook.dorts.gov.taipei/ebook/no15/files/basic-html/page36.html>]

捷運工程技術文件管理實務

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

accessed 2026-08-23

Official technical-document page: 10.55 km main project, 1.53 km branch, twelve underground stations and depot description, plus international-tender package strategy where domestic capability was insufficient.

- 202 Taipei metropolitan rapid-transit technical-document management practice [<https://ebook.dorts.gov.taipei/ebook/no17/files/basic-html/page23.html>]

臺北都會區大眾捷運系統技術文件管理實務

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

accessed 2026-08-23

Official technical-document page preserving an alternate historical station-count and Xindian-project-length description; used only to publish the conflict.

- 203 Xindian Line track engineering [<https://ebook.dorts.gov.taipei/JRTST/ebook/no39/files/basic-html/page21.html>]

新店線軌道工程

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

accessed 2026-08-23

Official MRT Technology no. 39 page: CT521/CT521A track scope from CKS Memorial Hall to Xindian and depot, with the article's 33.2 km track and eleven-station project description.

204 Xiaobitan branch [<https://zh.wikipedia.org/zh-tw/小碧潭支線>]

小碧潭支線

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-12

Source for the branch's own 1.9 km length figure, the lobbying account (鄰近居民及各級中央地方民代...爭取), the 1999 first planning record, elevated-track construction starting April 2001, and the fleet detail: three-car Kawasaki C371 series-3 sets numbered 397 and 398, running as genuine 3-car trains rather than a shortened 6-car set (三節車廂為一組，以單組為一列).

205 Audit report on the Songshan Line special final accounts [<https://auditreport.audit.gov.tw/ServerFile/Get/637927033231617129357c12bea3f0498585d044e95ec0ec0d05d>]

臺北都會區大眾捷運系統建設計畫後續路網松山線特別決算審核報告

PRIMARY National Audit Office, Taipei City Audit Division (審計部／審計部臺北市審計處)

accessed 2026-08-23

Full four-page official audit fragment: 1997 plan approval, 2004–2016 project period, expenditure budget of NT\$53.04206bn and audited final expenditure of NT\$50.29566bn; these are kept distinct from DORTS's NT\$49.93bn project-plan figure.

206 Tamsui–Xinyi Line: Tamsui section route description [<https://www.dorts.gov.taipei/cp.aspx?n=0AC527D5FC9E596A>]

淡水信義線／淡水線路線說明

PRIMARY Taipei City Government, Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-10

The builder's own project record. The whole alignment in one sentence — 淡水線北起淡水站沿原北淡鐵路南行至北投以北之貴子坑溪為地面段；自貴子坑溪堤起高架南行跨基隆河，過民族西路下降進入地下至中正紀念堂站，全長約23.8公里(含北投至新北投路段約1.2公里)，設22座車站及1座主機廠 — plus 另新北投支線為北投站至新北投站, the 1986 approval and NT\$444.4bn budget, the 13 design and ~120 construction contracts, the opening and inspection dates in ROC years, and 最早CT107標北投機廠土方工程，自77年1月19日簽約開始施工. Its station table carries a 工程編號 column distinct from the passenger codes.

207 Tamsui–Xinyi Line: Xinyi section route description [<https://www.dorts.gov.taipei/cp.aspx?n=0ac527d5fc9e596a&s=CB7BC86DBDA1E44D>]

淡水信義線／信義線路線說明

PRIMARY Taipei City Government, Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-10

The Xinyi section as a project in its own right: 全長約6.4公里, seven underground stations, the alignment east from CKS Memorial Hall across 金華街, 愛國東路 and 杭州南路 then along 信義路 into the 信義計畫區, the 初勘 of 13 October 2013 and 履勘 of 8 November 2013 before the 24 November 2013 opening, and the NT\$33.862bn 總經費. Its seven-station count includes CKS Memorial Hall and Daan, which already existed on other lines.

208 Construction Problems Where Multiple Tunnels Cross and Overlap: Xinzhuang Line CK570H [<https://ebook.dorts.gov.taipei/JRTST/ebook/no33/files/basic-html/page96.html>]

多條隧道交叉重疊施工問題探討—以新莊線 CK570H 為例探討

PRIMARY Rapid Transit Systems & Technology, Taipei DORTS (

臺北市政府捷運工程局《捷運技術》) accessed 2026-08-23

The earlier paper reports Dongmen at about 217 m by 24.7 m with a 31.2 m excavation, and Xinyi shield drives of 1,240.5 m and 1,247.0 m. These values conflict with the later DORTS paper.

- 209 **Construction of Taipei MRT Xinyi Line Contract CK570H** [<https://ebook.dorts.gov.taipei/JRTST/ebook/no51/files/basic-html/page82.html>]

臺北捷運信義線CK570H區段標施工

PRIMARY Rapid Transit Systems & Technology, Taipei DORTS (

臺北市政府捷運工程局《捷運技術》) accessed 2026-08-23

The later paper reports Dongmen at about 216 m by 25 m with a 32 m excavation, Xinyi shield drives of 1,219.3 m and 1,225.8 m, and 72 m diaphragm walls driven through 28 m of gravel to an impermeable layer.

- 210 **Tamsui–Xinyi line** [<https://zh.wikipedia.org/zh-tw/淡水信義線>]

淡水信義線

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-10

Read as a lead index. Its infobox gives 路線長度 32.3公里 and 車站數目 29, and names C301, C381 and C381A as the fleet — all of which this page publishes only as conflicts, because the article's footnote list could not be retrieved and so none of it could be traced to what it cites.

- 211 **Xinbeitou branch line** [<https://zh.wikipedia.org/zh-tw/新北投支線>]

新北投支線

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-10

全長1.2公里, which independently matches the builder's figure; 1997年3月28日：淡水線與新北投支線正式通車啟用; and 川崎重工371型 in three-car sets, 三節車廂為一組，以單組為一列. Its single external citation was checked on 10 August 2026 and does not support it — see the body.

- 212 **Taiwan MOTC TDX — StationOfRoute, operator TRTC** [<https://tdx.transportdata.a.tw/>]

PRIMARY Ministry of Transportation and Communications, Taiwan accessed 2026-08-05

Government open data, committed to this repository at data/tdx/. The route's revenue length is the CumulativeDistance against the last station of route BR-1; the RouteLength field is zero for every metro route, which is what once led this page to say the figure was not published.

- 213 **Wenshan—Neihu Line** [<https://www.dorts.gov.taipei/cp.aspx?n=DBAC040496EFAB94>]

文山內湖線

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)

accessed 2026-08-23

The builder's own project record for both halves: 木柵線 約10.9公里，設12座車站 and 內湖線 約14.8公里，設12座車站（地下段3.9公里，2座地下站）. Those two lengths are what add to the 25.7 km that circulates as this line's route length.

- 214 **Wenhu line** [<https://zh.wikipedia.org/zh-tw/文湖線>]

文湖線

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-06

Carries both length figures in one infobox — 路線長度 25.7公里 against 營運長度 25.18公里 — which is what showed the two were never in conflict. Also the source for the 1,880 mm sleeper-centre spacing, the electrification, the speeds, and the identification of **BR13** and **BR14**.

215 Zhonghe–Xinlu Line — Zhonghe Line [<https://www.dorts.gov.taipei/cp.aspx?n=122C012A85C41404>]

中和新蘆線（中和線）

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)
accessed 2026-08-23

The Zhonghe line's own route description, length, station count and station list, and the Zhonghe Depot description: 全長約5.4公里，設4座車站, and 中和機廠...佔地約1.47公頃(包括捷運南勢角車站)。因用地面積之限制...提供營運列車停放、一般維修及清潔之功能. Also the note against Gutting that its construction was folded into the Xindian line project (本站工程併入捷運新店線辦理), which is why the Zhonghe line's own count is 4 stations despite Gutting appearing on the same list.

216 Zhonghe–Xinlu Line — Xinzhuang Line [<https://www.dorts.gov.taipei/cp.aspx?n=122C012A85C41404&s=33245A586D747A2C>]

中和新蘆線（新莊線）

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)
accessed 2026-08-23

The Xinzhuang line's own route description and length (全長約19.7公里，設16座車站); every inspection and opening date for the Xinzhuang, Dongmen and Xinzhuang-Depot sections; the original and 5th-revision budget figures; the contract structure (CK570A–J, IKT02); and the Losheng-adjustment sentence: 新莊機廠因配合樂生療養院保存案計畫，調整機廠設施的配置。

217 Zhonghe–Xinlu Line — Luzhou Line [<https://www.dorts.gov.taipei/cp.aspx?n=122C012A85C41404&s=3843E83F882E79FD>]

中和新蘆線（蘆洲線）

PRIMARY Taipei City Government, Department of Rapid Transit Systems (DORTS)
accessed 2026-08-23

The Luzhou line's own route description, length and station count (全長約6.4公里，設5座車站), locating its junction with the Xinzhuang line's track northwest of Taipei Bridge rather than at Daqiaotou; its own 初勘/履勘/通車 dates, identical to the Xinzhuang line's Taipei section; and the Luzhou Depot description (佔地面積約16.8公頃 and its facility list).

218 Zhonghe–Xinlu line [<https://zh.wikipedia.org/zh-tw/中和新蘆線>]

中和新蘆線

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-12

Source for the 31.5 km/26-station infobox totals (matching the sum of DORTS's three component-project figures), the 4號線 (11 October 2014) and O-code (October 2016) administrative naming dates, the 4A/4B branch letters, and the through-running history with the Xindian and Danshui lines from 1998 to 2012.

219 Taiwan MOTC TDX — Route and StationOfRoute, operator TRTC [<https://tdx.transportdata.tw/>]

PRIMARY Ministry of Transportation and Communications, Taiwan accessed 2026-08-12

Government open data, committed to this repository at data/tdx/. Route O-1 (Nanshijiao–Huilong) and O-2 (Nanshijiao–Luzhou) give CumulativeDistance of 24.11 km and 18.41 km, and TravelTime of 48 and 38 minutes, matching TRTC's own published journey times exactly.

- 220 **FAQ — Senior/Disability Social-Welfare Cards** [https://www.metro.taipei/News_Content.aspx?n=566DA580861CEE77&sms=87415A8B9CE81B16&s=41B78C4788395C41]

敬老卡愛心卡愛心陪伴卡相關問題

PRIMARY Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司) accessed 2026-08-28
Full page, fetched directly. States 600 monthly points for senior/disability cardholders — conflicts with NTMC's own stated figure of 480; both published, neither resolved.

- 221 **Frequently Asked Questions** [<https://www.ntmetro.com.tw/basic/?node=10005>]

常見問題

PRIMARY New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-28
Full page, fetched directly. States NTMC's fare-setting authority, its own 40% concession rate, its flat NT\$200-spend/NT\$50-rebate frequent-rider mechanic, and the 480-point monthly social-welfare allowance that conflicts with TRTC's stated 600.

- 222 **FY2025 (ROC 114) Operational Performance Report** [<https://www.metro.taipei/cp.aspx?n=2EC550B62FFE16C2>]

臺北捷運公司114年度營運績效報告

PRIMARY Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司) accessed 2026-08-28
Full 10-page PDF read directly. Source for average daily ridership, the monthly 2019/2024/2025 series, per-line punctuality/headway/availability tables, MKBF reliability figures, and the ~14.5-billion cumulative-ridership figure current when the report was written.

- 223 **Company Chronicle** [<https://www.metro.taipei/cp.aspx?n=B27E7BC8CBBCDA61>]

大事紀

PRIMARY Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司) accessed 2026-08-28
Fetched directly with explicit ROC-to-Gregorian date conversion. Source for cumulative ridership milestones from 500 million (2001) through 15 billion (2026); the extraction pass used may not be exhaustive — earlier or intermediate milestones may exist unread on this page.

- 224 **Annual and Prior-Month Ridership Statistics** [<https://www.metro.taipei/cp.aspx?n=FED7CC0F31E0A664>]

各年度暨前一月旅運量統計資料

PRIMARY Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司) accessed 2026-08-28
Full page, fetched directly. States annual and monthly ridership split only two ways — Wenhua Line vs. the other four lines combined — with no further per-line breakdown, and gives the historical series back to 1998.

- 225 **The First Generation Electric Multiple Units of Taipei Heavy Rail Rapid Transit System** [<https://data.taipei/api/dataset/3812b03c-7e72-40c7-85cf-c67df9162f7e/resource/9b9c9bf1-b6e4-43b7-9d18-f2818b5d1718/download>]

臺北捷運第一代高運量電聯車

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-23

DORTS engineers' full six-page history in Rapid Transit Systems & Technology no. 37; establishes the specification decisions, CT301 contractor/value, 22-train and 132-car fleet, design, delivery sequence and test programme.

- 226 Taipei Metro 2012 annual report [<https://www-ws.gov.taipei/001/Upload/public/Attachment/312916442785.pdf>]

2012臺北捷運公司年報

PRIMARY Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司) accessed 2026-08-23

The operator records the completed communications and passenger-information renewal across all 22 301-type trains and describes the new display functions.

- 227 Tracking the advancement of Taipei MRT E&M systems — transformation, innovation and growth in E&M planning and design [<https://ebook.dorts.gov.taipei/JRTST/ebook/no48/files/basic-html/page137.html>]

臺北捷運機電系統精進軌跡尋蹤—機電規設之蛻變、創新與成長

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-23

DORTS engineering article pages 137–138 identify URC in relation to Kawasaki and describe the stainless body profile, 1,500 mm pneumatic doors, split air conditioning, FRP cab end and anti-climber; its 21-train wording conflicts with the detailed fleet record.

- 228 Taipei Metro's procurement of controllers for 321-type EMUs was seriously behind schedule, and the liquidated-damages calculation lacked a contractual basis [<https://auditreport.audit.gov.tw/ServerFile/Get/6379270128874995755bce8920a08e4970aa52b4f88fe32edb>]

捷運公司辦理321型電聯車控制器採購施工進度嚴重落後，且計算違約金欠缺契約執行依據

PRIMARY National Audit Office (審計部) accessed 2026-08-23

The audit explains why communications and passenger-information equipment was replaced, documents delay and completion on 18 December 2015, and contains the conflicting 36-car/36-train wording.

- 229 Tracking the advancement of Taipei MRT E&M systems — transformation, innovation and growth in E&M planning and design [<https://ebook.dorts.gov.taipei/JRTST/ebook/no48/files/basic-html/page138.html>]

臺北捷運機電系統精進軌跡尋蹤—機電規設之蛻變、創新與成長

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-23

DORTS identifies Siemens, 72 three-car units forming 36 trains and 216 cars, the historical line group, operating speed, capacity, gauge, power, traction, braking, train control and distinguishing appearance.

- 230 How many trains were procured for each route in the Taipei metropolitan MRT network? [https://www.gov.taipei/News_Content.aspx?n=EEC70A4186D4C828&s=C8602F8588914E91&sms=87415A8B9CE81B16]

機電設計>台北都會區大眾捷運系統路網中，各路線所採購之列車數為何？

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)

) accessed 2026-08-23

DORTS lists CH321 as 11 six-car trains, CN331 as 17 and CC361 as eight; the three official rows sum to 36 trains and 216 cars.

- 231 New medium-capacity EMUs for the Neihu Line — doors, safety and passenger information [<https://ebook.dorts.gov.taipei/jrtst/ebook/no33/files/basic-html/page32.html>]

內湖線新型中運量電聯車

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-23

DORTS lists the passenger doors, emergency equipment, ATC functions, route displays, intercoms, CCTV and extinguishers.

- 232 New medium-capacity EMUs for the Neihu Line — door control and accessible warnings [<https://ebook.dorts.gov.taipei/JRTST/ebook/no33/files/basic-html/page41.html>]

內湖線新型中運量電聯車

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-23

DORTS documents microprocessor door control, obstacle detection, emergency releases, opening-side lights and audible warnings.

- 233 New medium-capacity EMUs for the Neihu Line — contract, formation and principal specification [<https://ebook.dorts.gov.taipei/JRTST/ebook/no33/files/basic-html/page30.html>]

內湖線新型中運量電聯車

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-23

DORTS identifies Bombardier's system scope and publishes the fixed formation, dimensions, capacity design points and performance.

- 234 Taipei Metro network introduction — Wenzhou Line vehicles [<https://www.metro.taipei/cp.aspx?n=ccf30033e6ed8008&s=405306CC7ACD137B>]

路網簡介—文湖線介紹

PRIMARY Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司) accessed 2026-08-23

The operator publishes the four-car formation, 80 km/h maximum and approximately 386 passengers per Bombardier train at five standing passengers per square metre.

- 235 Taichung Metro Blue Line project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C46>]

臺中市政府捷運工程局-捷運路網-捷運藍線

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局) accessed 2026-08-25

Full project page for the Blue Line's route scope and implementation milestones.

- 236 Taichung Metro Purple Line project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C142>]

臺中市政府捷運工程局-捷運路網-屯區捷運環狀線（紫線）

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)
accessed 2026-08-25

Full project page for route scope, feasibility chronology and current central-review status.

237 Purple Line feasibility study under review [<https://tcrt.taichung.gov.tw/latestevent/Details?Parser=9%2C4%2C160%2C%2C%2C%2C1549>]

藍線開工、紫線接力！中市提前布局屯區捷運環狀線 打造完整捷運路網

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)
accessed 2026-08-25

Full July 2026 release for the Purple Line's rounded length, station count and estimated cost.

238 Taichung Airport MRT Orange Line project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C99>]

臺中市政府捷運工程局-捷運路網-機場捷運（橘線）

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)
accessed 2026-08-25

Full current project page for the Orange Line's feasibility chronology, 18 August 2026 approval, route scope and aggregate station count.

239 Orange Line extension to coastal districts project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C158>]

臺中市政府捷運工程局-捷運路網-機場捷運（橘線）延伸海線地區

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)
accessed 2026-08-25

Full current project page for the Orange Sea extension's feasibility funding, interim-report chronology and under-review status.

240 Taichung Metro Chongde–Fengyuan Line project page [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C137>]

臺中市政府捷運工程局-捷運路網-崇德豐原線（紅線）

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)
accessed 2026-08-25

Full current project page for the Red Line's route scope, 11-station Fengyuan extension and final-report review status.

241 Red Line public meetings collect local opinions [<https://tcrt.taichung.gov.tw/latestevent/Details?Parser=9%2C4%2C160%2C%2C%2C%2C1289>]

崇德豐原線說明會北屯、豐原接力舉辦 中市府傾聽民意優化規劃

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)
accessed 2026-08-25

Full 24 December 2025 release for the 15.42 km/11-station/one-depot preliminary scope, forecasts and unresolved Fengyuan alternatives.

242 Xinyi Line East Extension CR580C contract [<https://www.dorts.gov.taipei/cp.aspx?n=027CDB8C2A690039&s=A900A23BE33939EA>]

捷運信義線東延段CR580C區段標工程

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-24

Full contract page: the 17 October 2016 start, one station, crossover, tail tracks and shield-tunnel works.

243 DORTS 2026 policy priorities [https://www.dorts.gov.taipei/Content_List.aspx?n=DB5E985E6B7CAB80]

捷運工程局115年度施政重點

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-24

Full 2026 priorities: Xinyi east extension entering service after inspection; 11.02 km and 9 Taipei stations for the Taipei section of Minsheng–Xizhi; and three construction routes totalling 43.41 km and 37 stations: Circular east, Circular north/south, and Wanda Phase 1.

244 DORTS construction completion targets [https://www.dorts.gov.taipei/News_Content.aspx?Create=1&n=2A66A485FACB0D5B&s=5154D7C19D53C545&sms=87415A8B9CE81B16]

工程管理>捷運在建工程(施工中)各線預定完工年期？

PRIMARY Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局) accessed 2026-08-24

Full FAQ published 29 August 2022 and updated 24 March 2026: ROC 118 for Wanda Phase 1, ROC 115 for Xinyi east, ROC 120 for North/South Ring, and ROC 123 for East Ring. These are dated targets, not opening guarantees.

245 Sanying Line extension to Bade, Taoyuan [<https://wedid.ntpc.gov.tw/governance/detail/6YdLEB3o1R7b>]

三鶯線延伸桃園八德段

PRIMARY New Taipei City Government Department of Rapid Transit Systems (新北市市政府捷運工程局) accessed 2026-08-24

Full current project record: **LB12** tail track to LB14/**G04**, 4.03 km, three stations, two elevated and one underground shared with Taoyuan Green Line **G04**; feasibility approved 2019, comprehensive plan approved 1 August 2025, detailed design begun 1 July 2026.

246 Danhai Blue Sea Line Phase 2 [<https://wedid.ntpc.gov.tw/governance/detail/Go5lQMN0lQkY>]

淡海輕軌藍海線第二期

PRIMARY New Taipei City Government Department of Rapid Transit Systems (新北市市政府捷運工程局) accessed 2026-08-24

Full current project record: original 4.4 km six-station alignment, revised riverside 3.32 km six-station alignment, plan revision under review, urban-plan approval in May 2026, and advance contract works begun 2 June 2025.

247 Railway Bureau 2026 transport and rail construction budget [<https://www.rb.gov.tw/public/files/artsinfo/1756447737-2.pdf>]

交通部鐵道局及所屬115年度歲出計畫提要及分支計畫概況表

PRIMARY Railway Bureau, Ministry of Transportation and Communications (交通部鐵道局) accessed 2026-08-24

Full 204-page budget document: the approved A14 Airport MRT station works and the 15.59 km, 13-station Nangang–Badu commuter-rail/metro project, with the 113–123 ROC-year programme.

- 248 **Tun District MRT Loop Line (Purple Line) project page** [<https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C142>]

臺中市政府捷運工程局-捷運路網-屯區捷運環狀線（紫線）

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局) accessed 2026-08-25

Full current project page for purpose, preliminary route, 16.31 km/16-station/elevated scope, complete feasibility chronology and 27 July 2026 review status.

- 249 **Purple Line feasibility study under review** [<https://tcrt.taichung.gov.tw/latestevent/Details?Parser=9%2C4%2C160%2C%2C%2C1549>]

【新聞】藍線開工、紫線接力！中市提前布局屯區捷運環狀線 打造完整捷運路網

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局) accessed 2026-08-25

Full 3 July 2026 release for 16.3 km/16 elevated stations/medium-capacity description, cost split and central-review status.

- 250 **Xizhou construction and Meihe City review** [https://www.ntpc.gov.tw/ch/home.jsp?dataserno=201406150005&id=28&mcustomize=news_view.jsp&parentpath=0%2C6%2C27]

溪洲7月底前動工 美河市歷15年依法審議

PRIMARY New Taipei City Government (新北市政府) accessed 2026-08-24

Full official news page fetched: the 26-to-13-building redesign, public-space requirements, 15-plus-year review and the city's account of the planning process.

- 251 **Research on the Meihe City MRT joint-development case** [https://www.rde.ntpc.gov.tw/userfiles/1160700/files/8_%E6%8D%B7%E9%81%8B%E8%81%AF%E5%90%88%E9%96%8B%E7%99%BC%E6%A1%88%E5%95%8F%E9%A1%8C%E4%B9%8B%E7%A0%94%E7%A9%B6-%E4%BB%A5%E7%BE%8E%E6%B2%B3%E5%B8%82%E7%82%BA%E4%BE%8B.pdf]

捷運聯合開發案問題之研究—以美河市為例

SECONDARY New Taipei City Land Administration (新北市政府地政局) accessed 2026-08-24

Full 38-page government research report fetched: investor, site, building/unit and artificial-platform figures, and the report's procedural and property-rights criticisms.

- 252 **Judicial Interpretation No. 743** [<https://web.law.ntpc.gov.tw/Scripts/FLAWDOC03.aspx?ccode=D&cno=743&rtype=C>]

司法院釋字第743號解釋

PRIMARY Judicial Yuan (司法院) accessed 2026-08-24

Full official interpretation fetched: Article 6 expropriated MRT land cannot be used in the same plan for Article 7 joint development, and transfer to a third party requires clear legal authority.

- 253 **Power system** [https://www.rb.gov.tw/zh-TW/main/main_71/main_80/main_87/main_92/]

電力系統

PRIMARY Railway Bureau, Ministry of Transportation and Communications (交通部鐵道局)

accessed 2026-08-27

The full Railway Bureau technical page describes domestic metro 750 V DC third rail as the mainstream and says the operating Airport MRT uses a 750 V DC lower-contact third rail, with 3 BSS, 27 TSS and 22 SSS.

-
- 254 Taiwan Taoyuan International Airport Access MRT system construction project [https://www.rb.gov.tw/zh-TW/main/main_28/20250505_152320/20251104_134001/20250505_155203/]

臺灣桃園國際機場聯外捷運系統建設計畫

PRIMARY Railway Bureau, Ministry of Transportation and Communications (交通部鐵道局)

accessed 2026-08-27

The full Railway Bureau project overview lists the Airport MRT core electrical system as 1,500 V DC overhead catenary; it conflicts with the Bureau's separate technical power page and is retained as a published project-description value.

-
- 255 Taiwan High-Speed Rail project [https://www.rb.gov.tw/zh-TW/main/main_28/20250505_152320/20251104_134001/20250505_180533/]

台灣高鐵

PRIMARY Railway Bureau, Ministry of Transportation and Communications (交通部鐵道局)

accessed 2026-08-24

The builder and regulator's project history gives the BOT contract, financial restructuring, route, opening chronology, structures, power, signalling, vehicles and maintenance facilities.

-
- 256 Investigation into whether government investment in the High-Speed Rail company violated BOT principles [https://www.cy.gov.tw/CyBsBoxContent2.aspx?n=718&s=356]

政府直接、間接投資高鐵公司有無違反BOT精神案

PRIMARY Control Yuan, Taiwan (監察院) accessed 2026-08-24

The official investigation record identifies the case number, adoption date and report files for the government-investment/BOT dispute.

-
- 257 High-Speed Rail did not fulfil the government-zero-investment commitment [https://www.cy.gov.tw/News_Content.aspx?n=795&s=5321]

高鐵未能履行「政府零出資」承諾

PRIMARY Control Yuan, Taiwan (監察院) accessed 2026-08-24

The official statement records the Control Yuan's criticism that public entities supplied 37.42% and describes the supervision and BOT-principle dispute.

-
- 258 THSR at 20: more than movement, twelve stations have grown into 'HSR cities' [https://www.cna.com.tw/news/ahel/202608190128.aspx]

高鐵20年不只帶來人口移動 12站催生「高鐵市」

SECONDARY Central News Agency (中央社) accessed 2026-08-28

Full article, fetched directly, reporting a THSR Corporation 20th-anniversary event. Source for the Qingpu/Zhubei demographic and economic figures, the chairman's direct quotes, and the ridership-growth-multiple figures for all 12 stations. A Tainan-vs-Zuoying figure could not be cleanly resolved between two mirror-fetches of this same story and is not published.

- 259 **Changhua's HSR special district: land sales fall short of expectations** [<https://news.ltn.com.tw/news/life/paper/1766076>]
高鐵彰化站特定區 土地開發成效不如預期
SECONDARY Liberty Times (自由時報) accessed 2026-08-28
Full article, fetched directly. States land-sale figures since 2014 and the district's rezoning to attract new industry, including elder-care.
-
- 260 **Miaoli pitches its HSR special district to Nvidia** [<https://www.cna.com.tw/news/afe/202510200331.aspx>]
苗栗高鐵特區向輝達招商
SECONDARY Central News Agency (中央社) accessed 2026-08-28
Full article, fetched directly, dated 20 October 2025. Reports Miaoli County officials' pitch and the district's stalled prior industrial-land tenders.
-
- 261 **Car Facilities** [<https://www.thsrc.com.tw/ArticleContent/52ffe06e-3e38-4352-8170-93a768905dbd>]
車廂設施
PRIMARY Taiwan High Speed Rail Corporation (台灣高速鐵路股份有限公司)
accessed 2026-08-28
Full page, fetched directly. States per-car seat counts for all 12 cars, summing to 977 (911 standard + 66 business) — the operator's own current-configuration figure.
-
- 262 **Taiwan High Speed Rail 700T EMU** [<https://zh.wikipedia.org/zh-tw/台灣高速鐵路700T型電聯車>]
台灣高速鐵路700T型電聯車
SECONDARY Wikipedia accessed 2026-08-28
Lead index, not independently verified against the primary source it cites (an archived MOTC Railway Bureau document, unreachable via web.archive.org in this environment). Source for the manufacturer split, fleet size, speed figures and service-start date.
-
- 263 **Taichung Metro Green Line (Wuri-Wenxin-Beitun Line)** [<https://www.dorts.gov.taipei/cp.aspx?n=1C3E25BBF5A49242>]
臺中都會區大眾捷運系統烏日文心北屯線
PRIMARY 臺北市政府捷運工程局 (Department of Rapid Transit Systems, Taipei City Government)
accessed 2026-08-29
DORTS's own page describing its own work. States MOTC commissioned Taipei City Government to handle the Green Line's subsequent design and construction (「交通部委託臺北市政府辦理後續設計施工事項」), and that MOTC, Taipei City Government and Taichung City Government signed a three-party construction-and-operation agreement on 2008-11-15 (「97年11月15日完成簽署...建設與營運三方協議書」).
-
- 264 **From Japan via Kawasaki Heavy Industries! Taichung Metro Green Line's first EMU arrives at Taichung Port** [<https://www.storm.mg/article/220061>]
來自日本川崎重工！台中捷運綠線第一列電聯車運抵台中港
SECONDARY 風傳媒 (Storm Media) accessed 2026-08-29

News report, fetched in full, corroborating DORTS's own account: 「負責代為工程施作的北市捷運局表示，台中捷運綠線目前工程進度近7成」 (the Taipei DORTS office, responsible for executing the engineering work on Taichung's behalf, states progress is nearly 70%). Also describes a January 2017 factory inspection of the prototype train at Kawasaki Heavy Industries in Japan, led by DORTS deputy director 余念梓.

- 265 No longer relying on Taipei City Government to build for us: Mayor Lu Shiow-yen says Taichung enters a peak metro-construction period for the next 30 years [<https://www.nownews.com/news/6547020>]

不再靠北市府代工！盧秀燕：未來30年台中進入捷運興建高峰期

SECONDARY NOWnews accessed 2026-08-29

News report, fetched in full, on Taichung establishing its own independent metro-engineering bureau in 2025. Quotes Mayor 盧秀燕 on why the Green Line was built by Taipei City Government rather than a Taichung agency: 「台中只有一條捷運綠線，委託最有經驗的台北市政府施作」 (Taichung had only the one line, so it commissioned the most experienced body available).

- 266 CJ910 project record [<https://tcrt.taichung.gov.tw/form/Details?Parser=2%2C6%2C45%2C%2C%2C%2C30>]

CJ910 工程

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)

accessed 2026-08-23

Northern civil package: G0, Beitun depot and the track system.

- 267 CJ920 project record [<https://tcrt.taichung.gov.tw/form/Details?Parser=2%2C6%2C45%2C%2C%2C%2C29>]

CJ920 工程

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)

accessed 2026-08-23

Civil package for the G3—G9 elevated section.

- 268 CJ930 project record [<https://tcrt.taichung.gov.tw/form/Details?Parser=2%2C6%2C45%2C%2C%2C%2C28>]

CJ930 工程

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)

accessed 2026-08-23

Civil package for G10—G17, including the ground-level HSR end.

- 269 CJ900/CJ907 system-equipment project record [<https://tcrt.taichung.gov.tw/form/Details?Parser=2%2C6%2C45%2C%2C%2C%2C31>]

CJ900、CJ907 機電系統工程

PRIMARY Taichung City Government Rapid Transit Systems Bureau (臺中市政府捷運工程局)

accessed 2026-08-23

System-equipment package from the depot to G17, jointly delivered by Kawasaki Heavy Industries, Alstom and CTCL.

- 270 Second half of the season begins: Taichung Metro's Wenxin Chongde station draws attention with a CTBC Brothers 3D ground mural [https://www.cna.com.tw/news/ahel/202307120082.aspx]

迎下半季開打 中捷文心崇德站中信兄弟3D地景吸睛

SECONDARY 中央社 (Central News Agency, CNA) accessed 2026-08-29

News report, fetched in full. States this is the Green Line's permanent sports-themed station, close to CTBC Brothers' home ground (Taichung Intercontinental Baseball Stadium), and dates a 3D-decal installation to around 12 July 2023 timed to the CPBL season's second half.

- 271 Taichung Metro Red Line route field survey: from Chongde Road to Fengyuan, meeting the Green Line at Wenxin Chongde station [https://news.ltn.com.tw/news/life/breakingnews/5080686]

中捷紅線路線實勘！走崇德路到豐原 在文心崇德站與綠線交會

SECONDARY 自由時報 (Liberty Times) accessed 2026-08-29

News report stating a future Red Line interchange at this station. Checked against TCRT's own Red Line project page (https://tcrt.taichung.gov.tw/content/index?Parser=1%2C6%2C137), which describes the line's own route by a different intersection (Chongde Road x Sanmin Road) and does not name this station anywhere in the text fetched — reported as a conflict, not resolved.

- 272 Public works [https://www.tmrta.com.tw/art/public-works]

公共藝術

PRIMARY Taichung Metro Corporation (臺中捷運股份有限公司) accessed 2026-08-23

Current operator roster of Green Line public works.

- 273 Major events [https://www.tmrta.com.tw/about/major-events]

大事紀

PRIMARY Taichung Metro Corporation (臺中捷運股份有限公司) accessed 2026-08-23

Company and Green Line construction/operation milestones, including the 2015 **G4**/**G5** beam accident and 2020 joint-shaft fracture.

- 274 TRA grade separation [https://zh.wikipedia.org/zh-tw/臺鐵立體化]

臺鐵立體化

SECONDARY Wikipedia accessed 2026-08-27

Lead index for grade-separation project dates and scope; the Railway Bureau's own project pages could not be fetched (see the research file's Checked and failed section), so this is the strongest source obtained for most projects.

- 275 Legislative Yuan record: Hualien-Ji'an railway elevation [https://www.ly.gov.tw/EngPages/Detail.aspx?nodeid=38514&pid=227478]

花蓮市至吉安 7個平交道高架化有譜

PRIMARY Legislative Yuan (立法院) accessed 2026-08-27

A genuine primary government record confirming the Hualien elevation project's existence and its feasibility/planning-stage status, covering 7 named crossings.

- 276 Taiwan Railway Administration Steam Locomotive Management and Lending Guidelines [https://www.railway.gov.tw/tra-tip-web/tip/file/6dc22469-5878-45f8-b4f4-d3ee6e751e35]

臺灣鐵路管理局蒸汽機車管理及租借要點

PRIMARY Taiwan Railways Administration (交通部臺灣鐵路管理局) accessed 2026-08-27

Full internal administrative regulation, read directly. Dated originally 2001, last amended 2021. Source for the five-locomotive tiered rental system, running restrictions and CK101's parts-availability constraint.

- 277 Steam Queen CT273 returns for a limited three runs, Yuli to Taitung [https://www.cna.com.tw/news/ahel/202506020030.aspx]

蒸機女王CT273限定復活3趟次 行駛玉里至台東

SECONDARY Central News Agency (中央社) accessed 2026-08-27

Read via search synthesis rather than a full page fetch; reports CT273 hauling a 2025 summer tourist train, flagged as needing a full re-fetch to raise confidence.

- 278 List of Taiwan Railways steam locomotives [https://zh.wikipedia.org/zh-tw/臺灣鐵路管理局蒸汽機車列表]

臺灣鐵路管理局蒸汽機車列表

SECONDARY Wikipedia accessed 2026-08-27

Lead index only, not independently verified against a primary TRA source. Source for CK124's and LDK59's restoration years and reported base locations.

- 279 National Railway Museum opens its first phase on 31 July, 'Railway Museum, Moving Forward,' creating a new cultural landmark [https://www.nrm.gov.tw/News_Content.aspx?n=3307&s=241584]

國家鐵道博物館7月31日第一階段正式開放「鐵博·前行」打造文化新地標

PRIMARY National Railway Museum Preparatory Office (國家鐵道博物館籌備處)

accessed 2026-08-27

Full press release, read directly, corroborated by two separate nrm.gov.tw pages and five independent secondary outlets. Source for the Phase 1 buildings, exhibitions and vehicle count.

- 280 National Railway Museum visitor information [https://www.nrm.gov.tw/cp.aspx?n=3319]

國家鐵道博物館參觀資訊

PRIMARY National Railway Museum (國家鐵道博物館) accessed 2026-08-27

Live museum page, read directly. Confirms the museum remains open and operating in 2026 on the Phase 1 footprint; states no Phase 2 date.

- 281 TTSB completes supplemental work on the Executive Yuan's Puyuma accident investigation and releases findings [https://www.ttsb.gov.tw/1133/1178/1179/27718/post]

運安會完成行政院普悠瑪事故調查報告補強作業，於109年10月19日發布調查結果

PRIMARY Taiwan Transportation Safety Board (國家運輸安全調查委員會)

accessed 2026-08-27

Full official announcement, read directly. States that ATP was illegally isolated and the train exceeded the applicable speed, and that TRA failed to enforce its own existing rules; groups 27 recommendations by domain without itemising each.

- 282 60 km/h speed limit set for ATP failure; Puyuma and Taroko trains to be equipped by year end [<https://news.ltn.com.tw/news/life/breakingnews/3321111>]
ATP失效設60公里速限 普悠瑪、太魯閣號年底前裝設

SECONDARY Liberty Times (自由時報) accessed 2026-08-27

Source for the ATP isolation speed-limit system's 60 km/h cap, NT\$245 million budget and 52-trainset rollout scope.

- 283 Transport safety: the black-hole loop — TRA's track keeps getting rougher; 30 years built only half an ATP [<https://www.twreporter.org/a/taiwan-railway-examination-report-transportation-safety>]

【運安篇】安全黑洞迴圈：台鐵軌道愈修愈不平、30年只建了半套ATP

SECONDARY The Reporter (報導者) accessed 2026-08-27

Investigative journalism sourced to a named railway expert. Source for the roughly 30-year, NT\$3-4 billion cumulative upgrade figure and the alternative NT\$270 million ATP isolation speed-limit system budget.

- 284 Taoyuan Airport MRT (BOT and planning history) [<https://zh.wikipedia.org/zh-tw/桃園機場捷運>]

桃園機場捷運

SECONDARY 維基百科 (zh.wikipedia) accessed 2026-08-28

States the October 1996 BOT decision, Long Life International Development Co.'s 1998 winning bid, and the 31 December 2002 termination of the BOT contract.

- 285 Company milestones [https://www.tymetro.com.tw/tymetro-new/tw/_pages/about/history.html]

桃捷大事紀

PRIMARY Taoyuan Metro Corporation (桃園大眾捷運股份有限公司) accessed 2026-08-28

States 機場捷運線於106年3月2日正式營運通車 (opened 2 March 2017), plus test-operation, certification and trial-ride dates leading up to it, and the 26 June 2006 ceremonial groundbreaking presided over by the Premier.

- 286 Airport MRT project record [<https://www.dorts.ntpc.gov.tw/about/route/npW0dxy4Z3Ex>]

機場線

PRIMARY Department of Rapid Transit Systems, New Taipei City Government (

新北市政府捷運工程局) accessed 2026-08-28

Builder's own project record: 路線全長51.03公里 (route length 51.03 km), 10.92 km underground / 40.11 km elevated, 7 underground / 15 elevated stations, two depots, and 工程建設總經費約1,138.5億元 — 1,138.5億元 converts to NT\$113.85 billion, not NT\$1,138.5 billion.

- 287 Airport MRT settles accounts: Railway Bureau to fine Marubeni NT\$2.5 billion and seek damages [<https://www.cna.com.tw/news/ahel/201701090048.aspx>]

機捷算總帳 高鐵局將罰丸紅25億並求償

SECONDARY Central News Agency (中央社) accessed 2026-08-28

Contemporaneous wire report (9 January 2017): NT\$2.5 billion delay-penalty cap, NT\$1.9 billion performance bond withheld for unauthorised signalling subcontracting, and Marubeni's own NT\$12.9 billion counter-claim over Bureau-directed design changes. States no combined total; $2.5 + 1.9 = 4.4$, not 7.2.

- 288 **Airport MRT running times missed target: Railway Bureau withholds over NT\$700 million from Marubeni** [<https://www.cna.com.tw/news/firstnews/202108290054.aspx>]

機捷行車時間未達標 鐵道局扣丸紅7億多元工程款

SECONDARY Central News Agency (中央社) accessed 2026-08-28

29 August 2021: NT\$726,926,496 withheld for missing three contractual performance standards — express journey time, average speed and headway — a separate, later dispute from the 2017 one.

- 289 **Taoyuan Metro Green Line project page** [<https://dorts.tycg.gov.tw/cp.aspx?Create=1&n=23132>]

桃園市政府捷運工程局-捷運綠線

PRIMARY Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局) accessed 2026-08-24

Current Green Line station table, locations, structure, transfer notes, route length, station count, budget, approvals, package milestones and target opening.

- 290 **Taoyuan rail construction progress overview** [<https://dorts.tycg.gov.tw/cp.aspx?n=23173>]

軌道建設進度總覽

PRIMARY Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局) accessed 2026-08-24

Current programme-level progress record: Green Line construction stage and 72.19% total progress.

- 291 **Taoyuan Airport MRT's 2024 surplus hit a record NT\$500 million — why cancel the system-wide NT\$10 ticket discount?** [<https://city.gvm.com.tw/article/117975>]

桃園機場捷運2024盈餘5億創新高！為何全線取消車票10元優惠？

SECONDARY 城市學 (GVM/Global Views Monthly) accessed 2026-08-12

Already recorded in this project's existing airport-mrt line research (claim 18/15) as the source for the January 2025 single-ticket discount cancellation, dated 22 December 2024, predating year-end by nine days; not independently re-fetched this session.

- 292 **Taoyuan Metro Green Line project page** [<https://dorts.tycg.gov.tw/cp.aspx?Create=1&n=23132>]

桃園市政府捷運工程局-捷運綠線

PRIMARY Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局) accessed 2026-08-24

Current Green Line station table, locations, structure, transfer notes, route length, station count, budget, approvals, package milestones and target opening.

- 293 Groundbreaking news release for the **G18** – **G19** elevated section [https://dorts.tycg.gov.tw/News_Content.aspx?n=23116&s=1581665]
桃園捷運綠線GC04B標(G18、G19)土建統包工程動工
PRIMARY Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局) accessed 2026-08-29
DORTS's own release on the same GC04B contract's 14 November 2024 groundbreaking names the covered stations as **G18** and **G19**, not **G17** – **G18** as the project table's own contract label reads — a disagreement between two DORTS pages about the same contract, published as a conflict rather than resolved. Gives budget NT\$5.83 billion, elevated section length approximately 1.3 km, and a crossing of National Highway 2.
-
- 294 GC04B contract case page [https://www.raito.com.tw/case_detail46_1.htm]
利德工程股份有限公司-桃園捷運綠線GC04B標統包工程
PRIMARY Raito Engineering Co., Ltd. (利德工程股份有限公司), the contractor accessed 2026-08-29
The contractor's own case page for this award names the contract scope as **G17** – **G18** in its title but describes it as covering '**G17**' and '**G18**' in body text, agreeing with the DORTS project table's station-pair label rather than the DORTS news release's **G18** – **G19**; also names supervision consultant 中興工程顧問 and design consultant 林同棧工程顧問 (T.Y. Lin International), with a 2024-2030 timeline.
-
- 295 Taoyuan Metro Green Line project page [<https://dorts.tycg.gov.tw/cp.aspx?Create=1&n=23132>]
桃園市政府捷運工程局-捷運綠線
PRIMARY Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局) accessed 2026-08-24
Current Green Line station table, locations, structure, transfer notes, route length, station count, budget, approvals, package milestones and target opening.
-
- 296 Groundbreaking news release for the **G18** – **G19** elevated section [https://dorts.tycg.gov.tw/News_Content.aspx?n=23116&s=1581665]
桃園捷運綠線GC04B標(G18、G19)土建統包工程動工
PRIMARY Taoyuan City Department of Rapid Transit Systems (桃園市政府捷運工程局) accessed 2026-08-29
DORTS's own release on the same GC04B contract's 14 November 2024 groundbreaking names the covered stations as **G18** and **G19**, agreeing with this station's own presence in the contract even though the project table's own contract label reads **G17** – **G18** — a disagreement between two DORTS pages about the same contract, published as a conflict rather than resolved. Gives budget NT\$5.83 billion, elevated section length approximately 1.3 km, and a crossing of National Highway 2.
-
- 297 GC04B contract case page [https://www.raito.com.tw/case_detail46_1.htm]
利德工程股份有限公司-桃園捷運綠線GC04B標統包工程
PRIMARY Raito Engineering Co., Ltd. (利德工程股份有限公司), the contractor accessed 2026-08-29

The contractor's own case page for this award names the contract scope as **G17** - **G18** in its title but describes it as covering '**G17**' and '**G18**' in body text, agreeing with the DORTS project table's station-pair label rather than the DORTS news release's **G18** - **G19**; also names supervision consultant 中興工程顧問 and design consultant 林同棧工程顧問 (T.Y. Lin International), with a 2024-2030 timeline.

298 Road traffic accident overview, 2024 [<https://tadd.org.tw/situation56.htm>]

113年道路交通事故概況

SECONDARY 財團法人道路交通安全教育基金會

(Road Traffic Safety Education Foundation), republishing MOTC/police statistics

accessed 2026-08-29

An NGO republication of official 30-day (A30) statistics: 2024 total 2,950 deaths, 160 of them drunk-driving related; 2025 total 2,858, 143 drunk-driving related. Consistent with a 工商時報 news account of the same MOTC data giving 393,000 accidents and 524,000 injured for 2024.

299 113 statistical results for national causes of death [<https://www.mohw.gov.tw/cp-7177-82775-1.html>]

113年國人死因統計結果

PRIMARY 衛生福利部 (Ministry of Health and Welfare) accessed 2026-08-29

MOHW's own official statistical release, published 16 June 2025. States 2024 「運輸事故死亡 2,932人，較112年減136人(-4.4%)」 — 2,932 transport-accident deaths, down 136 (4.4%) from 2023. States total all-cause deaths at 201,383, down 2.0% from 2023, with 事故傷害 (all accidental-injury deaths, a broader category) ranking 7th among top causes of death at 6,924.

300 Comparison of MOTC and MOHW traffic-death figures, 2020-2024 [<https://udn.com/news/story/7270/9339444>]

SECONDARY 聯合報 (United Daily News, UDN) accessed 2026-08-29

News comparison table citing MOTC A30 figures against a series it attributes to MOHW, both for 2020-2024: MOTC 2,972/2,962/3,064/3,023/2,950; MOHW (as cited here) 2,644/2,589/2,658/2,591/2,426. This MOHW-attributed 2024 figure of 2,426 differs from the figure MOHW's own official page states for the same year (2,932) — see Conflicts. States the gap for 2024 as 524 people, 17.7%, attributed to MOTC official Wu Donglin (吳東林) without a directly located primary quote.

301 New Taipei city buses [<https://zh.wikipedia.org/zh-tw/新北市市區公車>]

新北市市區公車

SECONDARY 維基百科 (Chinese Wikipedia) accessed 2026-08-20

Gives a worked zone-crossing example (A區/B區/C區, and a longer A-E example) illustrating how crossing a segment buffer zone adds one segment fare, fetched and quoted in full. Illustrative only; the underlying rule it illustrates is separately confirmed on the primary ebus-fare-info page.

302 Taipei/New Taipei bus passenger fare information [<https://ebus.gov.taipei/RelatedLinks/TicketInfo>]

票價資訊

PRIMARY Taipei City Government and New Taipei City Government (臺北市政府與新北市政府)

accessed 2026-08-24

Full joint-government page; segmented rule and current NT\$15/12/8 fares.

303 Taipei joint-operation bus fares remain unchanged [https://pto.gov.taipei/News_Content.aspx?n=D065CCB1467288C8&s=FB42176B7B44EDED]

臺北市聯營公車票價維持 運價依程序審議

PRIMARY Taipei Public Transport Office (臺北市公共運輸處) accessed 2026-08-24

Full official page; 1 July 2020 operating-rate approval and passenger fares remaining 15/12/8.

304 Taipei transport price adjustments and fare discounts [<https://www-ws.gov.taipei/Download.ashx?icon=.pdf&n=MTA1MTLoh7rljJfluILlpKfnnL7pgYvovLjlg7nmoLzoqr%2FmlbT1vbHpn7%2FfoqZXmnpAucGRm&u=LzAwMS9VcGxvYWQvMzY3L3JlbGZpbGUvNDUwMDAvNzY2MjY1My84Mjlm0GRlMC1iMDQ5LTQ5YjctODM1ZC1j0ThjNTQwNDdlZDcucGRm>]

臺北市運輸價格調整及價格優惠對運量影響之研究

PRIMARY Taipei City Government (臺北市政府) accessed 2026-08-24

Full 30-page report recording the 1996, 1999, 2003 and 2005 transfer changes.

Last updated: 2026-08-24

An independent, non-commercial reference site. Not affiliated with any transit operator or government body in Taiwan. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. [About this site.](#)

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-24; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.