

[← Back to the previous page](#)

Tucheng Depot

The Bannan Line's level-four main depot — a 26.8-hectare maintenance complex built on former Dahan River flood-control land.

BL BANNAN LINE [/RAIL/METRO/LINES/BANNAN-LINE/] 板南線			
CHINESE NAME 土城機廠 ^[1]	OPERATOR Taipei Rapid Transit Corporation [/rail/operators/trtc/] ^[7]	LINE Bannan [/rail/metro/lines/bannan-line/] ^[1]	DISTRICT Tucheng [/rail/metro/stations/bl03/] ^[5]
ROLE Main depot ^[1]	TUCHENG LINE OPENED 31 May 2006 ^[5]	CURRENT FLEET ALLOCATION TBC	

Overview

Tucheng Depot, 土城機廠, is the Bannan Line [\[/rail/metro/lines/bannan-line/\]](/rail/metro/lines/bannan-line/)'s main depot, on the east side of Huanhe West Road and Baijiebao Road in Tucheng [\[/rail/metro/stations/bl03/\]](/rail/metro/stations/bl03/) District. ^[1] DORTS's detailed route account places it on former Dahan River flood-control land, with Xinxing Bridge to the north, the newer Tucheng levee to the west and the industrial district and river authority to the east. ^[5]

The site works with Nangang Depot [\[/rail/metro/depots/nangang-depot/\]](/rail/metro/depots/nangang-depot/) to provide the maintenance needed for the whole Bannan Line. ^[5] TRTC [\[/rail/operators/trtc/\]](/rail/operators/trtc/) currently groups both workshops under Vehicle Plant Two, the unit responsible for Bannan rolling-stock maintenance. ^[7] Neither source publishes a current model-by-model stabling roster, so depot fleet allocation remains TBC.

Planning and construction

DORTS says planning began in 1990. ^[5] Taipei [\[/rail/thsr/stations/taipei/\]](/rail/thsr/stations/taipei/)'s metro construction supervision meeting approved the scheme on 14 December 1990, a provincial–city coordination meeting followed on 9 January 1991, and the proposal went through the Ministry of Transportation and Communications on 25 March 1991. ^[5] The Executive Yuan approved the construction plan on 18 October 1993. ^[5]

The project used two section contracts. DORTS defines CD550 as covering civil and building-services work from `BL2` to Tucheng Depot and line-wide track and electromechanical systems—including the depot—as well as rolling stock.^[6] CD551 covered a different station section.^[6] The route page says CD551 was the first main works contract signed, on 29 April 1999, but does not identify that as the depot's start.^[5] Exact CD550 award, depot start, handover and commissioning dates remain TBC.

The Tucheng Line from Xinpu `[/rail/metro/stations/bl08/]` to Yongning `[/rail/metro/stations/bl02/]` opened on 31 May 2006 after preliminary inspection beginning 21 April and final inspection beginning 20 May.^[5] Those are line milestones and are not relabelled as depot acceptance dates.

Site and functions

DORTS consistently gives an area of approximately 26.8 hectares.^[5] ^[2] ^[4] The route description identifies Tucheng as one of the principal sites for stabling, washing and maintaining trains used across the Banqiao, Tucheng and Nangang sections.^[5] The planning inventory classifies it as a level-four steel-wheel depot.^[2]

Capacity and equipment

Capacity differs by table heading. The network-planning inventory publishes storage space for 34 trainsets, while the equipment table gives 36 stabling-road positions.^[2] ^[4] No opened source converts between those measures or explains the two-position difference, so both remain labelled rather than collapsed into one capacity.

The equipment table records no test track.^[4] DORTS's procurement list identifies CD319A as a package of twelve categories of main maintenance equipment.^[3] That establishes original equipment scope, not a current inventory; the active machinery and division of heavy work between Tucheng and Nangang remain TBC.

Specifications

Site area	approximately 26.8 ha ^[5]
Depot grade	Level 4 ^[2]
Storage space	34 trainsets ^[2]
Stabling-road positions	36 ^[4]
Test track	No ^[4]
Main maintenance equipment	12 categories ^[3]

References

7 of 7 sources on this page are primary — published by the operator, the builder or government.

- 1

Taipei Metro network planning practice — depot roles and locations [<https://ebook.dorts.gov.taipei/ebook/no1/files/basic-html/page200.html>]

捷運路網規劃實務

PRIMARY

Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)

accessed 2026-08-23

DORTS identifies Tucheng as the Bannan Line's main depot and locates it east of Huanhe West and Baijiebao roads.

- 2

Taipei Metro network planning practice — depot inventory [<https://ebook.dorts.gov.taipei/ebook/no1/files/basic-html/page202.html>]

捷運路網規劃實務

PRIMARY

Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)

accessed 2026-08-23

The inventory gives level four, approximately 26.8 ha and storage space for 34 trainsets.

- 3

Taipei Metro depot equipment practice — maintenance-equipment contracts [<https://ebook.dorts.gov.taipei/ebook/no27/files/basic-html/page106.html>]

捷運機廠設備實務

PRIMARY

Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)

accessed 2026-08-23

DORTS identifies CD319A as the depot's main maintenance-equipment package and gives twelve categories.

- 4

Taipei Metro depot equipment practice — fleet and depot table [<https://ebook.dorts.gov.taipei/ebook/no27/files/basic-html/page107.html>]

捷運機廠設備實務

PRIMARY

Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)

accessed 2026-08-23

The table gives level four, 36 stabling-road positions, no test track and 26.8 ha in a six-train Banqiao/Tucheng Line context.

- 5

Tucheng Line route description [<https://www.dorts.gov.taipei/cp.aspx?n=5E61169F8C735065&s=12C5B1574D868732>]

土城線路線說明

PRIMARY

Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)

accessed 2026-08-23

DORTS describes the former flood-control-river site, boundaries, 26.8 ha, shared Bannan maintenance function, project approvals and line opening.

- 6

Taipei Metro construction management practice — CD550 scope [<https://ebook.dorts.gov.taipei/ebook/no15/files/basic-html/page39.html>]

捷運工程施工管理實務

PRIMARY

Taipei City Government Department of Rapid Transit Systems (臺北市政府捷運工程局)

accessed 2026-08-23

DORTS defines CD550 as covering civil/building-services work to Tucheng Depot and line-wide track, systems and rolling stock including the depot.

7 Division of responsibilities — Rolling Stock Department [<https://www.metro.taipei/cp.aspx?n=195274f164a8ee0b&s=EAC107016EAB69E7>]

業務職掌－車輛處

PRIMARY Taipei Rapid Transit Corporation (臺北大眾捷運股份有限公司) accessed 2026-08-23

TRTC assigns Bannan rolling-stock maintenance and management of the Tucheng and Nangang workshops to Vehicle Plant Two.

Last updated: 2026-08-23

An independent, non-commercial reference site. Not affiliated with any transit operator or government body in Taiwan. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. **About this site.**

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-24; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.