

[← Back to the previous page](#)

LB01

Dingpu

頂埔

INTERCHANGE

BL

Bannan Line at Dingpu ^[3]

Stop 1 of 12 ^[1] · Tucheng District (土城區) ^[1] · elevated ^[4]

Overview

LB SANYING LINE [/RAIL/METRO/LINES/SANYING-LINE/] 三鶯線			
POSITION 1 of 12 ^[1]	INTERCHANGE BL Bannan Line at Dingpu ^[3]	DISTRICT Tucheng District (土城區) ^[1]	STRUCTURE Elevated ^[4]
STREET EXITS 4 ^[2]	FACILITIES Step-free access; accessible toilet; information point; AED; water dispenser ^[2]		
ACCESSIBILITY TBC — no station-specific accessibility record has been added for this operator and line.			
OPENED 30 June 2026 ^[3]	OPERATOR New Taipei Metro Corporation [/rail/1/operators/ntmc/] ^[1]	TRIAL FARE Stored-value cards ride free from 30 June to 31 August 2026; riders without one need a single-journey ticket. ^[3]	TRIAL HOURS 08:00–22:00 from 1 August; 06:00–24:00 announced for 16–31 August. ^[5] ^[6]
NORMAL FARE NT\$20–35; the operator has not announced the charging start date. ^[3]			

Location

ADDRESS	新北市土城區頂埔里中央路四段51之7號 ^[1]
COORDINATES	24.959265, 121.418186 ^[14]

Near this station

Nearby connections are committed build-time joins. Bus links use curated exact-stop matches; YouBike links use the nearest-coordinate match within 200 metres, so a dock is nearby rather than an assertion that it sits inside the station.

Bus routes - Sanying 2 [/bus/routes/new-taipei/2-812/] 三鶯2線(原812) · 臺北客運 571 [/bus/routes/new-taipei/571/] 571 · 臺北客運 705 [/bus/routes/new-taipei/705/] 705 · 臺北客運 706 [/bus/routes/new-taipei/706/] 706 · 臺北客運 707 [/bus/routes/new-taipei/707/] 707 · 臺北客運 - BL45 [/bus/routes/colour-blue/blue-45/] 藍45 - BL46 [/bus/routes/colour-blue/blue-46/] 藍46 - Beta Community - MRT Dingpu Sta. [/bus/routes/new-taipei/route-60nzgf/] 北大社區-捷運頂埔站 · 臺北客運 - MRT DingXi Station-MRT Dingpu Station [/bus/routes/new-taipei/route-91qpeo/] 捷運頂溪站-捷運頂埔站 · 臺北客運 - Sanxia-Zhonghe High School [/bus/route/new-taipei/route-a6fms/] 三峽-中和高中 · 臺北客運 TDX bus snapshot retrieved 2026-08-15 · source [https://tdx.transportdata.tw/]	YouBike docks No joined dock is within the checked threshold. Static station records retrieved 2026-08-25 · TDX source [https://tdx.transportdata.tw/] · live availability is not stored here.
Rail interchanges No published interchange is recorded.	Exits and access Street exits: 4. ^[2] Detailed exit positions: TBC.

Station order is the operator's published LB01–LB12 sequence. Coordinates come from the official New Taipei landmark records, converted from their published TWD97 fields to WGS84 for display. ^[14]


Station context

At **LB01**, DORTS presents A Beautiful Journey as an interchange walk: wall lighting and mosaic ceramic panels linked to train information turn the passage into a flowing river of light. ^[8] The project route record places **LB01** in Tucheng's Central Road Section 4 and identifies the station as the Sanying Line's connection to the existing Bannan Line Dingpu station. ^[7] DORTS describes the Sanying platform as ground-level three while the Bannan platform is underground three, making this a vertically stacked interchange rather than a same-level transfer. ^[11] The same interchange announcement records eight direct escalators, arranged as four up and four down, and two lifts serving the direct connection between the lines. ^[11] That announcement states a transfer time of under two minutes for the direct route, while the operator's actual passenger walking time is not independently established here. ^[11] A 2024 construction notice records that the transfer facility was still being built between the two systems and temporarily closed Bannan exit 3 while the work proceeded. ^[12] The notice describes the construction path from the Bannan station's underground level three by escalator or lift to Sanying's ground-level three, which explains why the public route is distinct from a street transfer. ^[12] DORTS' station-design record describes an elevated side platform closely integrated with the existing Dingpu station and shared entrances. ^[13] It frames the station as an urban greenhouse, using planting, a long-span structure, a semi-transparent expanded-metal façade, daylight and natural ventilation as parts of the design brief. ^[13] The line's public-art index describes the wider project as 14.29 kilometres with 12 elevated stations, placing **LB01**'s interchange work inside a line-wide rather than underground station programme. ^[9] The builder's engineering documentary says the elevated alignment crosses national and railway infrastructure, the Dahan and Sanxia rivers and Yingge Creek. ^[10] For railway crossings, it records a fish-fin bridge, protective base plates, railway supervision and a night operation with a TRA power-off section. ^[10] Those controls describe line-level construction risk and should not be read as evidence that a particular **LB01** structural incident occurred. ^[10] The public-art record establishes the artists and the interchange-passage media for A Beautiful Journey, but the fetched records do not establish a separate **LB01** art cost or a civil construction contract value. ^[8] No fetched primary record in this batch establishes an **LB01** rename, a separate station architect, or a station-specific feeder-bus stop-ID join, so those fields remain TBC. ^[7]

Ridership

Monthly station movement is entry plus exit. The latest published month is **07/2026**: **1,143,456** movements, ranked **#1 of 12** stations on the LB Line.

LATEST MONTH	MOVEMENT	LINE RANK	ENTRY / EXIT
07/2026	1,143,456	#1 / 12	619,820 / 523,636



LB01 Dingpu monthly trend. Exact values and dates are in the table below; entry and exit dimensions are retained where the source publishes them.

Station ridership by month

MONTH	MOVEMENT	ENTRY	EXIT	DAYS
06/2026	31,024	17,118	13,906	30
07/2026	1,143,456	619,820	523,636	31

Source: Monthly whole-system passenger traffic reports [https://www.ntmetro.com.tw/basic/?mode=download&func=basic&code=basic10145&join=10145&path=MTE15bm0N(2Baci0WFq0ezu(2Be1semBi(2BmHj(2Be1seioiF8yNjA4MjQxMTE2Mjg(3D.ods)] · operator statistics index [https://www.ntmetro.com.tw/basic/?node=10145] · retrieved 2026-08-26

References

14 of 14 sources on this page are primary — published by the operator, the builder or government.

1

Sanying Line stations

[https://www.ntmetro.com.tw/basic/?node=10164]

三鶯線車站

PRIMARY

New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-14

The operator's current table of LB station codes, Chinese names, addresses and running order.

2

LB01

Dingpu station information map

[https://www.ntmetro.com.tw/archive/file/1150805-LB01.jpg]

LB01 頂埔站資訊圖

PRIMARY

New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-14

The operator's station-specific information sheet publishes the official English name, numbered exits and facility symbols.

3

The Sanying Line officially opens on 30 June

[https://www.ntmetro.com.tw/basic/?mode=detail&node=867]

捷運三鶯線6/30正式通車

PRIMARY

New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-14

archived [https://web.archive.org/web/20260806053328/https://www.ntmetro.com.tw/basic/?mode=detail&node=867]

Opening date, operator, Dingpu and Yingge transfers, trial-fare rules, service plan and the NT\$20–35 normal fare band. It says the charging date will be announced separately.

-
- 4 Ministry of Transportation to inspect the Sanying Line on 7 June 2026 [https://www.motc.gov.tw/ch/app/data/view?id=14&module=news&serno=a7dd045e-24d7-4cfe-88e2-e390627cb279]

交通部訂於115年6月7日辦理捷運三鶯線履勘

PRIMARY Ministry of Transportation and Communications (交通部) accessed 2026-08-14

The ministry describes the inspected line as 14.29 km with twelve elevated stations.

-
- 5 Sanying Line operating hours extended to 08:00–22:00 from 1 August [https://www.ntpc.gov.tw/ch/home.jsp?dataserno=715da45564e1ee910042fd23ce8bcf0b&id=e8ca970cde5c00e1] 赴市議會施政報告 侯友宜宣布三鶯線8/1起延長營運時間為「8時至22時」

PRIMARY New Taipei City Government (新北市政府) accessed 2026-08-14

Publishes the trial-operation hours effective from 1 August 2026.

-
- 6 Sanying Line fare and trial-operation notice [https://www.ntmetro.com.tw/basic/?node=10166]

三鶯線票價

PRIMARY New Taipei Metro Corporation (新北大眾捷運股份有限公司) accessed 2026-08-14

The operator announces 06:00–24:00 service from 16 to 31 August and repeats the stored-value-card trial rule.

-
- 7 Sanying Line project route and stations [https://www.dorts.ntpc.gov.tw/about/routeInfo/1MJjdJr7dAv6]

三鶯線

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)

accessed 2026-08-14

The builder's current station list, construction locations and officially appended station names.

-
- 8 Sanying Line public art: A Beautiful Journey [https://www.dorts.ntpc.gov.tw/documentary/articleInfo/1A1dpD9odLK7]

一路有藝思：三鶯線公共藝術規劃構想

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)

accessed 2026-08-17

The builder's full public-art article describes **LB01**'s lighting performance and mosaic ceramic-panel works in the Bannan–Sanying interchange passage, including their linkage to train information and the flowing-light-river concept.

-
- 9 Sanying Line public-art index [https://www.dorts.ntpc.gov.tw/art_aesthetics/public_art]

公共藝術

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)

accessed 2026-08-17

The builder's full public-art index states that the Sanying Line is 14.29 km with 12 elevated stations and lists the **LB01**–**LB05** work titles.

-
- 10** Sanying Line high-risk bridge and railway construction [<https://www.dorts.ntpc.gov.tw/documentary/articleInfo/7PVdqkY4mGLb?page=239>]

侯市長視察三鶯線陶瓷老街站

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17

The builder's full documentary states that the line is elevated, crosses national and railway infrastructure and three waterways, and describes fish-fin bridge, railway supervision and night power-off controls.

-
- 11** Dingpu Bannan–Sanying interchange construction [<https://www.dorts.ntpc.gov.tw/news/indexInfo/06JmaQ3gmqya?page=1>]

三鶯線最關鍵一哩路!全線動態測試進行中

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17

The builder's full announcement describes Dingpu's vertical Bannan–Sanying arrangement, eight direct escalators, two direct lifts and the stated transfer time.

-
- 12** Dingpu interchange construction traffic notice [<https://www.dorts.ntpc.gov.tw/news/indexInfo/nalZ4Evzmzeo?page=5>]

新北捷運三鶯線施工 板南線頂埔站3號出口3/1起封閉

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17

The builder's full 2024 construction notice records the transfer-facility works between Bannan Dingpu and Sanying Dingpu and the temporary closure of Bannan exit 3.

-
- 13** Dingpu station breathable urban-greenhouse design [<https://www.dorts.ntpc.gov.tw/news/indexInfo/7PVdqJR7ZGLb?page=2>]

捷運三鶯線頂埔站周邊定向越野挑戰賽

PRIMARY New Taipei City Department of Rapid Transit Systems (新北市政府捷運工程局)
accessed 2026-08-17

The builder's full page describes **LB01**'s elevated side platform, shared Dingpu entrances and the urban-greenhouse design using planting, a long-span structure, expanded metal, daylight and natural ventilation.

-
- 14** New Taipei City important landmarks information [<https://data.ntpc.gov.tw/api/datasets/6dcff24a-838c-40fb-a9df-f1160afafe84/json?page=0&size=3000>]

新北市重要地標資訊

PRIMARY New Taipei City Government Research, Development and Evaluation Commission (新北市政府研究發展考核委員會) accessed 2026-08-14

The official open-data records whose 地標類型 is 捷運站 and whose 地標名稱 identifies each 三鶯線 station. The records publish TWD97 TM2 fields twd97_x and twd97_y; the registry converts those published EPSG:3826 values to WGS84 latitude/longitude for display without estimating from a map.

An independent, non-commercial reference site. Not affiliated with any transit operator or government body in Taiwan. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. **About this site.**

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-24; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.