



SOLOMON203 [HTTPS://COMMONS.WIKIMEDIA.ORG/WIKI/FILE:ZHONGXIAO\_FUXING\_STATION\_EXIT\_1\_AND\_XIEDA\_ZHONGXIAO\_BUILDING\_20240101.JPG] · CC BY-SA 4.0 [HTTPS://CREATIVECOMMONS.ORG/LICENSES/BY-SA/4.0] · WIKIMEDIA COMMONS

← [Back to the previous page](#)

**BR10**

# Zhongxiao Fuxing

忠孝復興

INTERCHANGE

**BL**

Stop 10 of 24 · Daan District (大安區) · elevated

# Overview

| BR WENHU LINE [ /RAIL/METRO/LINES/WENHU-LINE/ ] 文湖線                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                              |                                                                        |                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------------------------------------------|-----------------------|
| POSITION<br>10 of 24                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | INTERCHANGE<br><div>BL</div> | DISTRICT<br>Daan District (大安區)                                        | STRUCTURE<br>Elevated |
| STREET EXITS<br>5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                              |                                                                        |                       |
| ACCESSIBILITY<br>LIFTS Published; the operator also publishes the station's exit lift/ramp locations in Chinese.<br>STEP-FREE ROUTE Published in the operator's exit lift/ramp field; the station-specific route text is retained in the source record.<br>TACTILE PATH AND WARNINGS Tactile paving: Published. Stair anti-slip strips: Published.<br>ACCESSIBLE TOILET Published; the operator publishes the station-specific accessible-toilet location in Chinese.<br>NURSING ROOM TBC — this TRTC station-accessibility API does not publish nursing-room data.<br>PLATFORM GAP TBC — no platform-gap measurement was found in this TRTC station-accessibility API.<br>[15] |                              |                                                                        |                       |
| ENGINEERING NO. [ /RAIL/TECHNOLOGY/STATION-NUMBERING/ ]<br>BR4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | OPENED<br>TBC                | OPERATOR<br>Taipei Rapid Transit Corporation [ /rail/operators/trtc/ ] |                       |

# Location

|             |                        |
|-------------|------------------------|
| ADDRESS     | 106084臺北市大安區忠孝東路3段302號 |
| COORDINATES | 25.041104, 121.543703  |

# Near this station

Nearby connections are committed build-time joins. Bus links use curated exact-stop matches; YouBike links use the nearest-coordinate match within 200 metres, so a dock is nearby rather than an assertion that it sits inside the station.

|                                                                                                                                                  |                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bus routes <ul style="list-style-type: none"><li>204 <a href="/bus/routes/series-200s/204/">[/bus/routes/series-200s/204/]</a><br/>204</li></ul> | YouBike docks <ul style="list-style-type: none"><li>YouBike2.0_Zhongxiao E. Rd. &amp; Fuxing S. Rd. Intersection (Southeast)<br/>YouBike2.0_復興忠孝東路口(東南側)<br/>58.1 m · capacity 28</li></ul> |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

- **212Express** [/bus/routes/series-200s/212-11co126/] 212直
- **212Night** [/bus/routes/series-200s/212-3o3z60/] 212夜
- **212** [/bus/routes/series-200s/212-pq8mwb/] 212
- **232Express** [/bus/routes/series-200s/232-qer6og/] 232快
- **262Shuttle** [/bus/routes/series-200s/262-nzdz2u/] 262區
- **262** [/bus/routes/series-200s/262-opbena/] 262
- **278Shuttle** [/bus/routes/series-200s/278-1ovobqn/] 278區
- **278** [/bus/routes/series-200s/278-8478ut/] 278
- **299** [/bus/routes/series-200s/299/] 299
- **600** [/bus/routes/series-600s/600/] 600
- **605Xintaiwu** [/bus/routes/series-600s/605-1glsi2c/] 605新台五
- **605** [/bus/routes/series-600s/605-fz0v3a/] 605
- **685** [/bus/routes/series-600s/685/] 685
- **919** [/bus/routes/new-taipei/919/] 919 · 新北客運
- **Fuxing Metro Bus** [/bus/routes/trunk/route-1gsi5vr/] 復興幹線
- **Zhongxiao Metro Bus** [/bus/routes/trunk/route-oeaqc5/] 忠孝幹線
- **Taipei Sightseeing Bus Red route** [/bus/routes/special-shuttle/route-q03sgr/] 臺北觀光巴士紅線
- **Zhongxiao Fuxing Sta.-Sanxia** [/bus/routes/new-taipei/route-rsh699/] 捷運忠孝復興站-三峽 · 臺北客運

- **YouBike2.0\_MRT Zhongxiao Fuxing Sta (Exit 2)**

YouBike2.0\_捷運忠孝復興站(2號出口)  
84.5 m · capacity 29

Static station records retrieved 2026-08-25 · TDX  
**source** [https://tdx.transportdata.tw/] · live availability is not stored here.

|                                                                                                                                                                                             |                                                                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li><b>S33</b> [/bus/routes/special-shuttle/s33/] 懷恩專車S33</li></ul> <p>TDX bus snapshot retrieved 2026-08-15 · source [https://tdx.transportdata.tw/]</p> |                                                                                      |
| <b>Rail interchanges</b> <ul style="list-style-type: none"><li><b>BL</b> Bannan Line [/rail/metro/lines/bannan-line/] <sup>[1]</sup></li></ul>                                              | <b>Exits and access</b> <p>Street exits: 5.</p> <p>Detailed exit positions: TBC.</p> |

## First and last trains

| TOWARDS                          | FIRST | LAST  |
|----------------------------------|-------|-------|
| Taipei Zoo                       | 06:03 | 00:35 |
| Taipei Nangang Exhibition Center | 06:03 | 00:35 |

## Station context


Zhongxiao Fuxing is the central interchange between the Wenhua and Bannan lines.<sup>[12]</sup> The project record brings the original Muzha corridor through Fuxing South and North Roads before it reaches Zhongshan Junior High.<sup>[1]</sup> The high-elevated-station volume places it in CC403 with Songshan Airport, Zhongshan Junior High and Nanjing East Road, and gives the station a 70-metre platform.<sup>[2]</sup> DORTS's station-planning manual identifies Zhongxiao Fuxing as a non-parallel interchange where vertical circulation joins platforms at different levels.<sup>[12]</sup> TRTC's current page places the Wenhua and Bannan transfer corridor near Exit 2 and records separate paid-area facilities for the two lines.<sup>[13]</sup> The joint-development site covers the southwest side of the Zhongxiao East Road Section 3 and Fuxing South Road intersection, with a total development area of 7,691 square metres.<sup>[10]</sup> DORTS's concept design joined the building's first through third floors to the Wenhua facilities and its basement levels one through three to the Bannan entrances.<sup>[10]</sup> The city published the development plan in November 1997, sought investors in March 1999, signed the investment contract in January 2000 and recorded completion and an occupancy permit in November 2006.<sup>[10]</sup> The project was planned for retail and department-store use, with public paid parking and reserved connections to the rapid-transit facilities.<sup>[10]</sup> DORTS later described the Zhongxiao Fuxing building as one of the larger city-managed development assets and recorded a unified-management model with investor Hongtong.<sup>[11]</sup> The same management record says the original proposal had six basement levels and thirteen floors above ground, but the transit mezzanine was counted as an additional floor, producing a six-basement, fourteen-floor design.<sup>[11]</sup> The common Muzha station design used curved roofs, aluminium panels, laminated glass, platform doors and transparent lifts, with no platform air-conditioning.<sup>[6]</sup> DORTS later judged that the heavy outer frames reduced the intended lightweight transparency of the standardised station image.<sup>[5]</sup> The live TRTC log records a 2 August 2026 signalling anomaly in the Zhongxiao Fuxing section that briefly stopped trains for about two minutes while

the rest of the line remained unaffected.<sup>[14]</sup> The same log records a 5 August passenger medical emergency at the station; the system continued normal operation while station staff used an AED assessment and CPR before handing over to paramedics.<sup>[14]</sup> The Muzha section opened on 28 March 1996 as Taiwan's first driverless medium-capacity metro.<sup>[9]</sup> The individual CC403 contractor, award date and final station-package value are not identified in the full primary pages checked here, so those fields remain TBC.<sup>[2]</sup>

## Ridership

Monthly station movement is entry plus exit. The latest published month is **07/2026**: **2,688,467** movements, ranked **#1 of 24** stations on the BR Line.

| LATEST MONTH | MOVEMENT  | LINE RANK | ENTRY / EXIT          |
|--------------|-----------|-----------|-----------------------|
| 07/2026      | 2,688,467 | #1 / 24   | 1,349,383 / 1,339,084 |



### Station ridership by month

| MONTH   | MOVEMENT  | ENTRY     | EXIT      | DAYS |
|---------|-----------|-----------|-----------|------|
| 01/2015 | 3,035,735 | 1,510,905 | 1,524,830 | 31   |
| 02/2015 | 2,894,511 | 1,436,638 | 1,457,873 | 28   |
| 03/2015 | 3,075,286 | 1,526,695 | 1,548,591 | 31   |
| 04/2015 | 2,897,509 | 1,438,030 | 1,459,479 | 30   |
| 05/2015 | 3,058,332 | 1,520,782 | 1,537,550 | 31   |
| 06/2015 | 2,914,362 | 1,451,616 | 1,462,746 | 30   |
| 07/2015 | 3,157,187 | 1,570,841 | 1,586,346 | 31   |

| MONTH   | MOVEMENT  | ENTRY     | EXIT      | DAYS |
|---------|-----------|-----------|-----------|------|
| 08/2015 | 3,152,005 | 1,574,940 | 1,577,065 | 31   |
| 09/2015 | 2,850,909 | 1,409,262 | 1,441,647 | 30   |
| 10/2015 | 3,021,882 | 1,497,634 | 1,524,248 | 31   |
| 11/2015 | 3,343,372 | 1,652,675 | 1,690,697 | 30   |
| 12/2015 | 3,249,302 | 1,610,242 | 1,639,060 | 31   |
| 01/2016 | 3,201,219 | 1,596,281 | 1,604,938 | 31   |
| 02/2016 | 2,937,442 | 1,458,148 | 1,479,294 | 29   |
| 03/2016 | 3,136,066 | 1,557,974 | 1,578,092 | 31   |
| 04/2016 | 2,945,499 | 1,458,161 | 1,487,338 | 30   |
| 05/2016 | 3,057,350 | 1,518,612 | 1,538,738 | 31   |
| 06/2016 | 2,974,099 | 1,483,359 | 1,490,740 | 30   |
| 07/2016 | 3,216,992 | 1,602,817 | 1,614,175 | 31   |
| 08/2016 | 3,211,054 | 1,599,335 | 1,611,719 | 31   |
| 09/2016 | 2,711,532 | 1,346,071 | 1,365,461 | 30   |
| 10/2016 | 2,991,210 | 1,489,661 | 1,501,549 | 31   |
| 11/2016 | 3,347,716 | 1,656,209 | 1,691,507 | 30   |
| 12/2016 | 3,209,602 | 1,590,731 | 1,618,871 | 31   |
| 01/2017 | 2,993,116 | 1,485,993 | 1,507,123 | 31   |
| 02/2017 | 2,792,893 | 1,387,887 | 1,405,006 | 28   |
| 03/2017 | 3,019,590 | 1,501,097 | 1,518,493 | 31   |
| 04/2017 | 2,835,128 | 1,403,701 | 1,431,427 | 30   |
| 05/2017 | 2,924,105 | 1,448,625 | 1,475,480 | 31   |
| 06/2017 | 2,865,100 | 1,430,032 | 1,435,068 | 30   |
| 07/2017 | 3,029,793 | 1,514,378 | 1,515,415 | 31   |
| 08/2017 | 3,119,330 | 1,560,055 | 1,559,275 | 31   |
| 09/2017 | 2,805,318 | 1,399,192 | 1,406,126 | 30   |

| MONTH   | MOVEMENT  | ENTRY     | EXIT      | DAYS |
|---------|-----------|-----------|-----------|------|
| 10/2017 | 2,871,561 | 1,432,116 | 1,439,445 | 31   |
| 11/2017 | 3,311,161 | 1,647,265 | 1,663,896 | 30   |
| 12/2017 | 3,200,522 | 1,595,913 | 1,604,609 | 31   |
| 01/2018 | 3,005,936 | 1,504,663 | 1,501,273 | 31   |
| 02/2018 | 2,798,220 | 1,396,748 | 1,401,472 | 28   |
| 03/2018 | 2,987,047 | 1,489,274 | 1,497,773 | 31   |
| 04/2018 | 2,760,151 | 1,374,856 | 1,385,295 | 30   |
| 05/2018 | 2,954,744 | 1,474,523 | 1,480,221 | 31   |
| 06/2018 | 2,851,917 | 1,426,010 | 1,425,907 | 30   |
| 07/2018 | 3,017,785 | 1,508,539 | 1,509,246 | 31   |
| 08/2018 | 3,097,051 | 1,551,095 | 1,545,956 | 31   |
| 09/2018 | 2,787,700 | 1,393,408 | 1,394,292 | 30   |
| 10/2018 | 2,910,994 | 1,451,382 | 1,459,612 | 31   |
| 11/2018 | 3,263,536 | 1,616,851 | 1,646,685 | 30   |
| 12/2018 | 3,156,776 | 1,571,104 | 1,585,672 | 31   |
| 01/2019 | 3,120,419 | 1,551,707 | 1,568,712 | 31   |
| 02/2019 | 2,576,910 | 1,280,362 | 1,296,548 | 28   |
| 03/2019 | 2,963,548 | 1,476,464 | 1,487,084 | 31   |
| 04/2019 | 2,786,368 | 1,386,063 | 1,400,305 | 30   |
| 05/2019 | 2,983,466 | 1,487,502 | 1,495,964 | 31   |
| 06/2019 | 2,818,081 | 1,412,874 | 1,405,207 | 30   |
| 07/2019 | 3,019,053 | 1,515,689 | 1,503,364 | 31   |
| 08/2019 | 3,019,941 | 1,517,173 | 1,502,768 | 31   |
| 09/2019 | 2,692,779 | 1,347,072 | 1,345,707 | 30   |
| 10/2019 | 2,867,843 | 1,429,514 | 1,438,329 | 31   |
| 11/2019 | 3,244,610 | 1,612,348 | 1,632,262 | 30   |

| MONTH   | MOVEMENT  | ENTRY     | EXIT      | DAYS |
|---------|-----------|-----------|-----------|------|
| 12/2019 | 3,083,608 | 1,538,256 | 1,545,352 | 31   |
| 01/2020 | 2,795,523 | 1,394,694 | 1,400,829 | 31   |
| 02/2020 | 2,261,812 | 1,128,473 | 1,133,339 | 29   |
| 03/2020 | 2,113,452 | 1,054,711 | 1,058,741 | 31   |
| 04/2020 | 1,846,033 | 922,943   | 923,090   | 30   |
| 05/2020 | 2,249,144 | 1,128,064 | 1,121,080 | 31   |
| 06/2020 | 2,326,084 | 1,168,952 | 1,157,132 | 30   |
| 07/2020 | 2,633,374 | 1,325,046 | 1,308,328 | 31   |
| 08/2020 | 2,627,263 | 1,322,687 | 1,304,576 | 31   |
| 09/2020 | 2,509,322 | 1,260,641 | 1,248,681 | 30   |
| 10/2020 | 2,557,662 | 1,282,899 | 1,274,763 | 31   |
| 11/2020 | 2,882,970 | 1,442,756 | 1,440,214 | 30   |
| 12/2020 | 2,802,861 | 1,401,326 | 1,401,535 | 31   |
| 01/2021 | 2,540,657 | 1,272,765 | 1,267,892 | 31   |
| 02/2021 | 2,243,938 | 1,121,226 | 1,122,712 | 28   |
| 03/2021 | 2,566,550 | 1,285,939 | 1,280,611 | 31   |
| 04/2021 | 2,516,407 | 1,257,428 | 1,258,979 | 30   |
| 05/2021 | 1,345,457 | 670,806   | 674,651   | 31   |
| 06/2021 | 539,428   | 268,606   | 270,822   | 30   |
| 07/2021 | 800,691   | 400,237   | 400,454   | 31   |
| 08/2021 | 1,360,623 | 682,810   | 677,813   | 31   |
| 09/2021 | 1,522,317 | 764,903   | 757,414   | 30   |
| 10/2021 | 1,959,234 | 985,644   | 973,590   | 31   |
| 11/2021 | 2,418,703 | 1,212,041 | 1,206,662 | 30   |
| 12/2021 | 2,389,313 | 1,200,075 | 1,189,238 | 31   |
| 01/2022 | 2,065,990 | 1,031,676 | 1,034,314 | 31   |




| MONTH   | MOVEMENT  | ENTRY     | EXIT      | DAYS |
|---------|-----------|-----------|-----------|------|
| 02/2022 | 1,749,246 | 874,400   | 874,846   | 28   |
| 03/2022 | 2,198,100 | 1,099,130 | 1,098,970 | 31   |
| 04/2022 | 1,658,065 | 828,254   | 829,811   | 30   |
| 05/2022 | 1,340,302 | 672,207   | 668,095   | 31   |
| 06/2022 | 1,608,748 | 806,154   | 802,594   | 30   |
| 07/2022 | 1,977,837 | 991,900   | 985,937   | 31   |
| 08/2022 | 2,132,145 | 1,074,229 | 1,057,916 | 31   |
| 09/2022 | 2,006,550 | 1,010,709 | 995,841   | 30   |
| 10/2022 | 2,155,314 | 1,086,484 | 1,068,830 | 31   |
| 11/2022 | 2,562,871 | 1,281,465 | 1,281,406 | 30   |
| 12/2022 | 2,601,453 | 1,311,849 | 1,289,604 | 31   |
| 01/2023 | 2,313,806 | 1,165,609 | 1,148,197 | 31   |
| 02/2023 | 2,348,663 | 1,173,686 | 1,174,977 | 28   |
| 03/2023 | 2,461,298 | 1,241,224 | 1,220,074 | 31   |
| 04/2023 | 2,323,435 | 1,170,354 | 1,153,081 | 30   |
| 05/2023 | 2,455,176 | 1,238,536 | 1,216,640 | 31   |
| 06/2023 | 2,339,185 | 1,180,634 | 1,158,551 | 30   |
| 07/2023 | 2,530,010 | 1,276,710 | 1,253,300 | 31   |
| 08/2023 | 2,562,757 | 1,293,115 | 1,269,642 | 31   |
| 09/2023 | 2,476,576 | 1,248,585 | 1,227,991 | 30   |
| 10/2023 | 2,570,541 | 1,295,761 | 1,274,780 | 31   |
| 11/2023 | 2,851,044 | 1,433,467 | 1,417,577 | 30   |
| 12/2023 | 2,805,375 | 1,420,097 | 1,385,278 | 31   |
| 01/2024 | 2,643,514 | 1,335,606 | 1,307,908 | 31   |
| 02/2024 | 2,363,280 | 1,192,185 | 1,171,095 | 29   |
| 03/2024 | 2,652,472 | 1,335,493 | 1,316,979 | 31   |

| MONTH   | MOVEMENT  | ENTRY     | EXIT      | DAYS |
|---------|-----------|-----------|-----------|------|
| 04/2024 | 2,460,925 | 1,240,109 | 1,220,816 | 30   |
| 05/2024 | 2,648,118 | 1,336,025 | 1,312,093 | 31   |
| 06/2024 | 2,524,853 | 1,275,839 | 1,249,014 | 30   |
| 07/2024 | 2,554,110 | 1,289,563 | 1,264,547 | 31   |
| 08/2024 | 2,709,388 | 1,370,155 | 1,339,233 | 31   |
| 09/2024 | 2,528,021 | 1,276,158 | 1,251,863 | 30   |
| 10/2024 | 2,546,401 | 1,281,111 | 1,265,290 | 31   |
| 11/2024 | 3,032,455 | 1,520,137 | 1,512,318 | 30   |
| 12/2024 | 2,963,456 | 1,488,050 | 1,475,406 | 31   |
| 01/2025 | 2,684,860 | 1,349,210 | 1,335,650 | 31   |
| 02/2025 | 2,464,251 | 1,238,654 | 1,225,597 | 28   |
| 03/2025 | 2,723,739 | 1,368,930 | 1,354,809 | 31   |
| 04/2025 | 2,584,956 | 1,296,449 | 1,288,507 | 30   |
| 05/2025 | 2,687,253 | 1,349,046 | 1,338,207 | 31   |
| 06/2025 | 2,593,987 | 1,303,890 | 1,290,097 | 30   |
| 07/2025 | 2,753,130 | 1,383,734 | 1,369,396 | 31   |
| 08/2025 | 2,821,293 | 1,413,339 | 1,407,954 | 31   |
| 09/2025 | 2,611,007 | 1,306,899 | 1,304,108 | 30   |
| 10/2025 | 2,689,577 | 1,344,491 | 1,345,086 | 31   |
| 11/2025 | 3,004,118 | 1,502,109 | 1,502,009 | 30   |
| 12/2025 | 2,918,031 | 1,458,829 | 1,459,202 | 31   |
| 01/2026 | 2,765,792 | 1,383,358 | 1,382,434 | 31   |
| 02/2026 | 2,335,232 | 1,167,812 | 1,167,420 | 28   |
| 03/2026 | 2,730,710 | 1,368,065 | 1,362,645 | 31   |
| 04/2026 | 2,628,423 | 1,316,724 | 1,311,699 | 30   |
| 05/2026 | 2,712,774 | 1,358,786 | 1,353,988 | 31   |

| MONTH   | MOVEMENT  | ENTRY     | EXIT      | DAYS |
|---------|-----------|-----------|-----------|------|
| 06/2026 | 2,603,994 | 1,306,893 | 1,297,101 | 30   |
| 07/2026 | 2,688,467 | 1,349,383 | 1,339,084 | 31   |

Source: Ridership Counts " monthly station ODS files [[https://web.metro.taipei/RidershipPerStation/202607\\_en.ods](https://web.metro.taipei/RidershipPerStation/202607_en.ods)] · operator statistics index [<https://english.metro.taipei/cp.aspx?n=C702FF0562802D53>] · retrieved 2026-08-24



BR10 on the Wenhu Line. Drawn from MOTC route geometry.

# References

---

15 of 15 sources on this page are primary — published by the operator, the builder or government.

- 1 Wenhu Line project and station table** [<https://www.dorts.gov.taipei/cp.aspx?n=DBAC040496EFAB94>]  
文山內湖線

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-17

The full project record supports the Neihu extension's departure from Zhongshan Junior High tail tracks, its route toward Songshan Airport, and the airport-station siting decision. The original-language wording was checked on the linked page: the paragraph beginning 內湖線為銜接木柵線 and the sentence beginning 經評估以捷運內湖線於松山機場增設車站.

---
- 2 High-elevated station architectural design: station packages** [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page75.html>]  
捷運高架車站建築造型設計

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full page identifies the four Muzha-section station-architecture packages and lists the engineering-era station numbers and platform lengths for the six stations in this batch. The original-language paragraph beginning 文湖線木柵段分為四個設計標 was checked on the linked page.

---
- 3 High-elevated station architectural design: design constraints** [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page76.html>]  
捷運高架車站建築造型設計

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full page describes the road-centre and single-column station forms, the route's urban constraints, and the use of systematised, modular and standardised design for the twelve-station Muzha section. The original-language paragraphs beginning 車站型式 and 木柵線全線12座車站 were checked on the linked page.

---
- 4 High-elevated station architectural design: alignment history** [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page78.html>]  
捷運高架車站建築造型設計

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full page records the proposed Dunhua alignment, its change to Fuxing South and North Roads, and the design pressures of narrow streets and dense commercial and residential frontage. The original-language paragraphs beginning 原規劃路線 and 由於敦化南北路 were checked on the linked page.

---
- 5 High-elevated station architectural design: materials and public response** [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page80.html>]  
捷運高架車站建築造型設計

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full page describes the Muzha section's aluminium-panel, laminated-glass, curved-roof and frame vocabulary, and records the author's criticism that the final details did not achieve the intended lightweight transparency. The original-language paragraphs beginning 木柵線車站外觀 and

- 
- 6 High-elevated station architectural design: station form [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page84.html>]

捷運高架車站建築造型設計

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full page describes Muzha-section elevated side-platform stations, platform doors, the absence of air-conditioning, curved metal-composite roofs, metal-and-glass envelopes and transparent lifts. The original-language paragraph beginning 木柵段車站均為高架側式月臺 was checked on the linked page.

- 
- 7 Muzha Line construction and operating contract structure [<https://ebook.dorts.gov.taipei/ebook/no15/files/basic-html/page35.html>]

臺北市中運量捷運系統木柵線工程建設概況

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full technical-journal page describes the division between system turnkey work, domestic civil and architecture work, and operation contracts, including the A, B and C contract structure. The original-language paragraphs beginning 木柵線工程合約 and 土木建築工程 were checked on the linked page.

- 
- 8 Wenhua Line concrete running-surface maintenance [<https://ebook.dorts.gov.taipei/JRTST/ebook/no39/files/basic-html/page252.html>]

文湖線膠輪混凝土軌道面維修實務

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full technical-journal page records the Muzha section's concrete running-surface dimensions, early spalling, cracking, roughness and noise problems, and the repair method and maintenance-cost comparison. The original-language paragraphs beginning 木柵線膠輪軌道面 and 維修工法 were checked on the linked page.

- 
- 9 High-elevated station architectural design: opening and landscape history [<https://ebook.dorts.gov.taipei/ebook/no34/files/basic-html/page83.html>]

捷運高架車站建築造型設計

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full page records the landscape-restoration arrangement, the 28 March 1996 opening, the first-day ridership figure and the Muzha section's role as the system's first driverless medium-capacity line. The original-language paragraphs beginning 木柵線沿線景觀 and 木柵線於民國85年3月28日 were checked on the linked page.

- 
- 10 Zhongxiao Fuxing joint-development project [<https://ebook.dorts.gov.taipei/ebook/no18/files/basic-html/page110.html>]

捷運開發大樓基本設計概要

**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18

The full page records the Zhongxiao Fuxing development site, its land-use planning, contract and completion milestones, and the co-construction relationship between the Wenhua and Bannan facilities. The original-language section beginning 初期路網忠孝復興站交4、交10 was checked on the linked page.

---

- 11 Joint-development management at Zhongxiao Fuxing [<https://ebook.dorts.gov.taipei/ebook/no19/files/basic-html/page115.html>]  
捷運土地開發實務  
**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18  
The full page records the unified-management model for the Zhongxiao Fuxing development, its investor proposal and investment-contract dates, the building-floor correction, and the city's continuing property and management concerns. The original-language paragraphs beginning 目前捷運開發基地 and 忠孝復興站（BR4）開發大樓 were checked on the linked page.
- 
- 12 Rapid-transit station planning and transfer forms [<https://ebook.dorts.gov.taipei/ebook/no2/files/basic-html/page37.html>]  
捷運車站規劃與設計實務  
**PRIMARY** Taipei City Department of Rapid Transit Systems accessed 2026-08-18  
The full page classifies Nanjing Fuxing, Zhongxiao Fuxing and Daan as central interchange stations and explains that non-parallel interchanges require vertical circulation between platforms at different levels. The original-language paragraphs beginning 南京復興站（文湖線及松山新店線交會） were checked on the linked page.
- 
- 13 Zhongxiao Fuxing station information [<https://web.metro.taipei/pages2026/WebStation/010/1>]  
忠孝復興站車站資訊  
**PRIMARY** Taipei Rapid Transit Corporation accessed 2026-08-18  
The full current station page supports the Wenhua/Bannan interchange, the transfer-corridor location near Exit 2 and the station's SOGO exit context. The labelled station, facility and exit sections were checked on the linked page.
- 
- 14 Taipei Metro operational information [<https://ssl.metro.taipei/metrooperation/>]  
臺北捷運營運資訊  
**PRIMARY** Taipei Rapid Transit Corporation accessed 2026-08-18  
The full live operational table checked on 18 August 2026 records the **BR10** signalling event of 2 August, the **BR10** passenger medical emergency of 5 August, and the **BR12** dropped-object and train-equipment events. The original-language rows were checked on the linked page; this is a time-stamped operational log, not a complete retrospective incident register.
- 
- 15 TRTC station accessibility records [<https://web.metro.taipei/pages/tw/stationdisabledinfo/>]  
車站無障礙設施查詢  
**PRIMARY** Taipei Rapid Transit Corporation ( 臺北大眾捷運股份有限公司 ) accessed 2026-08-24  
TRTC's stationdisabledinfo API was fetched for all 121 station records returned by its station-label endpoint. The API publishes station-specific lift/ramp locations, accessible-toilet locations, tactile-paving and stair anti-slip fields. It does not publish nursing-room or platform-gap fields; those remain TBC here.

---

An independent, non-commercial reference site. Not affiliated with any transit operator or government body in Taiwan. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. [About this site.](#)

---

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-24; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.