



A 700T train approaching Taichung Station.

LOKSENG01 [HTTPS://COMMONS.WIKIMEDIA.ORG/WIKI/FILE:THSR_TR15_APPROACHING_PLATFORM_2A,_TAICHUNG_STATION_20210410.JPG] • CC BY-SA 4.0 [HTTPS://CREATIVECOMMONS.ORG/LICENSES/BY-SA/4.0] • WIKIMEDIA COMMONS

[← Back to the previous page](#)

Taiwan High Speed Rail

Taiwan's 350 km high-speed railway, with 12 stations from Nangang to Zuoying and a BOT history that changed during financial restructuring.

Stations

12 pages

Every station on this network, grouped by line — generated from the same registry that draws the maps.

Lines

The single Taiwan High Speed Rail route and its source-backed system record.

Taiwan High Speed Rail

The 350 km, 12-station west-coast high-speed railway, built through a BOT concession and operated with a Japanese-reference 700T system whose procurement history remains contested in official reports.

Stations

The 12 current High-Speed Rail stations, ordered by the committed TDX station records.

Nangang

Nangang (南港) — TDX station NAK, Nangang District, with tra nangang station, taipei metro and city buses named by the operator.

Taipei

Taipei (台北) — TDX station TPE, Zhongzheng District, with tra taipei station, taipei metro, airport mrt and city buses named by the operator.

Banqiao

Banqiao (板橋) — TDX station BAC, Banqiao District, with tra banqiao station, taipei metro and city buses named by the operator.

Taoyuan

Taoyuan (桃園) — TDX station TAY, Zhongli District, with airport mrt and city buses named by the operator.

Hsinchu

Hsinchu (新竹) — TDX station HSC, Zhubei City, with tra liujia station and city buses named by the operator.

Miaoli

Miaoli (苗栗) — TDX station MIL, Houlong Township, with tra fengfu station and city buses named by the operator.

Taichung

Taichung (台中) — TDX station TAC, Wuri District, with tra xinwuri station, taichung metro and city buses named by the operator.

Changhua

Changhua (彰化) — TDX station CHA, Tianzhong Township, with city buses named by the operator.

Yunlin

Yunlin (雲林) — TDX station YUL, Huwei Township, with city buses named by the operator.

Chiayi

Chiayi (嘉義) — TDX station CHY, Taibao City, with city buses named by the operator.

Tainan

Tainan (台南) — TDX station TNN, Guiren District, with tra shalun station and city buses named by the operator.

Zuoying

Zuoying (左營) — TDX station ZUY, Zuoying District, with tra xinzuoying station, kaohsiung metro and city buses named by the operator.

Rolling stock

THSR's 700T fleet and the incoming N700ST generation.

THSR rolling stock

34 700T trainsets built by three Japanese manufacturers with a fourth handling only the electrical system — a distinction the common shorthand collapses — plus a 12-set N700ST order now arriving, a seating-capacity conflict, and the 2010 derailment that a magnetic brake pad may have stopped from going further.

Facilities

THSR accessibility provisions, on trains and at stations.

THSR accessibility

Four wheelchair spaces per trainset, rising to six on the incoming N700ST fleet — and a 2018 disability-rights campaign that pushed for exactly that, against an operator page that still describes its facilities as company-wide policy rather than a station-by-station breakdown.

Technology

THSR's engineering systems and the BOT financial restructuring that kept the railway running.

THSR engineering and the BOT financial restructuring

A Taiwan-specific ATC system whose supplier no source could confirm, a design-speed figure that two Wikipedia articles about the same railway can't agree on, and a Control Yuan-documented financial crisis that saw the concession stretched from 35 to 70 years to survive it.

Operations

THSR ridership, operating performance and fare records.

THSR ridership and operating performance

82.07 million passengers in 2025, up 4.88% on 2024, with a full five-year recovery table from COVID's 43.46 million low in 2021 — all from the operator's own annual report, plus a caught-and-corrected wikipedia error on an early cumulative milestone.

THSR fares

The base fare table has not changed since THSR opened in 2007, per the operator's own 2024 statement — while a government-approved ceiling for a possible future rise is already under public discussion, and one Nangang–Zuoying figure stays genuinely unresolved between conflicting sources.

Projects

THSR station-area development, transit-oriented development and the 2026 Yilan extension.

THSR station-area development

Five stations under one named government mechanism, three more with separate and murkier arrangements, and a real contrast between Taoyuan and Hsinchu's "HSR baby boom" and Changhua's station, which the operator's own 20th-anniversary figures rank last of the twelve by ridership.

Taiwan High Speed Rail is the west-coast intercity railway operated by Taiwan High Speed Rail Corporation under a national BOT project.^[4] The operator's current business page lists twelve stations, from Nangang and Taipei through the western corridor to Zuoying.^[3] This system folder keeps the station sequence in a committed TDX snapshot while the historical narrative stays tied to Railway Bureau and Control Yuan documents.^{[1] [4]}

The railway opened in stages rather than on one date: seven stations began service on 5 January 2007, Taipei followed on 2 March 2007, Miaoli, Changhua and Yunlin were added on 1 December 2015, and Nangang on 1 July 2016.^[4] These dates are repeated on station

pages because “the high-speed railway opened” and “this station opened” are different claims.^[4]

The financing record is part of the system’s identity. The Railway Bureau describes the project as Taiwan’s first major national infrastructure project promoted through private participation, with the 1998 contracts originally setting a 35-year construction-and-operation concession and a 50-year station-area development concession.^[4] The 2015 amendment extended the concession to 70 years, cancelled the station-area development contract, reduced capital and brought NT\$30 billion of government investment into the company.^[4] The Control Yuan records a separate dispute over whether public and state-enterprise investment—reported there as 37.42%—departed from the promised zero-government-funding model.^{[6] [5]}

The system is physically distinctive. The Railway Bureau reports approximately 73% bridges and viaducts, 18% tunnels and 9% embankment or cut sections.^[4] It records 25,000-volt, 60-Hz AC overhead power and ATC/CTC train-control systems, and describes the 700T as a twelve-car EMU based on the Japanese 700 series.^[4] The same page names vehicle bases at Wuri and Zuoying, a main workshop at Yanchao and five engineering-and-electrical bases.^[4] That is the source-backed system description; it is not a reason to assign every depot or every maintenance activity to an individual station.

The European reference and Japanese system conflict

The tender history has two official readings that this site keeps side by side. One Control Yuan report says the winning bid used German ICE and French TGV as the European reference system, then records a 12 December 1999 change of signalling, power and rolling stock to the Japanese Shinkansen system and compensation of US\$65 million plus 5% interest to the German and French suppliers.^[7] A separate Control Yuan report records the Ministry’s account that Siemens turnout and control equipment remained European while the other subsystems followed Japanese Shinkansen technology, and says that using different specialist suppliers can be normal if the interfaces work.^[8] The disagreement is therefore not reduced to the slogan “European” or “Japanese”: one source frames the change as a mixed-system problem, while the other describes a Japanese system with a specifically retained European turnout subsystem.^{[7] [8]}

Ridership data

The Railway Bureau’s open-data record describes a High-Speed Rail traffic dataset, and the MOTC statistical yearbook publishes station-level entry and exit traffic in units of 10,000 passengers.^[9] The line panel below uses a committed monthly network snapshot with its source and retrieval date visible; it does not sum station movements or treat entry and exit as two separate trips.^[9] Current station-level values, trends and within-line ranks remain TBC until the wide PDF table is transcribed into the same station schema without losing its entry/exit dimensions.^[9]

The TDX checks were deliberately narrower than the metro pull. Station and Shape returned records on 24 August 2026, while the checked THSR Route and StationOfRoute paths returned 404; the station order shown here is consequently the operator's twelve-station order, not a fabricated route response. ^[1] ^[2]

The ridership record `[/rail/thsr/operations/ridership/]` and fare record `[/rail/thsr/operations/fares/]` cover recent operating performance and the standard fare table, both largely from the operator's own annual report and site — plus a caught-and-corrected wikipedia error and one fare figure that stays unresolved between conflicting sources. The fleet roster `[/rail/thsr/rolling-stock/fleet-roster/]` covers the 700T fleet, the manufacturer split a common shorthand collapses, the incoming N700ST order, and an earthquake derailment. The accessibility record `[/rail/thsr/facilities/accessibility/]` covers the wheelchair spaces on the current trainsets, an increase planned for the next generation, and a disability-rights campaign that pushed for exactly that. The engineering and BOT-restructuring record `[/rail/thsr/technology/engineering/]` goes deeper than this page on the financial crisis that stretched THSR's original concession, an unresolved design-speed conflict, and a newly approved extension. The station-area development record `[/rail/thsr/projects/joint-development/]` covers the named mechanism behind several of the twelve stations and the sharp contrast between Taoyuan/Hsinchu's growth and Changhua's stalled land sales.

References

9 of 9 sources on this page are primary — published by the operator, the builder or government.

- 1 TDX THSR station records** `[https://tdx.transportdata.tw/api/basic/v2/Rail/THSR/Station?%24format=JSON&%24top=1000]`
臺灣高鐵車站資料
PRIMARY Ministry of Transportation and Communications, TDX (交通部運輸資料流通服務平臺)
accessed 2026-08-24
The committed 24 August 2026 Station pull contains 12 records with station IDs, codes, names, addresses and coordinates. The checked Route and StationOfRoute paths returned 404 and are not used to infer a sequence.

- 2 TDX THSR line shape** `[https://tdx.transportdata.tw/api/basic/v2/Rail/THSR/Shape?%24format=JSON&%24top=1000]`
臺灣高鐵路線幾何資料
PRIMARY Ministry of Transportation and Communications, TDX (交通部運輸資料流通服務平臺)
accessed 2026-08-24
The committed 24 August 2026 Shape pull contains one current High-Speed Rail Line geometry record.

- 3 Main business** `[https://www.thsrc.com.tw/corp/410c493f-6d1b-49ae-8480-8b36dab7c5ef]`
主要業務
PRIMARY Taiwan High Speed Rail Corporation (台灣高速鐵路股份有限公司)

accessed 2026-08-24

The operator lists the 12 stations and its current operating and station-business scope.

- 4 **Taiwan High-Speed Rail project** [https://www.rb.gov.tw/zh-TW/main/main_28/20250505_152320/20251104_134001/20250505_180533/]

台灣高鐵

PRIMARY Railway Bureau, Ministry of Transportation and Communications (交通部鐵道局)

accessed 2026-08-24

The builder and regulator's project history gives the BOT contract, financial restructuring, route, opening chronology, structures, power, signalling, vehicles and maintenance facilities.

- 5 **Investigation into whether government investment in the High-Speed Rail company violated BOT principles** [<https://www.cy.gov.tw/CyBsBoxContent2.aspx?n=718&s=356>]

政府直接、間接投資高鐵公司有無違反BOT精神案

PRIMARY Control Yuan, Taiwan (監察院) accessed 2026-08-24

The official investigation record identifies the case number, adoption date and report files for the government-investment/BOT dispute.

- 6 **High-Speed Rail did not fulfil the government-zero-investment commitment** [https://www.cy.gov.tw/News_Content.aspx?n=795&s=5321]

高鐵未能履行「政府零出資」承諾

PRIMARY Control Yuan, Taiwan (監察院) accessed 2026-08-24

The official statement records the Control Yuan's criticism that public entities supplied 37.42% and describes the supervision and BOT-principle dispute.

- 7 **Investigation into High-Speed Rail turnout-signal failures** [<https://cybsbox.cy.gov.tw/CYBSBoxSSL/edoc/download/54560>]

台灣高鐵轉轍器訊號異常案調查報告

PRIMARY Control Yuan, Taiwan (監察院) accessed 2026-08-24

The report records the European ICE/TGV reference bid, the 1999 change of signalling, power and rolling stock to the Japanese Shinkansen system, and the reported US\$65 million compensation plus 5% interest.

- 8 **Investigation into High-Speed Rail turnout failures** [<https://cybsbox.cy.gov.tw/CYBSBoxSSL/edoc/download/45303>]

調查報告

PRIMARY Control Yuan, Taiwan (監察院) accessed 2026-08-24

A separate official report records the Ministry's account that Siemens turnout and control equipment remained European while the other systems followed Japanese Shinkansen technology; this is published as a conflict, not collapsed into one description.

- 9 **Passenger Traffic of High-Speed Rail Stations** [<https://www.motc.gov.tw/ch/app/data/doc?detailNo=1&id=580&module=mebook&serno=202501090000&type=s>]

高速鐵路各站旅客人數

PRIMARY Ministry of Transportation and Communications, Taiwan (交通部)

accessed 2026-08-24

Table 2-9 publishes station-level entry and exit traffic in units of 10,000 passengers and notes each station's opening date; the current PDF is retained as the source for the station-level TBC boundary.

An independent, non-commercial reference site. Not affiliated with any transit operator or government body in Taiwan. Line colours are the official values published by each operator through Taiwan MOTC's open data platform. [About this site.](#)

Station names, codes and sequence from TDX Transport Data eXchange, Ministry of Transportation and Communications, operators TRTC, NTMC, TYMC, and TMRT. Government open data. Retrieved 2026-08-24; source last updated 2016-11-23. The 12 Sanying station records absent from TDX are sourced directly to New Taipei Metro and government publications on their pages. Provenance.