Assessment #1 - Results

✕

Attempt 1 of 1

Written Feb 29, 2024 11:41 AM - Feb 29, 2024 12:29 PM

Attempt Feedback

B+

Attempt Score **31 / 40 - 77.5 %**
Overall Grade (Highest Attempt) **31 / 40 - 77.5 %**

Multiple Choice Section

Question 1
0 / 1 point

The following code shows a method named **ComputeSum** that adds two scores, and the Click event handler of a button, which calls the method and displays the result in a ListBox named lstDisplay:

```
private void btnExamScore_Click(object sender, EventArgs e)
{
        int totalScore = 0;
        ComputeSum(90, 85, totalScore);
        lstDisplay.Items.Add(totalScore);
}

private void ComputeSum(int score1, int score2, int sum)
{
        sum = score1 + score2;
}
```

Note that the argument totalScore is passed by value. What would be the output displayed in the ListBox?

○ 90
✗ ● 175
⇨ ○ 0
○ Nothing will be displayed

Question 2
0 / 1 point

The following statements about event handlers are true, **except:**

✗ ● the click event handler of a button is created by double-clicking the button
○ an event handler is a method that executes in response to an event
⇨ ○ an event handler is a set of events that takes place when the user clicks a button
○ the click event handler of a button is run when the user clicks the button

Question 3
1 / 1 point

What would be the value of discount after execution of the following program?

```
float amount = 15.0F;
float discount;
bool coupon = true;
if (amount >= 40)
    discount = 10;
else if (coupon = true)
    if (amount >= 20)
        discount = 5;
    else
        discount = 0.2F*amount;
else
    discount = 0;
```

✓ ● 3
○ 5
○ 10
○ 0

Question 4
1 / 1 point

A program that has a _____ error would compile and run, but the results would be unreliable

✓ ● logic
○ syntax
○ runtime
○ software

Question 5
0 / 1 point

What would the Label, lblCost, display after execution of the following set of statements?

```
double  extendedCost = 4525.457;
lblCost.Text = extendedCost.ToString(“N”);
```

⇨ ○ 4,525.46
○ 4,525.00
✗ ● 4525.457
○ 4,525.457

Question 6
1 / 1 point

Admission to a graduate program has the following requirement:
a minimum GPA of 3.0 **and** a minimum GRE percentile score of 35.
If the requirement is met, the value “Admit” is to be assigned to a string variable **decision**; if not, the value “Deny” is to be assigned.
The following if statements would correctly assign the value, **except**:

○
```
if (!((GPA < 3.0) || (GRE < 35)))
        "Admit "
else
        decision =  "Deny ";
```

○
```
if ((GPA >= 3.0) && (GRE >= 35))
        decision =  "Admit ";
else
        decision =  "Deny ";
```

✓ ●
```
if (!((GPA < 3.0) && (GRE < 35)))
        "Deny "
else
        decision =  "Admit ";
```

○
```
if ((GPA < 3.0) || (GRE < 35))
        decision =  "Deny ";
else
        decision =  "Admit ";
```

Question 7
0 / 1 point

Consider the following code:

```
int totalScore = 10;
int count = 4;
float average =  total/count;
```

The following statements about the code are true, **except:**

○ after execution of the code, the value of average would be 2
⇨ ○ after execution of the code, the value of average would be 2.5
✗ ● changing the third statement as follows would compute the correct average:
float average = (float)total/(count);
○ changing the third statement as follows would compute the correct average:
float average = total/float(count);

Question 8
1 / 1 point

It is desired to add two numbers entered into two TextBoxes named txtCount1 and txtCount2. The numbers represent the number of visitors to a park in two different months. The following statement will add the two numbers correctly and assign the sum to the variable, sum:

○ int sum = int.Parse(txtCount1.Text + txtCount2.Text)
✓ ● int sum = int.Parse(txtCount1.Text) + int.Parse(txtCount2.Text)
○ int sum = txtCount1.Text + txtCount2.Text
○ int sum = txtCount1.Text.ToString() + txtCount2.Text.ToString()

Question 9
1 / 1 point

The following code shows a method named **Greetings**, and the Click event handler of a button, which calls the method:

```
private void btnGreeting_Click(object sender, EventArgs e)
{
    string word1 = "Hi", word2 = "There", word = "Hello";
            Greetings(word1);
            Greetings(word2);
}

private void Greetings(string word)
{
            lstDisplay.Items.Add(word);
}
```

The output displayed in the List Box when you Click the button would be:

○ None of these answers are correct.
○ There
○ Hello
Hello
✓ ● Hi
There

Question 10
1 / 1 point

_____ property of a form is used to change the title displayed on the title bar

○ Title
✓ ● Text
○ Caption
○ Name

Question 11
0 / 1 point

It is desired to display the value of a double type variable named **cost** with Currency format, in a Label named lblCost. The appropriate statement would be:

✗ ● lblCost = cost.ToString(“C”);
○ lblCost.ToString(“C”) = cost;
○ lblCost.Text = double.Parse(cost.ToString(“C”);
⇨ ○ lblCost.Text = cost.ToString(“C”);

Question 12
1 / 1 point

The switch statement has the following structure:

```
switch (test variable or expression)
{
        case value_1:
                ...
        case value_2:
                ...
        ...
}
```

The valid types of test variable (or expression) include all of the following, **except:**

○ int
○ string
✓ ● double
○ long

Question 13
1 / 1 point

Consider the following line of code:

```
decimal cost = 22.5;
```

The following statement about the above code is true:

○ the code is valid
○ the code is invalid. Changing it to **decimal cost = (double) 22.50** would eliminate the error
✓ ● the code is invalid. Changing it to **decimal cost = (decimal) 22.50** would eliminate the error
○ the code is invalid. Changing it to **float cost = 22.50** would eliminate the error

Question 14
1 / 1 point

What control would you use to let the user enter a data item when you run a form?

✓ ● TextBox
○ Form
○ Label
○ Button

Short Answer Questions

Question 15
1 / 2 points

```
int a = 2;
while (a < 30)
{
    Console.Write(a + " ");
    a = a * 2 - 1;
}
```

1. Write the output.

Answer: 2 3 5 7 8 17

The correct answers are not displayed for this Multi-Short Answer question.

Question 16
6 / 6 points

```
while (a <= 5)
{
    if (a % 2 == 0)
    {
        a++;
        continue;
    }
    Console.Write(a + " ");
    a++;
}
```

1. Write the output.
2. Describe what the algorithm is doing in words.

Answer for blank # 1: 1 3 5

Answer for blank # 2: The program is incrementing the numbers and checking if it is divisible by 2 if it is not it prints to console and it continues as long at the value of 'a' is less than 5, when it reaches 6 the while loop breaks and the loop has finished.

The correct answers are not displayed for this Multi-Short Answer question.

Question 17
2 / 2 points

```
int p = 10, q = 5;
while (p > 5 && q > 0)
{
    Console.Write(p + "-" + q + " ");
    p--;
    q--;
}
```

1. Write the output when the algorithm is executed.

Answer: 10-5 9-4 8-3 7-2 6-1

The correct answers are not displayed for this Multi-Short Answer question.

Question 18
9 / 12 points

```
string input1 = "Hello World";
string output1 = input1.Substring(6).ToUpper().Replace("O", "X");
Console.WriteLine("Q1: " + output1);

string input2 = "Programming is Fun";
string output2 = input2.Replace("Fun", "").Trim().Insert(0, "C# ");
Console.WriteLine("Q2: " + output2);

string input3 = "OpenAI";
string output3 = input3.Substring(2, 3).ToLower().Replace("p", "3");
Console.WriteLine("Q3: " + output3);

string input4 = "CSharp";
string output4 = input4.Substring(1, 4).ToUpper().Insert(2, "0").Remove(4, 2);
Console.WriteLine("Q4: " + output4);

string input5 = "AbCdEfG";
string output5 = input5.ToUpper().Replace("C", "X").Substring(2, 4).ToLower();
Console.WriteLine("Q5: " + output5);

string input6 = "String Manipulation";
string output6 = input6.Substring(7, 5).Replace("a", "A").Insert(3, "-");
Console.WriteLine("Q6: " + output6);
```

1. Place each answer in the respective answer box below.

Answer for blank # 1: WXRLD

Answer for blank # 2: C# Programming is

Answer for blank # 3: ena

Answer for blank # 4: SH0R

Answer for blank # 5: xdef

Answer for blank # 6: MA-ni

The correct answers are not displayed for this Multi-Short Answer question.

Question 19
2 / 2 points

```
int i = 1;
do
{
    int j = 1;
    do
    {
        Console.Write(j + " ");
        j++;
    } while (j <= i);
    Console.WriteLine();
    i++;
} while (i <= 3);
```

1. Write the output.

Answer: 1 1 2 1 2 3

The correct answers are not displayed for this Multi-Short Answer question.

Question 20
2 / 2 points

```
for (int i = 0; i < 3; i++)
{
    for (int j = 0; j < 2; j++)
    {
        Console.Write(i + "-" + j + " ");
    }
    Console.WriteLine();//Skips a line
}
```

1. Write the output when the algorithm is executed.

Answer: 0-0 0-1 1-0 1-1 2-0 2-1

The correct answers are not displayed for this Multi-Short Answer question.

Done