


View from Top side (Scale 1.2:1)




View from Left side (Scale 1.5:1)



View from Right side (Scale 1.5:1)



Drill Drawing View (Scale 1:1)





Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
⧈	71	0.203mm(8.000mil)	Plated	
I	271	0.305mm(12.008mil)	Plated	
L	4	0.600mm(23.622mil)	Plated	
B	2	0.650mm(25.591mil)	Non-Plated	
□	12	0.650mm(25.591mil)	Plated	
N	9	0.750mm(29.528mil)	Plated	
F	6	0.850mm(33.465mil)	Plated	
○	22	0.900mm(35.433mil)	Plated	
Q	9	1.000mm(39.370mil)	Plated	
▽	8	1.016mm(40.000mil)	Plated	
H	4	1.020mm(40.158mil)	Non-Plated	
▽	4	1.020mm(40.158mil)	Plated	
⧈	8	1.030mm(40.551mil)	Plated	
⧓	2	1.067mm(42.000mil)	Plated	
⧓	30	1.250mm(49.213mil)	Plated	
⧓	4	1.600mm(62.992mil)	Plated	
◇	2	1.750mm(68.898mil)	Plated	
J	4	1.800mm(70.866mil)	Plated	
O	12	2.000mm(78.740mil)	Plated	
M	2	2.100mm(82.677mil)	Non-Plated	
E	8	2.950mm(116.142mil)	Plated	
⧓	2	3.000mm(118.110mil)	Non-Plated	
⧓	4	3.000mm(118.110mil)	Plated	
⌂	1	3.048mm(120.000mil)	Non-Plated	
A	4	3.250mm(127.953mil)	Non-Plated	
G	2	3.450mm(135.827mil)	Non-Plated	
	507 Total			

I hate Harwin Gecko connector so much

Realistic View




EtherCAT
Technology Group
DANGER
HIGH VOLTAGE
MH1
MH2
MH5
MH6
MH8
D22