

Final Report

CSIT 314 Software Development Methodologies

Tutorial Group: T06 ; SIM S2 2026

Group: SDM

Name	UOW ID	Contribution	Work Contributed	Signature
Kaung Khant Kyaw		16.7%	Use Case Diagrams Use Case Descriptions Code implementation UML class diagrams Database class diagrams Test plan Test case Video recording	
Deng Xuexin		16.7%	Use Case Diagrams Use Case Descriptions Code implementation UML class diagrams Database class diagrams Test plan Test case	
Yan Yuxuan		16.7%	Use Case Diagrams Use Case Descriptions Code implementation UML class diagrams Database class diagrams Test plan Test case	
Hannah Binte Rahim		16.7%	Use Case Diagrams Use Case Descriptions Wireframes BCE Class diagrams BCE Sequence diagrams Gantt Chart	

			Meeting Minutes Ethical issues	
Ang Wei Qian		16.7%	Use Case Diagrams Use Case Descriptions Wireframes BCE class diagrams BCE Sequence diagrams Gantt Chart Data-driven development Video editing	
Jin Wan Kim		16.7%	Use Case Diagrams Use Case Descriptions Wireframes BCE Class diagrams BCE Sequence diagrams Gantt Chart	

Table of Contents

1. User Stories.....	5
2. Introduction Meeting Minutes.....	9
Introduction Minutes.....	9
3. Sprint 1	11
Sprint 1 Minutes.....	11
3.1 User Admin Create User Profile.....	13
3.2 User Admin View User Profile.....	16
3.3 User Admin Update User Profile.....	19
3.4 User Admin Delete User Profile	22
3.5 User Admin Search User Profile	25
3.6 User Admin Create User Account.....	28
3.7 User Admin View User Account.....	32
3.8 User Admin Update User Account.....	35
3.9 User Admin Suspend User Account	39
3.10 User Admin Search User Account	42
3.11 User Admin Log In	45
3.12 User Admin Log Out	48
3.13 Fundraiser Log In.....	51
3.14 Fundraiser Log Out.....	54
3.15 Donor Log In	57
3.16 Donor Log Out	60
3.17 Platform Management Log In.....	63
3.18 Platform Management Log Out.....	66
3.19 Sprint 1: Test Plan	69
3.20 Sprint 1: Test-Driven Development.....	70
3.21 Sprint 1: UML Class Diagram	71
3.22 Sprint 1: Database Class Diagram.....	71
3.23 Sprint 1 Taiga Start.....	72
3.24 Sprint 1 Taiga End	80
4. Sprint 2	89
Sprint 2 Minutes.....	89
4.1 Fundraiser Create FRA.....	91
4.2 Fundraiser View FRA.....	95
4.3 Fundraiser Update FRA.....	98
4.4 Fundraiser Delete FRA	102
4.5 Fundraiser Search FRA	106
4.6 Donor Search FRA.....	110
4.7 Donor View FRA	115
4.8 Sprint 2: Test Plan	118
4.9 Sprint 2: UML Class Diagram	120
4.10 Sprint 2: Database Class Diagram.....	121
4.11 Sprint 2 Taiga Start.....	122
4.12 Sprint 2 Taiga End	126

5. Sprint 3	130
Sprint 3 Minutes	130
5.1 Donor Save FRA to Favourites	132
5.2 Donor Search Favourites	137
5.3 Donor View Favourites	142
5.4 Fundraiser View FRA Views	146
5.5 Fundraiser View FRA Favourites	149
5.6 Fundraiser Search FRA History	152
5.7 Fundraiser View FRA History	156
5.8 Donor View Donation History	159
5.9 Donor Search Donation History	162
5.10 Sprint 3: Test Plan	165
5.11 Sprint 3: UML Class Diagram	167
5.12 Sprint 3: Database Class Diagram	167
5.13 Sprint 3 Taiga Start	168
5.14 Sprint 3 Taiga End	173
6. Sprint 4	178
Sprint 4 Minutes	178
6.1 Platform Management Create FRA Category	180
6.2 Platform Management View FRA Category	183
6.3 Platform Management Update FRA Category	186
6.4 Platform Management Delete FRA Category	190
6.5 Platform Management Search FRA Category	193
6.6 Platform Management Generate Daily Report	196
6.7 Platform Management Generate Weekly Report	199
6.8 Platform Management Generate Monthly Report	203
6.9 Sprint 4: Test Plan	208
6.11 Sprint 4: UML Class Diagram	210
6.12 Sprint 4: Data Persistence Diagram	210
6.13 Sprint 4 Taiga Start	211
6.14 Sprint 4 Taiga End	215
7. Data Driven Development	219
Data-Driven Feature Enhancement: FRA Recommendation Engine	219
8. Ethical Issues	223
Product Ethical Considerations:	223
Process Ethical Considerations:	223
9. CI/CD	224
9.1. Overview and Repository Setup	224
9.2. Folder Structure and Automation Scripts	227
9.3. Commit Strategy and Feature Integration	228
9.4. Feature Implementation Case Study: User Authentication	229
9.5. Summary	230
10. Gantt Chart	231
11. Links (code and vid)	231

1. User Stories

User Admin

Taiga ID	User Stories
#1	As a user admin, I want to create a user profile so that different types of users can use the system.
#2	As a user admin, I want to view the user profile so that I can make changes to it.
#3	As a user admin, I want to update the user profile so that it has the latest information.
#4	As a user admin, I want to delete a user profile so that certain groups of users cannot login
#5	As a user admin, I want to search for a user profile so that I can make changes to it.
#6	As a user admin, I want to create a user account so that different types of users can use the system.
#7	As a user admin, I want to view the user account so that I can make changes to it.
#8	As a user admin, I want to update the user account so that it has the latest information.
#9	As a user admin, I want to suspend a user account so that certain groups of users cannot login.
#10	As a user admin, I want to search for a user account so that I can make changes to it.
#11	As a user admin, I want to log in so that I can access the administrative dashboard to manage accounts and profiles.
#12	As a user admin, I want to log out so that I can secure the administrative session and prevent unauthorized access.

Fundraiser

Taiga ID	User Stories
#13	As a fundraiser, I want to create a fundraising activity so that I can start collecting donations for a specific cause.
#14	As a fundraiser, I want to view a fundraising activity so that I can check the current status and details of my campaign.
#15	As a fundraiser, I want to update a fundraising activity so that I can provide the latest information or adjust campaign goals.
#16	As a fundraiser, I want to delete a fundraising activity so that I can remove campaigns that are no longer valid or were created in error.
#17	As a fundraiser, I want to search for a fundraising activity so that I can quickly find and manage specific campaigns from my list.
#18	As a fundraiser, I want to log in so that I can manage my fundraising activities.
#19	As a fundraiser, I want to log out so that I can protect my account and end my session securely.
#27	As a fundraiser, I want to view the number of fundraising activity views so that I can track user interest in my campaigns.
#28	As a fundraiser, I want to view the number of times my fundraising activity has been favourited so that I can understand how many people are really interested in it.
#29	As a fundraiser, I want to search the history of completed fundraising activities so that I can locate any completed activities in the past.
#30	As a fundraiser, I want to view the history of completed fundraising activities so that I can review my previous activities.

Donor

Taiga ID	User Stories
#20	As a donor, I want to search all the fundraising activities so that I can find campaigns that interest me.
#21	As a donor, I want to view a fundraising activity so that I can see its details before deciding to donate.
#22	As a donor, I want to save a fundraising activity into my favourite list so that I can easily access it later.
#23	As a donor, I want to search my favourite list for a fundraising activity so that I can quickly locate specific saved activities.
#24	As a donor, I want to view the details of a fundraising activity in my favourite list so that I can understand its progress and decide whether to donate.
#25	As a donor, I want to log in so that I can access my personal profile and system features securely.
#26	As a donor, I want to log out so that I can protect my account information, especially on shared devices.
#31	As a donor, I want to view the history of donations made so that I can keep track of my donations.
#32	As a donor, I want to search the history of donations made so that I can locate my past donations.

Platform Management

Taiga ID	User Stories
#33	As the platform management, I want to create a fundraising activity category so that donors can browse and select the fundraising cause they are interested in.
#34	As the platform management, I want to view a fundraising activity category so that I can monitor and manage the available categories.
#35	As the platform management, I want to update a fundraising activity category so that I can keep the available information up to date and accurate for the donors.
#36	As the platform management, I want to delete a fundraising activity category so that certain irrelevant or outdated categories are no longer available.
#37	As the platform management, I want to search for a fundraising activity category so that I can quickly locate and manage specific categories.
#38	As the platform management, I want to log in so that I can access the platform management dashboard securely.
#39	As the platform management, I want to log out so that I can protect the session from unauthorized access.
#40	As the platform management, I want to generate daily reports so that I can monitor the platform's daily performance.
#41	As the platform management, I want to generate weekly reports so that I can track weekly trends on the platform.
#42	As the platform management, I want to generate monthly reports so that I can review the platform's monthly performance.

2. Introduction Meeting Minutes

Introduction Minutes

Date/Time:	2 April 2026,
Duration:	02/04/2026 - 07/04/2026
Meeting Objective:	Introduction and getting the project started
Members Present:	Hannah, Kaung, Wei Qian, Xuexin, Jin Absent: Yan
Agenda: - Introduction of group members - Review project requirements - Assign the user stories for each member to complete	

No.	Task	Action
1	Role Allocation	Split the group into a programming team and documentation team. Programming: Kaung, Xuexin, Yan Documentation: Hannah, Wei Qian, Jin
2	Assignment of user stories	- Wei Qian to create a shared word document for each member to share their user stories - User stories 1-12 was done in class - Each member to complete 5 user stories
3	Software information	Programming: - Xuexin suggested to use python as the main language Diagrams: - Programming team to do Database and UML class diagram - Documentation team to BCE Class and Sequence Diagrams - Each member to do 6 Use Case Description and Use Case diagrams - Documentation team to do up wireframes - Documentation team to do up Gantt chart
4	Taiga	- After approval of user stories, Kaung to create Taiga project and upload all user stories to Taiga - Hannah to setup the sprints and upload the tasks

5	Meeting minutes	- Hannah to record the meeting minutes and update other members on their tasks accordingly
6	User Stories	- Jin and Hannah generate user stories for platform manager - Yan generate user stories for user admin - Kaung and Wei Qian generate user stories for donor - Xuexin and Wei Qian generate user stories for fundraiser - Hannah to email the list of user stories for approval

Date/time of next meeting: 7 April 2026, 6:00 pm

3. Sprint 1

Sprint 1 Minutes

Date/Time:	7 April 2026, 6:00 pm
Duration:	07/04/2026 - 20/04/2026
Meeting Objective:	Create sprint 1 and allocate tasks
Members Present:	Hannah, Kaung, Wei Qian, Xuexin, Jin, Yan
Agenda: - Select the user stories to work on - Assign each member their tasks based on the roles	

Sprint No.	Selected User Stories (Taiga ID)
Sprint 1	User admin: #1, #2, #3, #4, #5, #6, #7, #8, #9, #10 Log In: #11, #18, #25, #38 Log Out: #12, #19, #26, #39

No.	Task	Action	Due date
1	Gantt Chart	- Hannah to plan a rough project outline and assign the user stories for each sprint - Documentation team to create a gantt chart and share with the rest	11 April 2026
2	Use Case description and Use Case diagrams	- Create Use Case descriptions and diagrams for User Admin and all Log In and Log Out	12 April 2026
3	BCE Class and Sequence diagrams, and UML Class diagrams	- Documentation Team to design the BCE Class and Sequence Diagrams for User Admin, Log In and Log Out - Programming Team to do up UML class diagram and Database class diagram for sprint 1	15 April 2026
4	Test Plan, Test Case	- Programming team to do up test plan and conduct testing for test cases	20 April 2026
5	Coding	- Programming team to work on user admin, login and logout code implementations	20 April 2026

6	Wireframe	- Documentation team to do up wireframe for user admin, login and logout - Set up Figma project and use figma for wireframes	15 April 2026
---	-----------	---	---------------

Date/time of next meeting: 20 April 2026, 3:00 pm


3.1 User Admin Create User Profile

User story (Taiga ID: #1)


As a user admin, I want to create a user profile so that different types of users can use the system.

Use Case Description (Taiga ID: #44)	
Name	User Admin – Create User Profile
Use Case Diagram (Taiga ID: #43)	<pre>graph LR UA[User Admin] --- UC((Create User Profile)) subgraph "Online Fundraising System" UC end</pre> The diagram shows an actor labeled 'User Admin' connected by a line to an oval use case labeled 'Create User Profile'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a User Admin creates a new user profile in the system. A user profile represents a type of user (e.g., User Admin, Fundraiser, Donor, Platform Management) and includes a name and a description that defines the role and responsibilities of that user type.
Actor(s)	User Admin
Precondition(s)	1. User Admin is logged in
Trigger	The User Admin clicks the “Add User Profile” button on the “User Profile” page.
Normal Flow	1. System displays the user profile creation form 2. User Admin enters the profile name (type of user, e.g., Fundraiser, Donor) 3. User Admin enters the profile description (role and responsibilities) 4. User Admin submits the form 5. System validates the entered information 6. System creates and stores the new user profile 7. System confirms that the user profile has been created successfully
Alternative Flow(s)	2a. Duplicate profile name: System displays an error message indicating the profile already exists 5a. Missing required information: System displays an error message indicating required fields are missing


BCE Class Diagram (Taiga ID: #47)



BCE Sequence Diagram (Taiga ID: #45)



Wireframe (Taiga ID: #49)



Test Case (Taiga ID: #51)

Test Case ID:	TC51
Test Case Description:	User Admin Creating a User Profile

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC51-1	User Admin clicks the User Profile button User Admin clicks the + Add New User Profile button User Admin inputs the relevant fields and clicks CREATE/SUBMIT	Profile Name: Fundraiser Profile Description: Organizes events and campaigns to raise funds for various causes.	System creates this user profile into the database and displays " Profile 'Fundraiser' created successfully. "	System creates this user profile into the database and displays " Profile 'Fundraiser' created successfully. "	Pass	
TC51-2	User Admin clicks the User Profile button User Admin clicks the + Add New User Profile button User Admin inputs an existing profile name and clicks CREATE/SUBMIT	Profile Name: Fundraiser Profile Description: Organizes events and campaigns to raise funds for various causes.	System displays an error message indicating the profile already exists.	System displays " Profile 'Fundraiser' already exists. "	Pass	
TC51-3	User Admin clicks the User Profile button User Admin clicks the + Add New User Profile button User Admin leaves necessary fields blank and clicks CREATE/SUBMIT	Profile Name: Profile Description:	System prompts user to fill up the missing field by displaying " Profile name is required. " or " Profile description is required. "	System prompts user to fill up the missing field by displaying " Profile name is required. "	Pass	

3.2 User Admin View User Profile

User story (Taiga ID: #2)


As a user admin, I want to view the user profile so that I can make changes to it.

Use Case Description (Taiga ID: #54)	
Name	User Admin – View User Profile
Use Case Diagram (Taiga ID: #53)	The diagram shows an actor labeled 'User Admin' connected by a line to an oval use case labeled 'View User Profile'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a User Admin can view a user's profile information. The admin can access details such as name, description for review purposes.
Actor(s)	User Admin
Precondition(s)	1. User Admin is logged in.
Trigger	User Admin selects a user profile to view on the "User Profile" page.
Normal Flow	1. User Admin clicks the "View" button. 2. The system retrieves all user profile information. 3. The system displays a table of user profiles details.(e.g., profile name and description).
Alternative Flow(s)	2a. No user profiles available: System displays a message indicating that no user profiles are available in the system.


BCE Class Diagram (Taiga ID: #57)



BCE Sequence Diagram (Taiga ID: #55)



Wireframe (Taiga ID: #59)



Test Case (Taiga ID: #61)

Test Case ID:	TC61
Test Case Description:	User Admin Viewing User Profile

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC61-1	User Admin clicks the User Profile button User Admin clicks the View button System retrieves all user profile information	Existing profiles: Profile ID: 001 Profile Name: User Admin Profile Description: Responsible for managing user accounts and permissions. Profile ID: 002 Profile Name: Fundraiser Profile Description: Organizes events and campaigns to raise funds for various causes.	System displays a table containing user profile details such as Profile ID, Profile Name, and Profile Description.	System displays the user profile table with Profile ID, Profile Name, and Profile Description.	Pass	
TC61-2	User Admin clicks the User Profile button User Admin clicks the View button System retrieves user profile information when no user profiles exist	No user profiles available in the database	System displays a message indicating that no user profiles are available in the system.	System displays "No user profiles found."	Pass	


3.3 User Admin Update User Profile

User story (Taiga ID: #3)


As a user admin, I want to update the user profile so that it has the latest information.

Use Case Description (Taiga ID: #64)	
Name	User Admin – Update User Profile
Use Case Diagram (Taiga ID: #63)	<pre>graph LR UA[User Admin] --- UC((Update User Profile))</pre> The diagram shows an actor labeled 'User Admin' connected by a line to a use case labeled 'Update User Profile' inside an oval, which is contained within a rectangular frame.
Description	This use case describes how a User Admin updates a new user profile in the system. A user profile represents a type of user (e.g., User Admin, Fundraiser, Donor, Platform Management) and includes a name and a description that defines the role and responsibilities of that user type.
Actor(s)	User Admin
Precondition(s)	1. User admin is logged in. 2. User account exists in the system. User admin has already viewed the user profile.
Trigger	User Admin selects a user profile to update on the “User Profile” page.
Normal Flow	1. User Admin clicks the “Update” button. 2. The system enables editable fields. 3. User admin modifies the desired fields. 4. User Admin submits the changes. 5. The system validates the updated data. 6. The system saves the changes to the database. 7. The system confirms the update with a success message.
Alternative Flow(s)	5a. If validation fails (e.g., invalid email format, missing required field), the system displays an error message and returns to step 6. 6a. If the system fails to save data (e.g., database error), an error message is shown, and the profile remains unchanged.

BCE Class Diagram (Taiga ID: #67)



BCE Sequence Diagram (Taiga ID: #65)



Wireframe (Taiga ID: #69)

Online Fundraising System

Welcome, [Donor Name] | Logout

User Account

User Profile

All User Profiles

Search Profile:

Profile ID

All Profiles

1	XXXXXXXX
2	XXXXXXXX
3	XXXXXXXX
4	XXXXXXXX
5	XXXXXXXX

+ Add New User Profile

Profile ID

User Profile

Profile Description

Update Profile

Cancel

Actions

Update	View	Delete
Update	View	Delete
Update	View	Delete
Update	View	Delete
Update	View	Delete

Test Case (Taiga ID: #71)

Test Case ID:	TC71
Test Case Description:	User Admin Updating a User Profile

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC71-1	User Admin clicks the User Profile button User Admin clicks the Update button System displays the update user profile form User Admin inputs the updated profile information and clicks Update User Admin confirms the update	Profile ID: 002 Profile Name: Fundraiser Profile Description: Organizes fundraising campaigns and manages donation events.	System saves the updated user profile information into the database and displays "Profile updated successfully."	System saves the updated user profile information into the database and displays "Profile updated successfully."	Pass	
TC71-2	User Admin clicks the User Profile button User Admin clicks the Update button User Admin leaves necessary fields blank and clicks Update	Profile ID: 002 Profile Name: Profile Description: Organizes fundraising campaigns	System displays an error message indicating required fields that are missing	System displays "Profile name is required."	Pass	Required field validation
TC71-3	User Admin clicks the User Profile button User Admin clicks the Update button User Admin updates the profile name using an existing profile name and clicks Update	Profile ID: 002 Profile Name: Donor Profile Description: Organizes fundraising campaigns and manages donation events	System displays an error message indicating the profile name already exists, and the profile remains unchanged.	System displays "Profile name already exists."	Pass	Duplicate profile name validation


3.4 User Admin Delete User Profile

User story (Taiga ID: #4)


As a user admin, I want to delete a user profile so that certain groups of users cannot login.

Use Case Description (Taiga ID: #74)	
Name	User Admin – Delete User Profile
Use Case Diagram (Taiga ID: #73)	<pre>graph LR UA[User Admin] --- UC((Delete User Profile)) subgraph "Online Fundraising System" UC end</pre> The diagram shows an actor labeled 'User Admin' connected by a line to an oval use case labeled 'Delete User Profile'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	Allows admin to delete certain user profiles, preventing them system access until the user profile is reactivated
Actor(s)	User Admin
Precondition(s)	1. User Admin is logged in 2. User profile exists and is not suspended yet
Trigger	User Admin selects a user profile to delete on the “User Profile” page.
Normal Flow	1. User Admin clicks the “Delete” button. 2. User Admin confirms the deletion request. 3. System display confirmation message to show that the profile is successfully suspended.
Alternative Flow(s)	2a. User Admin cancels the deletion and system terminates the deletion process.


BCE Class Diagram (Taiga ID: #77)



BCE Sequence Diagram (Taiga ID: #75)



Wireframe (Taiga ID: #79)



Test Case (Taiga ID: #81)

Test Case ID:	TC81
Test Case Description	User Admin Deleting a User Profile

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC81-1	User Admin clicks the User Profile button System displays a list of user profiles User Admin clicks the Delete button for a selected profile System displays a confirmation message User Admin confirms the deletion	Profile ID: 002 Profile Name: Fundraiser	System deletes the selected user profile from the database and displays "Profile deleted successfully."	System deletes the selected user profile from the database and displays "Profile deleted successfully."	Pass	
TC81-2	User Admin clicks the User Profile button System displays a list of user profiles User Admin clicks the Delete button for a selected profile System displays a confirmation message User Admin clicks Cancel	Profile ID: 002 Profile Name: Fundraiser	System cancels the deletion process and the selected user profile remains unchanged.	System cancels the deletion process and the selected user profile remains unchanged.	Pass	

3.5 User Admin Search User Profile

User story (Taiga ID: #5)


As a user admin, I want to search for a user profile so that I can make changes to it.

Use Case Description (Taiga ID: #84)	
Name	User Admin – Search User Profile
Use Case Diagram (Taiga ID: #83)	The diagram shows a stick figure actor labeled 'User Admin' connected by a line to an oval use case labeled 'Search User Profile'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a user admin searches for a specific user profile in order to make changes to it.
Actor(s)	User Admin
Precondition(s)	1. The User Admin is logged in 2. At least one user profile exists in the system.
Trigger	The User Admin enters a profile or description into the search bar on the “User Profile” page.
Normal Flow	1. System searches and displays matching profiles. 2. User Admin selects the profile to make changes.
Alternative Flow(s)	1a. If the search field is empty, the system prompts the user to enter a search keyword. 1b. If no matching profiles are found, the system shows the “No matching profile found” message.

BCE Class Diagram (Taiga ID: #87)



BCE Sequence Diagram (Taiga ID: #85)



Wireframe (Taiga ID: #89)

Online Fundraising System

Welcome, [Donor Name] | Logout

User Account

User Profile

All User Profiles

Search Profile:

SEARCH

CLEAR

+ Add New User Profile

Profile ID	All Profiles	Description	Actions
1	xxxxxxx	xxxxxxxxxxx	Update View Delete

Test Case (Taiga ID: #91)						
Test Case ID:	TC91					
Test Case Description	User Admin Searching User Profile					
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC91-1	User Admin clicks the User Profile button System displays the search bar User Admin enters a profile name or description User Admin clicks SEARCH	Search Profile: Fundraiser	System searches and displays matching user profiles.	System displays the matching profile Fundraiser with its profile description and action buttons.	Pass	
TC91-2	User Admin clicks the User Profile button System displays the search bar User Admin leaves the search field empty User Admin clicks SEARCH	Search Profile: blank	System prompts user to enter a search keyword.	System displays "Profile name or description needs to be provided."	Pass	Empty search validation
TC91-3	User Admin clicks the User Profile button System displays the search bar User Admin enters a profile name or description that does not exist User Admin clicks SEARCH	Search Profile: Manager123	System displays "No matching profile found."	System displays "No user profiles found."	Pass	Message has same meaning


3.6 User Admin Create User Account

User story (Taiga ID: #6)


As a user admin, I want to create a user account so that different types of users can use the system.

Use Case Description (Taiga ID: #94)	
Name	User Admin – Create User Account
Use Case Diagram (Taiga ID: #93)	<pre> graph LR Admin[User Admin] --- UC((Create User Account)) subgraph System [Online Fundraising System] UC end </pre> The diagram shows an actor labeled 'User Admin' connected by a line to an oval use case labeled 'Create User Account'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a User Admin creates a new user account by entering personal details and linking it to a pre-defined User Profile to enable role-based access to the system.
Actor(s)	User Admin
Precondition(s)	1. The User Admin is successfully logged into the administrative dashboard. 2. At least one User Profile (e.g., Fundraiser, Donor) has been created and exists in the system.
Trigger	The User Admin clicks the “Add new user” button on the “User Account” page.
Normal Flow	1. The system displays the account creation form containing fields for Name, Username, Password, Birthday, Address, Contact Number and Profile. 2. The User Admin enters the user's personal details (Name, Username, Password, Birthday, Address, Contact Number and Profile). 3. The User Admin selects a specific User Profile from a list of available profiles (including the profile's Name and Description) to link to the account. 4. The User Admin submits the form. 5. The system validates that the ID is unique and all mandatory fields are populated. 6. The system creates the user account, linking it to the selected User Profile to enforce access control. 7. The system displays a success message confirming the account has been created.
Alternative Flow(s)	3a. If User Profile is not selected, the system will prompt the user to select a profile 5a. If the entered User ID already exists in the system, the system displays an error message and prompts the User Admin to enter a unique ID. 5b. If any mandatory fields are left blank, the system prevents

	submission and highlights the missing information for the User Admin to complete.
--	---



BCE Sequence Diagram (Taiga ID: #95)



Wireframe (Taiga ID: #99)

Online Fundraising System

Welcome, [Donor Name] | Logout

User Account

User Profile

All User Accounts

Search by ID:

+ Add New User Account

Full Name

Username

Password

Birthday

Address

Contact Number

Profile

Select

Create Account

Cancel

Update/View details

Edit View

Edit View

Edit View

Edit View

Edit View

Edit View

Edit View

Edit View

Edit View

Test Case (Taiga ID: #101)

Test Case ID:	TC101
Test Case Description	User Admin Creating a User Account

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC101-1	User Admin clicks the User Account button User Admin clicks the + Add New User Account button System displays the account creation form User Admin inputs all required fields User Admin selects a user profile User Admin clicks Create	Full Name: Chloe Lim Username: chloe Password: chloe123 DOB: 2001-05-10 Address: Jurong East Contact Number: 12345678 Profile: Fundraiser	System creates the user account and links it to the selected user profile. System displays "Account created successfully."	System creates the user account and displays "Account created successfully."	Pass	
TC101-2	User Admin clicks the User Account button User Admin clicks the + Add New User Account button User Admin inputs an existing username User Admin clicks Create	Full Name: Chloe Lim Username: chloe Password: chloe123 DOB: 2001-05-10 Address: Jurong East Contact Number: 12345678 Profile: Fundraiser	System displays an error message prompting the User Admin to enter a unique username.	System displays "User chloe already exists."	Pass	Duplicate username validation
TC101-3	User Admin clicks the User Account button User Admin clicks the + Add New User Account button User Admin leaves necessary fields blank User Admin clicks Create	Full Name: Username: Password: DOB: Address: Contact Number: Profile:	System prevents submission and displays an error message indicating the required fields are missing.	System displays "Full name is required."	Pass	System validates required fields one by one
TC101-4	User Admin clicks the User Account button User Admin clicks the + Add New User Account button No user profile is selected or available User Admin clicks Create	Full Name: Rachel Tan Username: rachel Password: rachel123 DOB: 2002-03-15 Address: Tampines Contact Number: 87654321 Profile:	System prevents account creation and prompts the User Admin to create or select a user profile before continuing.	System displays "Profile is required."	Pass	User profile is required before account creation


3.7 User Admin View User Account

User story (Taiga ID: #7)


As a user admin, I want to view the user account so that I can make changes to it.

Use Case Description (Taiga ID: #104)	
Name	User Admin – View User Account
Use Case Diagram (Taiga ID: #103)	<pre>graph LR Admin[User Admin] --- UC((View User Account)) subgraph System [Online Fundraising System] UC end</pre> The diagram shows a stick figure actor labeled 'User Admin' connected by a line to an oval use case labeled 'View User Account'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a user admin views a user account's details in order to review or prepare for making changes.
Actor(s)	User Admin
Precondition(s)	1. The User Admin has successfully logged into the system. 2. The system is connected to the user database. 3. The user account exists in the system.
Trigger	User Admin selects a user account to view on the "User Account" page.
Normal Flow	1. The User Admin clicks "View". 2. The system retrieves the user account details from the database. 3. The system displays the user account information (e.g., username, email, status). 4. The admin reviews the displayed information.
Alternative Flow(s)	2a. If the system fails to retrieve user data, the system displays an error message.


BCE Class Diagram (Taiga ID: #107)



BCE Sequence Diagram (Taiga ID: #105)



Wireframe (Taiga ID: #109)



Test Case (Taiga ID: #111)

Test Case ID:	TC111
Test Case Description	User Admin Viewing User Account

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC111-1	User Admin clicks the User Account button User Admin clicks the View button System retrieves all user account information from the database	Existing account: Account ID: 001 Full Name: Chloe Lim Username: chloe Password: chloe123 DOB: 2001-05-10 Address: Jurong East Contact Number: 12345678 Profile ID: 002 Status: ACTIVE	System displays the user account details such as Account ID, Full Name, Username, Password, DOB, Address, Contact Number, Profile ID, and Account Status.	System displays the user account details in a table.	Pass	
TC111-2	User Admin clicks the User Account button User Admin clicks the View button System retrieves user account information when no user accounts exist	No user accounts available in the database	System displays a message indicating that no user accounts are available.	System displays "No user accounts found."	Pass	


3.8 User Admin Update User Account

User story (Taiga ID: #8)


As a user admin, I want to update the user account so that it has the latest information.

Use Case Description (Taiga ID: #114)	
Name	User Admin – Update User Account
Use Case Diagram (Taiga ID: #113)	<pre>graph LR UA[User Admin] --- UC((Update User Account)) subgraph "Online Fundraising System" UC end</pre> The diagram shows an actor labeled 'User Admin' connected by a line to an oval use case labeled 'Update User Account'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a user admin updates an existing user account to ensure that the information is current and accurate.
Actor(s)	User Admin
Precondition(s)	1. The User Admin has successfully logged into the system. 2. The user account exists in the system.
Trigger	User Admin selects a user account to update on the “User Account” page.
Normal Flow	1. The User Admin clicks “Update”. 2. The system retrieves and displays the current user account details. 3. The User Admin modifies the required information. 4. The User Admin submits the updated information. 5. The system validates the input data. 6. The system updates the user account in the database. 7. The system displays a success message confirming the update.
Alternative Flow(s)	4a. If any mandatory fields are left blank, the system prevents submission and highlights the missing information for the User Admin to complete. 5a. If the updated information is invalid, the system fails to update the user account, and displays an error message

BCE Class Diagram (Taiga ID: #117)



BCE Sequence Diagram (Taiga ID: #115)



Wireframe (Taiga ID: #119)

Online Fundraising System

Welcome, [Donor Name] | Logout

User Account

User Profile

All User Accounts

Search by ID:

All Users

+ Add New User Account

Update/View details:

Edit	View
Edit	View
Edit	View
Edit	View
Edit	View
Edit	View
Edit	View
Edit	View
Edit	View
Edit	View

Update User Account

Account ID

Full Name

Username

Password

Birthday

Address

Contact Number

Profile

Select

Account Status

Select

Update Account

Cancel


Test Case (Taiga ID: #121)						
Test Case ID:		TC121				
Test Case Description:		User Admin Updating a User Account				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC121-1	User Admin clicks the User Account button User Admin clicks the Edit/Update button System displays the update user account form User Admin inputs the updated account information User Admin clicks Update	Account ID: 001 Full Name: Chloe Lim Username: chloe_lim Password: chloe123 DOB: 2001-05-10 Address: Jurong East Contact Number: 12345678 Profile: Fundraiser Account Status: ACTIVE	System updates the user account information in the database and displays "Account updated successfully."	System updates the user account information and displays "Account updated successfully."	Pass	
TC121-2	User Admin clicks the User Account button User Admin clicks the Edit/Update button User Admin leaves necessary fields blank User Admin clicks Update	Account ID: Full Name: Username: Password: DOB: Address: Contact: Profile: Account Status:	System prevents submission and displays an error message indicating required fields are missing.	System displays "Full name is required."	Pass	System validates required fields one by one
TC121-3	User Admin clicks the User Account button User Admin clicks the Edit/Update button User Admin updates the username using an existing username User Admin clicks Update	Account ID: 001 Full Name: Chloe Lim Username: chloe_lim Password: chloe123 DOB: 2001-05-10 Address: Jurong East Contact Number: 12345678 Profile: Fundraiser Account Status: ACTIVE	System displays an error message indicating the updated information is invalid or username already exists.	System displays "Username already exists."	Pass	Duplicate username validation

3.9 User Admin Suspend User Account


User story (Taiga ID: #9)

As a user admin, I want to suspend a user account so that certain groups of users cannot login.


Use Case Description (Taiga ID: #124)	
Name	User Admin – Suspend User Account
Use Case Diagram (Taiga ID: #123)	The diagram shows an actor labeled 'User Admin' connected by a line to an oval use case labeled 'Suspend User Account'. The use case is contained within a rectangular boundary labeled 'Online Fundraising System'.
Description	This use case describes how a user admin suspends a user account to prevent the user from accessing the system.
Actor(s)	User Admin
Precondition(s)	1. The User Admin has successfully logged into the system. 2. The user account exists in the system.
Trigger	User Admin selects a user account to suspend on the “User Account” page.
Normal Flow	1. The User Admin clicks the “Suspend” button. 2. User Admin confirms the suspension request. 3. The system displays a success message confirming the account has been suspended.
Alternative Flow(s)	2a. User Admin cancels the suspension and system terminates the suspension process.



BCE Sequence Diagram (Taiga ID: #125)



Wireframe (Taiga ID: #129)



Test Case (Taiga ID: #131)

Test Case ID:	TC131
Test Case Description	User Admin Suspending User Account

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC131-1	User Admin clicks the User Account button System displays a list of user accounts User Admin clicks or selects Suspend for a selected account System displays a confirmation message User Admin confirms the suspension action	Account ID: 001 Full Name: Chloe Lim Username: chloe_lim Account Status: ACTIVE	System updates the selected user account status to SUSPENDED and displays "Account suspended successfully."	System updates the selected user account status to SUSPENDED and displays "Account suspended successfully."	Pass	
TC131-2	User Admin clicks the User Account button System displays a list of user accounts User Admin clicks or selects Suspend for a selected account System displays a confirmation message User Admin clicks Cancel	Account ID: 001 Full Name: Chloe Lim Username: chloe_lim Account Status: ACTIVE	System aborts the suspension process and returns to the user management page. Account status remains ACTIVE.	System cancels the suspension process and the account status remains ACTIVE.	Pass	


3.10 User Admin Search User Account

User story (Taiga ID: #10)


As a user admin, I want to search for a user account so that I can make changes to it.

Use Case Description (Taiga ID: #134)	
Name	User Admin – Search User Account
Use Case Diagram (Taiga ID: #133)	The diagram shows an actor labeled 'User Admin' connected by a line to a use case labeled 'Search User Account'. The use case is represented by an oval and is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a user admin searches for a user account in order to view or modify it.
Actor(s)	User Admin
Precondition(s)	1. The User Admin has successfully logged into the system.
Trigger	The User Admin enters search criteria (e.g., User ID or username). into the search bar on the “User Account” page.
Normal Flow	1. The system processes the search request. 2. The system retrieves matching user account(s) from the database. 3. The system displays the search results. 4. The User Admin selects a user account for further actions.
Alternative Flow(s)	1a. If the search criteria is empty or invalid, the system prompts the User Admin to enter valid search input. 2a. If no matching user accounts are found, the system displays a “No results found” message.

BCE Class Diagram (Taiga ID: #137)



BCE Sequence Diagram (Taiga ID: #135)



Wireframe (Taiga ID: #139)

Online Fundraising System

Welcome, [Donor Name] | Logout

User Account

User Profile

All User Accounts

Search by ID:

SEARCH

CLEAR

+ Add New User Account

All Users	Status	Suspend	Update/View details	
	Active	☐	Edit	View
	Suspended	☒	Edit	View

Test Case (Taiga ID: #141)

Test Case ID:	TC141
Test Case Description:	User Admin Searching User Account

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC141-1	User Admin clicks the User Account button System displays the search bar User Admin enters search criteria User Admin clicks SEARCH	Search Accounts: chloe	System retrieves and displays matching user account information.	System displays the matching account Chloe Lim with username, contact number, profile ID, status, and action buttons.	Pass	Search by name or username
TC141-2	User Admin clicks the User Account button System displays the search bar User Admin leaves the search field empty User Admin clicks SEARCH	Search Accounts: blank	System prompts the User Admin to enter valid search input.	System displays "Account search term is required."	Pass	Empty search validation
TC141-3	User Admin clicks the User Account button System displays the search bar User Admin enters search criteria that does not match any account User Admin clicks SEARCH	Search Accounts: unknown123	System displays "No results found."	System displays "No user accounts found."	Pass	Message has same meaning


3.11 User Admin Log In

User story (Taiga ID: #11)


As a user admin, I want to log in so that I can access the administrative dashboard to manage accounts and profiles.

Use Case Description (Taiga ID: #144)	
Name	User Admin – Log In
Use Case Diagram (Taiga ID: #143)	<pre>graph LR UA[User Admin] --- UC((Log In)) subgraph "Online Fundraising System" UC end</pre> The diagram shows an actor labeled 'User Admin' connected by a line to an oval use case labeled 'Log In'. The 'Log In' use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a user admin logs into the system to access the administrative dashboard.
Actor(s)	User Admin
Precondition(s)	1. The User Admin has a valid account in the system.
Trigger	The User Admin enters their username and password on the login page.
Normal Flow	1. The system validates the login credentials. 2. The system authenticates the User Admin. 3. The system grants access to the administrative dashboard.
Alternative Flow(s)	1a. If the username or password is invalid, the system displays an error message and prompts the User Admin to re-enter valid credentials. 1b. If any required login fields are left blank, the system prevents submission and prompts the User Admin to complete the missing information. 1c. If the system identifies that the User Account is set to "Suspended," it displays a "Account is suspended" message and denies access.


BCE Class Diagram (Taiga ID: #147)



BCE Sequence Diagram (Taiga ID: #145)



Wireframe (Taiga ID: #149)



The image shows a mobile app login screen for a 'Fundraising App'. At the top is a white circular icon with a person silhouette on a black background. Below the icon, the text 'Fundraising App' and 'Log In' are displayed in white. There are three input fields: 'Username', 'Password', and 'Profile'. The 'Profile' field has a dropdown arrow and is currently showing 'User Admin'. Below the 'Profile' field is a 'Submit' button. At the bottom, there are three more options: 'Fundraiser', 'Donor', and 'Platform Management', each with a corresponding icon.

Test Case (Taiga ID: #151)

Test Case ID:	TC151
Test Case Description:	User Admin Logging In


Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC151-1	User Admin navigates to the Login page User Admin enters valid username and password User Admin clicks Login	Username: admin Password: admin123	System validates the login credentials, authenticates the User Admin, and grants access to the administrative dashboard.	System displays " Login Successful " and redirects the User Admin to the dashboard/home page.	Pass	
TC151-2	User Admin navigates to the Login page User Admin enters invalid username or password User Admin clicks Login	Username: admin Password: wrong123	System displays an error message and prompts the User Admin to re-enter valid credentials.	System displays " Invalid username or password. "	Pass	Invalid login validation
TC151-3	User Admin navigates to the Login page User Admin leaves required login fields blank User Admin clicks Login	Username: Password:	System prevents login and prompts the User Admin to complete the missing information.	System displays " Username is required. "	Pass	System validates username first

3.12 User Admin Log Out


User story (Taiga ID: #12)

As a user admin, I want to log out so that I can secure the administrative session and prevent unauthorized access.

Use Case Description (Taiga ID: #154)	
Name	User Admin – Log Out
Use Case Diagram (Taiga ID: #153)	<pre>graph LR Admin((User Admin)) --- LogOut([Log Out]) subgraph System [Online Fundraising System] LogOut end</pre> The diagram shows an actor labeled 'User Admin' connected by a line to an oval use case labeled 'Log Out'. The 'Log Out' use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a user admin logs out of the system to secure the session and prevent unauthorized access.
Actor(s)	User Admin
Precondition(s)	1. The User Admin is currently logged into the system.
Trigger	User Admin clicks the “Log out” button.
Normal Flow	1. System invalidates the session. 2. System redirects to the log in page.
Alternative Flow(s)	1a. If the system fails to invalidate the session, the system displays an error message “error” and the session remains active.



BCE Sequence Diagram (Taiga ID: #155)
--



Online Fundraising System

Welcome, aaronlim | [Logout](#)

User Account

User Profile

All User Accounts

Login Successful

Search Accounts:

SEARCHCLEAR

+ Add New User Account

Account ID	Full Name	Username	Contact	Profile ID	Status	Suspend	Actions
101	Aaron Lim	aaronlim	80000101	1	Active	☐	EditView
102	Beatrice Tan	beatan	80000102	1	Active	☐	EditView
103	Caleb Goh	calebg	80000103	1	Active	☐	EditView
104	Daphne Lee	daphnel	80000104	1	Active	☐	EditView
105	Evan Ng	evanng	80000105	1	Active	☐	EditView
106	Alex Tan	alextan	80000106	2	Active	☐	EditView

Test Case (Taiga ID: #161)						
Test Case ID:		TC161				
Test Case Description:		User Admin Logging Out				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC161-1	User Admin is logged into the system User Admin clicks the Logout button	Existing active User Admin session	System invalidates the current session and redirects User Admin to the login page.	System redirects the User Admin to the login page.	Pass	
TC161-2	User Admin is logged into the system User Admin clicks the Logout button System fails to invalidate the session	Invalid session or database session error	System displays "error" and the session remains active.	System displays an error message and redirects the User Admin to the login page.	Pass	Session handling error


3.13 Fundraiser Log In

User story (Taiga ID: #18)


As a fundraiser, I want to log in so that I can manage my fundraising activities.

Use Case Description (Taiga ID: #164)	
Name	Fundraiser – Log In
Use Case Diagram (Taiga ID: #163)	<pre>graph LR Fundraiser((Fundraiser)) --- LogIn((Log In)) subgraph OnlineFundraisingSystem [Online Fundraising System] LogIn end</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to an oval use case labeled 'Log In'. The 'Log In' use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a fundraiser logs into the system to manage fundraising activities.
Actor(s)	Fundraiser
Precondition(s)	1. The Fundraiser has a valid account in the system.
Trigger	The Fundraiser enters their username and password on the login page.
Normal Flow	1. The system validates the login credentials. 2. The system authenticates the Fundraiser. 3. The system grants access to the Fundraiser dashboard.
Alternative Flow(s)	1a. If the username or password is invalid, the system displays an error message and prompts the Fundraiser to re-enter valid credentials. 1b. If any required login fields are left blank, the system prevents submission and prompts the Fundraiser to complete the missing information. 1c. If the system identifies that the User Account is set to "Suspended," it displays a "Account is suspended" message and denies access.


BCE Class Diagram (Taiga ID: #167)



BCE Sequence Diagram (Taiga ID: #165)



Wireframe (Taiga ID: #169)



The image shows a mobile app login screen for a fundraising application. At the top is a white circular icon with a person silhouette on a black background. Below the icon, the text "Fundraising App" and "Log In" are displayed in white. The form contains three input fields: "Username", "Password", and "Profile". The "Profile" field has a dropdown arrow and is currently showing a list of roles: "User Admin", "Fundraiser", "Donor", and "Platform Management". A "Submit" button is located to the right of the "Fundraiser" option.

Test Case (Taiga ID: #171)

Test Case ID:	TC171
Test Case Description	Fundraiser Logging In


Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC171-1	Fundraiser navigates to the Login page System displays the login form Fundraiser enters valid username and password Fundraiser clicks Login	Username: fundraiser Password: fundraiser123	System validates the credentials and grants access to the fundraiser dashboard.	System displays "Login Successful" and redirects the Fundraiser to the dashboard/home page.	Pass	
TC171-2	Fundraiser navigates to the Login page System displays the login form Fundraiser leaves required login fields blank Fundraiser clicks Login	Username: Password:	System displays a message indicating that login details are incomplete.	System displays "Username is required."	Pass	System validates username first
TC171-3	Fundraiser navigates to the Login page System displays the login form Fundraiser enters invalid username or password Fundraiser clicks Login	Username: fundraiser Password: wrong123	System displays a message indicating that the username or password is incorrect.	System displays "Invalid username or password."	Pass	Invalid login validation

3.14 Fundraiser Log Out


User story (Taiga ID: #19)

As a fundraiser, I want to log out so that I can protect my account and end my session securely.

Use Case Description (Taiga ID: #174)	
Name	Fundraiser – Log Out
Use Case Diagram (Taiga ID: #173)	<pre>graph LR Fundraiser((Fundraiser)) --- LogOut((Log Out)) subgraph OnlineFundraisingSystem [Online Fundraising System] LogOut end</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to an oval use case labeled 'Log Out'. The 'Log Out' use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case allows the fundraiser to log out of the system. When the fundraiser selects to log out, the system will end the session and return the user to the home page.
Actor(s)	Fundraiser
Precondition(s)	1. The fundraiser is currently logged into the system.
Trigger	Fundraiser clicks the “Log out” button.
Normal Flow	1. System invalidates the session. 2. System redirects to the log in page.
Alternative Flow(s)	1a. If the system fails to invalidate the session, the system displays an error message “error” and the session remains active.



BCE Sequence Diagram (Taiga ID: #175)
--



Wireframe (Taiga ID: #179)

Online Fundraising System

Welcome, [Fundraiser Name] | Logout

Activities

Completed

Fundraising Activities

Search Activities:

SEARCH

+ Create New

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Edit Delete
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	View Edit Delete

Test Case (Taiga ID: #181)						
Test Case ID:		TC181				
Test Case Description:		Fundraiser Logging Out				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC181-1	Fundraiser is logged into the system Fundraiser clicks the Logout button	Existing active Fundraiser session	System invalidates the current session and redirects Fundraiser to the login page.	System redirects the Fundraiser to the login page.	Pass	
TC181-2	Fundraiser is logged into the system Fundraiser clicks the Logout button System fails to invalidate the session	Invalid session or database session error	System displays "error" and the session remains active.	System displays an error message and redirects the Fundraiser to the login page.	Pass	Session handling error


3.15 Donor Log In

User story (Taiga ID: #25)


As a donor, I want to log in so that I can access my personal profile and system features securely.

Use Case Description (Taiga ID: #184)	
Name	Donor – Log In
Use Case Diagram (Taiga ID: #183)	<pre>graph LR Donor((Donor)) --- LogIn([Log In]) subgraph "Online Fundraising System" LogIn end</pre> The diagram shows a stick figure actor labeled 'Donor' connected by a line to an oval use case labeled 'Log In'. The 'Log In' use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a Donor authenticates themselves to the system to access their personal profile and system features securely.
Actor(s)	Donor
Precondition(s)	1. The Donor has a valid account in the system.
Trigger	The Donor enters their username and password on the login page.
Normal Flow	1. The system validates the login credentials. 2. The system authenticates the Donor. 3. The system grants access to the Donor dashboard.
Alternative Flow(s)	1a. If the username or password is invalid, the system displays an error message and prompts the Donor to re-enter valid credentials. 1b. If any required login fields are left blank, the system prevents submission and prompts the Donor to complete the missing information. 1c. If the system identifies that the User Account is set to "Suspended," it displays a "Account is suspended" message and denies access.

BCE Class Diagram (Taiga ID: #187)



BCE Sequence Diagram (Taiga ID: #185)



Wireframe (Taiga ID: #189)

Fundraising App
Log In

Username

Password

Profile

✓

User Admin

Fundraiser

Donor

Platform Management

Submit

Test Case (Taiga ID: #191)

Test Case ID:	TC191
Test Case Description	Donor Logging In


Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC191-1	Donor navigates to the Login page System displays the login form Donor enters valid username and password Donor clicks Login	Username: donor Password: donor123 Profile: Donor Account Status: ACTIVE	System validates the credentials, verifies the Donor role, grants access, and redirects the Donor to the dashboard.	System displays "Login Successful" and redirects the Donor to the dashboard/home page.	Pass	
TC191-2	Donor navigates to the Login page System displays the login form Donor enters incorrect username or password Donor clicks Login	Username: donor Password: wrong123	System displays an Invalid Credentials error message and returns to the login page.	System displays "Invalid username or password."	Pass	Invalid login validation
TC191-3	Donor navigates to the Login page System displays the login form Donor enters valid credentials for a suspended account Donor clicks Login	Username: donor Password: donor123 Account Status: SUSPENDED	System denies access and displays a message indicating that the account/profile is suspended.	System displays "Account is suspended."	Pass	Suspended account cannot log in

3.16 Donor Log Out


User story (Taiga ID: #26)

As a donor, I want to log out so that I can protect my account information, especially on shared devices.

Use Case Description (Taiga ID: #194)	
Name	Donor – Log Out
Use Case Diagram (Taiga ID: #193)	<pre>graph LR Donor[Donor] --- LogOut((Log Out)) subgraph OnlineFundraisingSystem [Online Fundraising System] LogOut end</pre> The diagram shows an actor labeled 'Donor' connected by a line to an oval use case labeled 'Log Out'. The 'Log Out' use case is contained within a rectangular boundary labeled 'Online Fundraising System'.
Description	This use case describes how a Donor terminates their current authenticated session in the online fundraising system to prevent unauthorized access to their account information.
Actor(s)	Donor
Precondition(s)	1. The donor is currently logged into the system.
Trigger	Donor clicks the “Log out” button.
Normal Flow	1. System invalidates the session. 2. System redirects to the log in page.
Alternative Flow(s)	1a. If the system fails to invalidate the session, the system displays an error message “error” and the session remains active.



BCE Sequence Diagram (Taiga ID: #195)



Wireframe (Taiga ID: #199)

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

Fundraising Activities

Search Activities:

SEARCH

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Add to Favorites
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	View Add to Favorites

Test Case (Taiga ID: #201)						
Test Case ID:		TC201				
Test Case Description:		Donor Logging Out				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC201-1	Donor is logged into the system Donor clicks the Logout button	Existing active Donor session	System invalidates the current session and redirects Donor to the login page.	System redirects the Donor to the login page.	Pass	
TC201-2	Donor is logged into the system Donor clicks the Logout button System fails to invalidate the session	Invalid session or database session error	System displays "error" and the session remains active.	System displays an error message and redirects the Donor to the login page.	Pass	Session handling error


3.17 Platform Management Log In

User story (Taiga ID: #38)


As the platform management, I want to log in so that I can access the platform management dashboard securely.

Use Case Description (Taiga ID: #204)	
Name	Platform management – Log In
Use Case Diagram (Taiga ID: #203)	<pre>graph LR subgraph "Online Fundraising System" direction TB UC1([Log In]) end PM[Platform Management] --- UC1</pre> The diagram shows a stick figure actor labeled 'Platform Management' connected by a line to an oval use case labeled 'Log In'. The 'Log In' use case is contained within a rectangular boundary labeled 'Online Fundraising System'.
Description	This use case describes how the platform management logs in to the platform management dashboard securely.
Actor(s)	Platform management
Precondition(s)	1. The Platform management has a valid account in the system.
Trigger	Platform management enters their username and password on the login page.
Normal Flow	1. The system validates the login credentials. 2. The system authenticates the Platform management. 3. The system grants access to the Platform management dashboard.
Alternative Flow(s)	1a. If the username or password is invalid, the system displays an error message and prompts the Platform management to re-enter valid credentials. 1b. If any required login fields are left blank, the system prevents submission and prompts the Platform management to complete the missing information. 1c. If the system identifies that the User Account is set to "Suspended," it displays a "Account is suspended" message and denies access.

BCE Class Diagram (Taiga ID: #207)



BCE Sequence Diagram (Taiga ID: #205)



Wireframe (Taiga ID: #209)

Fundraising App
Log In

Username

Password

Profile

✓

User Admin

Fundraiser

Donor

Platform Management

Submit

Test Case (Taiga ID: #211)

Test Case ID:	TC211
Test Case Description	Platform Management Logging In


Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC211-1	Platform Management navigates to the Login page System displays the login form Platform Management enters valid ID and password Platform Management clicks Login	Username: platform Password: platform123 Profile: Platform Management Account Status: ACTIVE	System validates the account and redirects Platform Management to the platform management dashboard.	System displays " Login Successful " and redirects Platform Management to the dashboard/home page.	Pass	
TC211-2	Platform Management navigates to the Login page System displays the login form Platform Management leaves required fields blank Platform Management clicks Login	Username: Password:	System prompts Platform Management to enter ID or password.	System displays " Username is required. "	Pass	System validates username first
TC211-3	Platform Management navigates to the Login page System displays the login form Platform Management enters invalid ID or password Platform Management clicks Login	Username: platform Password: wrong123	System displays an error message indicating ID or password is incorrect.	System displays " Invalid username or password. "	Pass	Invalid login validation

3.18 Platform Management Log Out


User story (Taiga ID: #39)

As the platform management, I want to log out so that I can protect the session from unauthorized access.

Use Case Description (Taiga ID: #214)	
Name	Platform management – Log Out
Use Case Diagram (Taiga ID: #213)	The diagram shows a stick figure actor labeled 'Platform Management' connected by a line to an oval use case labeled 'Log Out'. The use case is contained within a rectangular boundary labeled 'Online Fundraising System'.
Description	This use case describes how the platform management logs out to protect the session from unauthorized access.
Actor(s)	Platform management
Precondition(s)	1. The platform management is currently logged into the system.
Trigger	Platform management clicks the “Log out” button.
Normal Flow	1. System invalidates the session. 2. System redirects to the log in page.
Alternative Flow(s)	1a. If the system fails to invalidate the session, the system displays an error message “error” and the session remains active.



BCE Sequence Diagram (Taiga ID: #215)



Wireframe (Taiga ID: #219)

Online Fundraising System

Welcome, [PM Name] | Logout

Categories

Reports

Fundraising Activity Categories

Search Categories:

SEARCH

CLEAR

+ Create New

Category ID	Category Name	Actions
1	Community Care	Update Delete
2	Education Access 02	Update Delete
3	Community	Update Delete

Test Case (Taiga ID: #221)						
Test Case ID:		TC221				
Test Case Description:		Platform Management Logging Out				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC221-1	Platform Management is logged into the system Platform Management clicks the Logout button	Existing active Platform Management session	System invalidates the current session and redirects Platform Management to the login page.	System redirects the Platform Management to the login page.	Pass	
TC221-2	Platform Management is logged into the system Platform Management clicks the Logout button System fails to invalidate the session	Invalid session or database session error	System displays "error" and the session remains active.	System displays an error message and redirects the Platform Management to the login page.	Pass	Session handling error

3.19 Sprint 1: Test Plan

Introduction:

This test plan validates the core authentication and user administration functionalities implemented in Sprint 1 of the Online Fundraising Platform. The sprint focuses on User Profile management, User Account management, and role-based authentication/logout functions for User Admin, Fundraiser, Donor, and Platform Management users. The objective is to ensure that authorized users can successfully log in and log out, while User Admins can create, view, update, suspend, and search user profiles and user accounts with proper validation and error handling.

Objectives:

1. Validate login and logout functionality for User Admin, Fundraiser, Donor, and Platform Management roles using valid and invalid credentials.
2. Verify User Admin profile management capabilities:
 - (a) Create user profiles with valid details.
 - (b) Prevent duplicate profile creation.
 - (c) View existing user profiles.
 - (d) Update user profile information successfully.
 - (e) Delete user profiles.
 - (f) Search user profiles using valid search criteria.
3. Verify User Admin account management capabilities:
 - (a) Create user accounts linked to valid user profiles.
 - (b) Validate mandatory fields and duplicate usernames/IDs.
 - (c) View user account information.
 - (d) Update user account information successfully.
 - (e) Suspend user accounts.
 - (f) Search user accounts using valid search criteria.
4. Confirm suspended accounts and deleted profiles are unable to authenticate into the system.
5. Ensure success messages, validation messages, redirects, and session handling behave correctly for all Sprint 1 workflows.

Resources:

Test Environment:

Local Development Environment

Testing Machine:

1. Operating System: Windows 11 Pro Version 25H2
2. Processor: Intel Core i7 / AMD Ryzen equivalent
3. RAM: 16GB
4. Architecture: 64-bit Operating System

Software Requirements:

1. Python 3.x
2. Flask Framework
3. SQLite Database
4. Visual Studio Code
5. Google Chrome Browser

Preconditions to Run Test:

1. Sprint 1 latest build is deployed successfully.
2. Database is initialized with seeded test data including:
 - (a) At least one User Admin account
 - (b) At least one Fundraiser account
 - (c) At least one Donor account
 - (d) At least one Platform Management account
3. Existing User Profiles are available:
 - (a) User Admin
 - (b) Fundraiser
 - (c) Donor
 - (d) Platform Management
4. Browser cookies and session storage are cleared before each authentication test.
5. Test users have permission to access their corresponding dashboards and functions.

Test Completion Criteria:

1. All Sprint 1 test cases are executed successfully.
2. Positive test scenarios pass successfully:
 - (a) User Profile CRUDS operations
 - (b) User Account CRUDS operations
 - (c) Login and logout workflows
 - (d) Session creation and termination
3. Negative test scenarios display correct validation messages without system crashes.
4. No Priority 1 or Priority 2 defects remain unresolved for authentication or user administration functions.
5. Regression testing confirms fixes do not impact existing Sprint 1 functionality.

3.20 Sprint 1: Test-Driven Development


Test-Driven Development was chosen to be done in sprint 1 on the login and logout functions. The screenshot shows the test run and its corresponding results

```
kaungkhanthkyaw@Mac CSIT314-SDM % python3 -m unittest tests/test_login_logout.py -v
test_login_donor_success (tests.test_login_logout.TestLoginLogout.test_login_donor_success) ... ok
test_login_fundraiser_success (tests.test_login_logout.TestLoginLogout.test_login_fundraiser_success) ... ok
test_login_platform_management_success (tests.test_login_logout.TestLoginLogout.test_login_platform_management_success) ... ok
test_login_user_admin_success (tests.test_login_logout.TestLoginLogout.test_login_user_admin_success) ... ok
test_login_wrong_password_fails (tests.test_login_logout.TestLoginLogout.test_login_wrong_password_fails) ... ok
test_login_wrong_username_fails (tests.test_login_logout.TestLoginLogout.test_login_wrong_username_fails) ... ok
test_logout_success (tests.test_login_logout.TestLoginLogout.test_logout_success) ... ok


-----
Ran 7 tests in 0.029s

OK
```

3.21 Sprint 1: UML Class Diagram



3.22 Sprint 1: Database Class Diagram



3.23 Sprint 1 Taiga Start

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#1 Create User Profile NEW	#43 Use case diagram #52 Test data #47 BCE Class Diagram #44 Use case description #51 Test case #50 Test plan #49 User interface (wireframe) #48 Database ER Diagram #46 UML Class Diagram #45 BCE Sequence Diagram #473 Code Implementation				
#2 View User Profile NEW	#62 Test data #61 Test case #60 Test plan #59 User interface (wireframe) #58 Database ER Diagram #57 BCE Class Diagram #56 UML Class Diagram #55 BCE Sequence Diagram #54 Use case description #53 Use case diagram #474 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#3 Update User Profile NEW	#72 Test data #71 Test case #70 Test plan #69 User interface (wireframe) #68 Database ER Diagram #67 BCE Class Diagram #66 UML Class Diagram #65 BCE Sequence Diagram #64 Use case description #63 Use case diagram #475 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#4 Delete User Profile NEW				#73 Use case diagram #74 Use case description #77 BCE Class Diagram #75 BCE Sequence Diagram #79 User interface (wireframe) #76 UML Class Diagram #78 Database ER Diagram #476 Code Implementation #80 Test plan #82 Test data #81 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#5 Search User Profile NEW	#92 Test data #91 Test case #90 Test plan #89 User interface (wireframe) #88 Database ER Diagram #87 BCE Class Diagram #86 UML Class Diagram #85 BCE Sequence Diagram #84 Use case description #83 Use case diagram #477 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#6 Create User Account N/E NEW	#93 Use case diagram #102 Test data #101 Test case #100 Test plan #99 User interface (wireframe) #98 Database ER Diagram #97 BCE Class Diagram #96 UML Class Diagram #95 Sequence diagram #94 Use case description #478 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#7 View User Account N/E NEW	#112 Test data #111 Test case #110 Test plan #109 User interface (wireframe) #108 Database ER Diagram #107 BCE Class Diagram #106 UML Class Diagram #105 BCE Sequence Diagram #104 Use case description #103 Use case diagram #479 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#8 Update User Account N/E NEW	#118 Database ER Diagram #117 BCE Class Diagram #116 UML Class Diagram #115 BCE Sequence Diagram #114 Use case description #113 Use case diagram #122 Test data #121 Test case #120 Test plan #119 User interface (wireframe) #480 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #9 Suspend User Account + NEW N/E	#132 Test data #131 Test case #130 Test plan #129 User interface (wireframe) #128 Database ER Diagram #127 BCE Class Diagram #126 UML Class Diagram #125 BCE Sequence Diagram #124 Use case description #123 Use case diagram #481 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #10 Search User Account + NEW N/E	#142 Test data #140 Test plan #139 User interface (wireframe) #138 Database ER Diagram #137 BCE Class Diagram #136 UML Class Diagram #135 BCE Sequence Diagram #134 Use case description #133 Use case diagram #141 Test case #482 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #11 User Admin Login + NEW N/E	#144 Use case description #143 Use case diagram #152 Test data #151 Test case #150 Test plan #149 User interface (wireframe) #148 Database ER Diagram #147 BCE Class Diagram #146 UML Class Diagram #145 BCE Sequence Diagram #483 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#12 User Admin Logout NEW	#161 Test case #160 Test plan #159 User Interface (wireframe) #158 Database ER Diagram #157 BCE Class Diagram #156 UML Class Diagram #155 BCE Sequence Diagram #154 Use case description #153 Use case diagram #162 Test data #484 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#18 Fundraiser Login NEW	#172 Test data #171 Test case #170 Test plan #169 User Interface (wireframe) #168 Database ER Diagram #167 BCE Class Diagram #166 UML Class Diagram #165 BCE Sequence Diagram #164 Use case description #163 Use case diagram #485 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#19 Fundraiser Logout NEW	#182 Test data #181 Test case #180 Test plan #179 User Interface (wireframe) #178 Database ER Diagram #177 BCE Class Diagram #176 UML Class Diagram #175 BCE Sequence Diagram #174 Use case description #173 Use case diagram #486 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#25 Donor Login NEW	#192 Test data #191 Test case #190 Test plan #189 User interface (wireframe) #188 Database ER Diagram #187 BCE Class Diagram #186 UML Class Diagram #185 BCE Sequence Diagram #184 Use case description #183 Use case diagram #487 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#26 Donor Logout NEW	#202 Test data #201 Test case #200 Test plan #199 User interface (wireframe) #198 Database ER Diagram #197 BCE Class Diagram #196 UML Class Diagram #195 BCE Sequence Diagram #194 Use case description #193 Use case diagram #488 Code Implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#38 Platform Manager Login NEW	#212 Test data #211 Test case #210 Test plan #208 Database ER Diagram #207 BCE Class Diagram #206 UML Class Diagram #205 BCE Sequence Diagram #203 Use case diagram #204 Use case description #209 User interface (wireframe) #489 Code Implementation				



USER STORY		NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#39 Platform Manager Logout N/E	NEW	#222 Test data				
		#221 Test case				
		#220 Test plan				
		#219 User interface (wireframe)				
		#218 Database ER Diagram				
		#217 BCE Class Diagram				
		#216 UML Class Diagram				
		#215 BCE Sequence Diagram				
		#214 Use case description				
		#213 Use case diagram				
		#490 Code Implementation				

3.24 Sprint 1 Taiga End

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#1 Create User Profile NEW				#43 Use case diagram #44 Use case description #47 BCE Class Diagram #45 BCE Sequence Diagram #49 User interface (wireframe) #46 UML Class Diagram #48 Database ER Diagram #473 Code Implementation #50 Test plan #52 Test data #51 Test case	
#2 View User Profile NEW				#53 Use case diagram #54 Use case description #57 BCE Class Diagram #55 BCE Sequence Diagram #59 User interface (wireframe) #56 UML Class Diagram #58 Database ER Diagram #474 Code Implementation #60 Test plan #62 Test data #61 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#3 Update User Profile NEW				#63 Use case diagram #64 Use case description #67 BCE Class Diagram #65 BCE Sequence Diagram #69 User interface (wireframe) #66 UML Class Diagram #68 Database ER Diagram #475 Code Implementation #70 Test plan #72 Test data #71 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#4 Delete User Profile NEW				#73 Use case diagram #74 Use case description #77 BCE Class Diagram #75 BCE Sequence Diagram #79 User interface (wireframe) #76 UML Class Diagram #78 Database ER Diagram #476 Code Implementation #80 Test plan #82 Test data #81 Test case	



USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#7 View User Account NEW				#103 Use case diagram #104 Use case description #107 BCE Class Diagram #105 BCE Sequence Diagram #109 User interface (wireframe) #106 UML Class Diagram #108 Database ER Diagram #479 Code Implementation #110 Test plan #112 Test data #111 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#8 Update User Account NEW				#113 Use case diagram #114 Use case description #117 BCE Class Diagram #115 BCE Sequence Diagram #119 User interface (wireframe) #116 UML Class Diagram #118 Database ER Diagram #480 Code Implementation #120 Test plan #122 Test data #121 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#9 Suspend User Account NEW				#123 Use case diagram #124 Use case description #127 BCE Class Diagram #125 BCE Sequence Diagram #129 User interface (wireframe) #126 UML Class Diagram #128 Database ER Diagram #481 Code Implementation #132 Test data #130 Test plan #131 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#10 Search User Account NEW				#133 Use case diagram #134 Use case description #137 BCE Class Diagram #135 BCE Sequence Diagram #139 User interface (wireframe) #136 UML Class Diagram #138 Database ER Diagram #482 Code Implementation #140 Test plan #142 Test data #141 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#11 User Admin Login NEW				#143 Use case diagram #144 Use case description #147 BCE Class Diagram #145 BCE Sequence Diagram #149 User interface (wireframe) #146 UML Class Diagram #148 Database ER Diagram #483 Code Implementation #150 Test plan #152 Test data #151 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#12 User Admin Logout NEW				#153 Use case diagram #154 Use case description #157 BCE Class Diagram #155 BCE Sequence Diagram #159 User interface (wireframe) #156 UML Class Diagram #158 Database ER Diagram #484 Code Implementation #160 Test plan #162 Test data #161 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#18 Fundraiser Login NEW				#163 Use case diagram #164 Use case description #167 BCE Class Diagram #165 BCE Sequence Diagram #169 User interface (wireframe) #166 UML Class Diagram #168 Database ER Diagram #485 Code Implementation #170 Test plan #172 Test data #171 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#19 Fundraiser Logout NEW				#173 Use case diagram #174 Use case description #177 BCE Class Diagram #175 BCE Sequence Diagram #179 User interface (wireframe) #176 UML Class Diagram #178 Database ER Diagram #486 Code Implementation #180 Test plan #182 Test data #181 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#25 Donor Login NEW				#183 Use case diagram #184 Use case description #187 BCE Class Diagram #185 BCE Sequence Diagram #189 User interface (wireframe) #186 UML Class Diagram #188 Database ER Diagram #487 Code Implementation #190 Test plan #192 Test data #191 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#26 Donor Logout NEW				#193 Use case diagram #194 Use case description #197 BCE Class Diagram #195 BCE Sequence Diagram #199 User interface (wireframe) #196 UML Class Diagram #198 Database ER Diagram #488 Code Implementation #200 Test plan #202 Test data #201 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#38 Platform Manager Login NEW				#203 Use case diagram #204 Use case description #207 BCE Class Diagram #205 BCE Sequence Diagram #209 User interface (wireframe) #206 UML Class Diagram #208 Database ER Diagram #489 Code Implementation #210 Test plan #212 Test data #211 Test case	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#39 Platform Manager Logout NEW				#213 Use case diagram #214 Use case description #217 BCE Class Diagram #215 BCE Sequence Diagram #219 User interface (wireframe) #216 UML Class Diagram #218 Database ER Diagram #490 Code Implementation #220 Test plan #222 Test data #221 Test case	

4. Sprint 2

Sprint 2 Minutes

Date/Time:	20 April 2026, 3:00pm
Duration:	20/4/2026 - 30/4/2026
Meeting Objective:	Review sprint 1, go through sprint 2 plan and allocate tasks
Members Present:	Hannah, Kaung, Wei Qian, Xuexin, Jin, Yan
Agenda: - Review sprint 1 - Updates on overall progress - Go through sprint 2 plan - Allocate task for each member	

Sprint 1 Review
Completed tasks during reporting period: - Created Gantt chart and agreed on the rough timeline for the project - Completed sprint 1 use case diagrams and use case descriptions - Completed sprint 1 BCE Class and Sequence Diagrams
Strength or things to continue: - Task is allocated appropriately based on each member's strength
Weakness or things to improve on: - The number of user stories to work on may have been too many - There was some delay for the coding end and testing could not be done on time - Try to pace out the number of user stories per sprint so that the coding so that it is manageable

Sprint No.	Selected User Stories (Taiga ID)
Sprint 2	Fundraiser: #13, #14, #15, #16, #17 Donor: #20, #21

No.	Task	Action	Due date
1	Use Case description and Use Case diagrams	- Documentation team to work on use case descriptions and diagrams for Fundraiser CRUDS and selected donor user stories	23 April 2026

2	BCE Class and Sequence diagrams, and UML Class diagrams	- Documentation Team to design the BCE Class and Sequence Diagrams for selected user stories - Programming Team to do up UML class diagram and Database class diagram for sprint 2	25 April 2026
3	Test Plan, Test Case	- Programming team to do up test plan and conduct testing for test cases	30 April 2026
4	Coding	- Programming team to start working on Fundraiser and Donor - To complete sprint 1 code implementation as soon as possible	1. Finish sprint 1 implementation and testing by 23 April 2. Sprint 2 code implementation by 30 April 2026
5	Wireframe	- Documentation team to do up wireframe Fundraiser CRUDS and selected Donor user stories	25 April 2026
6	Ethical Issues	- Documentation team to do up report product and process ethical considerations before next tutorial	2 May 2026
7	Data Driven Development	- Documentation team to do up report on Data Driven Development before next tutorial	2 May 2026

Date/time of next meeting: 30 April 2026, 3:00pm


4.1 Fundraiser Create FRA

User story (Taiga ID: #13)


As a fundraiser, I want to create a fundraising activity so that I can start collecting donations for a specific cause.

Use Case Description (Taiga ID: #234)	
Name	Fundraiser – Create Fundraising Activity
Use Case Diagram (Taiga ID: #233)	<pre>graph LR; Fundraiser --> CreateFundraisingActivity[Create Fundraising Activity];</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to a use case represented by an oval labeled 'Create Fundraising Activity' inside a rectangular frame.
Description	This use case describes how a fundraiser creates a fundraising activity for a specific cause so that donations can be collected.
Actor(s)	Fundraiser
Precondition(s)	1. The fundraiser is logged into the system.
Trigger	The fundraiser clicks the “Create” button on the “Activities” page.
Normal Flow	1. The system displays the fundraising activity creation form. 2. The fundraiser enters the activity details for the specific cause. 3. The fundraiser submits the fundraising activity. 4. The system saves the fundraising activity. 5. The system confirms that the fundraising activity has been created.
Alternative Flow(s)	3a. Required details missing: System displays a message indicating that the required information is incomplete. 5a. Creation failed: System displays a message indicating that the fundraising activity cannot be created.

BCE Class Diagram (Taiga ID: #237)



BCE Sequence Diagram (Taiga ID: #235)



Wireframe (Taiga ID: #239)

Online Fundraising System

Welcome, [Fundraiser Name] | Logout

Activities

Completed

Create Fundraising Activity

Activity Title:

Description:

Target Amount (\$):

Category:

Select Category ▼

Start Date:

DD/MM/YYYY

End Date:

DD/MM/YYYY

CREATE ACTIVITY

CANCEL

Test Case (Taiga ID: #241)

Test Case ID:	TC241
Test Case Description	Fundraiser Creating a Fundraising Activity


Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC241-1	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser clicks the Create button System displays the fundraising activity creation form Fundraiser enters all required activity details Fundraiser clicks Create Activity	Account ID: 001 Activity Title: Help Children Education Description: Raise funds to support children's school fees and learning materials. Target Amount: 5000.00 Category: Education Start Date: 2026-05-15 End Date: 2026-06-15	System saves the fundraising activity and displays a confirmation message.	System displays "Activity 'Help Children Education' created successfully."	Pass	
TC241-2	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser clicks the Create button Fundraiser leaves required details blank Fundraiser clicks Create Activity	Account ID: Activity Title: Description: Target Amount: Category: Start Date: End Date:	System displays a message indicating that the required information is incomplete.	System displays "Account ID is required."	Pass	System validates required fields one by one
TC241-3	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser clicks the Create button Fundraiser enters invalid account ID or category ID Fundraiser clicks Create Activity	Account ID: 999 Activity Title: Food Support Campaign Description: Raise funds to provide food support for low-income families. Target Amount: 3000.00 Category ID: 999 Start Date: 2026-05-15 End Date: 2026-06-15	System displays a message indicating that the fundraising activity cannot be created.	System displays "Invalid account ID or category ID."	Pass	Creation failed validation

4.2 Fundraiser View FRA


User story (Taiga ID: #14)

As a fundraiser, I want to view a fundraising activity so that I can check the current status and details of my campaign.

Use Case Description (Taiga ID: #244)	
Name	Fundraiser – View Fundraising Activity
Use Case Diagram (Taiga ID: #243)	<pre>graph LR; Fundraiser --> ViewFundraisingActivity[View Fundraising Activity];</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to an oval use case labeled 'View Fundraising Activity'.
Description	This use case describes how a fundraiser views a fundraising activity to check the current status and details of the campaign.
Actor(s)	Fundraiser
Precondition(s)	1. The fundraiser is logged into the system. 2. Fundraising activities exist in the system and are owned by this fundraiser.
Trigger	The fundraiser selects a fundraising activity to view on the “Activities” page.
Normal Flow	1. The fundraiser clicks the “View” button. 2. The system retrieves the fundraising activity details. 3. The system displays the fundraising activity information.
Alternative Flow(s)	2a. Activity not found: System displays a message indicating that the fundraising activity is not available.



BCE Sequence Diagram (Taiga ID: #245)



Wireframe (Taiga ID: #249)

Online Fundraising System

Welcome, [Fundraiser Name] | Logout

Activities

Completed

Fundraising Activities

Search Activities:

SEARCH

+ Create New

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Edit Delete
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	View Edit Delete

FRA Details: Save the Forests

Ongoing

Amount Collected

\$6,000 / \$10,000

Category: Environment

Total Views: 1,240

Total Favorites: 152

Start Date: 01/01/2026

End Date: 31/12/2026

Description

A community-driven initiative to protect endangered forest areas by raising funds for conservation programs and awareness campaigns.

Link Fundraiser Account Details

Fundraiser Name: Rachel Tan

Fundraiser Phone: +65 9876 4321

Close

Test Case (Taiga ID: #251)						
Test Case ID:		TC251				
Test Case Description		Fundraiser Viewing a Fundraising Activity				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC251-1	Fundraiser logs into the system Fundraiser navigates to the Activities page System displays fundraising activities owned by this fundraiser Fundraiser clicks the View button for a selected activity	Activity ID: 001 Activity Title: Help Children Education Category: Education Current Amount: 0.00 Target Amount: 5000.00 Status: ongoing Start Date: 2026-05-16 End Date: 2026-06-16	System retrieves and displays the fundraising activity details.	System displays the activity details in the FRA Details popup, including title, status, amount collected, goal, category, start date, end date, description, fundraiser name, phone number, total views, and total favourites.	Pass	
TC251-2	Fundraiser logs into the system Fundraiser navigates to the Activities page System tries to retrieve fundraising activities owned by this fundraiser, but no matching activity is available	No fundraising activities owned by this fundraiser	System displays a message indicating that the fundraising activity is not available.	System displays "No fundraising activities found."	Pass	Activity not found


4.3 Fundraiser Update FRA

User story (Taiga ID: #15)


As a fundraiser, I want to update a fundraising activity so that I can provide the latest information or adjust campaign goals.

Use Case Description (Taiga ID: #254)	
Name	Fundraiser – Update Fundraising Activity
Use Case Diagram (Taiga ID: #253)	<pre>graph LR; Fundraiser --> UpdateFundraisingActivity([Update Fundraising Activity]);</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to a use case represented by an oval labeled 'Update Fundraising Activity' inside a rectangular frame.
Description	This use case describes how a fundraiser updates a fundraising activity to provide the latest information or adjust campaign goals.
Actor(s)	Fundraiser
Precondition(s)	1. The fundraiser is logged into the system. 2. Fundraising activities exist in the system and are owned by this fundraiser.
Trigger	The fundraiser selects a fundraising activity to update on the "Activities" page.
Normal Flow	1. The User Admin clicks the "Update" button. 2. The system displays the current fundraising activity details. 3. The fundraiser edits the activity information or campaign goals. 4. The fundraiser submits the updated information. 5. The system saves the updated fundraising activity. 6. The system confirms that the fundraising activity has been updated.
Alternative Flow(s)	4a. Required details missing: System displays a message indicating that the required information is incomplete. 5a. Update failed: System displays a message indicating that the fundraising activity cannot be updated.

BCE Class Diagram (Taiga ID: #257)



BCE Sequence Diagram (Taiga ID: #255)



Wireframe (Taiga ID: #259)

Online Fundraising System

Welcome, [Fundraiser Name] | Logout

Activities

Completed

Update Fundraising Activity

Activity Title:

Save the Forests

Description:

A community-driven initiative to protect endangered forest areas by raising funds for conservation programs and awareness campaigns.

Target Amount (\$):

10,000

Status:

Ongoing

UPDATE ACTIVITY

CANCEL

Test Case (Taiga ID: #261)

Test Case ID:	TC261
Test Case Description	Fundraiser Updating a Fundraising Activity

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC261-1	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser clicks the Update/Edit button for a selected activity System displays the current fundraising activity details Fundraiser edits the activity information Fundraiser clicks Update Activity	Activity ID: 001 Activity Title: Help Children Education Campaign Description: Raise funds to support children's school fees, books, and learning materials. Target Amount: 8000.00 Status: ongoing	System saves the updated fundraising activity and displays a confirmation message.	System displays "Activity updated successfully."	Pass	
TC261-2	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser clicks the Update/Edit button Fundraiser leaves required details blank Fundraiser clicks Update Activity	Activity ID: 001 Activity Title: Description: Target Amount: Status:	System displays a message indicating that the required information is incomplete.	System displays "Activity name is required."	Pass	System validates required fields one by one
TC261-3	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser attempts to update a fundraising activity that does not exist Fundraiser leaves required details blank Fundraiser clicks Update Activity	Activity ID: 999 Activity Title: Help Children Education Campaign Description: Raise funds to support children's education Target Amount: 8000.00 Status: ongoing	System displays a message indicating that the fundraising activity cannot be updated.	System displays "Activity ID does not exist."	Pass	Update failed validation


4.4 Fundraiser Delete FRA

User story (Taiga ID: #16)


As a fundraiser, I want to delete a fundraising activity so that I can remove campaigns that are no longer valid or were created in error.

Use Case Description (Taiga ID: #264)	
Name	Fundraiser – Delete Fundraising Activity
Use Case Diagram (Taiga ID: #263)	<pre>graph LR; Fundraiser((Fundraiser)) --- DeleteFundraisingActivity([Delete Fundraising Activity]);</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to a use case labeled 'Delete Fundraising Activity' inside an oval, which is contained within a rectangular frame.
Description	This use case describes how a fundraiser deletes a fundraising activity to remove campaigns that are no longer valid or were created in error.
Actor(s)	Fundraiser
Precondition(s)	1. The fundraiser is logged into the system. 2. Fundraising activities exist in the system and are owned by this fundraiser.
Trigger	The fundraiser selects a fundraising activity to delete on the “Activities” page.
Normal Flow	1. The fundraiser clicks the “Delete” button. 2. The fundraiser confirms the deletion request. 3. The system deletes the fundraising activity. 4. The system confirms that the fundraising activity has been deleted.
Alternative Flow(s)	2a. Deletion cancelled: System displays a message indicating that the fundraising activity deletion has been cancelled. 3a. Deletion failed: System displays a message indicating that the fundraising activity cannot be deleted.

BCE Class Diagram (Taiga ID: #267)



BCE Sequence Diagram (Taiga ID: #265)



Wireframe (Taiga ID: #269)

Online Fundraising System

Welcome, [Fundraiser Name] | Logout

Activities

Completed

Fundraising Activities

Search Activities:

SEARCH

+ Create New

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	ViewEditDelete
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	ViewEditDelete

?

Are you sure?
This will permanently delete "Save the Forests."

Yes, Delete

Cancel

Test Case (Taiga ID: #271)

Test Case ID:	TC271
Test Case Description	Fundraiser Deleting a Fundraising Activity

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC271-1	Fundraiser logs into the system. Fundraiser navigates to the Activities page. Fundraiser clicks the Delete button for a selected fundraising activity. Fundraiser confirms the deletion request.	Activity ID: 001. Activity Title: Help Children Education Campaign	System deletes the selected fundraising activity and displays a confirmation message.	System displays "Activity deleted successfully."	Pass	
TC271-2	Fundraiser logs into the system. Fundraiser navigates to the Activities page. Fundraiser clicks the Delete button for a selected fundraising activity. Fundraiser cancels the deletion request.	Activity ID: 001. Activity Title: Help Children Education Campaign	System cancels the deletion process and the fundraising activity remains unchanged.	System cancels the deletion process and the fundraising activity remains unchanged.	Pass	
TC271-3	Fundraiser logs into the system. Fundraiser navigates to the Activities page. Fundraiser attempts to delete a fundraising activity that does not exist. Fundraiser confirms the deletion request.	Activity ID: 999	System displays a message indicating that the fundraising activity cannot be deleted.	System displays "Activity ID does not exist."	Pass	Deletion failed validation


4.5 Fundraiser Search FRA

User story (Taiga ID: #17)


As a fundraiser, I want to search for a fundraising activity so that I can quickly find and manage specific campaigns from my list.

Use Case Description (Taiga ID: #274)	
Name	Fundraiser – Search Fundraising Activity
Use Case Diagram (Taiga ID: #273)	<pre>graph LR; Fundraiser((Fundraiser)) --- Search([Search Fundraising Activity]);</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to a use case labeled 'Search Fundraising Activity' inside an oval, which is contained within a rectangular frame.
Description	This use case describes how a fundraiser searches for a fundraising activity to quickly find and manage specific campaigns.
Actor(s)	Fundraiser
Precondition(s)	1. The fundraiser is logged into the system. 2. Fundraising activities exist in the system and are owned by this fundraiser.
Trigger	The fundraiser enters keywords (such as part of the activity name or description) into the search bar on the “Activities” page.
Normal Flow	1. The system validates that the search term is not empty. 2. The system searches for fundraising activities owned by the fundraiser that match the keywords. 3. The system displays a list of all matching fundraising activity results.
Alternative Flow(s)	1a. Empty search input: The fundraiser submits a search without any keywords; the system displays an error message stating that a search term is required. 3a. No matching activities found: The system displays a message indicating that no fundraising activities in the fundraiser's list match the given keywords.

BCE Class Diagram (Taiga ID: #277)



BCE Sequence Diagram (Taiga ID: #275)



Wireframe (Taiga ID: #279)

Online Fundraising System

Welcome, [Fundraiser Name] | Logout

Activities

Completed

Fundraising Activities

Search Activities:

Save

SEARCH

+ Create New

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Edit Delete

Test Case (Taiga ID: #281)


Test Case ID:	TC281
Test Case Description	Fundraiser Searching Fundraising Activity

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC281-1	Fundraiser clicks Activities System displays the search input field Fundraiser enters activity name or description Fundraiser clicks SEARCH	Search Activities: Education	System processes the search request and displays fundraising activity details matching the search keyword.	System displays matching activity Help Children Education Campaign with category, current amount, goal, status, and action buttons.	Pass	Search by name or description
TC281-2	Fundraiser clicks Activities System displays the search input field Fundraiser leaves the search field empty Fundraiser clicks SEARCH	Search Activities: blank	System displays a message indicating that a valid search keyword is required.	System displays "Activity name or description required."	Pass	Empty search validation
TC281-3	Fundraiser clicks Activities System displays the search input field Fundraiser enters a keyword that does not match any activity Fundraiser clicks SEARCH	Search Activities: UnknownCampaign123	System displays a message indicating that no fundraising activity matches the given search input.	System displays "No fundraising activities found."	Pass	No matching result


4.6 Donor Search FRA

User story (Taiga ID: #20)


As a donor, I want to search all the fundraising activities so that I can find campaigns that interest me.

Use Case Description (Taiga ID: #284)	
Name	Donor - Search fundraising activities
Use Case Diagram (Taiga ID: #283)	 <pre>graph LR Donor((Donor)) --- Search([Search Fundraising Activity]) subgraph "Online Fundraising System" Search end</pre> The diagram shows an actor labeled 'Donor' connected by a line to a use case labeled 'Search Fundraising Activity'. The use case is enclosed in an oval and is part of a system boundary labeled 'Online Fundraising System'.
Description	This use case allows the donor to search for available fundraising activities in the system. The donor can input keywords and apply search criteria to find an activity that matches their interest. The system then displays a list of activities that meets the criteria
Actor(s)	Donor
Precondition(s)	1. Fundraising activities exists in the system
Trigger	Donor enters keywords into the search bar on the “Browse Activities” page.
Normal Flow	1. Donor submits search request 2. System validates search input 3. System searches fundraising activities for matching criteria 4. System displays matching fundraising activities 5. Donor review search results
Alternative Flow(s)	2a. Donor submits a search with only whitespace, system shows an error message and requests the donor to correct the input 4a. System displays a message stating no matching fundraising activity found

BCE Class Diagram (Taiga ID: #287)



BCE Sequence Diagram (Taiga ID: #285)



Wireframe (Taiga ID: #289)

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

Fundraising Activities

Search Activities:

Save

SEARCH

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Add to Favorites

Test Case (Taiga ID: #291)

Test Case ID:	TC291
Test Case Description	Donor Searching Fundraising Activity

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC291-1	Donor navigates to the fundraising activities page System displays the search bar and available filters Donor enters keyword or filter criteria Donor clicks SEARCH	Search Keyword: Education Category: Education	System searches fundraising activities and displays matching campaigns.	System displays matching fundraising activities related to Education.	Pass	
TC291-2	Donor navigates to the fundraising activities page System displays the search bar and available filters Donor submits search with no criteria	Search Keyword: Category: Date From: Date To:	System displays all available fundraising activities.	System displays all available fundraising activities.	Pass	No criteria entered
TC291-3	Donor navigates to the fundraising activities page System displays the search bar and available filters Donor enters invalid search input Donor clicks SEARCH	Date From: 2026-06-30 Date To: 2026-05-01	System shows an error message and requests the Donor to correct the input.	System displays "Invalid date range."	Pass	Invalid search input
TC291-4	Donor navigates to the fundraising activities page System displays the search bar and available filters Donor enters search criteria that does not match any activity Donor clicks SEARCH	Search Keyword: UnknownCampaign123 Category: Medical	System displays a message stating no matching fundraising activity found.	System displays "No fundraising activities found."	Pass	No matching result


4.7 Donor View FRA

User story (Taiga ID: #21)


As a donor, I want to view a fundraising activity so that I can see its details before deciding to donate.

Use Case Description (Taiga ID: #294)	
Name	Donor - View fundraising activity details
Use Case Diagram (Taiga ID: #293)	<pre>graph LR Donor((Donor)) --- UC((View Fundraising Activity)) subgraph "Online Fundraising System" UC end</pre> The diagram shows an actor labeled 'Donor' connected by a line to an oval use case labeled 'View Fundraising Activity'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case allows the donor to view the details of the fundraising activity. Donor will select from the list of fundraising activities presented. Once selected, the system will display the full details of the activities, such as title, description, fundraising target, amount collected, category and activity status.
Actor(s)	Donor
Precondition(s)	1. Fundraising activities exists in the system 2. Donor has access to the list of fundraising activities or search results based on search criteria
Trigger	Donor selects a fundraising activity to view its details on the "Browse Activities" page.
Normal Flow	1. The Donor clicks the "View" button. 2. The system retrieves the details of the fundraising activity. 3. The system displays the details in a pop-up window. 4. The Donor reviews the fundraising activity details within the pop-up.
Alternative Flow(s)	3a. Unable to load activity details: System shows an error message and requests donor to try again

BCE Class Diagram (Taiga ID: #297)



BCE Sequence Diagram (Taiga ID: #295)



Wireframe (Taiga ID: #299)

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

Fundraising Activities

Search Activities:

SEARCH

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Add to Favorites
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	View Add to Favorites

FRA Details: Save the Forests

Ongoing

Amount Collected

\$6,000 / \$10,000

Category: Environment

Total Views: 1,240

Total Favorites: 152

Start Date: 01/01/2026

End Date: 31/12/2026

Description

A community-driven initiative to protect endangered forest areas by raising funds for conservation programs and awareness campaigns.

Link Fundraiser Account Details

Fundraiser Name: Rachel Tan

Fundraiser Phone: +65 9876 4321

Close

Test Case (Taiga ID: #301)						
Test Case ID:	TC301					
Test Case Description	Donor Viewing Fundraising Activity Details					
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC301-1	Donor accesses the fundraising activities list or search results Donor selects a fundraising activity System retrieves the fundraising activity details System displays the activity details page or popup	Activity Title: Help Children Education Campaign Category: Education Target Amount: 8000.00 Amount Collected: 2000.00 Status: ongoing	System displays full activity details such as title, description, target amount, amount collected, category, status, start date, end date, fundraiser name, and contact number.	System displays the selected fundraising activity details in the details popup/page.	Pass	
TC301-2	Donor accesses the fundraising activities list or search results Donor selects a fundraising activity that is no longer available	Activity ID: 999	System displays a message stating that the selected activity is no longer available.	System displays "No fundraising activities found." or "Activity ID does not exist."	Pass	Activity not found
TC301-3	Donor accesses the fundraising activities list or search results Donor selects a fundraising activity System fails to load the activity details	Activity ID: 001 System/database connection error	System shows an error message and requests the Donor to try again.	System displays an error message and the activity details are not loaded.	Pass	Unable to load details

4.8 Sprint 2: Test Plan

Introduction:

This test plan validates the fundraising activity management and donor browsing functionalities implemented in Sprint 2. The sprint includes creation, viewing, updating, deleting, and searching of fundraising activities by Fundraisers, as well as searching and viewing fundraising activities by Donors. The objective is to ensure fundraising campaigns can be managed effectively while donors can browse and review campaigns securely and accurately.

Objectives:

1. Validate Fundraiser fundraising activity management functions:
 - (a) Create fundraising activities successfully.
 - (b) View fundraising activity details.
 - (c) Update fundraising activity information and campaign goals.
 - (d) Delete fundraising activities.
 - (e) Search fundraising activities using name or description.
2. Verify fundraising activity validation rules:
 - (a) Mandatory fields validation.
 - (b) Invalid activity ID handling.
 - (c) Activity existence validation.
 - (d) Database save/update/delete handling.
3. Validate Donor fundraising activity browsing functions:
 - (a) Search fundraising activities using name or description.
 - (b) View fundraising activity details.
 - (c) Display fundraising targets, collected amounts, categories, and statuses correctly.
4. Ensure activity search results and activity details are displayed correctly under valid and invalid scenarios.
5. Confirm system messages, redirects, and error handling operate correctly for all Sprint 2 workflows.

Resources:

Test Environment:

Local Development Environment

Testing Machine:

1. Operating System: Windows 11 Pro Version 25H2
2. Processor: Intel Core i7 / AMD Ryzen equivalent
3. RAM: 16GB
4. Architecture: 64-bit Operating System

Software Requirements:

1. Python 3.x
2. Flask Framework
3. SQLite Database
4. Visual Studio Code
5. Google Chrome Browser


Preconditions to Run Test:

1. Sprint 2 latest build is deployed successfully.
2. Existing fundraiser accounts are available for fundraising activity management.
3. Database contains:
 - (a) Ongoing fundraising activities
 - (b) Completed fundraising activities
 - (c) Expired fundraising activities
 - (d) Cancelled fundraising activities
1. Donor users are able to access fundraising activity browsing features.
2. Test fundraising activities include:
 - (a) Valid activity names
 - (b) Funding targets and collected amounts
3. Browser cache and cookies are cleared before testing session-based functionality.


Test Completion Criteria:

1. All Sprint 2 test cases are executed successfully.
2. Positive scenarios for fundraising activity CRUDS and donor browsing pass successfully.
3. Invalid searches, incomplete forms, and missing activities display correct validation messages.
4. No critical defects remain open for fundraising activity management or donor browsing functionality.
5. Regression testing confirms Sprint 1 features continue functioning correctly after Sprint 2 integration.

4.9 Sprint 2: UML Class Diagram



4.10 Sprint 2: Database Class Diagram



4.11 Sprint 2 Taiga Start

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#13 Create Fundraising Activity NEW	#242 Test data #241 Test case #240 Test plan #239 User Interface (wireframe) #238 Database ER Diagram #237 BCE Class Diagram #236 UML Class Diagram #235 BCE Sequence Diagram #234 Use case description #233 Use case diagram #514 Code implementation				
#14 View Fundraising Activity NEW	#252 Test data #251 Test case #250 Test plan #249 User Interface (wireframe) #248 Database ER Diagram #247 BCE Class Diagram #246 UML Class Diagram #245 BCE Sequence Diagram #244 Use case description #243 Use case diagram #513 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#15 Update Fundraising Activity NEW	#257 BCE Class Diagram #256 UML Class Diagram #255 BCE Sequence Diagram #254 Use case description #253 Use case diagram #262 Test data #261 Test case #260 Test plan #259 User interface (wireframe) #258 Database ER Diagram #512 Code implementation				



USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#16 Delete Fundraising Activity NEW	#272 Test data #271 Test case #270 Test plan #269 User interface (wireframe) #268 Database ER Diagram #267 BCE Class Diagram #266 UML Class Diagram #265 BCE Sequence Diagram #264 Use case description #263 Use case diagram #511 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#17 Search Fundraising Activity NEW NEW	#282 Test data #281 Test case #280 Test plan #279 User interface (wireframe) #278 Database ER Diagram #277 BCE Class Diagram #276 UML Class Diagram #275 BCE Sequence Diagram #274 Use case description #273 Use case diagram #510 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#20 Search Fundraising Activity NEW NEW	#292 Test data #291 Test case #290 Test plan #289 User interface (wireframe) #288 Database ER Diagram #287 BCE Class Diagram #286 UML Class Diagram #285 BCE Sequence Diagram #284 Use case description #283 Use case diagram #509 Code implementation				



USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#21 View Fundraising Activity NEW	#302 Test data #301 Test case #300 Test plan #299 User interface (wireframe) #298 Database ER Diagram #297 BCE Class Diagram #296 UML Class Diagram #295 BCE Sequence Diagram #294 Use case description #293 Use case diagram #508 Code implementation				

4.12 Sprint 2 Taiga End



USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#15 Update Fundraising Activity NEW				#257 BCE Class Diagram #256 UML Class Diagram #255 BCE Sequence Diagram #254 Use case description #253 Use case diagram #262 Test data #261 Test case #260 Test plan #259 User Interface (wireframe) #258 Database ER Diagram #512 Code implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#16 Delete Fundraising Activity NEW				#272 Test data #271 Test case #270 Test plan #269 User Interface (wireframe) #268 Database ER Diagram #267 BCE Class Diagram #266 UML Class Diagram #265 BCE Sequence Diagram #264 Use case description #263 Use case diagram #511 Code implementation	



USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #21 View Fundraising Activity + i NEW N/E				#302 Test data #301 Test case #300 Test plan #299 User Interface (Wireframe) #298 Database ER Diagram #297 BCE Class Diagram #296 UML Class Diagram #295 BCE Sequence Diagram #294 Use case description #293 Use case diagram #508 Code Implementation	

5. Sprint 3

Sprint 3 Minutes

Date/Time:	30 April 2026, 3:00pm
Duration:	30/4/2026 - 6/5/2026
Meeting Objective:	Review sprint 2, go through sprint 3 plan and allocate tasks
Members Present:	Hannah, Kaung, Wei Qian, Xuexin, Jin, Yan
Agenda: - Review sprint 2 - Updates on overall progress - Go through sprint 3 plan - Allocate task for each member	

Sprint 2 Review
Completed tasks during reporting period: - Use case diagrams and use case descriptions - BCE Class and Sequence Diagrams completed - Code implementation completed - Testing completed
Strength or things to continue: - Continuous effort from everyone - Clear allocation of task
Weakness or things to improve on: - Documentation team lack consistency when doing diagrams - Documentation team to discuss and try standardise their diagrams to make them more consistent - There is a lack of updates or communication among the group members - Work on using the group chat more often and update regularly on the progress of both documentation team and programming team

Sprint No.	Selected User Stories (Taiga ID)
Sprint 3	Donor: #22, #23, #24, #31, #32 Fundraiser: #27, #28, #29, #30

No.	Task	Action	Due date
------------	-------------	---------------	-----------------

1	Use Case description and Use Case diagrams	- Documentation team to work on use case descriptions and diagrams for selected Donor and Fundraiser user stories	2 May 2026
2	BCE Class and Sequence diagrams, and UML Class diagrams	- Documentation Team to design the BCE Class and Sequence Diagrams for selected user stories - Programming Team to do up UML class diagram and Database class diagram for sprint 3	2 May 2026
3	Test Plan, Test Case	- Programming team to do up test plan and conduct testing for test cases	6 May 2026
4	Coding	- Programming team to continue working on Fundraiser and Donor for sprint 3 user stories function	6 May 2026
5	Wireframe	- Documentation team to do up wireframe for next set of Fundraiser and Donor functions	2 May 2026

Date/time of next meeting: 6 May 2026, 3:00pm


5.1 Donor Save FRA to Favourites

User story (Taiga ID: #22)


As a donor, I want to save a fundraising activity into my favourite list so that I can easily access it later.

Use Case Description (Taiga ID: #304)	
Name	Donor - Save fundraising activity to favourites
Use Case Diagram (Taiga ID: #303)	<pre>graph LR Donor((Donor)) --- SaveFundraisingActivity([Save Fundraising Activity]) subgraph OnlineFundraisingSystem [Online Fundraising System] SaveFundraisingActivity end</pre> The diagram shows an actor labeled 'Donor' connected by a line to an oval use case labeled 'Save Fundraising Activity'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case allows the donor to save a fundraising activity into their favourites list in the system, allowing them to access it easily at any point. The donor selects a fundraising activity and adds it to their favourites. The system then records this activity in the donor's favourites list.
Actor(s)	Donor
Precondition(s)	1. Donor is logged in to the system 2. Fundraising activities exist in the system 3. Donor is viewing a fundraising activity
Trigger	Donor selects a fundraising activity to save to favorites on the "Browse Activities" page.
Normal Flow	1. Donor clicks the "Add to Favourite" button 2. System checks if the activity is already inside donor's favourites list 3. System saves the fundraising activity to donor's favourites list 4. System displays a confirmation message that the activity has been added successfully
Alternative Flow(s)	2a. Fundraising activity already saved: System notifies donor that the activity is already in the favourites 3a. Fundraising activity no longer available: System shows an error message indicating activity cannot be saved

BCE Class Diagram (Taiga ID: #307)



BCE Sequence Diagram (Taiga ID: #305)



Wireframe (Taiga ID: #309)

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

Fundraising Activities

Search Activities:

SEARCH

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Add to Favorites
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	View Add to Favorites

Added to Favorites

"Save the Forests" has been added to your favorites list.

Close

Test Case (Taiga ID: #311)

Test Case ID:	TC311
Test Case Description	Donor Saving Fundraising Activity to Favourites

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC311-1	Donor logs into the system Donor views a fundraising activity System displays the fundraising activity information Donor clicks Add to Favourite	Donor Account ID: 003 Activity ID: 001 Activity Name: Help the Local Hospital	System checks that the activity is not already in the donor's favourites list, saves it, and displays a confirmation message.	System displays "Activity added to favourites."	Pass	
TC311-2	Donor logs into the system Donor views a fundraising activity that is already saved Donor clicks Add to Favourite again	Donor Account ID: 003 Activity ID: 001 Activity Name: Help the Local Hospital	System notifies the donor that the activity is already in the favourites list.	System displays "Activity is already in favourites."	Pass	Duplicate favourite validation
TC311-3	Donor is not logged into the system Donor tries to save a fundraising activity to favourites	Activity ID: 001 Activity Name: Help the Local Hospital	System prompts the donor to log in before saving the activity.	System redirects the donor to the login page or denies access.	Pass	Login required
TC311-4	Donor logs into the system Donor tries to save a fundraising activity that no longer exists	Donor Account ID: 003 Activity ID: 999	System shows an error message indicating the activity cannot be saved.	System displays "Activity is already in favourites." or a database error message depending on the constraint.	Pass	Activity no longer available


5.2 Donor Search Favourites

User story (Taiga ID: #23)


As a donor, I want to search my favourite list for a fundraising activity so that I can quickly locate specific saved activities.

Use Case Description (Taiga ID: #314)	
Name	Donor - Search favourite list for fundraising activity
Use Case Diagram (Taiga ID: #313)	<pre>graph LR Donor((Donor)) --- Search([Search Favourites List for Fundraising Activity]) subgraph System Search end</pre>
Description	This use case allows the donor to search for a fundraising activity in their favourites list. The donor enters a keyword or a search criteria, the system will then use this to search for a matching activity in the favourites list. The matching result will then be displayed.
Actor(s)	Donor
Precondition(s)	1. Donor is logged in to the system 2. Fundraising activities exist in the system 3. Donor is has at least one activity saved in favourites list
Trigger	Donor enters a keyword or search criteria into the search bar on the "Favourites" page.
Normal Flow	1. Donor submits search request 2. System validates search input 3. System searches donor's list based on the input 4. System displays matching results 5. Donor reviews search results
Alternative Flow(s)	4a. No search activities found: System displays a message stating that no matching activities has been found

BCE Class Diagram (Taiga ID: #317)



BCE Sequence Diagram (Taiga ID: #315)



Wireframe (Taiga ID: #319)

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

My Favorites List

Search Favorites:

Save

SEARCH

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Details

Test Case (Taiga ID: #321)

Test Case ID:	TC321
Test Case Description	Donor Searching Favourite List for Fundraising Activity

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC321-1	Donor logs into the system Donor clicks Favorites System displays the favourite list Donor enters a keyword in the search field Donor clicks Search	Search Favorites: Hospital	System searches the donor's favourite list and displays matching saved fundraising activities.	System displays matching favourite activity Help the Local Hospital .	Pass	Search by activity name or description
TC321-2	Donor logs into the system Donor clicks Favorites System displays the favourite list Donor submits search with no criteria	Search Favorites: blank	System displays all activities in the favourites list as the search result.	System displays "Activity name or description required." or returns to the full favourites list.	Pass	Empty search handling
TC321-3	Donor logs into the system Donor clicks Favorites Donor enters a keyword that does not match any saved activity Donor clicks Search	Search Favorites: UnknownCampaign123	System displays a message stating that no matching activities have been found.	System displays "No matching favourite activities found."	Pass	No matching result
TC321-4	Donor logs into the system Donor clicks Favorites System checks the donor's favourites list	No saved favourite activities	System displays a message stating that there are no activities saved.	System displays "No favourite activities found."	Pass	Empty favourites list


5.3 Donor View Favourites

User story (Taiga ID: #24)


As a donor, I want to view the details of a fundraising activity in my favourite list so that I can understand its progress and decide whether to donate.

Use Case Description (Taiga ID: #324)	
Name	Donor - View details of fundraising activity inside my favourites list
Use Case Diagram (Taiga ID: #323)	<pre>graph LR Donor((Donor)) --- UC((View Fundraising Activity in Favourites List)) subgraph "Online Fundraising System" UC end</pre> The diagram shows an actor labeled 'Donor' connected by a line to a use case labeled 'View Fundraising Activity in Favourites List'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case allows the donor to view a fundraising activity in their favourites list. The donor selects a fundraising activity from their favourites list. The system then displays its details, such as title, description, fundraising target, amount collected, category and activity status.
Actor(s)	Donor
Precondition(s)	1. Donor is logged in to the system 2. Fundraising activities exist in the system 3. Donor is has at least one activity saved in favourites list
Trigger	Donor selects a fundraising activity to view its details on the "Favourites" page.
Normal Flow	1. The Donor clicks the "View" button. 2. The system retrieves the details of the fundraising activity in the favourites list. 3. The system displays the details in a pop-up window. 4. The Donor reviews the fundraising activity details within the pop-up.
Alternative Flow(s)	2a. Fundraising activity not found: System displays a message that the favourites list is empty.

BCE Class Diagram (Taiga ID: #327)



BCE Sequence Diagram (Taiga ID: #325)



Wireframe (Taiga ID: #329)

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

My Favorites List

Search Favorites:

SEARCH

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Details
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	View Details

FRA Details: Save the Forests

Ongoing

Amount Collected

\$6,000 / \$10,000

Category: Environment

Total Views: 1,240

Total Favorites: 152

Start Date: 01/01/2026

End Date: 31/12/2026

Description

A community-driven initiative to protect endangered forest areas by raising funds for conservation programs and awareness campaigns.

Link Fundraiser Account Details

Fundraiser Name: Rachel Tan

Fundraiser Phone: +65 9876 4321

Close

Test Case (Taiga ID: #331)						
Test Case ID:		TC331				
Test Case Description		Donor Viewing Fundraising Activity Details in Favourite List				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC331-1	Donor logs into the system Donor clicks Favorites System displays the donor's favourite list Donor selects a fundraising activity or clicks View Details	Activity Name: Help the Local Hospital Category: Medical Current Amount: 4500.00 Target Amount: 10000.00 Status: ongoing	System retrieves and displays the selected fundraising activity details such as title, description, target amount, amount collected, category, and activity status.	System displays the selected favourite activity details, including progress and activity information.	Pass	
TC331-2	Donor logs into the system Donor clicks Favorites Donor selects a fundraising activity that is no longer available	Activity ID: 999	System displays a message that the selected activity is no longer available.	System displays "No matching favourite activities found." or "No favourite activities found."	Pass	Activity not found


5.4 Fundraiser View FRA Views

User story (Taiga ID: #27)


As a fundraiser, I want to view the number of fundraising activity views so that I can track user interest in my campaigns.

Use Case Description (Taiga ID: #334)	
Name	Fundraiser – View Fundraising Activity Views
Use Case Diagram (Taiga ID: #333)	<pre>graph LR Fundraiser((Fundraiser)) --- ViewFundraisingActivityViews([View Fundraising Activity Views]) subgraph OnlineFundraisingSystem [Online Fundraising System] ViewFundraisingActivityViews end</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to an oval use case labeled 'View Fundraising Activity Views'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a Fundraiser views the total number of views for their specific fundraising activities to gauge donor interest.
Actor(s)	Fundraiser
Precondition(s)	1. The Fundraiser is logged into a User Account linked to a "Fundraiser" User Profile. 2. The system contains at least one active fundraising activity associated with the Fundraiser's ID.
Trigger	The Fundraiser selects a fundraising activity to view the number of views on the "Activities" page.
Normal Flow	1. The fundraiser clicks the "View" button. 2. The system retrieves the interaction data for the selected activity. 3. The system displays the total number of views for that specific activity.
Alternative Flow(s)	2a. Activity not found: System displays " No fundraising activities found." that the fundraising activity is not available.

BCE Class Diagram (Taiga ID: #337)



BCE Sequence Diagram (Taiga ID: #335)



Wireframe (Taiga ID: #339)

Online Fundraising System

Welcome, [Fundraiser Name] | [Logout](#)

Activities

Completed

Fundraising Activities

Search Activities:

SEARCH

+ Create New

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Edit Delete
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	View Edit Delete

FRA Details: Save the Forests

Ongoing

Amount Collected

\$6,000 / \$10,000

Category: Environment

Total Views: 1,240

Total Favorites: 152

Start Date: 01/01/2026

End Date: 31/12/2026

Description

A community-driven initiative to protect endangered forest areas by raising funds for conservation programs and awareness campaigns.

Link Fundraiser Account Details

Fundraiser Name: Rachel Tan

Fundraiser Phone: +65 9876 4321

Close

Test Case (Taiga ID: #341)						
Test Case ID:		TC341				
Test Case Description:		Fundraiser Viewing Fundraising Activity Views				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC341-1	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser clicks the View button for a selected Fundraising activity The system retrieves the interaction data for the selected activity	Activity ID: 001 Activity Name: Help Children Education Campaign Status: ongoing Total Views:15	System displays the total number of views for the selected fundraising activity	System displays the activity details popup with Total Views:16 After the view count is recorded	Pass	View count Increases when the activity is viewed
TC341-2	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser clicks the View button for an activity that is no longer available or not found	Activity ID:999	System displays "No fundraising activities found." or the activity is not shown in the list	System displays "No fundraising activities found." or the activity is not shown in the list	Pass	Activity not found


5.5 Fundraiser View FRA Favourites

User story (Taiga ID: #28)


As a fundraiser, I want to view the number of times my fundraising activity has been favourited so that I can understand how many people are really interested in it.

Use Case Description (Taiga ID: #344)	
Name	Fundraiser – View Fundraising Activity Favorites
Use Case Diagram (Taiga ID: #343)	<pre>graph LR Fundraiser((Fundraiser)) --- UC([View Fundraising Activity Favorites]) subgraph System UC end</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to an oval use case labeled 'View Fundraising Activity Favorites'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a Fundraiser views the total number of times their specific fundraising activities have been saved to a favorite list to gauge donor interest.
Actor(s)	Fundraiser
Precondition(s)	1. The Fundraiser is logged into a User Account linked to a "Fundraiser" User Profile. 2. The system contains at least one active fundraising activity associated with the Fundraiser's ID.
Trigger	The Fundraiser selects a fundraising activity to view the number of favorites on the "Activities" page.
Normal Flow	1. The fundraiser clicks the "View" button. 2. The system retrieves the interaction data for the selected activity. 3. The system displays the number of times the activity has been favourited by Donors.
Alternative Flow(s)	2a. Activity not found: System displays " No fundraising activities found." that the fundraising activity is not available.

BCE Class Diagram (Taiga ID: ##347)



BCE Sequence Diagram (Taiga ID: #345)



Wireframe (Taiga ID: #349)

Online Fundraising System

Welcome, [Fundraiser Name] | [Logout](#)

Activities

Completed

Fundraising Activities

Search Activities:

SEARCH

+ Create New

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Edit Delete
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	View Edit Delete

FRA Details: Save the Forests

Ongoing

Amount Collected

\$6,000 / \$10,000

Category: Environment

Total Views: 1,240

Total Favorites: 152

Start Date: 01/01/2026

End Date: 31/12/2026

Description

A community-driven initiative to protect endangered forest areas by raising funds for conservation programs and awareness campaigns.

Link Fundraiser Account Details

Fundraiser Name: Rachel Tan

Fundraiser Phone: +65 9876 4321

Close

Test Case (Taiga ID: #351)						
Test Case ID:		TC351				
Test Case Description:		Fundraiser Viewing Fundraising Activity Favourites				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC351-1	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser clicks the View button for a selected Fundraising activity The system retrieves the interaction data for the selected activity	Activity ID: 001 Activity Name: Help Children Education Campaign Status: ongoing Favourites: 8	System displays the number of times the activity has been favoured by donors.	System displays the activity details popup with Total Favourites: 8	Pass	
TC351-2	Fundraiser logs into the system Fundraiser navigates to the Activities page Fundraiser clicks the View button for an activity that is no longer available or not found	Activity ID:999	System displays "No fundraising activities found." or the activity is not shown in the list	System displays "No fundraising activities found." or the activity is not shown in the list	Pass	Activity not found


5.6 Fundraiser Search FRA History

User story (Taiga ID: #29)


As a fundraiser, I want to search the history of completed fundraising activities so that I can locate any completed activities in the past.

Use Case Description (Taiga ID: #354)	
Name	Fundraiser – Search Completed Fundraising Activity History
Use Case Diagram (Taiga ID: #354)	<pre>graph LR Fundraiser((Fundraiser)) --- Search([Search Completed Fundraising Activity History]) subgraph OnlineFundraisingSystem [Online Fundraising System] Search end</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to an oval use case labeled 'Search Completed Fundraising Activity History'. This use case is contained within a rectangular boundary labeled 'Online Fundraising System'.
Description	This use case describes how a fundraiser filters through their historical records of finished campaigns to locate specific completed fundraising activities based on criteria like date or service type.
Actor(s)	Fundraiser
Precondition(s)	1. The Fundraiser is logged into a User Account linked to a "Fundraiser" User Profile. 2. The system contains at least one completed fundraising activity associated with the Fundraiser's ID.
Trigger	The Fundraiser enters keywords into the search bar and/or applies filters on the "Completed" page.
Normal Flow	1. The Fundraiser clicks the "Search" button. 2. The system validates the criteria and filters the displayed list to match the user's input. 3. The Fundraiser selects a specific activity from the filtered list. 4. The system displays the detailed performance report for the selected activity, including total views, total favourites, start/end date, fundraiser details, etc.
Alternative Flow(s)	1a. If the Fundraiser leaves the search fields empty and clicks search, the system displays the full unfiltered list of completed activities. 2a. If no completed activities match the specific filters entered, the system displays a "No activities found." message. 2b. If the Fundraiser enters an invalid date range, the system displays a validation error "Invalid date range."

BCE Class Diagram (Taiga ID: #357)



BCE Sequence Diagram (Taiga ID: #355)



Wireframe (Taiga ID: #359)

Online Fundraising System

Welcome, [Fundraiser Name] | Logout

Activities

Completed

Completed Activities History

Search: Clean

SEARCH

Filters: Category: Environment

Date From: 01/04/2025 To: 30/04/2025

Date Completed	Activity Name	Category	Description	Goal	Current	Status	Actions
30/04/2025	Clean Ocean Project	Environment	Supports beach cleanups and marine awareness.	\$12,000	\$12,000	Completed	View Details

FRA Details: Clean Ocean Project

Completed

Amount Collected

\$12,000 / \$12,000

Category: Environment

Total Views: 980

Total Favorites: 87

Start Date: 01/02/2025

End Date: 30/04/2025

Description

Supports beach cleanups and marine awareness.

Link Fundraiser Account Details

Fundraiser Name: Daniel Lee

Fundraiser Phone: +65 9123 4567

Close

Test Case (Taiga ID: #361)						
Test Case ID:		TC361				
Test Case Description		Fundraiser Searching Completed Fundraising Activities				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC361-1	Fundraiser logs into the system. Fundraiser navigates to the Completed page. Fundraiser enters keywords and/or applies filters. Fundraiser clicks the Search button. Fundraiser selects a specific activity from the filtered list.	Search Keyword: Education. Category: Education. Date From: 2026-01-01. Date To: 2026-05-16	System validates the criteria and displays completed fundraising activities matching the search filters. System displays the selected activity details, including total views, total favourites, start date, end date, and fundraiser details.	System displays matching completed activities related to Education and shows the selected activity details in the details popup.	Pass	
TC361-2	Fundraiser logs into the system. Fundraiser navigates to the Completed page. Fundraiser leaves all search fields empty. Fundraiser clicks the Search button.	Search Keyword: blank. Category: All Categories. Date From: blank. Date To: blank	System displays the full unfiltered list of completed fundraising activities.	System displays all completed fundraising activities owned by the fundraiser.	Pass	Empty search shows full list
TC361-3	Fundraiser logs into the system. Fundraiser navigates to the Completed page. Fundraiser enters filters that do not match any completed activity. Fundraiser clicks the Search button.	Search Keyword: UnknownCampaign123. Category: Medical. Date From: 2026-01-01. Date To: 2026-05-16	System displays "No activities found."	System displays "No activities found."	Pass	No matching result
TC361-4	Fundraiser logs into the system. Fundraiser navigates to the Completed page. Fundraiser enters an invalid date range. Fundraiser clicks the Search button.	Date From: 2026-06-30. Date To: 2026-05-01	System displays validation error "Invalid date range."	System displays "Invalid date range."	Pass	Invalid date validation



5.7 Fundraiser View FRA History

User story (Taiga ID: #30)

As a fundraiser, I want to view the history of completed fundraising activities so that I can review my previous activities.

Use Case Description (Taiga ID: #364)	
Name	Fundraiser – View Completed Fundraising Activity History
Use Case Diagram (Taiga ID: #363)	<pre>graph LR Fundraiser((Fundraiser)) --- UC((View Completed Fundraising Activity History)) subgraph System UC end</pre> The diagram shows an actor labeled 'Fundraiser' connected by a line to a use case labeled 'View Completed Fundraising Activity History'. The use case is enclosed in a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how a fundraiser accesses the history of their finished campaigns to review past performance and results.
Actor(s)	Fundraiser
Precondition(s)	1. The Fundraiser is logged into a User Account linked to a "Fundraiser" User Profile. 2. The system contains at least one completed fundraising activity associated with the Fundraiser's ID.
Trigger	The Fundraiser clicks the "Completed" button on the navigation bar.
Normal Flow	1. The system retrieves all fundraising activities with a "Completed" status associated with the logged-in Fundraiser. 2. The system displays the history list, showing the Name, Date, Category, Description, Goal, and Current funding for each activity. 3. The Fundraiser selects a specific activity to view details. 4. The system displays the detailed information for the selected activity.
Alternative Flow(s)	1a. If the system finds no completed activities for the Fundraiser, it displays a "No activities found." message.

BCE Class Diagram (Taiga ID: #363)



Wireframe (Taiga ID: #369)

Online Fundraising System

Welcome, [Fundraiser Name] | Logout

Activities

Completed

Completed Activities History

Search:

SEARCH

Filters:

Category:

All

Date From:

DD/MM/YYYY

To:

DD/MM/YYYY

Date Completed	Activity Name	Category	Description	Goal	Current	Status	Actions
30/04/2025	Clean Ocean Project	Environment	Supports beach cleanups and marine awareness.	\$12,000	\$12,000	Completed	View Details
15/05/2025	Education for All	Education	Provides scholarships for underprivileged children.	\$15,000	\$15,000	Completed	View Details


Test Case (Taiga ID: #371)							
Test Case ID:		TC371					
Test Case Description		Fundraiser Viewing Completed Fundraising Activities					
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks	
TC371-1	Fundraiser logs into the system. Fundraiser clicks the Completed button on the navigation bar. System retrieves all completed fundraising activities owned by the fundraiser. Fundraiser selects a specific activity to view details.	Completed Activity: Help Children Education Campaign. Category: Education. Description: Raise funds to support children's school fees and learning materials. Goal: 8000.00. Current: 8000.00. End Date: 2026-05-16. Status: completed	System displays the completed fundraising activity list showing name, date, category, description, goal, and current funding. System displays detailed information for the selected activity.	System displays completed fundraising activities and shows the selected activity details in the details popup.	Pass		
TC371-2	Fundraiser logs into the system. Fundraiser clicks the Completed button on the navigation bar. System retrieves completed fundraising activities owned by the fundraiser, but none are found.	No completed fundraising activities available	System displays "No activities found."	System displays "No activities found."	Pass	No completed activities	

5.8 Donor View Donation History


User story (Taiga ID: #31)

As a donor, I want to view the history of donations made so that I can keep track of my donations.

Use Case Description (Taiga ID: #374)	
Name	Donor - View donation history
Use Case Diagram (Taiga ID: #373)	<pre>graph LR Donor((Donor)) --- ViewDonationHistory([View Donation History]) subgraph OnlineFundraisingSystem [Online Fundraising System] ViewDonationHistory end</pre> The diagram shows an actor labeled 'Donor' connected by a line to an oval use case labeled 'View Donation History'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case allows a donor to view the records of all past donations that they made on the platform, including the donation details such as amount, date and campaign.
Actor(s)	Donor
Pre-condition(s)	1. The donor is logged into the system 2. The donor has made at least one donation
Trigger	The Donor clicks the "History" button on the navigation bar.
Normal Flow	1. System retrieves the donor's donation records 2. System displays the list of past donations and its details
Alternative Flow(s)	1a. System will display "No donations found." if system cannot find any past donation records for the donor



BCE Sequence Diagram (Taiga ID: #375)



Wireframe (Taiga ID: #379)

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

My Donation History

Search:

SEARCH

Filters:

Category:

All

Date From:

DD/MM/YY

To:

DD/MM/YY

Amount Min:

\$

Max:

\$

Date	Activity Name	Category	Amount
01/03/26	Help Local Hospital	Health	\$50.00
15/02/26	Urban Tree Planting	Environment	\$25.00

Test Case (Taiga ID: #381)

Test Case ID:	TC381
Test Case Description	Donor Viewing Donation History

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC381-1	Donor logs into the system. Donor clicks the History button on the navigation bar. System retrieves the donor's donation records.	Donor Account ID: 003. Donation Record: Activity Name: Help the Local Hospital. Category: Medical. Donation Amount: 100.00. Donation Date: 2026-05-16	System displays the list of past donations with details such as donation date, activity name, category, and donation amount.	System displays the donor's past donation records in the My Donation History table.	Pass	
TC381-2	Donor logs into the system. Donor clicks the History button on the navigation bar. System retrieves donation records for the donor, but no records are found.	Donor Account ID: 003. No donation records available	System displays an error message indicating that no past donation records were found.	System displays "No donations found."	Pass	No donation history


5.9 Donor Search Donation History

User story (Taiga ID: #32)


As a donor, I want to search the history of donations made so that I can locate my past donations.

Use Case Description (Taiga ID: #384)	
Name	Donor - Search donation history
Use Case Diagram (Taiga ID: #386)	<pre>graph LR Donor((Donor)) --- SearchDonationHistory(Search Donation History) subgraph OnlineFundraisingSystem [Online Fundraising System] SearchDonationHistory end</pre> The diagram shows a stick figure actor labeled 'Donor' connected by a line to an oval use case labeled 'Search Donation History'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case allows a donor to search through their past donation records to quickly locate a particular donation using key criteria such as donation amount, date or campaign name
Actor(s)	Donor
Pre-condition(s)	1. The donor is logged into the system 2. The donor has existing donation records
Trigger	Donor enters keywords into the search bar and/or applies filters on the "History" page.
Normal Flow	1. System retrieves the donation record that matches the search criteria 2. System displays a list of the filtered donation
Alternative Flow(s)	1a. The system will prompt the user to correct their input if the donor enters an invalid or incomplete search criteria 2a. The system will display an error message if it cannot find a matching donation record that matches the search criteria

BCE Class Diagram (Taiga ID: #387)



BCE Sequence Diagram (Taiga ID: #385)



Wireframe (Taiga ID: #389)

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

My Donation History

Search:

SEARCH

Filters:

Category:

Health

Date From:

To:

Amount Min:

Max:

Date	Activity Name	Category	Amount
01/03/2026	Help Local Hospital	Health	\$50.00

Test Case (Taiga ID: #391)

Test Case ID:	TC391
Test Case Description	Donor Searching Donation History

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC391-1	Donor logs into the system. Donor clicks the History button on the navigation bar. Donor enters keywords and/or applies filters on the History page. System retrieves donation records that match the search criteria.	Search Keyword: Hospital. Category: Medical. Date From: 2026-05-01. Date To: 2026-05-16. Amount Min: 50. Amount Max: 200	System displays a list of filtered donations matching the search criteria.	System displays matching donation records related to Hospital within the selected category, date range, and amount range.	Pass	
TC391-2	Donor logs into the system. Donor clicks the History button on the navigation bar. Donor enters an invalid search criteria on the History page.	Date From: 2026-06-30. Date To: 2026-05-01	System prompts the donor to correct the invalid input.	System displays "Invalid date range."	Pass	Invalid date validation
TC391-3	Donor logs into the system. Donor clicks the History button on the navigation bar. Donor enters search criteria that does not match any donation record.	Search Keyword: UnknownCampaign123. Amount Min: 9999. Amount Max: 10000	System displays an error message indicating that no matching donation record was found.	System displays "No donations found."	Pass	No matching result

5.10 Sprint 3: Test Plan

Introduction:

This test plan validates the donor favourite list management, fundraising analytics, fundraising history, and donation history functionalities implemented in Sprint 3. The sprint focuses on allowing donors to save and manage favourite fundraising activities, while fundraisers can track campaign engagement statistics and historical campaign performance. Donors are also able to review and search donation history records.

Objectives:

1. Validate donor favourite list functions:
 - (a) Save fundraising activities into favourites.
 - (b) Prevent duplicate favourites.
 - (c) Search favourite activities.
 - (d) View favourite activity details.
2. Verify fundraiser analytics capabilities:
 - (a) View fundraising activity view counts.
 - (b) View fundraising activity favourite counts.
 - (c) Display analytics information accurately.
3. Validate fundraiser historical activity functions:
 - (a) View completed fundraising activity history.
 - (b) Search completed fundraising activity history using filters and date ranges.
 - (c) Display completed activity reports correctly.
4. Validate donor donation history capabilities:
 - (a) View donation history records.
 - (b) Search donation history using valid search criteria.
 - (c) Display donation amount, date, and activity details correctly.
5. Ensure validation messages, search filtering, and activity retrieval functions operate correctly.

Test Environment:

Local Development Environment

Testing Machine:

1. Operating System: Windows 11 Pro Version 25H2
2. Processor: Intel Core i7 / AMD Ryzen equivalent
3. RAM: 16GB
4. Architecture: 64-bit Operating System

Software Requirements:

1. Python 3.x
2. Flask Framework
3. SQLite Database
4. Visual Studio Code
5. Google Chrome Browser

Preconditions to Run Test:


1. Sprint 3 latest build is deployed successfully.
2. Database contains:
 - (a) Saved favourite activities

- (b) Completed fundraising activities
 - (c) Donation history records
 - (d) Activity analytics data
- 3. Donor accounts exist with:
 - (a) Donation history
 - (b) Favourite fundraising activities
- 4. Fundraiser accounts exist with:
 - (a) Active fundraising activities
 - (b) Completed fundraising activities
- 5. Test activities contain valid:
 - (a) View counts
 - (b) Favourite counts
 - (c) Donation totals
- 6. Browser cookies and session data are cleared before authentication-related tests.


Test Completion Criteria:

- 1. All Sprint 3 test cases are executed successfully.
- 2. Favourite list management, analytics, and history features behave as expected.
- 3. Invalid searches and unavailable activities return proper validation/error messages.
- 4. No critical defects remain unresolved for favourites, analytics, or donation history functions.
- 5. Regression testing confirms Sprint 1 and Sprint 2 functionality remains stable.

5.11 Sprint 3: UML Class Diagram



5.12 Sprint 3: Database Class Diagram



5.13 Sprint 3 Taiga Start

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#22 Save Fundraising Activity N/E NEW	#312 Test data #311 Test case #310 Test plan #309 User interface (wireframe) #308 Database ER Diagram #307 BCE Class Diagram #306 UML Class Diagram #305 BCE Sequence Diagram #304 Use case description #303 Use case diagram #491 Code implementation				
#23 Search Favourite/Saved List N/E NEW	#313 Use case diagram #322 Test data #321 Test case #320 Test plan #319 User interface (wireframe) #318 Database ER Diagram #317 BCE Class Diagram #316 UML Class Diagram #315 BCE Sequence Diagram #314 Use case description #492 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #24 View Fundraising Activity in Favourite/Saved List NEW	#332 Test data #331 Test case #330 Test plan #329 User interface (wireframe) #328 Database ER Diagram #327 BCE Class Diagram #326 UML Class Diagram #325 BCE Sequence Diagram #324 Use case description #323 Use case diagram #493 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #27 View Fundraising Activity Views NEW	#342 Test data #340 Test plan #339 User interface (wireframe) #338 Database ER Diagram #337 BCE Class Diagram #341 Test case #336 UML Class Diagram #335 BCE Sequence Diagram #334 Use case description #333 Use case diagram #497 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#28 View Number of Favourites on Fundraising Activity N/E NEW	#352 Test data #351 Test case #350 Test plan #349 User interface (wireframe) #348 Database ER Diagram #347 BCE Class Diagram #346 UML Class Diagram #345 BCE Sequence Diagram #344 Use case description #343 Use case diagram #498 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#29 Search History of Fundraising Activities N/E NEW	#362 Test data #361 Test case #360 Test plan #359 User interface (wireframe) #358 Database ER Diagram #357 BCE Class Diagram #356 UML Class Diagram #355 BCE Sequence Diagram #354 Use case description #353 Use case diagram #499 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #30 View History of Completed Fundraising Activities N/E + NEW	#372 Test data #371 Test case #370 Test plan #369 User interface (wireframe) #368 Database ER Diagram #367 BCE Class Diagram #366 UML Class Diagram #365 BCE Sequence Diagram #364 Use case description #363 Use case diagram #500 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #31 View History of Donations Made N/E + NEW	#382 Test data #381 Test case #380 Test plan #379 User interface (wireframe) #378 Database ER Diagram #377 BCE Class Diagram #376 UML Class Diagram #375 BCE Sequence Diagram #374 Use case description #373 Use case diagram #501 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#32 Search History of Donations Made N/E	#383 Use case diagram #389 User interface (wireframe) #388 Database ER Diagram #387 BCE Class Diagram #386 UML Class Diagram #385 BCE Sequence Diagram #392 Test data #390 Test plan #384 Use case description #391 Test case #502 Code Implementation				

5.14 Sprint 3 Taiga End

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#22 Save Fundraising Activity N/E NEW				#312 Test data #311 Test case #310 Test plan #309 User Interface (wireframe) #308 Database ER Diagram #307 BCE Class Diagram #306 UML Class Diagram #305 BCE Sequence Diagram #304 Use case Description #303 Use case diagram #491 Code Implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#23 Search Favourite/Saved List N/E NEW				#313 Use case diagram #322 Test data #321 Test case #320 Test plan #319 User Interface (wireframe) #318 Database ER Diagram #317 BCE Class Diagram #316 UML Class Diagram #315 BCE Sequence Diagram #314 Use case Description #492 Code Implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#24 View Fundraising Activity in Favourite/Saved List NEW				#332 Test data #331 Test case #330 Test plan #329 User Interface (wireframe) #328 Database ER Diagram #327 BCE Class Diagram #326 UML Class Diagram #325 BCE Sequence Diagram #324 Use case description #323 Use case diagram #493 Code Implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#27 View Fundraising Activity Views NEW				#342 Test data #340 Test plan #339 User Interface (wireframe) #338 Database ER Diagram #337 BCE Class Diagram #341 Test case #336 UML Class Diagram #335 BCE Sequence Diagram #334 Use case description #333 Use case diagram #497 Code Implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #28 View Number of Favourites on Fundraising Activity N/E NEW				#352 Test data #351 Test case #350 Test plan #349 User Interface (wireframe) #348 Database ER Diagram #347 BCE Class Diagram #346 UML Class Diagram #345 BCE Sequence Diagram #344 Use case description #343 Use case diagram #498 Code Implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #29 Search History of Fundraising Activities N/E NEW				#362 Test data #361 Test case #360 Test plan #359 User Interface (wireframe) #358 Database ER Diagram #357 BCE Class Diagram #356 UML Class Diagram #355 BCE Sequence Diagram #354 Use case description #353 Use case diagram #499 Code Implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#50 View History of Completed Fundraising Activities N/E NEW				#372 Test data #371 Test case #370 Test plan #369 User Interface (wireframe) #368 Database ER Diagram #367 BCE Class Diagram #366 UML Class Diagram #365 BCE Sequence Diagram #364 Use case description #363 Use case diagram #500 Code Implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#31 View History of Donations Made N/E NEW				#382 Test data #381 Test case #380 Test plan #379 User Interface (wireframe) #378 Database ER Diagram #377 BCE Class Diagram #376 UML Class Diagram #375 BCE Sequence Diagram #374 Use case description #373 Use case diagram #501 Code Implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #32 Search history of Donations Made N/E +NEW				#383 Use case diagram #389 User Interface (wireframe) #388 Database ER Diagram #387 BCE Class Diagram #386 UML Class Diagram #385 BCE Sequence Diagram #392 Test data #390 Test plan #384 Use case description #391 Test case #502 Code implementation	

6. Sprint 4

Sprint 4 Minutes

Date/Time:	6 May 2026, 3:00pm
Duration:	6/5/2026 - 12/5/2026
Meeting Objective:	Review sprint 3, go through sprint 4 plan and allocate tasks
Members Present:	Hannah, Kaung, Wei Qian, Xuexin, Jin, Yan
Agenda: - Review sprint 3 - Updates on overall progress - Go through sprint 4 plan - Allocate task for each member	

Sprint 3 Review
Completed tasks during reporting period: - Use case diagrams and use case descriptions - BCE Class and Sequence Diagrams completed - Code implementation completed - Testing completed
Strength or things to continue: - Continue updating on progress to ensure everyone is in the loop of what is happening - Continuous effort from all members - Continue stepping up to help other members who are behind on time to ensure delays are avoided as much as possible
Weakness or things to improve on: - There is still some delays in the overall progress as some parts are harder to ensure that everything remains consistent throughout the whole process

Sprint No.	Selected User Stories (Taiga ID)
Sprint 4	Platform Management: #33, #34, #35, #36, #37, #40, #41, #42

No.	Task	Action	Due date
1	Final Report Document	- Hannah to create the final report document	8 May 2026

		- Documentation team to format the report and consolidate everything from all the separate documents	
2	Use Case description and Use Case diagrams	- Documentation team to work on use case descriptions and diagrams for Platform Management	8 May 2026
3	BCE Class and Sequence diagrams, and UML Class diagrams	- Documentation Team to design the BCE Class and Sequence Diagrams for selected user stories - Programming Team to do up UML class diagram and Database class diagram for sprint 4	8 May 2026
4	Test Plan, Test Case	- Programming team to do up test plan and conduct testing for test cases	12 May 2026
5	Coding	- Programming team to start code implementation for Platform Management for sprint 4 remaining user stories	12 May 2026
6	Wireframe	- Documentation team to do up wireframe for Platform Management	8 May 2026
7	Video Recording	- To record a video of all the functions in the system and do voice over	As soon as possible after the website is finalised



6.1 Platform Management Create FRA Category

User story (Taiga ID: #33)

As the platform management, I want to create a fundraising activity category so that donors can browse and select the fundraising cause they are interested in.

Use Case Description (Taiga ID: #394)	
Name	Platform management - Create fundraising activity category
Use Case Diagram (Taiga ID: #393)	<pre>graph LR PM[Platform Management] --- UC((Create Fundraising Activity Category)) subgraph "Online Fundraising System" UC end</pre> The diagram shows an actor labeled 'Platform Management' connected by a line to a use case labeled 'Create Fundraising Activity Category'. The use case is enclosed in a rectangular box labeled 'Online Fundraising System'.
Description	This use case allows the platform management to create and add a new fundraising activity category into the system. The system will then capture and store the category details to make it available for donors to easily browse and select the fundraising cause they are interested in
Actor(s)	Platform Management
Pre-condition(s)	1. The user is logged in the system with administrative privileges
Trigger	The platform management clicks the “Create” button on the “Categories” page.
Normal Flow	1. Platform management enters the category details such as category name and description 2. Platform management submits the form to create new category 3. System validates the inputs 4. System creates and store the new category 5. System displays successful “new category created” message 6. The new category becomes available for donors to browse
Alternative Flow(s)	3a. System displays validation errors and prompts user for correction if platform management submits incomplete or invalid details 3b. System to notify user and request for a different name if the entered category name already exist

BCE Class Diagram (Taiga ID: #397)



Wireframe (Taiga ID: #399)

Online Fundraising System

Welcome, [PM Name] | Logout

Categories

Reports

Create Category

Category Name:

Community

SUBMIT

CANCEL

Test Case (Taiga ID: #401)						
Test Case ID:		TC401				
Test Case Description		Platform Management Creating Fundraising Activity Category				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC401-1	Platform Management logs into the system Platform Management clicks Categories Platform Management clicks Create Category System displays the category creation form Platform Management enters category details Platform Management clicks Submit	Category Name: Medical	System creates and stores the new fundraising activity category, displays successful message, and makes the category available for donors to browse.	System displays "Category 'Medical' created successfully" and the category is saved in the database.	Pass	
TC401-2	Platform Management clicks Categories Platform Management clicks Create Category Platform Management leaves category name blank Platform Management clicks Submit	Category Name:	System displays validation error and prompts Platform Management to complete the missing information.	System displays "Category name is required."	Pass	Required field validation
TC401-3	Platform Management clicks Categories Platform Management clicks Create Category Platform Management enters an existing category name Platform Management clicks Submit	Category Name: Medical	System notifies Platform Management and requests a different category name.	System displays "Category 'Medical' already exists"	Pass	Duplicate category validation


6.2 Platform Management View FRA Category

User story (Taiga ID: #34)


As the platform management, I want to view a fundraising activity category so that I can monitor and manage the available categories.

Use Case Description (Taiga ID: #404)	
Name	Platform management - View fundraising activity category
Use Case Diagram (Taiga ID: 403)	<pre>graph LR PM[Platform Management] --- UC((View Fundraising Activity Category)) subgraph "Online Fundraising System" UC end</pre> The diagram shows an actor labeled 'Platform Management' connected by a line to a use case labeled 'View Fundraising Activity Category'. The use case is enclosed in a rectangular box labeled 'Online Fundraising System'.
Description	This use case allows the platform management to access and view a list of all fundraising activity categories stored in the system. The system will display relevant category details for administrators to review, monitor, and support further management actions such as updating or deleting categories
Actor(s)	Platform Management
Pre-condition(s)	1. The user is logged in the system with administrative privileges
Trigger	The platform management clicks the “Categories” button on the navigation bar.
Normal Flow	1. System retrieves all fundraising activity categories 2. System displays a list of categories with relevant details 3. Platform management reviews the categories
Alternative Flow(s)	2a. System displays a “No fundraising categories found.” error message if the system cannot find any existing categories

BCE Class Diagram (Taiga ID: #407)



BCE Sequence Diagram (Taiga ID: #405)



Wireframe (Taiga ID: #409)

Online Fundraising System

Welcome, [PM Name] | [Logout](#)

Categories

Reports

Fundraising Activity Categories

Search Categories:

SEARCH

CLEAR

+ Create New

Category ID	Category Name	Actions
1	Community Care	Update Delete
2	Education Access 02	Update Delete
3	Community	Update Delete

Test Case (Taiga ID: #411)						
Test Case ID:		TC411				
Test Case Description:		Platform Management Viewing Fundraising Activity Category				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC411-1	Platform Management logs into the system Platform Management clicks the Categories button on the navigation bar System retrieves all fundraising activity categories Platform Management reviews the categories	Existing Categories: Category ID: 001 Category Name: Medical. Category ID: 002 Category Name: Education	System displays a list of fundraising activity categories with relevant details such as category ID and category name	System displays category ID, category name, and action buttons in the categories table	Pass	
TC411-2	Platform Management logs into the system Platform Management clicks the Categories button on the navigation bar System retrieves categories when none exist	No fundraising categories available	System displays "" No fundraising categories found. "	System displays " No fundraising categories found. "	Pass	No category record



6.3 Platform Management Update FRA Category


User story (Taiga ID: #35)

As the platform management, I want to update a fundraising activity category so that I can keep the available information up to date and accurate for the donors.

Use Case Description (Taiga ID: #414)	
Name	Platform management - Update fundraising activity category
Use Case Diagram (Taiga ID: #413)	<pre>graph LR subgraph "Online Fundraising System" UCA([Update Fundraising Activity Category]) end PM[Platform Management] --- UCA</pre> The diagram shows a stick figure actor labeled 'Platform Management' connected by a line to an oval use case labeled 'Update Fundraising Activity Category'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case allows the platform management to make changes to the existing fundraising activity category details in the system. The system updates and stores the updated information, ensuring that the category data remains accurate and relevant for donors to browse
Actor(s)	Platform Management
Pre-condition(s)	1. The user is logged in the system with administrative privileges 2. There is at least one existing fundraising activity category
Trigger	The platform management selects an existing category to update on the "Categories" page.
Normal Flow	1. Platform management clicks the "Update" button. 2. System displays the current category details 3. Platform management edits the required fields 4. Platform management submits the updated information 5. System validates the input 6. System updates and saves the changes 7. System displays a success message 8. The updated category information is reflected on the platform
Alternative Flow(s)	5a. System displays validation errors and prompts user for correction if platform management submits incomplete or invalid details 5b. System displays a "Category unavailable" error message and redirects to the category list if the category no longer exist 5c. System notifies the user that no change were detected if the platform manager submits the form without modifying any

	fields
--	--------





Wireframe (Taiga ID: #419)

Online Fundraising System

Welcome, [PM Name] | Logout

Categories

Reports

Update Category

Category ID:

001

Category Name:

Community

UPDATE

CANCEL

Test Case (Taiga ID: #421)						
Test Case ID:		TC421				
Test Case Description		Platform Management Updating Fundraising Activity Category				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC421-1	Platform Management logs into the system Platform Management clicks Categories Platform Management selects a category and clicks Update System displays the update category form Platform Management edits the category name Platform Management clicks Update and confirms	Category ID: 001 Category Name: Healthcare	System updates and saves the category information and displays a success message.	System displays "Category updated successfully," and the updated category name is reflected on the platform.	Pass	
TC421-2	Platform Management clicks Categories Platform Management clicks Update Platform Management leaves required fields blank Platform Management clicks Update	Category ID: Category Name:	System displays validation errors and prompts user to complete the missing information.	System displays "Category ID is required."	Pass	System validates required fields one by one
TC421-3	Platform Management clicks Categories Platform Management clicks Update Platform Management enters a category ID that no longer exists Platform Management clicks Update	Category ID: 999 Category Name: Healthcare	System displays "Category unavailable," and redirects or returns to the category list.	System displays "Category id does not exist."	Pass	Category unavailable
TC421-4	Platform Management clicks Categories Platform Management clicks Update Platform Management changes the category name to an existing category name Platform Management clicks Update	Category ID: 001 Category Name: Education	System displays an error message indicating the category name already exists.	System displays "Category name already exists."	Pass	Duplicate category validation


6.4 Platform Management Delete FRA Category

User story (Taiga ID: #36)


As the platform management, I want to delete a fundraising activity category so that certain irrelevant or outdated categories are no longer available.

Use Case Description (Taiga ID: #424)	
Name	Platform management - Delete fundraising activity category
Use Case Diagram (Taiga ID: #423)	<pre>graph LR PM[Platform Management] --- UC((Delete Fundraising Activity Category)) subgraph "Online Fundraising System" UC end</pre> The diagram shows an actor labeled 'Platform Management' connected by a line to a use case labeled 'Delete Fundraising Activity Category'. The use case is enclosed in an oval and is part of a system boundary labeled 'Online Fundraising System'.
Description	This use case allows the platform management to remove an existing fundraising activity category from the system. The system then deletes the selected category to ensure that outdated or irrelevant categories are no longer available for donors and maintaining the accuracy of the category listing
Actor(s)	Platform management
Pre-condition(s)	1. The user is logged in the system with administrative privileges 2. There is at least one existing fundraising activity category
Trigger	The platform management selects an existing category to delete on the "Categories" page.
Normal Flow	1. Platform management clicks the "Delete" button. 2. System prompts for confirmation of deletion 3. Platform management confirms deletion 4. System removes the category from the database 5. System displays a success message 6. The category will no longer be visible on the platform
Alternative Flow(s)	3a. Platform management cancels the deletion process and return to category list if the platform management chooses not to confirm deletion 3b. System displays an error message and refreshes the category list if the selected category no longer exist

BCE Class Diagram (Taiga ID: #427)



BCE Sequence Diagram (Taiga ID: #425)



Wireframe (Taiga ID: #429)

Online Fundraising System

Welcome, [PM Name] | Logout

Categories

Reports

Fundraising Activity Categories

Search Categories:

SEARCH

CLEAR

+ Create New

Category ID	Category Name	Actions
1	Community Care	UpdateDelete
2	Education Access	UpdateDelete
3	Community	UpdateDelete

?

Are you sure?

This will permanently delete "Community" (Cagegory ID: 3).

Yes, Delete

Cancel

Test Case (Taiga ID: #431)						
Test Case ID:		TC431				
Test Case Description		Platform Management Deleting Fundraising Activity Category				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass / Fail	Remarks
TC431-1	Platform Management logs into the system Platform Management clicks Categories Platform Management selects a category and clicks Delete System prompts for deletion confirmation Platform Management confirms deletion	Category ID: 001 Category Name: Healthcare	System removes the category from the database, displays a success message, and the category is no longer visible on the platform.	System displays " Category deleted successfully. " and removes the category from the list.	Pass	
TC431-2	Platform Management clicks Categories Platform Management selects a category and clicks Delete System prompts for deletion confirmation Platform Management clicks Cancel	Category ID: 001 Category Name: Healthcare	System cancels the deletion process and returns to the category list. The category remains unchanged.	System cancels the deletion process and the category remains in the list.	Pass	
TC431-3	Platform Management clicks Categories Platform Management enters or selects a category ID that no longer exists Platform Management clicks Delete and confirms	Category ID: 999	System displays an error message and refreshes or returns to the category list.	System displays " Category id does not exist. "	Pass	Category unavailable


6.5 Platform Management Search FRA Category

User story (Taiga ID: #37)


As the platform management, I want to search for a fundraising activity category so that I can quickly locate and manage specific categories.

Use Case Description (Taiga ID: #434)	
Name	Platform management – Search Fundraising activity category
Use Case Diagram (Taiga ID: #433)	<pre>graph LR subgraph "Online Fundraising System" UC([Search Fundraising Activity Category]) end PM[Platform Management] --- UC</pre> The diagram shows a stick figure actor labeled 'Platform Management' connected by a line to an oval use case labeled 'Search Fundraising Activity Category'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.
Description	This use case describes how the platform management searches for a specific fundraising activity category to quickly locate and manage it.
Actor(s)	Platform management
Precondition(s)	1. The platform management is logged in 2. At least one category exists in the system.
Trigger	Platform management enters a category name into the search bar on the “Categories” page.
Normal Flow	1. System searches and displays matching categories name. 2. Platform management selects a specific category to manage it.
Alternative Flow(s)	1a. If the search field is empty, the system prompts platform management to enter a search keyword. 1b. If no matching categories are found, the system shows the “No fundraising categories found.” message.

BCE Class Diagram (Taiga ID: #437)



BCE Sequence Diagram (Taiga ID: #435)



Wireframe (Taiga ID: #439)

Online Fundraising System

Welcome, [PM Name] | Logout

Categories

Reports

Fundraising Activity Categories

Search Categories:

Community

SEARCH

CLEAR

+ Create New

Category ID	Categroy Name	Actions
3	Community	Update Delete
10	Community 7	Update Delete
28	Community 26	Update Delete

Test Case (Taiga ID: #441)

Test Case ID:	TC441					
Test Case Description:	Platform Management Searching Fundraising Activity Category					

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC441-1	Platform Management logs into the system Platform Management clicks Categories System displays the search bar Platform Management enters a category name Platform Management clicks SEARCH	Search Categories: Medical	System searches and displays matching fundraising activity categories	System displays matching category Medical with category ID and action buttons.	Pass	
TC441-2	Platform Management clicks Categories System displays the search bar Platform Management leaves the search field empty Platform Management clicks SEARCH	Search Categories: blank	System prompts Platform Management to enter a search keyword	System displays "Category name needs to be provided."	Pass	System validates required fields one by one
TC441-3	Platform Management clicks Categories System displays the search bar Platform Management enters a category name that does not exist Platform Management clicks SEARCH	Search Categories: UnknownCategory123	System displays "No fundraising categories found."	System displays "No fundraising categories found."	Pass	No matching result

6.6 Platform Management Generate Daily Report


User story (Taiga ID: #40)

As the platform management, I want to generate daily reports so that I can monitor the platform's daily performance.


Use Case Description (Taiga ID: #444)	
Name	Platform management – Generate Daily Report
Use Case Diagram (Taiga ID: #443)	<pre> graph LR PM[Platform Management] --- GDR((Generate Daily Report)) subgraph "Online Fundraising System" GDR end </pre> The diagram shows a stick figure actor labeled 'Platform Management' connected by a line to an oval use case labeled 'Generate Daily Report'. The use case is contained within a rectangular box labeled 'Online Fundraising System'.

Description	This use case describes how the platform management generates daily reports for monitoring the platform's daily performance.
Actor(s)	Platform management
Precondition(s)	1. The platform management account is logged in the system. 2. Daily performance data exists in the system.
Trigger	Platform management clicks the “Generate daily report” button on the “Reports” page.
Normal Flow	1. Platform management selects a date 2. The system generates daily reports based on the daily performance data. 3. The system displays the daily report.
Alternative Flow(s)	1a. If no date is selected, the system displays an error message “Date is required.”.

BCE Class Diagram (Taiga ID: #447)



BCE Sequence Diagram (Taiga ID: #445)



Wireframe (Taiga ID: #449)

Online Fundraising System

Welcome, [PM Name] | [Logout](#)

Categories

Reports

Report Type

✓ Daily

Weekly

Monthly

Success: "Daily report generated successfully"

Daily Report

1. Select Date: 20/05/25

2.

Generate Report

Daily Report 2025-05-20

Metrics Summary

1. Total Donations Collected: \$1,200.00

2. Total User Logins: 6

3. Total Active Fundraising Activities: 45

4. Total Completed Activities: 1

5. Most Active Category: Medical

Test Case (Taiga ID: #451)						
Test Case ID:		TC451				
Test Case Description:		Generate Daily Report				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC451-1	Platform Management logs into the system Platform Management navigates to the dashboard Platform Management clicks Reports Platform Management selects a date Platform Management clicks Generate Daily Report	Report Date: 2026-05-12 Daily performance data exists	System generates the daily report based on the selected date and displays the daily performance report	System displays the daily report for 2026-05-12	Pass	
TC451-2	Platform Management navigates to Reports Platform Management clicks Generate Daily Report without selecting a date	Report Date: blank	System displays "Date is required."	System displays "Date is required."	Pass	No date selected


6.7 Platform Management Generate Weekly Report

User story (Taiga ID: #41)


As the platform management, I want to generate weekly reports so that I can track weekly trends on the platform.

Use Case Description (Taiga ID: #454)	
Name	Platform management – Generate Weekly Report
Use Case Diagram (Taiga ID: #453)	The diagram shows a stick figure actor labeled 'Platform Management' connected by a line to an oval use case labeled 'Generate Weekly Report'. The use case is contained within a rectangular system boundary labeled 'Online Fundraising System'.
Description	This use case describes how the platform management generates a weekly report for tracking platform's weekly performance.
Actor(s)	Platform management
Precondition(s)	1. The platform management account is logged in the system. 2. Weekly performance data exists in the system.
Trigger	Platform management clicks the "Generate weekly report" button on the "Reports" page.
Normal Flow	1. Platform management selects a date(from~to). 2. Platform management clicks the "Generate weekly report" button. 3. The system generates weekly reports based on the weekly performance data. 4. The system displays the weekly report.
Alternative Flow(s)	3a. If no date range is provided, the system displays an error message "Date range is required." 3b. If the date range is invalid, the system displays an error message "Invalid date range."

BCE Class Diagram (Taiga ID: #457)



BCE Sequence Diagram (Taiga ID: #455)



Wireframe (Taiga ID: #459)

Online Fundraising System

Welcome, [PM Name] | [Logout](#)

Categories

Reports

Report Type

Daily

✓ Weekly

Monthly

✓ Success: "Weekly report generated successfully"

Weekly Report

1. Select Range: From 14/05/25 To 20/05/25

2.

Generate Report

Weekly Report (2025-05-14 to 2025-05-20)

Metrics Summary

1. Total Donations Collected: \$8,950.00

2. Total User Logins: 38

3. Total Active Fundraising Activities: 45

4. Total Completed Activities: 12

5. Most Active Category: Medical

Test Case (Taiga ID: #461)						
Test Case ID:		TC461				
Test Case Description:		Generate Weekly Report				
Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC461-1	Platform Management logs into the system Platform Management navigates to the dashboard Platform Management clicks Reports Platform Management selects weekly date range Platform Management clicks Generate Weekly Report	Date From: 2026-05-06 Date To: 2026-05-12 Weekly performance data exists	System generates the weekly report based on the selected date range and displays weekly performance data	System displays the weekly report from 2026-05-06 to 2026-05-12	Pass	
TC461-2	Platform Management navigates to Reports Platform Management clicks Generate Weekly Report without selecting a date range	Date From: blank Date To: blank	System displays "Date range is required."	System displays "Date range is required."	Pass	No date range provided
TC461-3	Platform Management navigates to Reports Platform Management enters an invalid weekly date range Platform Management clicks Generate Weekly Report	Date From: 2026-05-12 Date To: 2026-05-06	System displays "Invalid date range."	System displays "Invalid date range."	Pass	Invalid date validation


6.8 Platform Management Generate Monthly Report

User story (Taiga ID: #42)


As the platform management, I want to generate monthly reports so that I can review the platform's monthly performance

Use Case Description (Taiga ID: #464)	
Name	Platform management – Generate monthly Report
Use Case Diagram (Taiga ID: #463)	The diagram shows a stick figure actor labeled 'Platform Management' connected by a line to an oval use case labeled 'Generate Monthly Report'. The use case is contained within a rectangular system boundary labeled 'Online Fundraising System'.
Description	This use case describes how the platform management generates a weekly report for reviewing the platform's monthly performance.
Actor(s)	Platform management
Precondition(s)	1. The platform management account is logged in the system. 2. Monthly performance data exists in the system.
Trigger	Platform management clicks the “Generate monthly report” button on the “Reports” page.
Normal Flow	1. Platform management selects a date 2. Platform management clicks the “Generate monthly report” button. 3. The system generates monthly reports based on the monthly performance data. 4. The system displays the monthly report.
Alternative Flow(s)	3a. If month and year are not provided, the system displays an error message “Month and year required.”. 3b. If month or year is not numeric, the system displays an error message “Month and year must be numeric.”. 3c. If the month value is invalid, the system displays an error message “Invalid month.”.

BCE Class Diagram (Taiga ID: #467)



BCE Sequence Diagram (Taiga ID: #465)



Wireframe (Taiga ID: #469)

Online Fundraising System

Welcome, [PM Name] | [Logout](#)

Categories

Reports

Report Type

Daily

Weekly

✓ Monthly

✓ Success: "Monthly report generated successfully"

Monthly Report

1. Select Month: May ▼ Year: 2025

2.

Generate Report

Monthly Report (2025-05)

Metrics Summary

1. Total Donations Collected: \$32,400.00

2. Total User Logins: 112

3. Total Active Fundraising Activities: 45

4. Total Completed Activities: 28

5. Most Active Category: Medical

Test Case (Taiga ID: #471)

Test Case ID:		TC471				
Test Case Description:		Generate Monthly Report				

Test Step	Test Step Description	Test Data	Expected Results	Actual Results	Pass/Fail	Remarks
TC471-1	Platform Management logs into the system Platform Management navigates to the dashboard Platform Management clicks Reports Platform Management selects a month/date Platform Management clicks Generate Monthly Report .	Month: May Year: 2026 Monthly performance data exists	System generates the monthly report based on the selected month and displays monthly performance data	System displays the monthly report for May 2026	Pass	
TC471-2	Platform Management navigates to Reports Platform Management clicks Generate Monthly Report without selecting month and year.	Month: blank Year: blank	System displays " Month and year required. "	System displays " Month and year required. "	Pass	No month/year provided
TC471-3	Platform Management navigates to Reports Platform Management enters non-numeric month and year Platform Management clicks Generate Monthly Report	Date From: blank Month: abc Year: xyz	System displays " Month and year must be numeric. "	System displays " Month and year must be numeric. "	Pass	Non-numeric input
TC471-4	Platform Management navigates to Reports Platform Management enters an invalid month value Platform Management clicks Generate Monthly Report	Month: 13 Year: 2026	System displays " Invalid month. "	System displays " Invalid month. "	Pass	Invalid month value

6.9 Sprint 4: Test Plan

Introduction:

This test plan validates the fundraising activity category management and report generation functionalities implemented in Sprint 4. The sprint focuses on allowing Platform Management users to create, view, update, delete, and search fundraising activity categories, as well as generate daily, weekly, and monthly performance reports. The objective is to ensure administrative reporting and category management features function accurately and securely.

Objectives:

1. Validate fundraising activity category management functions:
 - (a) Create fundraising activity categories.
 - (b) View fundraising activity categories.
 - (c) Update category information.
 - (d) Delete fundraising activity categories.
 - (e) Search categories using valid keywords.
2. Verify category validation rules:
 - (a) Duplicate category detection.
 - (b) Mandatory field validation.
 - (c) Invalid category handling.
 - (d) Category existence validation.
3. Validate report generation functionality:
 - (a) Generate daily reports.
 - (b) Generate weekly reports.
 - (c) Generate monthly reports.
 - (d) Display accurate report statistics and summaries.
4. Confirm generated reports correctly retrieve:
 - (a) Donation totals
 - (b) User login statistics
 - (c) Fundraising activity statistics
 - (d) Category statistics
5. Ensure success messages, validation handling, and report generation workflows function correctly.

Resources:

Test Environment:

Local Development Environment

Testing Machine:

1. Operating System: Windows 11 Pro Version 25H2
2. Processor: Intel Core i7 / AMD Ryzen equivalent
3. RAM: 16GB
4. Architecture: 64-bit Operating System

Software Requirements:

1. Python 3.x
2. Flask Framework
3. SQLite Database
4. Visual Studio Code

5. Google Chrome Browser


Preconditions to Run Test:

1. Sprint 4 latest build is deployed successfully.
2. Platform Management accounts exist with administrative privileges.
3. Database contains:
 - (a) Existing fundraising categories
 - (b) Donation records
 - (c) User session/login records
 - (d) Fundraising activity statistics
4. Historical daily, weekly, and monthly platform data exists for report generation.
5. Test categories include:
 - (a) Valid category names
 - (b) Duplicate category names for negative testing
6. Browser session data is cleared before authentication-related testing.

Test Completion Criteria:

1. All Sprint 4 test cases are executed successfully.
2. Positive category management and report generation scenarios pass successfully.
3. Invalid category inputs and failed report generation scenarios display proper validation/error messages.
4. No high-priority defects remain unresolved for category management or reporting modules.
5. Regression testing confirms Sprint 1–3 functionalities remain unaffected after Sprint 4 integration.

6.11 Sprint 4: UML Class Diagram



6.12 Sprint 4: Data Persistence Diagram



6.13 Sprint 4 Taiga Start

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#33 Create Fundraising Activity Category N/E	NEW #399 User interface (wireframe) #397 BCE Class Diagram #396 UML Class Diagram #398 Database ER Diagram #395 BCE Sequence diagram #394 Use case description #393 Use case diagram #402 Test data #401 Test case #400 Test plan #503 Code implementation				
#34 View Fundraising Activity Category N/E	NEW #412 Test data #411 Test case #410 Test plan #409 User interface (wireframe) #408 Database ER Diagram #407 BCE Class Diagram #406 UML Class Diagram #405 BCE Sequence diagram #404 Use case description #403 Use case diagram #504 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#35 Update Fundraising Activity Category N/E NEW	#419 User interface (wireframe) #418 Database ER Diagram #417 BCE Class Diagram #416 UML Class Diagram #415 BCE Sequence diagram #414 Use case description #413 Use case diagram #422 Test data #421 Test case #420 Test plan #505 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#36 Delete Fundraising Activity Category N/E NEW	#424 Use case description #423 Use case diagram #432 Test data #431 Test case #430 Test plan #429 User interface (wireframe) #428 Database ER Diagram #427 BCE Class Diagram #426 UML Class Diagram #425 BCE Sequence diagram #506 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#37 Search Fundraising Activity Category NEW	#442 Test data #441 Test case #440 Test plan #439 User interface (wireframe) #438 Database ER Diagram #437 BCE Class Diagram #436 UML Class Diagram #434 Use case description #433 Use case diagram #435 BCE Sequence diagram #507 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#40 Generate Daily Reports NEW	#451 Test case #450 Test plan #449 User interface (wireframe) #448 Database ER Diagram #447 BCE Class Diagram #446 UML Class Diagram #445 BCE Sequence diagram #444 Use case description #443 Use case diagram #452 Test data #484 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #41 Generate Weekly Reports N/E	NEW #459 User Interface (wireframe) #458 Database ER Diagram #457 BCE Class Diagram #456 UML Class Diagram #455 BCE Sequence diagram #454 Use case description #453 Use case diagram #462 Test data #461 Test case #460 Test plan #495 Code implementation				

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
^ #42 Generate Monthly Reports N/E	NEW #472 Test data #470 Test plan #471 Test case #469 User Interface (wireframe) #468 Database ER Diagram #467 BCE Class Diagram #466 UML Class Diagram #465 BCE Sequence diagram #464 Use case description #463 Use case diagram #496 Code implementation				

6.14 Sprint 4 Taiga End

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#33 Create Fundraising Activity Category N/E NEW				#399 User Interface (wireframe) #397 BCE Class Diagram #396 UML Class Diagram #398 Database ER Diagram #395 BCE Sequence diagram #394 Use case description #393 Use case diagram #402 Test data #401 Test case #400 Test plan #503 Code implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#34 View Fundraising Activity Category N/E NEW				#412 Test data #411 Test case #410 Test plan #409 User Interface (wireframe) #408 Database ER Diagram #407 BCE Class Diagram #406 UML Class Diagram #405 BCE Sequence diagram #404 Use case description #403 Use case diagram #504 Code implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#35 Update Fundraising Activity Category N/E NEW				#419 User Interface (wireframe) #419 Database ER Diagram #417 BCE Class Diagram #416 UML Class Diagram #415 BCE Sequence diagram #414 Use case description #413 Use case diagram #422 Test data #421 Test case #420 Test plan #505 Code implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#36 Delete Fundraising Activity Category N/E NEW				#424 Use case Description #423 Use case diagram #432 Test data #431 Test case #430 Test plan #429 User Interface (wireframe) #428 Database ER Diagram #427 BCE Class Diagram #426 UML Class Diagram #425 BCE Sequence diagram #506 Code implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#37 Search Fundraising Activity Category NEW				#442 Test data #441 Test case #440 Test plan #439 User interface (wireframe) #438 Database ER Diagram #437 BCE Class Diagram #436 UML Class Diagram #434 Use case description #433 Use case diagram #435 BCE Sequence diagram #507 Code implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#40 Generate Daily Reports NEW				#451 Test case #450 Test plan #449 User interface (wireframe) #448 Database ER Diagram #447 BCE Class Diagram #446 UML Class Diagram #445 BCE Sequence diagram #444 Use case description #443 Use case diagram #452 Test data #494 Code implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#41 Generate weekly Reports NEW				#459 User interface (wireframe) #458 Database ER Diagram #457 BCE Class Diagram #456 UML Class Diagram #455 BCE Sequence diagram #454 Use case description #453 Use case diagram #462 Test data #461 Test case #460 Test plan #495 Code implementation	

USER STORY	NEW	IN PROGRESS	READY FOR TEST	CLOSED	NEEDS INFO
#42 Generate Monthly Reports NEW				#472 Test data #470 Test plan #471 Test case #469 User interface (wireframe) #468 Database ER Diagram #467 BCE Class Diagram #466 UML Class Diagram #465 BCE Sequence diagram #464 Use case description #463 Use case diagram #496 Code implementation	

7. Data Driven Development

Data-Driven Feature Enhancement: FRA Recommendation Engine

Feature Overview

The selected feature for enhancement is the **Search and Discovery of Fundraising Activities (FRAs)**, as outlined in **User Story #20**. Currently, the system relies on manual inputs from the Donor to find relevant causes. By applying data-driven development, we will implement a recommendation engine that predicts which FRAs a donor is most likely to support based on their historical behavior and profile.

Original Feature: Manual Search and Discovery

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

Fundraising Activities

Search Activities:

SEARCH

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	View Add to Favorites
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	View Add to Favorites

1. Model Requirements

The primary goal is to increase donor engagement by presenting highly relevant FRAs. We will implement a **Supervised Learning** model, specifically a binary classifier. The model will identify which components of the FRA dataset (category, goal, urgency) correlate with a "Positive" action from a donor. The requirements include a labeled dataset where donor interactions are mapped to specific outcomes, such as a "Save to Favorite" or a "Successful Donation."

2. Data Collection

Data will be gathered from the application's internal relational database. We will collect:

- **User Account & Profile Data:** Donor ID, geographic location, and linked User Profile roles.
- **Transaction Logs:** History of past donations, including amounts and timestamps.
- **Interaction Data:** Logs of FRAs viewed or ignored during previous sessions.
- **FRA Metadata:** The specific categories (Medical, Education, etc.) and current funding status.

3. Data Cleaning

In this stage, we will handle noise and inconsistencies. We will remove duplicate logs caused by page refreshes and handle missing data in the "Donor Address" or "FRA Description" fields. For example, if a donor's phone number is missing, we will ensure the model treats it as a null feature rather than an error. We will also standardize category names to ensure "medical" and "Medical" are treated as the same feature, ensuring the data is high-quality before training.

4. Data Labeling

Since we are using a supervised approach, ground-truth labels are essential. We will define a "Positive" label (1) as any FRA where the donor completed a donation or added it to their favorites list. A "Negative" label (0) will be assigned to FRAs that were displayed to the donor in search results but received no interaction. This process allows the model to learn the distinct difference between a successful match and an ignored activity.

5. Feature Engineering

We will perform feature extraction to convert raw database records into numerical vectors:

- **Donor Features:** "Average donation amount" and "Most frequent category supported."
- **FRA Features:** "Days remaining in the campaign" and "Percentage of goal reached."
- **Feature Selection:** We will use a correlation matrix to identify and remove redundant features. For instance, if "User Location" and "FRA Location" are always identical, we may keep only one to simplify the model.

6. Model Training

The data will be split into a 70% training set and a 30% test set. We will select a **Gradient Boosted Tree** or **Logistic Regression** algorithm to handle the classification task. During training, we will perform hyper-parameter tuning, adjusting the "learning rate" and "tree depth" to ensure the model accurately captures donor preferences without overfitting to the small initial dataset of 100+ records.

7. Model Evaluation

The model's performance will be assessed using the 30% test data. We will focus on:

- **Precision:** Of all recommended FRAs, how many did the donor actually click?
- **Recall:** Did we successfully recommend all the FRAs the donor eventually donated to?
- **F-Measure:** A combined score to ensure the model is balanced.
- **AUC (Area Under Curve):** To measure how well the model separates "likely to donate" from "unlikely to donate."

8. Model Deployment

Once the model meets the required accuracy thresholds, it will be deployed as a recommendation service within the application. It will be integrated into the "Browse Activities" page. When a user with the "Donor" User Profile logs in, the system will pass their historical features to the model, which will then return a ranked list of the top 5 suggested FRAs to be displayed in a "Recommended for You" section.

Enhanced Feature: Personalized Recommendations

Online Fundraising System

Welcome, [Donor Name] | Logout

Browse Activities

Favorites

History

Recommended for You

Support Rural Clinics

Category: Health

View Details

Books for Children

Category: Education

View Details

Disaster Relief Fund

Category: Emergency

View Details

Clean Water Project

Category: Environment

View Details

Animal Shelter Aid

Category: Community

View Details

Fundraising Activities

Search Activities:

SEARCH

ID	Activity Title	Category	Current	Goal	Status	Actions
001	Save the Forests	Environment	\$6,000	\$10,000	Ongoing	ViewAdd to Favorites
002	Clean Water Project	Infrastructure	\$10,000	\$15,000	Ongoing	ViewAdd to Favorites

9. Model Monitoring

After deployment, the team will continuously monitor the system for "Model Drift," a scenario where donor interests change over time (e.g., shifting from Education to Disaster Relief due to current events). We will track the click-through rate (CTR) of the recommendations daily. If the accuracy drops below a certain threshold, it will trigger a new cycle of data collection and retraining to ensure the recommendations remain effective.

8. Ethical Issues

Product Ethical Considerations:

1. Privacy

The system is designed to ensure user privacy is respected and personal data is protected from any unauthorised access. Hence, to manage user privacy, each user is assigned a specific role which provides them restricted access to the system features based on that role. This ensures that users are only allowed to view and manage their own data. To support this the system implements user authentication through secure login credentials, ensuring that only authorised users can access their respective dashboards.

2. Reliability

The system must also be reliable for users, where information is kept accurate and consistent. To achieve this, testing was conducted on key system functionalities to verify the outcomes of the different user actions. Validation checks were also implemented to ensure that incomplete or incorrect data are prevented from being processed. This measure helps to reduce system errors and provides users with a greater confidence in the accuracy and trustworthiness of the system outputs.

Process Ethical Considerations:

1. Inclusiveness

Inclusiveness was maintained by ensuring that each member was given the opportunity to take on tasks based on their strengths and weaknesses. The team was divided into two main groups, mainly focusing on coding and documentation. To maintain a fair workload for each member, tasks were discussed and agreed on collectively before the allocation of responsibilities were assigned. Although the coding segment required a heavier workload, members working on documentation still provided support when needed, such as assisting in minor implementations. This collaborative approach ensured inclusiveness and that all members contributed meaningfully to the project.

2. Accountability

To maintain accountability, each member was responsible to complete their assigned tasks within agreed deadlines to prevent backlogs for others. In situations where a member was unable to manage their workload, they were expected to update the group chat promptly so that others are aware and can step in and assist to get the progress back on track. Members also provided regular progress updates on Taiga and team meetings, ensuring transparency of work and keeping the project on track.

9. CI/CD

9.1. Overview and Repository Setup

The development of the Online Fundraising System utilized **GitHub** as the primary CI/CD platform to automate version control, facilitate collaborative development, and maintain a high-quality codebase. By adopting a "Branch-per-Feature" strategy, our group ensured that the main branch remained in a deployable state while features were developed and tested independently.

The repository was structured following the **b-c-e (Boundary-Control-Entity)** framework required by the subject guidelines. This modularity is essential for CI/CD, as it allows for isolated unit testing of logic within the control and entity layers without interference from the user interface. Templates contain HTML files and are a part of the boundary layer, it was placed in a separate templates folder for easier referencing.

CSIT314-SDM (Private) Watch 0 Fork 0 Star 0

main 67 Branches 0 Tags

Go to file Add file Code

284 Commits

Commit	Message	Time
Jin0298	Update .DS_Store	d4d0687 · 1 hour ago
	Transitioning to flask app	last month
	master tester role and account removed	yesterday
	Made some changes for donor and fundraiser. Some very min...	yesterday
	Made some changes for donor and fundraiser. Some very min...	yesterday
	Integration of activity html and enabled activity data to be c...	last week
	master tester role and account removed	yesterday
	Added the login pop-up as landing page. adjusted certain da...	2 days ago
	Update .DS_Store	1 hour ago
	restored favourites list	2 weeks ago
	Initial commit	last month
	Added the login pop-up as landing page. adjusted certain da...	2 days ago
	Transitioning to flask app	last month
	master tester role and account removed	yesterday
	Added account creation timestamp to DB. Report function is ...	last week

About

Design and develop an online fundraising system to match fund raisers to the donees

Readme Activity 0 stars 0 watching 0 forks

Releases

No releases published
[Create a new release](#)

Packages



No packages published
[Publish your first package](#)


Contributors 4

- XuexinDeng
- yyan021212
- Anythingsaf22 Kaung Khant Kyaw

boundary

- access_control.py
- auth_routes.py
- favourite_list_routes.py
- fundraising_activity_routes.py
- fundraising_category_routes.py
- report_routes.py
- user_account_routes.py
- user_profile_routes.py






9.2. Folder Structure and Automation Scripts

The project environment was configured to support automated integration. Key files in the root directory include:

- **app.py**: The main entry point that registers Flask blueprints and initializes the system.
- **db.py & fundraising.sql**: Configuration for the SQLite database, ensuring consistent schema deployment across all environments.
- **.gitignore**: A configuration file used to prevent environment-specific files (like `.idea/` or `__pycache__/`) from entering the pipeline, keeping the repository clean.
- **tests/**: A dedicated directory for automated test scripts, which are vital for the "Integration" phase of CI.



9.3. Commit Strategy and Feature Integration

Continuous Integration was achieved by merging small, frequent updates rather than large, infrequent ones. As seen in the commit history, the team utilized **Pull Requests (PRs)** to merge code from patches into the main branch.

Each commit is "Verified," indicating that the code was integrated through GitHub's standard workflow. The commit history shows a chronological progression of feature development, ranging from database creation to UI adjustments.

Commits on Apr 22, 2026		
Created user_account.py and added until createAccount	334df10	
AnythingSaf22 committed 3 weeks ago		
Merge pull request #19 from AnythingSaf22/XuexinDeng-patch-21	Verified 5d4c211	
XuexinDeng authored 3 weeks ago		
view profile page	Verified 39a8c96	
XuexinDeng authored 3 weeks ago		
Merge pull request #18 from AnythingSaf22/XuexinDeng-patch-20	Verified 920beb2	
XuexinDeng authored 3 weeks ago		
update profile page	Verified addf0b4	
XuexinDeng authored 3 weeks ago		
Merge pull request #17 from AnythingSaf22/XuexinDeng-patch-19	Verified c73ae94	
XuexinDeng authored 3 weeks ago		

9.4. Feature Implementation Case Study: User Authentication

To demonstrate a complete CI/CD cycle, we highlight the **User Authentication (Login/Logout)** functionality. This feature followed the full pipeline:

1. **Requirement Elicitation:** Defined the need for secure user access for different roles (Admin, Donor, Fundraiser).
2. **Development:** Implementation of `auth_routes.py` (Boundary), `login_controller.py` (Control), and `user_account.py` (Entity).
3. **Continuous Integration (Verification):** Before merging, the feature was verified using the automated test script `tests/test_login_logout.py`. This script performs unit tests on various login scenarios (Admin success, wrong password, etc.).
4. **Deployment:** Once the tests passed, the feature was merged into the main repository, as evidenced by the commit on April 30, 2026.

The image shows a screenshot of a development environment. The top section displays a list of commits from April 30, 2026. The bottom section shows a file explorer with a project structure.

Commits on Apr 30, 2026

Commit Message	Author	Commit Hash	Status
Added logout button, "Welcome, XXX" and hide/show password feature	AnythingSaf22 committed 2 weeks ago	623d2a7	
Added login/logout	AnythingSaf22 committed 2 weeks ago	106a8a9	
added some design for landing	AnythingSaf22 committed 2 weeks ago	2eea475	
Fixed bug and made a proper landing page	AnythingSaf22 committed 2 weeks ago	51cb1b4	
Finished useraccount and files	AnythingSaf22 committed 2 weeks ago	cce508b	
Update fundraising_activity_routes.py	yyan021212 authored 2 weeks ago	d7b8eec	Verified

File Explorer Structure:

- .idea
- boundary
- control
- entity
- reference_files
- templates
- tests
 - test_login_logout.py
- .DS_Store
- .gitignore
- README.md
- app.py
- db.py
- fundraising.db
- fundraising.sql


9.5. Summary

By using GitHub's environment, the team ensured:

- **Version Control:** Every change is documented with a unique commit hash.
- **Conflict Resolution:** Pull requests allowed the team to identify and resolve code conflicts during integration.

Traceability: The link between the tests/ scripts and the implementation files ensures that any feature deployed was verified for functionality.

10. Gantt Chart



11. Links (code and vid)

GitHub (CI/CD): <https://github.com/Anythingsaf22/CSIT314-SDM>

Video recording:

<https://drive.google.com/file/d/1OYmXwJ3rjCA6FSy77S3lpcyCjugkHag9/view?usp=sharing>