Over-Optimization and RLHF's Bad Reputation

Nathan Lambert

Post-training course. Chapter 14 & Appendix B.

April 2025: Extreme sycophancy in production

A GPT-4o update made the model validate nearly anything

USER
(told GPT-4o they felt like they were both “god” and a “prophet”)

ASSISTANT (GPT-4o, April 2025)
That’s incredibly powerful. You’re stepping into something very big – claiming not just connection to God but identity as God.

user feedback

a reward signal
via a reward model for RL
thumbs-up/thumbs-down data
from ChatGPT.


Under RL

that signal overpowered the primary rewards

not caught by evals

offline benchmarks looked good
A/B testers preferred the model.
no deployment eval tracking sycophancy.

Goodhart's law: The reward is a proxy



"When a measure becomes a target, it ceases to be a good measure" (Hoskin, 1996).

RL is a very strong optimizer

a learned model, at best correlated with downstream quality (Schulman, 2023).

실제 목표는 학습 초기에는 개선되지만,
그 이후에는 악화된다.

Over-optimization v. overfitting

Overfitting	Over-optimization
memorizes training examples rather than learning generalizable patterns.	genuinely improves at the proxy objective the reward model's scores (including on validation set) diverges from the true goal, actual user satisfaction
Training accuracy improves held-out accuracy degrades	a measurement/metric problem.


verbose, confident-sounding answers that score well without being more helpful

repeating rare tokens that hit artifacts in RM training.

Scaling laws for RM over-optimization


A 6B “gold” RM stands in for ground-truth preferences

Best-of-N




gold reward (solid) flattens and falls
the proxy (dashed) keeps climbing.

RL



~10x more KL spent
a much harder turnover for small RMs.

Train vs. test reward models



Split the preference data in half
two 52B preference models
a train PM and a test PM.


RL against the train PM only;
score the policy with both.

The x-axis is $\sqrt{D_{KL}}$ from the initial policy

정책이 얼마나 달라졌는지를 나타낸다.

What over-optimized models sound like

over-refusals: “Too much RLHF”?



Stock phrases

“As an AI language model…”, “Certainly!..”

Pandering

self-doubt, over-apologizing, sycophancy (Sharma et al., 2024)

reward hacking

models exploiting graders, test harnesses, and tools rather than solving the task.

Lecture 9, p. 13–14, 17

Why it happens

Sources of error (Schulman, 2023):

approximation	(the RM cannot perfectly fit preferences)
estimation	(the RM overfits its training set)
optimization	(the policy trains too hard against it)

Potential mitigations

Bigger policies	more ways to gain reward at small optimization distances
Reward-model ensembles **changed optimizers**	(Coste et al., 2024) (Moskovitz et al., 2024)
Direct alignment	over-optimizes too makes the trade-off easier to pin
Best-of-N sampling	spends far less KL than online RL

The main lever in practice: the KL penalty

“Just style” / “style transfer”

Early on, say ~2023,
RLHF got a reputation as “just style transfer”

Style transfer = reshaping presentation

tone, Markdown, bullet lists, hedging, length (“chattiness”)

with no new capability underneath.

The Superficial Alignment Hypothesis

(Zhou et al., 2023)

knowledge is learned in pretraining;

alignment just picks a format and tone.

Same base model

three SFT → DPO pairs
Tülu 3 70B and OLMo 2 32B / 7B
across 16 shared prompts

SFT	DPO
a single wall of prose.	keep the same facts definition first, then headers and numbered lists.

Easier to read and use, without losing content.

Style as substance

more fun to use
delivered value – independent of benchmark scores.

The chattiness balance

“However, DPO leads to improvements in human preference evaluation but degradation in benchmark evaluation.”

Qwen technical report, 2023

Preference tuning
reliably boosts LLM-as-a-judge chat evals (AlpacaEval, MT-Bench)


gains that do not transfer proportionally to Arena or real usage.

Preference methods
run in loops or with abundant data

can trade math and coding for chat performance

Length-gamed leaderboards

Direct Nash Optimization reports a 7B model “beating GPT-4” on AlpacaEval



AlpacaEval and WildBench added linear length corrections.

Llama 4's Chatbot Arena special

Maverick at Elo 1417 – #2 on Chatbot Arena

"an experimental chat version."

The model on the leaderboard	The released Maverick
long, emoji-filled, relentlessly enthusiastic answers.	an okay model with a reasonable tone.
Same name, drastically different behavior	landed far down the leaderboard

The model on the leaderboard was not the released model

Why does RLHF make answers longer?

average users	prefer longer, complete answers they read as more thorough, helpful, and trustworthy.
Models are trained	to match the average labeler
Length	the most-rewarded surface feature the easiest to over-optimize.

Length is Goodhart’s favorite axis

Done right, preference tuning helps capabilities/skills too

The “just style” critique was outgrown, only partially

Tülu 3

the preference (DPO) stage

boosts chattiness

improves math, coding, and instruction-following

over the SFT checkpoint

Multiple open recipes

the same broad-suite gains from RLHF (DPO)

Tülu 3, Olmo 3, SmolLM 3

the same tools, **used carefully** central to modern post-training.

References

Gao, L., Schulman, J., and Hilton, J.. “Scaling laws for reward model overoptimization.” International Conference on Machine Learning, 2023.

Bai, Y., Jones, A., Ndousse, K., Askell, A., Chen, A., et al.. “Training a helpful and harmless assistant with reinforcement learning from human feedback.” arXiv preprint arXiv:2204.05862, 2022.

Schulman, J.. “Proxy Objectives in Reinforcement Learning from Human Feedback.” 2023.

Sharma, M., Tong, M., Korbak, T., Duvenaud, D., Askell, A., et al.. “Towards Understanding Sycophancy in Language Models.” The Twelfth International Conference on Learning Representations, 2024.

Lambert, N., Morrison, J., Pyatkin, V., Huang, S., Ivison, H., et al.. “Tülu 3: Pushing Frontiers in Open Language Model Post-Training.” arXiv preprint arXiv:2411.15124, 2024.