


LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : CBH-12

Sample Type & Sample Depth from top : UDS & 1.50 m

FLOW CURVE



LIQUID LIMIT TEST OBSERVATIONS

| Trial No. | Number of Blows (N) | Moisture Content, w (%) |
|-----------|---------------------|-------------------------|
| 1         | 17                  | 38.72                   |
| 2         | 22                  | 36.12                   |
| 3         | 26                  | 34.93                   |
| 4         | 27                  | 35.88                   |

TEST RESULTS

|                         |           |
|-------------------------|-----------|
| Liquid Limit ( $w_L$ )  | : 35.70 % |
| Plastic Limit ( $w_P$ ) | : 17.30 % |
| Plasticity Index (PI)   | : 18.40 % |

Remarks / Note:

- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.


LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : CBH-12

Sample Type & Sample Depth from top : SPT & 3.50 m

FLOW CURVE



LIQUID LIMIT TEST OBSERVATIONS

| Trial No. | Number of Blows (N) | Moisture Content, w (%) |
|-----------|---------------------|-------------------------|
| 1         | 15                  | 36.48                   |
| 2         | 16                  | 36.91                   |
| 3         | 20                  | 36.05                   |
| 4         | 26                  | 33.76                   |

TEST RESULTS

|                                 |           |
|---------------------------------|-----------|
| Liquid Limit (w <sub>L</sub> )  | : 34.30 % |
| Plastic Limit (w <sub>p</sub> ) | : 16.60 % |
| Plasticity Index (PI)           | : 17.70 % |

Remarks / Note:

- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.


LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : CBH-12

Sample Type & Sample Depth from top : UDS & 4.50 m

FLOW CURVE



LIQUID LIMIT TEST OBSERVATIONS

| Trial No. | Number of Blows (N) | Moisture Content, w (%) |
|-----------|---------------------|-------------------------|
| 1         | 18                  | 37.70                   |
| 2         | 21                  | 37.08                   |
| 3         | 23                  | 37.34                   |
| 4         | 32                  | 34.32                   |

TEST RESULTS

|                         |           |
|-------------------------|-----------|
| Liquid Limit ( $w_L$ )  | : 36.10 % |
| Plastic Limit ( $w_P$ ) | : 17.40 % |
| Plasticity Index (PI)   | : 18.70 % |

Remarks / Note:


- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.

LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : CBH-12

Sample Type & Sample Depth from top : UDS & 7.50 m



LIQUID LIMIT TEST OBSERVATIONS

| Trial No. | Number of Blows (N) | Moisture Content, w (%) |
|-----------|---------------------|-------------------------|
| 1         | 18                  | 37.83                   |
| 2         | 21                  | 36.19                   |
| 3         | 23                  | 36.53                   |
| 4         | 27                  | 34.70                   |

TEST RESULTS

|                         |           |
|-------------------------|-----------|
| Liquid Limit ( $w_l$ )  | : 35.40 % |
| Plastic Limit ( $w_p$ ) | : 16.60 % |
| Plasticity Index (PI)   | : 18.80 % |

Remarks / Note:


- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.

LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : CBH-12

Sample Type & Sample Depth from top : SPT & 13.50 m



LIQUID LIMIT TEST OBSERVATIONS

| Trial No. | Number of Blows (N) | Moisture Content, w (%) |
|-----------|---------------------|-------------------------|
| 1         | 16                  | 23.49                   |
| 2         | 20                  | 22.12                   |
| 3         | 25                  | 20.79                   |
| 4         | 26                  | 21.46                   |

TEST RESULTS

|                         |           |
|-------------------------|-----------|
| Liquid Limit ( $w_l$ )  | : 21.20 % |
| Plastic Limit ( $w_p$ ) | : —       |
| Plasticity Index (PI)   | : —       |

Remarks / Note:

- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.