


LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : SBH-11

Sample Type & Sample Depth from top : UDS & 1.50 m



LIQUID LIMIT TEST OBSERVATIONS

Trial No.	Number of Blows (N)	Moisture Content, w (%)
1	15	38.54
2	20	38.04
3	25	35.48
4	28	34.73

TEST RESULTS

Liquid Limit (w_l)	: 35.70 %
Plastic Limit (w_p)	: 14.60 %
Plasticity Index (PI)	: 21.10 %

Remarks / Note:


- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.

LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : SBH-11

Sample Type & Sample Depth from top : UDS & 4.50 m



LIQUID LIMIT TEST OBSERVATIONS

Trial No.	Number of Blows (N)	Moisture Content, w (%)
1	15	37.14
2	21	35.12
3	25	32.94
4	29	33.41

TEST RESULTS

Liquid Limit (w_L)	: 33.80 %
Plastic Limit (w_P)	: 15.60 %
Plasticity Index (PI)	: 18.20 %

Remarks / Note:


- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.

LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : SBH-11

Sample Type & Sample Depth from top : UDS & 7.50 m



LIQUID LIMIT TEST OBSERVATIONS

Trial No.	Number of Blows (N)	Moisture Content, w (%)
1	17	34.28
2	19	34.24
3	24	32.22
4	28	32.19

TEST RESULTS

Liquid Limit (w_l)	: 32.50 %
Plastic Limit (w_p)	: 16.00 %
Plasticity Index (PI)	: 16.50 %


Remarks / Note:

- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.

LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : **SBH-11**
Sample Type & Sample Depth from top : **SPT & 10.00 m**



LIQUID LIMIT TEST OBSERVATIONS

Trial No.	Number of Blows (N)	Moisture Content, w (%)
1	16	34.37
2	18	32.61
3	21	32.89
4	30	30.86

TEST RESULTS

Liquid Limit (w_l)	: 31.74 %
Plastic Limit (w_p)	: 16.10 %
Plasticity Index (PI)	: 15.64 %

Remarks / Note:

- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.