1.Create a MySQL table called playlists to store Spotify-style music playlists, with columns: playlist_id (primary key), user_id (foreign key), name (varchar), and created_at (datetime). Write the CREATE TABLE statement.
Answer:

```
CREATE TABLE playlists(
        playlist_id INT PRIMARY KEY,
        user_id INT,
        name VARCHAR(),
        created_at DATETIMe DEFAULT CURRENT_TIMESTAMP,
        FOREIGN KEY (user_id) REFERENCES users(user_id) ,
);
```

2.Insert three sample records into the playlists table: one for a user with a 'Workout Mix', one with a 'Chill Vibes', and one with a 'Top Hits' playlist. Use realistic data for each field.
Answer:

```
INSERT INTO playlists (‘playlist_id’,’user_id’,’name’,’created_at’) VALUES
        (1, 101, 'Workout Mix', '2026-06-01 08:30:00'),
        (2, 102, 'Chill Vibes', '2026-06-05 20:15:00'),
        (3, 103, 'Top Hits', '2026-06-10 12:00:00');
```

3.Write an SQL UPDATE statement to rename the 'Chill Vibes' playlist to 'Evening Chill' for a specific user_id.
Answer:

```
UPDATE playlists SET name = “Evening Chill” WHERE user_id = 102;
```

4.Write a DELETE statement to remove a playlist named 'Workout Mix' for a given user_id from the playlists table.

Hint: Make sure your WHERE clause targets only the intended row.
Answer:

```
DELETE FROM playlists WHERE user_id = 101 AND name = “Workout Mix”;
```

5.Create a stored procedure named GetMonthlyPlaylistCount that takes a user_id and a month (as an integer) as input, and returns the total number of playlists the user created in that month.

Hint: Use the MONTH() function in your WHERE clause.
Answer:

```
DELIMITER //

CREATE PROCEDURE GetMonthlyPlaylistCount(
   IN p_user_id INT,
   IN p_month INT,
   OUT p_playlist_count INT
)
BEGIN
   SELECT COUNT(*)
   INTO p_playlist_count
   FROM playlists
   WHERE user_id = p_user_id
     AND MONTH(created_at) = p_month;
```

```
END //

DELIMITER ;
```