

[Template] API Contract

1. User Story
2. Wireframe & User Action
3. Frontend Requirements
 - 3.1. UI Components
 - 3.2. State Management
4. Backend Requirements
 - 4.1. Business Logic
 - 4.2. Validation Rules
5. API Contract

Endpoint 1: Get Moods List

Request

Response - Success (200)

Response - Error ([4xx/5xx])
6. Discussion Points

1. User Story

As a [user type],
I want to [action],
so that [goal].

2. Wireframe & User Action

Write in plain English - no technical terms

This section is for discussion among CEO/PM, Frontend, and Backend.

[Wireframe image here]

Pages/Screen	Action	Result	Status
[Screen Name]	[User action description]	[Expected result]	TODO
[Screen Name]	[User action description]	[Expected result]	TODO
[Screen Name]	[User action description]	[Expected result]	TODO

3. Frontend Requirements

This section is owned by Frontend team

3.1. UI Components

Component	Description	Data Source
[ComponentName]	[What this component displays/does]	[API / Static / Local]
[ComponentName]	[What this component displays/does]	[API / Static / Local]
[ComponentName]	[What this component displays/does]	[API / Static / Local]

3.2. State Management

State	Type	Initial	Description
[stateName]	[string / number / boolean / Type[]]	[initialValue]	[What this state represents]
[stateName]	[string / number / boolean / Type[]]	[initialValue]	[What this state represents]
[stateName]	[boolean]	[false]	[Loading/error state description]

4. Backend Requirements

 This section is owned by Backend team

4.1. Business Logic

1. [Step 1: e.g., Authenticate user via token]
2. [Step 2: e.g., Validate request parameters]
3. [Step 3: e.g., Query database for resource]
4. [Step 4: e.g., Process/transform data]
5. [Step 5: e.g., Return response]

4.2. Validation Rules

Field	Rule	Error Code
[fieldName]	[Validation rule description]	[ERROR_CODE]
[fieldName]	[Validation rule description]	[ERROR_CODE]
[fieldName]	[Validation rule description]	[ERROR_CODE]

5. API Contract

 This section is owned by Backend and Frontend together

Endpoint 1: Get Moods List

```
1 [METHOD] /api/[resource]/[action]/
```

Request

Parameter	Location	Type	Required	Description
Authorization	Header	string	Yes	Bearer {token}
[HeaderName]	Header / Path / Query	[type]	[Yes/No]	[Description]

Response - Success (200)

```
1 {
2   "[field_name)": "[value_type or example]",
3   "[field_name)": "[value_type or example]",
4   "[nested_object)": {
5     "[field_name)": "[value_type or example]"
6   }
7 }
```

Response - Error ([4xx/5xx])

Status	Code	Message	When
400	[ERROR_CODE]	[Error message]	[Condition that triggers this error]
401	UNAUTHORIZED	[Error message]	[Condition that triggers this error]
404	[ERROR_CODE]	[Error message]	[Condition that triggers this error]
500	SERVER_ERROR	[Error message]	[Condition that triggers this error]

6. Discussion Points

 **Open questions and decisions to be made. Check off when resolved.**

- [Question or decision point 1]
- [Question or decision point 2]
- [Question or decision point 3]