

BRR status Released  
MO status Finished  
Valid from ---  
MBR for MO version 00000001

MBR ID/Version/Description 5957004/00000032/ Fattiness SDD 0.25mg/0.5mlD  
Order size 30000 ea  
Batch no. NHJM068881  
MO no. NHJM00013246

BRR Approval		
Status	Word	MBR fulfilled
Batch Record Report NHJM00013246		
Released	Automatically released by system	---
Date - User: 2023-09-14 10:35:22 +0100 - 11111111 / ---		
MBR fulfilled: yes		

Review status		
Review step	Status	Number of elements
Exception review	Executed	0
Batch record report review (Exception)		
Date - User: 2023-09-14 10:22:47 +0100 - 270 / Nishranth Mahesh (nhjm)		
CPP review	Not needed	0
CQA review	Not needed	0

simple operations			
simple operation	SFO ID	Actual start	Actual end
0100 - SDD assembly	806363	2023-09-14 08:18:28 +0100	2023-09-14 10:20:34 +0100

Summing bill of input material				
Material no.	Material name	Target quantity	Actual quantity	No. of positions
2700145	FRONT ASSEMBLY_MK2, NN WHITE	20000 ea	20000 ea	1
2701018	REAR ASSEMBLY, NN WHITE, 0.5	20000 ea	20000 ea	1
5185500	SEMAGLUTIDE D 0.5MG/ML,PFS 0.5	20000 ea	20000 ea	1

Produced batches						
Material no.	Material name	Batch no.	Expiration date	Actual start	Actual end	Actual quantity
5957004	Fattiness SDD 0.25 mg/0.5 ml D	NHJM068881	2029-09-14 23:59 +0100	2023-09-14 10:06:30 +0100	2023-09-14 10:35:20 +0100	19703 ea

Bill of input material / Takeout log						
Pos.	Material no.	Material name	Manufacturing date set	Target quantity	Actual quantity	
0001	5185500	SEAGLUTIDE D 0.5MG/ML,PFS 0.5	No	20000 ea	20000 ea	
Action	SU	Batch no.	Scale ID	Scale quantity	Takeout quantity	Effective quantity
Take over	123400004868171362	NHJM068882	---	---	10000 ea	10000 ea
Date - User: 2023-09-14 09:57:47 +0100 - 121 / PAS-X Production Operator						
Take over	123400004868171386	NHJM068882	---	---	10000 ea	10000 ea
Date - User: 2023-09-14 09:58:12 +0100 - 121 / PAS-X Production Operator						
Pos.	Material no.	Material name	Manufacturing date set	Target quantity	Actual quantity	
0002	2700145	FRONT ASSEMBLY_MK2, NN WHITE	No	20000 ea	20000 ea	
Action	SU	Batch no.	Scale ID	Scale quantity	Takeout quantity	Effective quantity
Take over	123400004868171461	NHJM068884	---	---	10000 ea	10000 ea
Date - User: 2023-09-14 09:57:03 +0100 - 270 / Nishranth Mahesh (nhjm)						
Take over	123400004868171423	NHJM068884	---	---	10000 ea	10000 ea
Date - User: 2023-09-14 09:57:15 +0100 - 270 / Nishranth Mahesh (nhjm)						
Pos.	Material no.	Material name	Manufacturing date set	Target quantity	Actual quantity	
0003	2701018	REAR ASSEMBLY, NN WHITE, 0.5	No	20000 ea	20000 ea	
Action	SU	Batch no.	Scale ID	Scale quantity	Takeout quantity	Effective quantity
Take over	123400004868171485	NHJM068885	---	---	10000 ea	10000 ea
Date - User: 2023-09-14 09:56:22 +0100 - 121 / PAS-X Production Operator						
Take over	123400004868171508	NHJM068885	---	---	10000 ea	10000 ea
Date - User: 2023-09-14 09:56:48 +0100 - 121 / PAS-X Production Operator						

Bill of target material / Stock creation log						
Pos.	Material no.	Material name	Batch no.	Material flow type	Target quantity	Actual quantity
0001	5957004	Fattiness SDD 0.25mg/0.5 ml D	NHJM068881	Stock	30000 ea	19703 ea
	SU		Action			Actual quantity
	357108691600055130		Stock creation			10000 ea
			Date - User: 2023-09-14 10:06:30 +0100 - 270 / Nishranth Mahesh (nhjm)			
	357108691600055147		Stock creation			9703 ea
			Date - User: 2023-09-14 10:07:18 +0100 - 270 / Nishranth Mahesh (nhjm)			

Material reconciliation - Input material						
Pos.	Material	Accounted				Status
0001	5185500 - SEMAGLUTIDE D 0.5MG/ML,PFS 0.5	99,425 % (---)				<input checked="" type="checkbox"/>
Batch	Take-out	Return	Loss	Produced	Difference	
Total	20000 ea	0 ea	0 ea	19885 ea	115 ea	
NHJM068882	20000 ea	0 ea	0 ea			

Material reconciliation - Target material			
Material	Target	Actual	Samples
5957004 - Fattiness SDD 0.25mg/0.5 ml D	30000 ea	19703 ea	182 ea

Material reconciliation - Confirmation signatures		Date - User
Material reconciliation confirmation		2023-09-14 10:20:23 +0100 - 112 / PAS-X Production Support
Material reconciliation confirmation		2023-09-14 10:19:17 +0100 - 112 / PAS-X Production Support

Production unit	
simple operation	Production unit
0100 - SDD assembly	DF0601AL

Check lists		
Check list: ID kvittering	Number of samples using this list: 1	
	OK	Ikke OK
---	1	---
Check list: IPC kvittering	Number of samples using this list: 1	
	OK	Ikke OK
---	1	---
Check list: OPC kvittering	Number of samples using this list: 2	
	OK	Ikke OK
---	2	---
Check list: Reference kvittering	Number of samples using this list: 2	
	OK	Ikke OK
---	2	---

Samples							
ID	Sample type	Variant	Check list	Product counter	SU	Sample quantity	Critical results
REF1	REF	AUTOMATIC	Reference kvittering	10	---	35 ea	OK
			Date: 2023-09-14 08:47:54 +0100	User: 121/PAS-X Production Operator			
			PCS Date: 2017-06-15 11:33:32,861	Verification: ---			
OPC1	OPC	AUTOMATIC	OPC kvittering	30	---	40 ea	OK
			Date: 2023-09-14 08:48:25 +0100	User: 121/PAS-X Production Operator			
			PCS Date: 2017-06-15 11:33:32,861	Verification: ---			
ID1	PFS-ID	AUTOMATIC	ID kvittering	30	---	10 ea	OK
			Date: 2023-09-14 08:49:00 +0100	User: 121/PAS-X Production Operator			
			PCS Date: 2017-06-15 11:33:32,861	Verification: ---			
IPC1	IPC	AUTOMATIC	IPC kvittering	30	---	20 ea	OK
			Date: 2023-09-14 08:49:35 +0100	User: 121/PAS-X Production Operator			
			PCS Date: 2017-06-15 11:33:32,861	Verification: ---			
OPC2	OPC	AUTOMATIC	OPC kvittering	30	---	12 ea	OK
			Date: 2023-09-14 09:19:58 +0100	User: 121/PAS-X Production Operator			
			PCS Date: 2017-06-15 11:33:32,861	Verification: ---			
REF2	REF	AUTOMATIC	Reference kvittering	10	---	65 ea	OK
			Date: 2023-09-14 09:23:41 +0100	User: 121/PAS-X Production Operator			
			PCS Date: 2017-06-15 11:33:32,861	Verification: ---			

Bill of equipment				
Pos.	Equipment class	Equipment type	Equipment	Number of items
1	Workroom	ASSEM / Assembly Line	AL0601 / Assembly Line 06.01	1

Detailed BO				
Level	Step	Status		
1	1 - 0100STR - Opstartsaktiviteter	Subtype: ---	Tabular execution: no	NF
	Funktion håndterer alle opstartsaktiviteter: - Back-to-Back vurdering - Back-to-Back bekræftelse - Batchinformation (PID Board Information) - Allokering af udstyr - Prøveudtagings beregninger - Batch download og start			
Level	Step	Status		
2	1 - N0100DEC - Back to back?	Subtype: ---		NF
	Back to Back vælges hvis denne batch opstartes umiddelbart efter forgående batch. Opfylder denne ordre kriterierne for en back-to-back-ordre, vælges ja. Hvis ikke, vælg nej.			
	Decision type: User selection	Predecessor: Start	Repetition: 1	
	Set value	Actual value	User & date / Signature	Status
	---	N0100Yes		NF
	User & date: 2023-09-14 08:22:24 +0100 - 270 / Nishranth Mahesh (nhjm)			

Level		Step	Status
2	1	<b>1 - N0110B2B - Bekræft back to back</b> Subtype: --- Tabular execution: no	NF
		Denne funktion bekræfter valget af Back-to-Back.	
2.0	010	Bekræft back to back Subtype: ---	---
		<b>Set value</b> <b>Actual value</b> <b>User &amp; date / Signature</b> <b>Status</b>	
		Bekræft at back to back betingelserne er opfyldt	NF
		User & date: 2023-09-14 08:33:28 +0100 - 270 / Nishranth Mahesh (nhjm)	
		Block signature: 2023-09-14 08:33:42 +0100 - 121 / PAS-X Production Operator	
		Verification signature: 2023-09-14 08:33:56 +0100 - 114 / PAS-X Production Operator 2	
Level		Step	Status
2	1	<b>1 - N0140AL - [A] Allokér linje</b> Subtype: --- Tabular execution: no	NF
		Funktionen allokere linje til ordren. Hvis "ERROR" er linjen allokere til en anden ordre.	
Level		Step	Status
3	1	<b>1 - M0130AL - [A] Linje allokering</b> Subtype: ---	NF
		Allokere linje til aktuelle ordre. Linjen kan ikke allokere, hvis status ikke er OK.	
		<b>Set value</b> <b>Actual value</b> <b>User &amp; date / Signature</b> <b>Status</b>	
		ASSEM:Assembly Line / ASSEM:Assembly Line / Workroom:AL0601 (Assembly Line 06.01)	NF
		Workroom:AL0601 (Assembly Line 06.01) User & date: 2023-09-14 08:33:57 +0100 - 11111111 / ---	
		<b>Attributes</b>	
		Identification type: Scan	
		Reuse equipment: no	
		<b>Equipment item:</b>	
		1: Workroom AL0601 Assembly Line 06.01	
Level		Step	Status
2	1	<b>1 - N0230CAL - [A] Prøveudtagsberegninger</b> Subtype: --- Tabular execution: no	NF
		Beregner prøve udtag ud fra valgte ordre.	
2.0	010	Batch Size in Pens Subtype: ---	---
		<b>Set value</b> <b>Actual value</b> <b>User &amp; date / Signature</b> <b>Status</b>	
		--- 30000 ea	NF
		User & date: 2023-09-14 08:33:58 +0100 - 11111111 / ---	
2.1	020	IPC Subtype: ---	---
		1. Udtags mængde	
		<b>Set value</b> <b>Actual value</b> <b>User &amp; date / Signature</b> <b>Status</b>	
		--- 20 ea	NF
		User & date: 2023-09-14 08:33:59 +0100 - 11111111 / ---	
2.2	030	OPC Subtype: ---	---
		1. Udtags mængde	
		<b>Set value</b> <b>Actual value</b> <b>User &amp; date / Signature</b> <b>Status</b>	
		--- 52 ea	NF
		User & date: 2023-09-14 08:33:59 +0100 - 11111111 / ---	
2.3	040	Reference Subtype: ---	---
		1. Udtags mængde	
		<b>Set value</b> <b>Actual value</b> <b>User &amp; date / Signature</b> <b>Status</b>	
		--- 100 ea	NF
		User & date: 2023-09-14 08:33:59 +0100 - 11111111 / ---	
2.4	050	ID Subtype: ---	---
		1. Udtags mængde	
		<b>Set value</b> <b>Actual value</b> <b>User &amp; date / Signature</b> <b>Status</b>	
		--- 2 ea	NF
		User & date: 2023-09-14 08:33:59 +0100 - 11111111 / ---	
Level		Step	Status
2	1	<b>1 - N0250MBA - [A] Batch start</b> Subtype: --- Tabular execution: no	NF
		Udfører batchstart mellem PAS-X og linjen.	

Level Step					Status
↳	3	1 - M0150DEC - [A] Start MOT udført? Subtype: ---		NF	
		Decision type: Formula Predecessor: M0140MOT Repetition: 1			
		Set value	Actual value	User & date / Signature Status	
		---	M0150Yes	NF	
		User & date: 2023-09-14 08:37:05 +0100 - 11111111 / ---			
Level Step					Status
↳	3	1 - M0160DEC - [A] Start FA udført ? Subtype: ---		NF	
		Decision type: Formula Predecessor: M0161FA Repetition: 1			
		Set value	Actual value	User & date / Signature Status	
		---	M0160Yes	NF	
		User & date: 2023-09-14 08:36:53 +0100 - 11111111 / ---			
Level Step					Status
↳	3	1 - M0170DEC - [A] Start PFS udført? Subtype: ---		NF	
		Decision type: Formula Predecessor: M0171PFS Repetition: 1			
		Set value	Actual value	User & date / Signature Status	
		---	M0170Yes	NF	
		User & date: 2023-09-14 08:37:14 +0100 - 11111111 / ---			
Level Step					Status
↳	3	1 - M0180DEC - [A] Start RA udført? Subtype: ---		NF	
		Decision type: Formula Predecessor: M0181RA Repetition: 1			
		Set value	Actual value	User & date / Signature Status	
		---	M0180Yes	NF	
		User & date: 2023-09-14 08:37:24 +0100 - 11111111 / ---			
Level Step					Status
1		1 - 0110MAN - [A] Redownload Subtype: ---		Tabular execution: no NF	
		Trin til redownload			
Level Step					Status
↳	2	1 - N0100DEC - [A] Redownload Subtype: ---		NF	
		Denne funktion er 'Nej' som standard. Ændres til 'Ja' ved behov for redownload.			
		Decision type: Formula Predecessor: Start Repetition: 1			
		Set value	Actual value	User & date / Signature Status	
		---	N0100No	NF	
		User & date: 2023-09-14 08:37:26 +0100 - 11111111 / ---			
Level Step					Status
1		1 - 0150MAT - [A] Materiale registrering Subtype: ---		Tabular execution: no NF	
		Scan komponenter ind til brug på linjen.			
Level Step					Status
1		2 - N0170LEM - Bekræft linje er tom Subtype: ---		Tabular execution: no NF	
		Bekræft linjen er tom.			
	1.0	010 - Udfør Line Empty Subtype: ---		---	
		1. Før batchstop -Stop udstyret -Tøm linjen -Kvitter eventuelle watchdogs og kritiske alarmer. Bekræft at linjen er tom.			
		Set value	Actual value	User & date / Signature Status	
		OK	OK	NF	
		User & date: 2023-09-14 10:08:32 +0100 - 270 / Nishranth Mahesh (nhjm)			
Level Step					Status
1		1 - N0180MBI - Batch stop Subtype: ---		Tabular execution: no NF	
		Trin i forbindelse med afslutning af batch.			
Level Step					Status
↳	2	1 - LNCLR - Linje Clearance Subtype: ---		Tabular execution: no NF	
Level Step					Status
↳	3	1 - CBF5 - Line Clearance Zone 1 Subtype: ---		Tabular execution: no NF	

Level Step					Status
	4	1 - NO161ALC - Zone 1	Subtype: ---	Tabular execution: no	NF
	4.0	10 - LC1	Subtype: ---		---
		1. Udfør line clearance og kvitter			
		Set value	Actual value	User & date / Signature	Status
		Ok	Ok		NF
		User & date: 2023-09-14 10:11:07 +0100 - 270 / Nishranth Mahesh (nhjm)			
		User identification signature: 2023-09-14 10:11:21 +0100 - 121 / PAS-X Production Operator			
Level Step					Status
	4	1 - NO162ALC - Zone 1	Subtype: ---	Tabular execution: no	NF
	4.0	10 - LC2	Subtype: ---		---
		1. Udfør line clearance og kvitter			
		Set value	Actual value	User & date / Signature	Status
		Ok	Ok		NF
		User & date: 2023-09-14 10:11:27 +0100 - 270 / Nishranth Mahesh (nhjm)			
		User identification signature: 2023-09-14 10:11:36 +0100 - 114 / PAS-X Production Operator 2			
Level Step					Status
	3	1 - CBF3 - Line Clearance Zone 2	Subtype: ---	Tabular execution: no	NF
Level Step					Status
	4	1 - NO161ALC - Zone 2	Subtype: ---	Tabular execution: no	NF
	4.0	10 - LC1	Subtype: ---		---
		1. Udfør line clearance og kvitter			
		Set value	Actual value	User & date / Signature	Status
		Ok	Ok		NF
		User & date: 2023-09-14 10:11:44 +0100 - 270 / Nishranth Mahesh (nhjm)			
		User identification signature: 2023-09-14 10:11:54 +0100 - 121 / PAS-X Production Operator			
Level Step					Status
	4	1 - NO162ALC - Zone 2	Subtype: ---	Tabular execution: no	NF
	4.0	10 - LC2	Subtype: ---		---
		1. Udfør line clearance og kvitter			
		Set value	Actual value	User & date / Signature	Status
		Ok	Ok		NF
		User & date: 2023-09-14 10:12:00 +0100 - 270 / Nishranth Mahesh (nhjm)			
		User identification signature: 2023-09-14 10:12:09 +0100 - 114 / PAS-X Production Operator 2			
Level Step					Status
	3	1 - CBF2 - Line Clearance Zone 3	Subtype: ---	Tabular execution: no	NF
Level Step					Status
	4	1 - NO161ALC - Zone 3	Subtype: ---	Tabular execution: no	NF
	4.0	10 - LC1	Subtype: ---		---
		1. Udfør line clearance og kvitter			
		Set value	Actual value	User & date / Signature	Status
		Ok	Ok		NF
		User & date: 2023-09-14 10:12:18 +0100 - 270 / Nishranth Mahesh (nhjm)			
		User identification signature: 2023-09-14 10:12:27 +0100 - 121 / PAS-X Production Operator			
Level Step					Status
	4	1 - NO162ALC - Zone 3	Subtype: ---	Tabular execution: no	NF
	4.0	10 - LC2	Subtype: ---		---
		1. Udfør line clearance og kvitter			
		Set value	Actual value	User & date / Signature	Status
		Ok	Ok		NF
		User & date: 2023-09-14 10:12:32 +0100 - 270 / Nishranth Mahesh (nhjm)			
		User identification signature: 2023-09-14 10:12:42 +0100 - 114 / PAS-X Production Operator 2			
Level Step					Status
	3	1 - CBF4 - Line Clearance Zone 4	Subtype: ---	Tabular execution: no	NF

Level Step				Status
4	1 - NO161ALC - Zone 4	Subtype: ---	Tabular execution: no	NF
4.0	10 - LC1	Subtype: ---	---	
	1. Udfør line clearance og kvitter			
	Set value	Actual value	User & date / Signature	Status
	Ok	Ok		NF
	User & date: 2023-09-14 10:12:50 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 10:12:59 +0100 - 121 / PAS-X Production Operator			
Level Step				Status
4	1 - NO162ALC - Zone 4	Subtype: ---	Tabular execution: no	NF
4.0	10 - LC2	Subtype: ---	---	
	1. Udfør line clearance og kvitter			
	Set value	Actual value	User & date / Signature	Status
	Ok	Ok		NF
	User & date: 2023-09-14 10:13:05 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 10:13:21 +0100 - 114 / PAS-X Production Operator 2			
Level Step				Status
3	1 - CBF1 - Line Clearance Zone 5	Subtype: ---	Tabular execution: no	NF
Level Step				Status
4	1 - NO161ALC - Zone 5	Subtype: ---	Tabular execution: no	NF
4.0	10 - LC1	Subtype: ---	---	
	1. Udfør line clearance og kvitter			
	Set value	Actual value	User & date / Signature	Status
	Ok	Ok		NF
	User & date: 2023-09-14 10:13:31 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 10:13:40 +0100 - 121 / PAS-X Production Operator			
Level Step				Status
4	1 - NO162ALC - Zone 5	Subtype: ---	Tabular execution: no	NF
4.0	10 - LC2	Subtype: ---	---	
	1. Udfør line clearance og kvitter			
	Set value	Actual value	User & date / Signature	Status
	Ok	Ok		NF
	User & date: 2023-09-14 10:13:46 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 10:13:57 +0100 - 114 / PAS-X Production Operator 2			
Level Step				Status
1	1 - 0140MANU - Manuel prøver	Subtype: ---	Tabular execution: no	NF
	Registrering af manuelle prøver			
Level Step				Status
2	1 - N0100DEC - Manuel prøver	Subtype: ---		NF
	Decision type: Formula	Predecessor: Start	Repetition: 1	
	Set value	Actual value	User & date / Signature	Status
	---	N0100No		NF
	User & date: 2023-09-14 08:37:26 +0100 - 11111111 / ---			
Level Step				Status
1	1 - N0210ERL - Kassation	Subtype: ---	Tabular execution: no	NF
	Kasser materiale og kvittér			
Level Step				Status
2	1 - N0220ERL - Kassation 1. kontrol	Subtype: ---	Tabular execution: no	NF
2.0	010 - Kassation 1. kontrol	Subtype: ---	---	
	1. Kasser PFS/Pen og kvitter			
	Set value	Actual value	User & date / Signature	Status
	---	10		NF
	User & date: 2023-09-14 09:36:16 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 09:36:28 +0100 - 121 / PAS-X Production Operator			



Level Step				Status
2	1 - N0230ERL - Kassation 2. kontrol	Subtype: ---	Tabular execution: no	NF
2.0	010 - Kassation 2. kontrol	Subtype: ---	---	
	1. Kasser PFS/Pen og kvitter			
	Set value	Actual value	User & date / Signature	Status
	---	10		NF
	User & date: 2023-09-14 09:36:43 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 09:37:36 +0100 - 114 / PAS-X Production Operator 2			
Level Step				Status
2	2 - N0220ERL - Kassation 1. kontrol	Subtype: ---	Tabular execution: no	NF
2.0	010 - Kassation 1. kontrol	Subtype: ---	---	
	1. Kasser PFS/Pen og kvitter			
	Set value	Actual value	User & date / Signature	Status
	---	5		NF
	User & date: 2023-09-14 09:42:45 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 09:42:55 +0100 - 121 / PAS-X Production Operator			
Level Step				Status
2	2 - N0230ERL - Kassation 2. kontrol	Subtype: ---	Tabular execution: no	NF
2.0	010 - Kassation 2. kontrol	Subtype: ---	---	
	1. Kasser PFS/Pen og kvitter			
	Set value	Actual value	User & date / Signature	Status
	---	5		NF
	User & date: 2023-09-14 09:43:00 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 09:43:10 +0100 - 121 / PAS-X Production Operator			
Level Step				Status
2	3 - N0220ERL - Kassation 1. kontrol	Subtype: ---	Tabular execution: no	NF
2.0	010 - Kassation 1. kontrol	Subtype: ---	---	
	1. Kasser PFS/Pen og kvitter			
	Set value	Actual value	User & date / Signature	Status
	---	5		NF
	User & date: 2023-09-14 09:43:40 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 09:43:57 +0100 - 121 / PAS-X Production Operator			
Level Step				Status
2	3 - N0230ERL - Kassation 2. kontrol	Subtype: ---	Tabular execution: no	NF
2.0	010 - Kassation 2. kontrol	Subtype: ---	---	
	1. Kasser PFS/Pen og kvitter			
	Set value	Actual value	User & date / Signature	Status
	---	6		NF
	User & date: 2023-09-14 09:44:03 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 09:44:14 +0100 - 114 / PAS-X Production Operator 2			
Level Step				Status
2	4 - N0220ERL - Kassation 1. kontrol	Subtype: ---	Tabular execution: no	NF
2.0	010 - Kassation 1. kontrol	Subtype: ---	---	
	1. Kasser PFS/Pen og kvitter			
	Set value	Actual value	User & date / Signature	Status
	---	5		NF
	User & date: 2023-09-14 09:44:27 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 09:44:35 +0100 - 114 / PAS-X Production Operator 2			
Level Step				Status
2	4 - N0230ERL - Kassation 2. kontrol	Subtype: ---	Tabular execution: no	NF
2.0	010 - Kassation 2. kontrol	Subtype: ---	---	
	1. Kasser PFS/Pen og kvitter			
	Set value	Actual value	User & date / Signature	Status
	---	5		NF
	User & date: 2023-09-14 09:44:40 +0100 - 270 / Nishranth Mahesh (nhjm)			
	User identification signature: 2023-09-14 09:44:50 +0100 - 121 / PAS-X Production Operator			



Level	Step	Status
1	1 - N0200FC - Optælling Subtype: --- Tabular execution: no	NF
	Kontrol af antal prøver sammenhold med prøverudtagnings plan	
Level	Step	Status
2	1 - N230CAL - [A] Forbrug Subtype: --- Tabular execution: no	NF
	Kontrol af antal prøver sammenhold med prøverudtagnings plan	
2.0	010 - OPC Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	>=52 ea 52 ea	NF
	User & date: 2023-09-14 10:16:02 +0100 - 11111111 / ---	
2.1	020 - IPC Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	>=20 ea 20 ea	NF
	User & date: 2023-09-14 10:16:02 +0100 - 11111111 / ---	
2.2	030 - REF Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	>=100 ea 100 ea	NF
	User & date: 2023-09-14 10:16:02 +0100 - 11111111 / ---	
2.3	040 - ID Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	>=2 ea 10 ea	NF
	User & date: 2023-09-14 10:16:03 +0100 - 11111111 / ---	
2.4	050 - PFS/Pen manuel kassation Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- 15	NF
	User & date: 2023-09-14 10:16:03 +0100 - 11111111 / ---	
2.5	060 - PFS automatiske kasserede Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- 100	NF
	User & date: 2023-09-14 10:16:03 +0100 - 11111111 / ---	
2.6	070 - PFS, indskannede Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- ea 20000 ea	NF
	User & date: 2023-09-14 10:16:04 +0100 - 11111111 / ---	
2.9	100 - Stock Creation Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- 19703	NF
	User & date: 2023-09-14 10:16:04 +0100 - 11111111 / ---	
2.10	110 - Udbytte Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	80 - 120 % 99,425 %	NF
	User & date: 2023-09-14 10:16:05 +0100 - 11111111 / ---	
2.11	120 - Tilladt afvigelse Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- 200	NF
	User & date: 2023-09-14 10:16:05 +0100 - 11111111 / ---	
2.12	130 - Afvigelse Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	-200 - 200 0	NF
	User & date: 2023-09-14 10:16:05 +0100 - 11111111 / ---	
Level	Step	Status
2	1 - N240REP - Gentag recon beregning Subtype: ---	NF
	Decision type: User selection Predecessor: N230CAL Repetition: 1	
	Set value Actual value User & date / Signature Status	
	--- N240Yes	NF
	User & date: 2023-09-14 10:17:23 +0100 - 270 / Nishranth Mahesh (nhjm)	

Level	Step	Status
2	2 - N230CAL - [A] Forbrug Subtype: --- Tabular execution: no	NF
	Kontrol af antal prøver sammenholdt med prøverudtagnings plan	
2.0	010 - OPC Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	>=52 ea 52 ea	NF
	User & date: 2023-09-14 10:17:54 +0100 - 11111111 / ---	
2.1	020 - IPC Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	>=20 ea 20 ea	NF
	User & date: 2023-09-14 10:17:55 +0100 - 11111111 / ---	
2.2	030 - REF Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	>=100 ea 100 ea	NF
	User & date: 2023-09-14 10:17:55 +0100 - 11111111 / ---	
2.3	040 - ID Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	>=2 ea 10 ea	NF
	User & date: 2023-09-14 10:17:55 +0100 - 11111111 / ---	
2.4	050 - PFS/Pen manuel kassation Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- 15	NF
	User & date: 2023-09-14 10:17:55 +0100 - 11111111 / ---	
2.5	060 - PFS automatiske kasserede Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- 100	NF
	User & date: 2023-09-14 10:17:56 +0100 - 11111111 / ---	
2.6	070 - PFS, indskannede Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- ea 20000 ea	NF
	User & date: 2023-09-14 10:17:56 +0100 - 11111111 / ---	
2.9	100 - Stock Creation Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- 19703	NF
	User & date: 2023-09-14 10:17:57 +0100 - 11111111 / ---	
2.10	110 - Udbytte Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	80 - 120 % 99,425 %	NF
	User & date: 2023-09-14 10:17:57 +0100 - 11111111 / ---	
2.11	120 - Tilladt afvigelse Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	--- 200	NF
	User & date: 2023-09-14 10:17:57 +0100 - 11111111 / ---	
2.12	130 - Afvigelse Subtype: ---	---
	Set value Actual value User & date / Signature Status	
	-200 - 200 0	NF
	User & date: 2023-09-14 10:17:57 +0100 - 11111111 / ---	
Level	Step	Status
2	2 - N240REP - Gentag recon beregning Subtype: ---	NF
	Decision type: User selection Predecessor: N230CAL Repetition: 2	
	Set value Actual value User & date / Signature Status	
	--- N240No	NF
	User & date: 2023-09-14 10:18:10 +0100 - 270 / Nishranth Mahesh (nhjm)	

PAS-X-triggered exceptions			
Caused at	Type	Criticality	Deviation number
2023-09-14 09:51:46 +0100	Actual value correction	Noncritical	---
<b>Related object:</b> SDD assembly(1)->[A] Materiale registering(1)->[A] Manuel take out(1)			
<b>Exception</b> Word <b>(system):</b> Correcting actual value for decision 'N0140DEC: [A] Manuel take out' (old value: 'Nej', new value: 'Ja').			
<b>Exception</b> Word <b>(user):</b> test			
Status	Priority	Criticality	Deviation number
Generated	1 / Major	Noncritical	---
Correct decision		User & date: 2023-09-14 09:51:56 +0100 - 270 / Nishranth Mahesh (nhjm)	
		Signature: 2023-09-14 09:51:51 +0100 - 270 / Nishranth Mahesh (nhjm)	
Cluster Operation	1 / Major	---	---
<b>Comment:</b> Exception added to cluster C00001345. test			
Exception added to cluster		User & date: 2023-09-14 10:21:38 +0100 - 270 / Nishranth Mahesh (nhjm)	
		Signature: 2023-09-14 10:21:38 +0100 - 270 / Nishranth Mahesh (nhjm)	
Acknowledged	1 / Major	Noncritical	---
<b>Comment:</b> test			
Acknowledge an exception		User & date: 2023-09-14 10:22:20 +0100 - 270 / Nishranth Mahesh (nhjm)	
		Signature: 2023-09-14 10:22:16 +0100 - 113 / PAS-X Production Operator 3	
2023-09-14 10:05:59 +0100	Actual value correction	Noncritical	---
<b>Related object:</b> SDD assembly(1)->[A] Materiale registering(1)->[A] Manuel stock creation(1)			
<b>Exception</b> Word <b>(system):</b> Correcting actual value for decision 'N0100DEC: [A] Manuel stock creation' (old value: 'Nej', new value: 'Ja').			
<b>Exception</b> Word <b>(user):</b> test			
Status	Priority	Criticality	Deviation number
Generated	1 / Major	Noncritical	---
Correct decision		User & date: 2023-09-14 10:06:18 +0100 - 270 / Nishranth Mahesh (nhjm)	
		Signature: 2023-09-14 10:06:15 +0100 - 121 / PAS-X Production Operator	
Cluster Operation	1 / Major	---	---
<b>Comment:</b> Exception added to cluster C00001345. test			
Exception added to cluster		User & date: 2023-09-14 10:21:38 +0100 - 270 / Nishranth Mahesh (nhjm)	
		Signature: 2023-09-14 10:21:38 +0100 - 270 / Nishranth Mahesh (nhjm)	
Acknowledged	1 / Major	Noncritical	---
<b>Comment:</b> test			
Acknowledge an exception		User & date: 2023-09-14 10:22:20 +0100 - 270 / Nishranth Mahesh (nhjm)	
		Signature: 2023-09-14 10:22:16 +0100 - 113 / PAS-X Production Operator 3	
2023-09-14 10:20:34 +0100	Integrity check warning	Noncritical	---
<b>Related object:</b> 806363 (NHJM00013246)			
<b>Exception</b> Word <b>(system):</b> NNCORDERCONTROL0002 : Incomplete system configuration for final alarm from PCS. Check for final alarm cannot be executed.			
Status	Priority	Criticality	Deviation number
Generated	1 / Major	Noncritical	---
<b>Comment:</b> test		User & date: 2023-09-14 10:20:34 +0100 - 270 / Nishranth Mahesh (nhjm)	
NNEndShopFloorOrderWithWarning		Control Signature: 2023-09-14 10:20:33 +0100 - 270 / Nishranth Mahesh (nhjm)	
Cluster Operation	1 / Major	---	---
<b>Comment:</b> Exception added to cluster C00001345. test			
Exception added to cluster		User & date: 2023-09-14 10:21:38 +0100 - 270 / Nishranth Mahesh (nhjm)	
		Signature: 2023-09-14 10:21:38 +0100 - 270 / Nishranth Mahesh (nhjm)	
Acknowledged	1 / Major	Noncritical	---
<b>Comment:</b> test			
Acknowledge an exception		User & date: 2023-09-14 10:22:20 +0100 - 270 / Nishranth Mahesh (nhjm)	
		Signature: 2023-09-14 10:22:16 +0100 - 113 / PAS-X Production Operator 3	