
Compare FSC curves 2/6

Overlay the official criterion curve of every selected job — masked + corrected for postprocess, gold-standard for refinements.

2 curves plotted · 6 indexed · printed Oct 30, 2026

6 curves indexed

- t951 postprocess witness (this job) — postprocess — postprocess — 7.78 Å
- 2D Classification 1 (t978) — class2d — half-maps
- 3D Classification 1 (t978) — class3d — half-maps
- t951 class2d witness — class2d — half-maps
- t951 initialmodel witness — initialmodel — half-maps
- t951 refine3d witness — refine3d — half-maps — 7.08 Å



t951 postprocess witness 7.78 Å — t951 refine3d witness 7.08 Å

PARAMETERS 12 one-sided

PARAMETER	t951 postprocess witness	t951 refine3d witness
adhoc bfac	-1000	–
angpix	-1	–
auto bfac	true	–
autob lowres	10	–
do adhoc bfac	false	–
do skip fsc weighting	false	–
fn mask		–
fn mtf		–
iterations	–	12
low pass	5	–
mtf angpix	1	–

PARAMETER	t951 postprocess witness	t951 refine3d witness	
randomize from	10		–

The curve that stays higher at the right edge resolves finer detail — a masked postprocess typically climbs above its raw refinement (that climb is the mask + B-factor sharpening doing its job), but an over-aggressive mask shows up as a divergence between the two that the phase-randomization check on the job page would flag.