

Minimal Positive Influence of Helpline Efforts on Reduction of Homeless Death in Toronto*

Sandy Yu

March 16, 2024

This paper analyzes the influence of Central Intake Line staff efforts on the reduction of homeless death count in Toronto. Data on coded number of calls from Central Intake Call Wrap-Up Codes dataset and data on monthly homeless death count from Deaths of People Experiencing Homelessness dataset are used in generalized linear regression models to estimate the influence. We find that the staffs' net efforts create a statistically insignificant influence on the reduction of homeless death, with specific types of efforts appearing counterproductive. This implies that while a positive influence does exist, from a statistical point of view, the impact of the Central Intake Line staff is not significantly different from non-existent.

Table of contents

1	Introduction	2
2	Data	3
2.1	Central Intake Call Wrap-Up Codes	3
2.2	Deaths of People Experiencing Homelessness	4
2.3	Final Combined Data	4
3	Model	5
3.1	Model set-up	5
3.1.1	Model 1: Total Coded Model	6
3.1.2	Model 2: Referred Informed Model	6
3.1.3	Model justifications	7

*Code and data are available at: <https://github.com/Jingying-yu/help-line-homeless-death-analysis.git>

4 Results	7
5 Discussion	9
5.1 Interpretation of Efforts	9
5.2 Factors Contributing to Insignificance	9
5.2.1 Inaccessibility of Phone Lines	10
5.2.2 Substitutive Calling Options	10
5.3 Weaknesses and next steps	10
Appendix	11
A Model details	11
A.1 Posterior predictive check	11
A.2 Diagnostics	12
References	13

1 Introduction

The City of Toronto has been consistently providing funding and staff in an effort to reduce the active homeless population within its governing district. Amongst numerous city efforts, the 24/7 helpline — Toronto Central Intake Line — was created to offer referrals to emergency shelters, sleeping accommodations, and provide general information about homelessness and prevention. (Shelter 2020). Starting in 2020, detailed data about the Central Intake Line became available on the OpenDataToronto portal (Sharla Gelfand 2022).

The estimand of the paper focuses on examining the influence of helpline efforts on the reduction of homeless deaths in Toronto. Using Central Intake Call Wrap-up Codes data (Shelter 2020) from OpenDataToronto (Sharla Gelfand 2022), three different aspects of the helpline efforts were isolated: total calls coded, referral to shelter, and homelessness prevention information provided. These three key aspects were measured against the monthly cumulative death count from Deaths of People Experiencing Homelessness Data (Health 2017) documented by the Toronto Public Health (Toronto 2024). The analyses yielded an insignificant negative correlation between the net efforts of the helpline staff. The variable referral to shelter yields a positive correlation with homeless death count, whereas the effort to provide homelessness information yields a negative correlation. This implies that the net influence of helpline efforts is statistically negligible, while individual efforts can be productive or counterproductive. This examination in the net efforts and individual efforts can provide the helpline with a suggestion of which types of services or calls would be more economically efficient to allocate their labor resources on.

Analyses and findings in this paper are structured into several sections: Section 2 – Data, Section 3 – Model, Section 4 – Results, and Section 5 – Discussion. The Data section examines

all datasets and variables kept for analysis, followed by an explanation of their data cleaning processes. The Model section defines linear models used for further analysis, explain its components, and presents model justifications. The Result section focuses on visualizing and presenting the model results through data presented in Data section. The Discussion section further evaluate the interpretations behind the model results presented in the previous section, and touches on any weaknesses and next steps.

2 Data

All data used in this paper are obtained through OpenDataToronto Portal (Sharla Gelfand 2022). Two different datasets: Central Intake Call Wrap-Up Codes Data (Shelter 2020) and Deaths of People Experiencing Homelessness(Health 2017), are retrieved to analyze the effect of Toronto’s Central Call Line (denoted as *Helpline* for the remainder of this paper) efforts to the death counts of homeless individuals in Toronto. Data is cleaned and analyzed using the open source statistical programming language R (R Core Team 2023) and supporting packages tidyverse (Wickham et al. 2019), janitor (Firke 2023), rstanarm (Goodrich et al. 2022), arrow (Richardson et al. 2024), ggplot2 (Wickham 2016), and knitr (Xie 2023). Detailed description of each dataset can be found in the subsections below.

2.1 Central Intake Call Wrap-Up Codes

On the OpenDataToronto portal, there are several datasets that reflect the City’s effort to shelter the local homeless population. The Central Intake Call Wrap-Up Codes Dataset (Shelter 2020), stored in the Central Intake Calls Catalogue (Shelter 2020), is one of the freshest and most detailed. Data is stored and published by the Shelter, Support & Housing Administration since November of 2020 and refreshes on a monthly basis. The latest refresh occurred on January 15th, 2024.

The data set provides a daily summary of the number of calls received, the number of calls classified into distinct wrap-up codes by the nature of its issue, and a count of calls under each wrap-up code. One of the example wrap-up codes in the original data set was: *Code 1A - Referral to a Sleeping/Resting Space*. The original data set includes 13 distinct wrap-up codes; only two codes, *Code 1A — Referral to a Sleeping/Resting Space* and *Code 2C — Information - Homelessness & Prevention Services*, were chosen for our analysis. Code 1A and Code 2C are best suited as measurements for positive impact the Central Intake Line could provide because they provide a count of the number of callers provided with directions or advice. Other non-suitable wrap-up codes include: *Code 1D - Declined Shelter/Resting Space*, *Code 4B - Disconnected - No Outcome*, etc.

The final dataset only includes monthly cumulative data before July of 2023. The rationalization behind the action will be explained in Section 2.3.

Table 1: Sample of monthly summation for Helpline Coded Calls data

Month	Calls Coded	Referral to Shelter	Homelessness Prevention Info
2020-11-30	8367	1433	2029
2020-12-31	10232	2027	2427
2021-01-31	12091	1726	2453
2021-02-28	10525	1662	2094
2021-03-31	12287	1771	2202
2021-04-30	12668	1232	1870

2.2 Deaths of People Experiencing Homelessness

The Deaths of People Experiencing Homelessness Dataset (Health 2017) contains monthly cumulative records of homeless deaths. The dataset is published by Toronto Public Health (Toronto 2024). The earliest data record started in January of 2017, and the latest record ends in June of 2023.

The original dataset contains three columns: *Year of death*, *Month of death*, and *Count*. After careful inspection of raw data, any rows that containing an “unknown” value are excluded. Although this action created a source of error in future analyses, this is still a necessary step because we are plotting death counts against a timeline.

Final dataset only includes data from November 2020 to June 2023 (Table 2). The rationalization behind the action will be explained in [?@sec-data-diff-datasets](#).

Table 2: Sample of Cleaned Deaths of People Experiencing Homelessness Dataset

Month	Death Count
2020-11-30	15
2020-12-31	20
2021-01-31	20
2021-02-28	15
2021-03-31	15
2021-04-30	11

2.3 Final Combined Data

During the data cleaning process, code was written to ensure that both the Central Intake Call Wrap-Up Codes Dataset (Shelter 2020) and the Deaths of People Experiencing Homelessness Dataset (Health 2017) are filtered to include only data between 1st November, 2020 to 30st June, 2023.

The decision is reached by taking the common time period between the two datasets. In the latest refresh, the Central Intake Call Wrap-Up Codes Dataset (Shelter 2020) begins on 3rd November, 2020 and end on 31st December, 2023; whereas the Deaths of People Experiencing Homelessness Dataset (Health 2017) begins on January of 2017 and ends on June 2023.

The ultimate purpose of taking the common time period is to ensure that we can have the same amount of observations for analysis. Thus a combined dataset that kept the variables of interest in both datasets is created (Table 3).

Table 3: Sample of monthly homeless death count and Helpline Coding efforts

Month	Total Coded	Referred to Shelter	Homeless Info	Death Count
2020-11-30	8367	1433	2029	15
2020-12-31	10232	2027	2427	20
2021-01-31	12091	1726	2453	20
2021-02-28	10525	1662	2094	15
2021-03-31	12287	1771	2202	15
2021-04-30	12668	1232	1870	11

3 Model

While we can still make claims on the correlations between helpline efforts and homeless death count without modelling, regression analysis is still necessary to provide rigorous backbones for a claim’s statistical significance.

Here we briefly describe the Bayesian analysis model used to investigate the correlation between homeless death counts in Toronto and the efforts of the Helpline staff. Background details and diagnostics are included in Appendix A.

3.1 Model set-up

Magnitude of effect created by the helpline efforts can be estimated through linear models. Gaussian regression model is best suited for our analytical purposes. Other generalized linear models such as Logistic and Multilevel are not considered due to the nature of the variables in interest. Logistic regression model requires data that yields either an **yes** or **no** result, whereas multilevel model require more complexity between variables. Due to the nature of the Poisson function, the Poisson model was considered and discarded because model results in extremely small values with no evidently different interpretations.

3.1.1 Model 1: Total Coded Model

The Total Coded model estimates the the total helpline efforts against Toronto's homeless death count.

$$y_i | \mu_i, \sigma \sim \text{Normal}(\mu_i, \sigma)$$

$$\mu_i = \alpha + \phi_i$$

$$\alpha \sim \text{Normal}(0, 2.5)$$

$$\phi \sim \text{Normal}(0, 2.5)$$

$$\sigma \sim \text{Exponential}(1)$$

Where:

- y_i is the number of homeless death count in Toronto recorded by Toronto (2024) per month
- ϕ_i is the total number of calls received and coded by the helpline per month

3.1.2 Model 2: Referred Informed Model

In case of oversimplification, a second model is proposed to isolate the effects of calls that refer individuals to shelter and calls that provide information on homelessness prevention.

$$y_i | \mu_i, \sigma \sim \text{Normal}(\mu_i, \sigma)$$

$$\mu_i = \alpha + \beta_i + \gamma_i$$

$$\alpha \sim \text{Normal}(0, 2.5)$$

$$\beta \sim \text{Normal}(0, 2.5)$$

$$\gamma \sim \text{Normal}(0, 2.5)$$

$$\sigma \sim \text{Exponential}(1)$$

Where:

- y_i is the number of homeless death count in Toronto recorded by Toronto (2024) per month
- β_i is the number of homeless individuals referred to shelters through the helpline, per month
- γ_i is the number of individuals provided with information on homelessness prevention through the helpline, per month

We run the model in R (R Core Team 2023) using the `rstanarm` package of Goodrich et al. (2022). We use the default priors from `rstanarm`.

3.1.3 Model justifications

We expect a net negative relationship between the net efforts made by the helpline staff (Recorded by the `Total_Coded`) and homeless death count, which implies that net effect of helpline calls **reduces** homeless death count in Toronto.

Additionally, we expect a negative relationship between homeless death and the two individual efforts: *number of homeless individuals referred to shelter*, and *number of individuals provided with homelessness prevention information*. Since both factors are coded efforts made by the helpline, both factors should also help to reduce homeless death count in Toronto.

4 Results

Our results are summarized in Table 4.

- Under the Gaussian regression model, Figure 1 illustrates a fitted line that estimates the linear relationship between the number of total calls coded and homeless death count in Toronto. The graph suggest that there exist a net negative correlation between the two variable. According to the graph, homeless death count decrease as total number of calls coded increase. The significance of this relationship is discussed below in in the model summary table.
- The model summary table, Table 4, displays the coefficient values of the predictor variables against response variable: homeless death count in Toronto. Coefficients of predictors indicate their influence against the response variable. For example, the column on the left shows that, under Model 1, every 1 additional helpline call coded and decrease the homeless death count by 0.0003. The *+p <...* section at the bottom of the table represents statistically significance of the coefficient values. As indicated by the *+p <...* legend, the coefficients with 1 *, coefficient is significant at 95% confidence level; for **, coefficient is significant at 99% confidence level, and so on. However, as we can see from the table below, no * exists for the coefficients in both models.




Figure 1: Visualization to show correlation between number of Calls Coded and Homeless Death Counts

Table 4: Explanatory model of homeless death count in relation to different helpline efforts

	Total Coded Model	Referred and Informed Model
(Intercept)	21.0727 (2.2010)	16.7375 (3.4460)
Total_Coded	-0.0003 (0.0001)	
Referred		0.0059 (0.0022)
Informed		-0.0048 (0.0027)
Num.Obs.	32	32
R2	0.159	0.228
Log.Lik.	-92.606	-91.554
RMSE	4.27	4.10

+ $p < 0.1$, * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

5 Discussion

5.1 Interpretation of Efforts

- On average, for every increase in calls coded by the helpline, there is a 0.0003 unit decrease in homeless death in Toronto. There is an overall reduction, albeit very small, in homeless death as the number of total coded calls increase. This implies that the helpline need to take at minimum 3333 calls per month to save 1 homeless life in Toronto. On average, the helpline takes 14828.59 calls per month, meaning that 4.45 lives are saved on average.
- 4.45 is not a significant number in both a practical and statistical sense. To improve the return on total number of calls coded, we attempted to identify promising call codes that contribute to the net positive reduction in homeless death. Out of the 13 different call codes, *Referral to Shelter* and *Information on Homeless Prevention* are best suited as individual efforts of measurement for positive impacts because they provide a count of the number of callers provided with directions or advice.
- On average, for every homeless caller referred to shelter, there is a 0.0059 unit **increase** in homeless death in Toronto. Though not significant on a statistical level, this trend is still very counter-intuitive discouraging. In the case where the correlation is more significant, we would want to further analyze factor related to referrals to shelter. Accuracy on the current status of shelters, level of detail on instructed, and misjudgment of shelter eligibility are possible factors of examination. However, since the effect of this call code is statistically insignificant, it is also likely to be just a fluke of observation.
- For every caller provided with information on homeless prevention information, there is an average decrease of 0.0048 death count in Toronto.

5.2 Factors Contributing to Insignificance

Homeless life is not easy, data from Health (2017) shows that a total of 522 homeless individual died in Toronto between November 2020 to June 2023. The Central Intake Line is created with the intend to help homeless individuals in need. It provides a 24/7 platform for individuals to receive government help. The insignificance of its influence suggests that the helpline has not fulfilled its intended purpose, though it is also important to note that having insignificant effect on reducing death count does not mean the helpline has not contributed to the well-being of Toronto's homeless population in other ways. The following two subsections discusses two of the possible factors that contributes to the insignificance of the helpline's influence on the reduction of homeless death in Toronto: inaccessibility to phone lines and subsitutive calling options.

5.2.1 Inaccessibility of Phone Lines

Difficulty in accessing the helpline may contribute to the insignificance of the influence the helpline has on the reduction of homeless death in Toronto. In order to access the resources provided by the helpline, a homeless individual is required to have access to one of the following three tools: mobile phone with valid phone plan, free city-run phone, or payphone. Financially, the most expensive option is the mobile phone. In 2024, the cheapest calling plan in Toronto starts at \$15 before tax, discouraging the less wealthy proportion of the homeless population. The cheapest alternative is the city-run free phone lines accessible in several City buildings and Universities across Toronto. According to “Free Public Telephones” (n.d.), there are currently 9 locations in downtown Toronto offering access to free phone lines. However, the free phone line access is only available during the operation hours of the respective buildings, meaning that free calls are not available 24/7. This leaves the last option, the affordable and readily available local payphones. Currently, Toronto payphones cost 50 cents per call, which is definitely more financially reasonable for the homeless population. However, numerous articles through the years have pointed out the steady decline of functional payphones in Toronto. The popularization of smartphones in the last decade contributes to the decrease in the demand of payphones, subsequently causing more and more abandoned or unrepaired payphone stations. This difficulty in accessing the helpline will decrease the number of callers, subsequently lowering the influence of the helpline on reducing homeless death in Toronto.

5.2.2 Substitutive Calling Options

The Central Intake Line is one of the biggest city-run homeless helplines in Toronto; however, it is not the only one. Using keywords “homeless helpline Toronto”, search results such as City of Toronto Line (311) and Assaulted Women’s Helpline also appear in the Google search engine. The existence of multiple helplines will cause specific problems to go to specific channels, reducing the total percent of homeless population that choose to use the Central Intake Line inquired in this paper. Similar to the previous factor, reduction in the total number of calls per month reduces the average influence of the helpline on the reduction of homeless death. Other potential factors that may contribute to the insignificance of influence are: changes in city policies, lack of promotion through non-internet platforms, etc.

5.3 Weaknesses and next steps

The biggest weakness for this paper is the small sample size of the data, there are only 32 observations in the final data used for analysis. This suggests that resulting outputs may not accurately represent the situation in the real world because trends might only exist in our observed sample. Some potential next steps are: investigating into the proposed factors that contributes to the insignificance of helpline influence on homeless death using real-world data and models, as well as researching further into other potential factors.

Appendix

A Model details

A.1 Posterior predictive check

In Figure 2a we implement a posterior predictive check. This shows...

In Figure 2b we compare the posterior with the prior. This shows...




Figure 2: Examining how the model fits, and is affected by, the data

In Figure 3a we implement a posterior predictive check. This shows...

In Figure 3b we compare the posterior with the prior. This shows...




Figure 3: Examining how the model fits, and is affected by, the data

A.2 Diagnostics

Figure 4a is a trace plot. It shows... This suggests...

Figure 4b is a Rhat plot. It shows... This suggests...




Figure 4: Checking the convergence of the MCMC algorithm for total_coded_model

Figure 5a is a trace plot. It shows... This suggests...

Figure 5b is a Rhat plot. It shows... This suggests...




Figure 5: Checking the convergence of the MCMC algorithm for referred_informed_model

References

- Firke, Sam. 2023. *Janitor: Simple Tools for Examining and Cleaning Dirty Data*. <https://github.com/sfirke/janitor>.
- “Free Public Telephones.” n.d. https://localwiki.org/toronto/Free_Public_Telephones.
- Goodrich, Ben, Jonah Gabry, Imad Ali, and Sam Brilleman. 2022. “Rstanarm: Bayesian Applied Regression Modeling via Stan.” <https://mc-stan.org/rstanarm/>.
- Health, Toronto Public. 2017. “Deaths of People Experiencing Homelessness.” <https://open.toronto.ca/dataset/deaths-of-people-experiencing-homelessness/>.
- R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Richardson, Neal, Ian Cook, Nic Crane, Dewey Dunnington, Romain François, Jonathan Keane, Dragoş Moldovan-Grünfeld, Jeroen Ooms, Jacob Wujciak-Jens, and Apache Arrow. 2024. *Arrow: Integration to 'Apache' 'Arrow'*. <https://github.com/apache/arrow/>.
- Sharla Gelfand, City of Toronto. 2022. “Opendatatoronto: Access the City of Toronto Open Data Portal.” <https://open.toronto.ca>.
- Shelter, City of Toronto, Support & Housing Administration. 2020. “Central Intake Call Wrap-up Codes Data.” <https://open.toronto.ca/dataset/central-intake-calls/>.
- Toronto, City of. 2024. “Toronto Public Health.” <https://www.toronto.ca/city-government/accountability-operations-customer-service/city-administration/staff-directory-divisions-and-customer-service/toronto-public-health/>.
- Wickham, Hadley. 2016. *Ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York. <https://ggplot2.tidyverse.org>.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D’Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. “Welcome to the tidyverse.” *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686>.
- Xie, Yihui. 2023. *Knitr: A General-Purpose Package for Dynamic Report Generation in r*. <https://yihui.org/knitr/>.