

Reference excerpt 01-047

Source: arXiv:1604.05171v1 | License: CC BY 4.0 | Word window: 1634-1893

Giacomo Gadda, Valentina Tavoni and Valentina Sisini to have kindly reviewed the manuscript.

REFERENCES [Applefeld(1990)] Applefeld MM. The Jugular Venous Pressure and Pulse Contour. In: SourceClinical Methods: The History, Physical, and Laboratory Examinations. Boston: Butterworths, 1990.chapter 19. [Beulen et al.(2011)] Beulen, B. et al. Toward noninvasive blood pressure assessment in arteries by using ultrasound. Ultrasound in Medicine;2011: 37(5), 788-797. [Kalmanson et al. (1972)] Kalmanson D, Veyrat C, Derai C, Savier CH, Berkman M, Chiche P. Non-invasive technique for diagnosing atrial septal defect and assessing shunt volume using directional Doppler ultrasound. Correlations with phasic flow velocity patterns of the shunt. British Heart Journal. 1972;34:981-991. [Mackenzie(1902)] Mackenzie J.The Study of the Pulse, Arterial, Venous, and Hepatic and of the Movements of the Heart. Edinburgh: Young J Pentland, 1902. [Sisini et al.(2015)] Sisini F, Tessari M, Gadda G, Di Domenico G, Taibi A, Menegatti E, Gambaccini M, Zamboni P Sisini F, Tessari M, Gadda G, Di Domenico G, Taibi A, Menegatti E, Gambaccini M, Zamboni P. An Ultrasonographic Technique to Assess the Jugular Venous Pulse: a Proof of Concept. Ultrasound Med Biol, 2015;41:1334-1341 [Sisini et al.(2015b)] Sisini F, Toro E, Gambaccini M, and Zamboni P, The Oscillating Component of the Internal Jugular Vein Flow: The Overlooked Element of Cerebral Circulation, Behavioural Neurology. 2015; Article ID 170756 [Sisini et al.(2016)] Sisini F , Tessari M, Menegatti E, Vannini ME, Ganesini S, Tavoni V, Gadda G, Gambaccini G, Taibi A, Zamboni P. Clinical applicability of the assessment of the jugular flow over the individual