year 2004 Data uploading in Hadoop

```
ijinhwi — hadoop@ip-172-31-15-235:~ — ssh -i ~/Downloads/이커머스 데이터 분석/CS 673 Tutorial.pem hadoop@ec2-3-148-227-25.us-east-2.compute.amazonaws.com — 215×58
Last login: Sat Apr 26 22:07:58 on ttys001
Error while loading conda entry point: conda-libmamba-solver (dlopen(/opt/anaconda3/lib/python3.12/site-packages/libmambapy/bindings.cpython-312-darwin.so, 0x0002): Library not loaded: @rpath/libarchive.19.dylib
  Referenced from: <C6FFB0DE-2F95-397A-80F7-4F74339F6DC5> /opt/anaconda3/lib/libmamba.2.0.0.dylib
  Reason: tried: '/opt/anaconda3/lib/libarchive.19.dylib' (no such file), '/opt/anaconda3/lib/python3.12/site-packages/libmambapy/../../../libarchive.19.dylib' (no such file), '/opt/anaconda3/lib/python3.12/site-pac
kages/libmambapy/../../../libarchive.19.dylib' (no such file), '/opt/anaconda3/bin/../lib/libarchive.19.dylib' (no such file), '/opt/anaconda3/bin/../lib/libarchive.19.dylib' (no such file), '/System/Volumes/Preboot
/Cryptexes/OS@rpath/libarchive.19.dylib' (no such file), '/opt/anaconda3/lib/libarchive.19.dylib' (no such file), '/opt/anaconda3/lib/python3.12/site-packages/libmambapy/../../../libarchive.19.dylib' (no such file),
 '/opt/anaconda3/lib/python3.12/site-packages/libmambapy/../../../libarchive.19.dylib' (no such file), '/opt/anaconda3/bin/../lib/libarchive.19.dylib' (no such file), '/opt/anaconda3/bin/../lib/libarchive.19.dylib'
(no such file), '/usr/local/lib/libarchive.19.dylib' (no such file), '/usr/lib/libarchive.19.dylib' (no such file, not in dyld cache))
[(base) ijinhwi@ijinhwicBookAir ~ % ssh -i "/Users/ijinhwi/Downloads/이커머스 데이터 분석/CS 673 Tutorial.pem" hadoop@ec2-3-148-227-25.us-east-2.compute.amazonaws.com
   ,     #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
Last login: Sun Apr 27 02:08:35 2025 from 47.230.98.99

EEEEEEEEEEEEEEEEEEEE MMMMMMMM           MMMMMMMM RRRRRRRRRRRRRRR
E::::::::::::::::::E M:::::::M         M:::::::M R::::::::::::::R
EE::::::EEEEEEEEE::E M::::::::M       M::::::::M R::::::RRRRRR::::R
  E::::E       EEEEE M:::::::::M     M:::::::::M RR::::R      R::::R
  E::::E             M::::::M:::M   M:::M::::::M   R::R      R::::R
  E::::::EEEEEEEEEE  M::::::M M:::M M:::M M::::::M   R:::RRRRRR::::R
  E::::::::::::::::E M::::::M  M:::M:::M  M::::::M   R::::::::::::RR
  E::::::EEEEEEEEEE  M::::::M   M:::::M   M::::::M   R::::RRRRRR::::R
  E::::E             M::::::M    M:::M    M::::::M   R::R      R::::R
  E::::E       EEEEE M::::::M     MMM     M::::::M   R::R      R::::R
EE::::::EEEEEEEE::::E M::::::M             M::::::M   R::R      R::::R
E::::::::::::::::::E M::::::M             M::::::M RR::::R      R::::R
EEEEEEEEEEEEEEEEEEEE MMMMMMM              MMMMMMM RRRRRRR      RRRRRR

[[hadoop@ip-172-31-15-235 ~]$ hdfs dfs -mkdir -p /user/hive/warehouse
[[hadoop@ip-172-31-15-235 ~]$ hdfs dfs -chmod g+w /user/hive/warehouse
[[hadoop@ip-172-31-15-235 ~]$ hdfs dfs -ls /user/hive
Found 1 items
drwxrwxrwt   - hdfs hdfsadmingroup          0 2025-04-27 01:44 /user/hive/warehouse
[[hadoop@ip-172-31-15-235 ~]$ wget "https://dataverse.harvard.edu/api/access/datafile/:persistentId?persistentId=doi:10.7910/DVN/HG7NV7/CCAZGT" -O flights2004.csv.bz2
--2025-04-27 02:13:53--  https://dataverse.harvard.edu/api/access/datafile/:persistentId?persistentId=doi:10.7910/DVN/HG7NV7/CCAZGT
Resolving dataverse.harvard.edu (dataverse.harvard.edu)... 44.221.223.248, 35.173.152.191, 3.91.111.177
Connecting to dataverse.harvard.edu (dataverse.harvard.edu)|44.221.223.248|:443... connected.
HTTP request sent, awaiting response... 303 See Other
Location: https://dvn-cloud.s3.amazonaws.com/10.7910/DVN/HG7NV7/16973?response-content-disposition=attachment%3B%20filename%2A%3DUTF-8%27%272004.csv.bz2&response-content-type=application%2Foctet-stream&X-Amz-Algorit
hm=AWS4-HMAC-SHA256&X-Amz-Date=20250427T021354Z&X-Amz-SignedHeaders=host&X-Amz-Expires=3600&X-Amz-Credential=AKIAIEJ3NV7UYCSRJC7A%2F20250427%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Signature=29d70b70d360e7beb469be694c
1b68d03ae1578fccf88b88ef1b5c6877f6fff3 [following]
--2025-04-27 02:13:54--  https://dvn-cloud.s3.amazonaws.com/10.7910/DVN/HG7NV7/16973?response-content-disposition=attachment%3B%20filename%2A%3DUTF-8%27%272004.csv.bz2&response-content-type=application%2Foctet-strea
m&X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Date=20250427T021354Z&X-Amz-SignedHeaders=host&X-Amz-Expires=3600&X-Amz-Credential=AKIAIEJ3NV7UYCSRJC7A%2F20250427%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Signature=29d70b70d36
0e7beb469be694c1b68d03ae1578fccf88b88ef1b5c6877f6fff3
Resolving dvn-cloud.s3.amazonaws.com (dvn-cloud.s3.amazonaws.com)... 16.15.179.183, 16.182.101.233, 54.231.138.73, ...
Connecting to dvn-cloud.s3.amazonaws.com (dvn-cloud.s3.amazonaws.com)|16.15.179.183|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 110825331 (106M) [application/octet-stream]
Saving to: ‘flights2004.csv.bz2’
```

year 2004 Data uploading in Hadoop

```
ijinhwi — hadoop@ip-172-31-15-235:~ — ssh -i ~/Downloads/이커머스 데이터 분석/CS 673 Tutorial.pem hadoop@ec2-3-148-227-25.us-east-2.compute.amazonaws.com — 215×58
[[hadoop@ip-172-31-15-235 ~]$ wget "https://dataverse.harvard.edu/api/access/datafile/:persistentId?persistentId=doi:10.7910/DVN/HG7NV7/3NOQ6Q" -O carriers.csv
--2025-04-27 02:23:08--  https://dataverse.harvard.edu/api/access/datafile/:persistentId?persistentId=doi:10.7910/DVN/HG7NV7/3NOQ6Q
Resolving dataverse.harvard.edu (dataverse.harvard.edu)... 44.221.223.248, 3.91.111.177, 35.173.152.191
Connecting to dataverse.harvard.edu (dataverse.harvard.edu)|44.221.223.248|:443... connected.
HTTP request sent, awaiting response... 303 See Other
Location: https://dvn-cloud.s3.amazonaws.com/10.7910/DVN/HG7NV7/16979?response-content-disposition=attachment%3B%20filename%2A%3DUTF-8%27%27carriers.csv&response-content-type=text%2Fplain%3B%20charset%3DUS-ASCII&X-A
mz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Date=20250427T022309Z&X-Amz-SignedHeaders=host&X-Amz-Expires=3600&X-Amz-Credential=AKIAIEJ3NV7UYCSRJC7A%2F20250427%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Signature=b33f7302c365de5b
5143096e2745cc12f906ce6282f25a1d30fdbe79508a9ade [following]
--2025-04-27 02:23:09--  https://dvn-cloud.s3.amazonaws.com/10.7910/DVN/HG7NV7/16979?response-content-disposition=attachment%3B%20filename%2A%3DUTF-8%27%27carriers.csv&response-content-type=text%2Fplain%3B%20charset
%3DUS-ASCII&X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Date=20250427T022309Z&X-Amz-SignedHeaders=host&X-Amz-Expires=3600&X-Amz-Credential=AKIAIEJ3NV7UYCSRJC7A%2F20250427%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Signature=b
33f7302c365de5b5143096e2745cc12f906ce6282f25a1d30fdbe79508a9ade
Resolving dvn-cloud.s3.amazonaws.com (dvn-cloud.s3.amazonaws.com)... 16.182.69.209, 3.5.30.61, 16.182.73.209, ...
Connecting to dvn-cloud.s3.amazonaws.com (dvn-cloud.s3.amazonaws.com)|16.182.69.209|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 43758 (43K) [text/plain]
Saving to: ‘carriers.csv’

carriers.csv                                        100%[===================================================================================================>]  42.73K  --.-KB/s    in 0.01s

2025-04-27 02:23:09 (3.83 MB/s) - ‘carriers.csv’ saved [43758/43758]

[[hadoop@ip-172-31-15-235 ~]$ head -n 10 carriers.csv
Code,Description
"02Q","Titan Airways"
"04Q","Tradewind Aviation"
"05Q","Comlux Aviation, AG"
"06Q","Master Top Linhas Aereas Ltd."
"07Q","Flair Airlines Ltd."
"09Q","Swift Air, LLC"
"0BQ","DCA"
"0CQ","ACM AIR CHARTER GmbH"
"0FQ","Maine Aviation Aircraft Charter, LLC"
[[hadoop@ip-172-31-15-235 ~]$ sed -i 's/"//g' airports.csv
[[hadoop@ip-172-31-15-235 ~]$ sed -i 's/"//g' carriers.csv
[[hadoop@ip-172-31-15-235 ~]$ head -n 10 carriers.csv
Code,Description
02Q,Titan Airways
04Q,Tradewind Aviation
05Q,Comlux Aviation, AG
06Q,Master Top Linhas Aereas Ltd.
07Q,Flair Airlines Ltd.
09Q,Swift Air, LLC
0BQ,DCA
0CQ,ACM AIR CHARTER GmbH
0FQ,Maine Aviation Aircraft Charter, LLC
[[hadoop@ip-172-31-15-235 ~]$ hive
Hive Session ID = 517d5104-b269-46da-ad89-901da7dda208

Logging initialized using configuration in file:/etc/hive/conf.dist/hive-log4j2.properties Async: false
hive> DROP TABLE IF EXISTS jinhwi2004;
OK
Time taken: 0.293 seconds
hive> DROP TABLE IF EXISTS airports;
OK
Time taken: 0.011 seconds
hive> DROP TABLE IF EXISTS carriers;CREATE TABLE jinhwi2004 (
    >   Year INT,
    >   Month INT,
```

Database and Table structures

```
ijinhwi — hadoop@ip-172-31-15-235:~ — ssh -i ~/Downloads/이커머스 데이터 분석/CS 673 Tutorial.pem hadoop@ec2-3-148-227-25.us-east-2.compute.amazonaws.com — 215×58
hive> DROP TABLE IF EXISTS carriers;CREATE TABLE jinhwi2004 (
    >   Year INT,
    >   Month INT,
    >   DayofMonth INT,
    >   DayOfWeek INT,
    >   DepTime INT,
    >   CRSDepTime INT,
    >   ArrTime INT,
    >   CRSArrTime INT,
    >   UniqueCarrier STRING,
    >   FlightNum INT,
    >   TailNum STRING,
    >   ActualElapsedTime INT,
    >   CRSElapsedTime INT,
    >   AirTime INT,
    >   ArrDelay INT,
    >   DepDelay INT,
    >   Origin STRING,
    >   Dest STRING,
    >   Distance INT,
    >   TaxiIn INT,
    >   TaxiOut INT,
    >   Cancelled INT,
    >   CancellationCode STRING,
    >   Diverted INT,
    >   CarrierDelay INT,
    >   WeatherDelay INT,
    >   NASDelay INT,
    >   SecurityDelay INT,
    >   LateAircraftDelay INT
    > )
    > ROW FORMAT DELIMITED
    > FIELDS TERMINATED BY ','
    > STORED AS TEXTFILE;
OK
Time taken: 0.015 seconds
OK
Time taken: 0.324 seconds
hive> CREATE TABLE airports (
    >   iata STRING,
    >   airport STRING,
    >   city STRING,
    >   state STRING,
    >   country STRING,
    >   lat DOUBLE,
    >   long DOUBLE
    > )
    > ROW FORMAT DELIMITED
    > FIELDS TERMINATED BY ','
    > STORED AS TEXTFILE;
OK
Time taken: 0.058 seconds
hive> CREATE TABLE carriers (
    >   Code STRING,
    >   Description STRING
    > )
    > ROW FORMAT DELIMITED
    > FIELDS TERMINATED BY ','
```

Database and Table structures

```
ijinhwi — hadoop@ip-172-31-15-235:~ — ssh -i ~/Downloads/이커머스 데이터 분석/CS 673 Tutorial.pem hadoop@ec2-3-148-227-25.us-east-2.compute.amazonaws.com — 215×58
OK
Time taken: 0.037 seconds
hive> LOAD DATA LOCAL INPATH '/home/hadoop/jinhwi2004.csv' INTO TABLE jinhwi2004;
Loading data to table default.jinhwi2004
OK
Time taken: 1.424 seconds
hive> LOAD DATA LOCAL INPATH '/home/hadoop/airports.csv' INTO TABLE airports;
Loading data to table default.airports
OK
Time taken: 0.148 seconds
hive> LOAD DATA LOCAL INPATH '/home/hadoop/carriers.csv' INTO TABLE carriers;
Loading data to table default.carriers
OK
Time taken: 0.527 seconds
hive> SELECT * FROM jinhwi2004 LIMIT 10;
OK
NULL    NULL    NULL    NULL    NULL    NULL    NULL    NULL    UniqueCarrier   NULL    TailNum NULL    NULL    NULL    NULL    NULL    Origin  Dest    NULL    NULL    NULL    NULL    CancellationCode        NULL  N
ULL     NULL    NULL    NULL    NULL
2004    1       12      1       623     630     901     915     UA      462     N805UA  98      105     80      -14     -7      ORD     CLT     599     7       11      0               0       0       0       0     0
2004    1       13      2       621     630     911     915     UA      462     N851UA  110     105     78      -4      -9      ORD     CLT     599     16      16      0               0       0       0       0     0
2004    1       14      3       633     630     920     915     UA      462     N436UA  107     105     88      5       3       ORD     CLT     599     4       15      0               0       0       0       0     0
2004    1       15      4       627     630     859     915     UA      462     N828UA  92      105     78      -16     -3      ORD     CLT     599     4       10      0               0       0       0       0     0
2004    1       16      5       635     630     918     915     UA      462     N831UA  103     105     87      3       5       ORD     CLT     599     3       13      0               0       0       0       0     0
2004    1       17      6       628     630     905     915     UA      462     N834UA  97      105     81      -10     -2      ORD     CLT     599     5       11      0               0       0       0       0     0
2004    1       19      1       650     630     944     915     UA      462     N840UA  114     105     100     29      20      ORD     CLT     599     3       11      0               0       20      0       9     0
2004    1       20      2       627     630     904     915     UA      462     N454UA  97      105     84      -11     -3      ORD     CLT     599     3       10      0               0       0       0       0     0
2004    1       21      3       623     630     903     915     UA      462     N808UA  100     105     76      -12     -7      ORD     CLT     599     16      8       0               0       0       0       0     0
Time taken: 1.41 seconds, Fetched: 10 row(s)
hive> SELECT * FROM airports LIMIT 5;
OK
iata    airport city    state   country NULL    NULL
00M     Thigpen         Bay Springs     MS      USA     31.95376472     -89.23450472
00R     Livingston Municipal    Livingston      TX      USA     30.68586111     -95.01792778
00V     Meadow Lake     Colorado Springs        CO      USA     38.94574889     -104.5698933
01G     Perry-Warsaw    Perry   NY      USA     42.74134667     -78.05208056
Time taken: 0.079 seconds, Fetched: 5 row(s)
hive> SELECT * FROM carriers LIMIT 5;
OK
Code    Description
02Q     Titan Airways
04Q     Tradewind Aviation
05Q     Comlux Aviation
06Q     Master Top Linhas Aereas Ltd.
Time taken: 0.065 seconds, Fetched: 5 row(s)
```

Determine the three airports with the highest delay time (in hours) for 2004

```
ijinhwi — hadoop@ip-172-31-15-235:~ — ssh -i ~/Downloads/이카마스 데이터 분석/CS 673 Tutorial.pem hadoop@ec2-3-148-227-25.us-east-2.compute.amazonaws.com — 215×58
Time taken: 0.065 seconds, Fetched: 5 row(s)
hive> SELECT jh.Year, jh.Origin, a.airport,
    >     ROUND(SUM(jh.ArrDelay)/60, 2) AS Total_ArrDelay,
    >     ROUND(SUM(jh.DepDelay)/60, 2) AS Total_DepDelay,
    >     ROUND((SUM(jh.ArrDelay) + SUM(jh.DepDelay))/60, 2) AS Total_Delay
    > FROM jinhwi2004 jh
    > INNER JOIN airports a
    > ON jh.Origin = a.iata
    > WHERE jh.Year = 2004
    > GROUP BY jh.Year, jh.Origin, a.airport
    > ORDER BY Total_Delay DESC
    > LIMIT 3;
Query ID = hadoop_20250427024910_244aa852-a496-4f33-854a-bfe510efdefd
Total jobs = 1
Launching Job 1 out of 1
Tez session was closed. Reopening...
Session re-established.
Session re-established.
Status: Running (Executing on YARN cluster with App id application_1745718304850_0002)

--------------------------------------------------------------------------------
        VERTICES      MODE       STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
--------------------------------------------------------------------------------
Map 1 ..........  container     SUCCEEDED     10         10        0        0       0       0
Map 2 ..........  container     SUCCEEDED      1          1        0        0       0       0
Reducer 3 ......  container     SUCCEEDED      2          2        0        0       0       0
Reducer 4 ......  container     SUCCEEDED      1          1        0        0       0       0
--------------------------------------------------------------------------------
VERTICES: 04/04  [==========================>>] 100%  ELAPSED TIME: 18.26 s
--------------------------------------------------------------------------------
OK
2004    ORD     Chicago O'Hare International    78818.33        83873.45        162691.78
2004    ATL     William B Hartsfield-Atlanta Intl       78635.77        80889.83        151524.8
2004    DFW     Dallas-Fort Worth International 37527.73        47012.93        84540.67
```

```
ijinhwi — hadoop@ip-172-31-15-235:~ — ssh -i ~/Downloads/이카마스 데이터 분석/CS 673 Tutorial.pem hadoop@ec2-3-148-227-25.us-east-2.compute.amazonaws.com — 215×58
Time taken: 27.265 seconds, Fetched: 3 row(s)
hive> SELECT  jh.Year, jh.Dest, a.airport,
    >     ROUND(SUM(jh.ArrDelay)/60, 2) AS Total_ArrDelay,
    >     ROUND(SUM(jh.DepDelay)/60, 2) AS Total_DepDelay,
    >     ROUND((SUM(jh.ArrDelay) + SUM(jh.DepDelay))/60, 2) AS Total_Delay
    > FROM jinhwi2004 jh
    > INNER JOIN airports a
    > ON jh.Dest = a.iata
    > WHERE jh.Year = 2004
    > GROUP BY jh.Year, jh.Dest, a.airport
    > ORDER BY Total_Delay DESC
    > LIMIT 3;
Query ID = hadoop_20250427024953_733108e8-8d24-4242-928e-356b1bd91c3c
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1745718304850_0002)

--------------------------------------------------------------------------------
        VERTICES      MODE       STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
--------------------------------------------------------------------------------
Map 1 ..........  container     SUCCEEDED     10         10        0        0       0       0
Map 2 ..........  container     SUCCEEDED      1          1        0        0       0       0
Reducer 3 ......  container     SUCCEEDED      2          2        0        0       0       0
Reducer 4 ......  container     SUCCEEDED      1          1        0        0       0       0
--------------------------------------------------------------------------------
VERTICES: 04/04  [==========================>>] 100%  ELAPSED TIME: 17.54 s
--------------------------------------------------------------------------------
OK
2004    ORD     Chicago O'Hare International    77512.05        71654.6 149166.65
2004    ATL     William B Hartsfield-Atlanta Intl       64466.85        68524.95        132991.8
2004    EWR     Newark Intl     32052.95        29393.73        61446.68
Time taken: 18.189 seconds, Fetched: 3 row(s)
```

Determine the three airlines with the highest delay time (in hours) for 2004

```
hive> SELECT  jh.Year, jh.UniqueCarrier, c.Description,
    >     ROUND(SUM(jh.ArrDelay)/60, 2) AS Total_ArrDelay,
    >     ROUND(SUM(jh.DepDelay)/60, 2) AS Total_DepDelay,
    >     ROUND((SUM(jh.ArrDelay) + SUM(jh.DepDelay))/60, 2) AS Total_Delay
    > FROM jinhwi2004 jh
    > INNER JOIN carriers c
    > ON jh.UniqueCarrier = c.Code
    > WHERE jh.Year = 2004
    > GROUP BY jh.Year, jh.UniqueCarrier, c.Description
    > ORDER BY Total_Delay DESC
    > LIMIT 3;
Query ID = hadoop_20250427025141_7a70dc40-fce3-42f7-baec-d93421c30630
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1745718304850_0002)

--------------------------------------------------------------------------------
        VERTICES      MODE       STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
--------------------------------------------------------------------------------
Map 1 .......... container     SUCCEEDED     10         10        0        0       0       0
Map 2 .......... container     SUCCEEDED      1          1        0        0       0       0
Reducer 3 ...... container     SUCCEEDED      2          2        0        0       0       0
Reducer 4 ...... container     SUCCEEDED      1          1        0        0       0       0
--------------------------------------------------------------------------------
VERTICES: 04/04  [==========================>>] 100%  ELAPSED TIME: 16.12 s
--------------------------------------------------------------------------------
OK
2004    WN      Southwest Airlines Co.  102357.55       165926.52       268284.07
2004    AA      American Airlines Inc.  92905.43        103273.5        196178.93
2004    DL      Delta Air Lines Inc.    92479.35        86555.2 179034.55
Time taken: 16.519 seconds, Fetched: 3 row(s)
hive>
```

Determine overall which type of delay (arrivals or departures) is the largest (Overall Delays for year 2004)

```
hive> SELECT Year,
    > ROUND(SUM(ArrDelay)/60, 2) AS Total_ArrDelay,
    > ROUND(SUM(DepDelay)/60, 2) AS Total_DepDelay
    > FROM jinhwi2004
    > WHERE Year = 2004
    > GROUP BY Year;
Query ID = hadoop_20250423031657_a69b1d9a-025a-4adf-9df9-7db8a8d57399
Total jobs = 1
Launching Job 1 out of 1
Status: Running (Executing on YARN cluster with App id application_1745374308499_0006)

--------------------------------------------------------------------------------
        VERTICES      MODE        STATUS  TOTAL  COMPLETED  RUNNING  PENDING  FAILED  KILLED
--------------------------------------------------------------------------------
Map 1 .......... container     SUCCEEDED     10         10        0        0       0       0
Reducer 2 ...... container     SUCCEEDED      2          2        0        0       0       0
--------------------------------------------------------------------------------
VERTICES: 02/02  [==========================>>] 100%  ELAPSED TIME: 12.01 s
--------------------------------------------------------------------------------
OK
2004    757943.38       920969.02
Time taken: 12.224 seconds, Fetched: 1 row(s)
hive> Connection to ec2-3-148-215-47.us-east-2.compute.amazonaws.com closed by remote host.
Connection to ec2-3-148-215-47.us-east-2.compute.amazonaws.com closed.
(base) ijinhwi@ijinhwicBookAir ~ %
```