LP - 708 - IDN

Qualis

☒ PASS
☐ FAIL

TEST REPORT

No. QI-24/07/xxxx

Applicant Company Name	**PT. xxxxxx**
Attention	**Bapak xxxxx**
Address	Jalan xxxxxxx

Request No.	R/24/07/0414 A	Test performance date	16 – 19 Juli 2024
Received Date of Sample	16 Juli 2024	Issue date	19 Juli 2024
		Test Report valid until	18 Januari 2025

Sample Description	Blanket
Material/fiber type	100% Polyester
Brand Product	xxxxx
Type	Selimut yang terbuat dari bahan serat buatan/ 100% polyester – 1234 (Yellow, White) ; 3455 (Purple, White) ; 7487 (Blue, Purple) ; 77494 (Brown) ; 67609 (Red) ; 69422463 (Pink) ; 6916 (White)
Group of Product	Blanket
Description of Product	Blanket are made of cotton, and or man-made fiber materials, and or a mixture of both, which are impregnated, coated, covered or laminated by materials with specific functions.
Country of Origin	China
Factory Name	xxxxxxx
Factory Address	xxxxxxx
Remark	-

Approved and digitally signed on behalf of
PT. Qualis Indonesia

QR Code

Jang Yadi
Chemical Laboratory Manager

This document is electronically generated and bears no signature. Please scan above QR code to verify document originality.

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

Sample Picture:



A



B



C



D



E

Note: Test samples are selected by the laboratory and composited in accordance with the Decree of the Director General of Consumer Protection and Trade Order Number 36 of 2023 concerning Technical Instructions for Procedures for Implementing Verification of Registration and Testing of Goods Related to Security, Safety, Health and the Environment.

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

Overall Conclusion:

For compliance with the requirements Permendag No. 26 Tahun 2021:

No	Test Parameter	Test Method	Result
1.	Extractable Heavy Metal	SNI 7334: 2009	**PASS**
2.	Formaldehyde	SNI ISO 14184-1: 2015	**PASS**
3.	Azo Dyes	SNI ISO 24362-1: 2015	**PASS**
4.	Flame Retardant	SNI ISO 17881-1:2017	**PASS**
5.	PFOA/PFOS	SNI 8360:2017	**PASS**

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

Sample Description:

Sample Description	*Sample ID*
E. Main fabric (Merah)	001
A. Main fabric (Kuning)	002
B/C. Main fabric (Biru)	003
D. Main fabric (Coklat)	004
B. Main fabric (Ungu)	005
A. Main fabric (Hitam)	006
D. Main fabric (Hijau)	007
A/B/C. Main fabric (Putih)	008

Note: main colors: red, yellow, green, blue, orange, brown, purple, black, white and multicolor

Test Result:

1. Extractable Heavy Metal

Test Method: SNI 7334: 2009 analyzed by Inductively Coupled Plasma – Optical Emission Spectrometry (ICP-OES)

Element	CAS Number	Result (mg/kg)		Requirement
		(001+002+003)	(004+005+006)	
Lead (Pb)	n/a	Not Detected	Not Detected	Maximum 0.2 mg/kg
Cadmium (Cd)	n/a	Not Detected	Not Detected	Maximum 0.1 mg/kg
Copper (Cu)	n/a	Not Detected	Not Detected	Maximum 25.0 mg/kg
Nickel (Ni)	n/a	Not Detected	Not Detected	Maximum 1.0 mg/kg
Remark		**PASS**	**PASS**	

Element	CAS Number	Result (mg/kg)	Requirement
		(007+008)	
Lead (Pb)	n/a	Not Detected	Maximum 0.2 mg/kg
Cadmium (Cd)	n/a	Not Detected	Maximum 0.1 mg/kg
Copper (Cu)	n/a	Not Detected	Maximum 25.0 mg/kg
Nickel (Ni)	n/a	Not Detected	Maximum 1.0 mg/kg
Remark		**PASS**	

Method Detection Limit= Lead: 0.050 mg/kg, Cadmium: 0.015 mg/kg, Copper: 0.020 mg/kg, Nickel: 0.050 mg/kg

2. Formaldehyde

Test Method: SNI ISO 14184-1: 2015 analyzed by Spectrophotometer UV VIS

Compound	CAS Number	Result (mg/kg)	Requirement
		(001+002+003+004+005+006+007+008)	
Formaldehyde	50-00-0	Not Detected	Maximum 16 mg/kg
Remark		**PASS**	

Method Detection Limit = 16 mg/kg
Formaldehyde testing is not based on color

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

3. Azo dyes

Test Method: SNI ISO 24362-1: 2015 analyzed by Gas Chromatography Mass Spectrometry (GC-MS)

Compound	CAS Number	Result (mg/kg)	
		(001+002+003)	(004+005)
4-aminobiphenyl / biphenyl-4-ylamine / xenylamine	92-67-1	Not Detected	Not Detected
Benzidine	92-87-5	Not Detected	Not Detected
4-chloro-o-toluidine	95-69-2	Not Detected	Not Detected
2-naphthylamine	91-59-8	Not Detected	Not Detected
o-aminoazotoluene / 4-amino-2',3-dimethylazobenzene / 4-o-tolylazo-o-toluidine	97-56-3	Not Detected	Not Detected
5-nitro-o-toluidine / 2-amino-4-nitrotoluene	99-55-8	Not Detected	Not Detected
4-chloroaniline	106-47-8	Not Detected	Not Detected
2,4-diaminoanisole / 4-methoxy-m-phenylenediamine	615-05-4	Not Detected	Not Detected
4,4'-diaminodiphenylmethane / 4,4'-methylenedianiline	101-77-9	Not Detected	Not Detected
3,3'-dichlorobenzidine / 3,3'-dichlorobiphenyl-4,4'-ylenediamine	91-94-1	Not Detected	Not Detected
3,3' dimethoxybenzidine / o-dianisidine	119-90-4	Not Detected	Not Detected
3,3'-dimethylbenzidine / 4,4'-bi-o-toluidine	119-93-7	Not Detected	Not Detected
4,4'-methylenedi-o-toluidine	838-88-0	Not Detected	Not Detected
p-cresidine / 6-methoxy-m-toluidine	120-71-8	Not Detected	Not Detected
4,4'-methylene-bis-(2-chloroaniline) / 2,2;-dichloro-4-4'-methylene-dianiline	101-14-4	Not Detected	Not Detected
4,4'-oxydianiline	101-80-4	Not Detected	Not Detected
4,4'-thiodianiline	139-65-1	Not Detected	Not Detected
o-toluidine / 2-aminotoluene	95-53-4	Not Detected	Not Detected
2,4-toluendiamine / 4-methyl-m-phenylenediamine / 2,4-diaminotoluene	95-80-7	Not Detected	Not Detected
2,4,5-trimethylaniline	137-17-7	Not Detected	Not Detected
2-methoxyaniline / o-anisidine	90-04-0	Not Detected	Not Detected
4-aminoazobenzene*	60-09-3	Not Detected	Not Detected
Requirement		Maximum 20 mg/kg	Maximum 20 mg/kg
Remark		**PASS**	**PASS**

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

Compound	CAS Number	Result (mg/kg)
		(006+007)
4-aminobiphenyl / biphenyl-4-ylamine / xenylamine	92-67-1	Not Detected
Benzidine	92-87-5	Not Detected
4-chloro-o-toluidine	95-69-2	Not Detected
2-naphthylamine	91-59-8	Not Detected
o-aminoazotoluene / 4-amino-2',3-dimethylazobenzene / 4-o-tolylazo-o-toluidine	97-56-3	Not Detected
5-nitro-o-toluidine / 2-amino-4-nitrotoluene	99-55-8	Not Detected
4-chloroaniline	106-47-8	Not Detected
2,4-diaminoanisole / 4-methoxy-m-phenylenediamine	615-05-4	Not Detected
4,4'-diaminodiphenylmethane / 4,4'-methylenedianiline	101-77-9	Not Detected
3,3'-dichlorobenzidine / 3,3'-dichlorobiphenyl-4,4'-ylenediamine	91-94-1	Not Detected
3,3' dimethoxybenzidine / o-dianisidine	119-90-4	Not Detected
3,3'-dimethylbenzidine / 4,4'-bi-o-toluidine	119-93-7	Not Detected
4,4'-methylenedi-o-toluidine	838-88-0	Not Detected
p-cresidine / 6-methoxy-m-toluidine	120-71-8	Not Detected
4,4'-methylene-bis-(2-chloroaniline) / 2,2;-dichloro-4-4'-methylene-dianiline	101-14-4	Not Detected
4,4'-oxydianiline	101-80-4	Not Detected
4,4'-thiodianiline	139-65-1	Not Detected
o-toluidine / 2-aminotoluene	95-53-4	Not Detected
2,4-toluendiamine / 4-methyl-m-phenylenediamine / 2,4-diaminotoluene	95-80-7	Not Detected
2,4,5-trimethylaniline	137-17-7	Not Detected
2-methoxyaniline / o-anisidine	90-04-0	Not Detected
4-aminoazobenzene*	60-09-3	Not Detected
Requirement		Maximum 20 mg/kg
Remark		**PASS**

Method Detection Limit = 5 mg/kg
**Not Accredited by KAN*

4. *Flame Retardant*

Test Method: SNI ISO 17881-1 : 2017 Analyzed by Gas Chromatography Mass Spectrometry (GC-MS)

Compound	CAS Number	Result (mg/kg)	Requirement
		(001+002+003+004+005+006+007+008)	
Pentabromodiphenyl Ether (pentaBDE)	32534-81-9	Not Detected	Not Detected (Maximum 5 mg/kg)
Remark		**PASS**	

Method Detection Limit= 2 mg/kg
Testing of flame retardant is not based on color

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

5. PFOA & PFOS

Test Method: SNI 8360 : 2017 Analyzed by Liquid Chromatography Mass Spectrometry (LC-MS)

Compound	CAS Number	Result ($\mu g/m^2$) (001+002+003+004+ 005+006+007+008)	Requirement
Perfluorooctanesulfonate (PFOS)	1763-23-1	Not Detected	Maximum 1,0 $\mu g/m^2$
Perfluorooctanoic acid (PFOA)	335-67-1	Not Detected	Maximum 1,0 $\mu g/m^2$
Remark		**PASS**	

Method Detection Limit= 0.5 $\mu g/m^2$

Testing of water-resistant chemicals is not based on color

********** *End of The Test Report* **********

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

ATTACHMENT

Table of Product Grouping

PT. xxxxxxxx
Xxxxxx
xxxxxxx

Grouping of Product : *Blanket*

No.	*Product Name*	*Article No.*	*Color*	*Material*	*Brand*	*Photo of Product*
1	Pillow Blanket	69456	yellow, white	100% Polyester	xxxxx	
2	Pillow Blanket	69470	purple, white	100% Polyester	xxxxx	
3	Pillow Blanket	69787	blue, purple	100% Polyester	xxxxx	
4	Pillow Blanket	69494	brown	100% Polyester	xxxxx	
5	Pillow Blanket	69609	red	100% Polyester	xxxxx	

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

6	BT21 Collection Unique Shaped Pillow Blanket (COOKY)	69863	pink	100% Polyester	xxxxx	
7	BT21 Collection Unique Shaped Pillow Blanket (RJ)	69616	white	100% Polyester	xxxxx	

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia

Please be informed that this report is issued under the following conditions:

1. Test/calibration result in the form of official report will be issued immediately after testing/calibration has been completed.

2. Unless otherwise specified by the Client, this report shall only contain technical evaluation results conducted by PT QUALIS INDONESIA. In the event of a requirement to submit analysis, interpretation of the results, opinions and/or professional recommendations expressed thereupon, then these shall be indicated PT QUALIS INDONESIA in writing and additional fee, if applicable, borne by the Client.

3. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that PT QUALIS INDONESIA approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that PT QUALIS INDONESIA in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.

4. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. PT QUALIS INDONESIA therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any other information supplied.

5. Additional copies of the report are available to the Client at an additional fee. No third party can obtain a copy of this report through PT QUALIS INDONESIA, unless the Client has authorized PT QUALIS INDONESIA in writing to do so.

6. PT QUALIS INDONESIA may at its sole discretion add to or amend the conditions of the report at the time of report issuance. Such report and additions or amendments shall be binding on the Client.

7. All copyright in the report shall remain with PT QUALIS INDONESIA and the Client shall, upon payment of PT QUALIS INDONESIA's fees for the carrying out of the tests/calibrations, be granted the permission to use or publish the report to the third parties subject to the terms and conditions herein, provided that PT QUALIS INDONESIA is always at its absolute discretion entitled to impose such terms and conditions on the report as it sees relevant.

8. Nothing in this report shall be interpreted to mean that PT QUALIS INDONESIA has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.

9. This report shall not be reproduced in parts and no reference shall be made by the Client to PT QUALIS INDONESIA, or to the report or results furnished by PT QUALIS INDONESIA in any advertisements or sales promotion.